

Small Business Improvement Enhanced Program Rebate Application for Virginia

DEV-SBIE-5REF_v0826

INSTRUCTIONS TO APPLY

1. CHECK PROJECT AND EQUIPMENT ELIGIBILITY

- Read all Terms and Conditions carefully to confirm your eligibility to participate in the Small Business Improvement Enhanced Program. Visit DomSavings.com to view the full list of qualifying measures and please note customer eligibility must be confirmed prior to the participating contractor performing work at any customer location.

2. COMPLETE AN ENERGY ASSESSMENT

- A walk-through energy assessment completed by a participating contractor is required for all projects, detailing the recommended measures for installation.
- Some direct install measures may be installed immediately with minimal effort and investment.

3. INSTALL EQUIPMENT OR PERFORM PROJECT WORK

- Have the participating contractor install the equipment.

4. SUBMIT A REBATE APPLICATION

- Once the work has been completed your contractor will work with you to submit a rebate application for each eligible location.

- Submit a rebate application with a copy of the dated contractor invoice within 45 days of the service date and product invoice(s). Product specification sheets must also be submitted for applicable measures.

- Submit the rebate application in one of three ways below:

- ▶ Email: SBRebateapps@honeywell.com
- ▶ eFax: 804-621-2241
- ▶ Mail: Honeywell Smart Energy
3951 Westerre Parkway, Suite 350
Richmond, VA 23233

- You may be contacted for a post-installation quality assurance inspection to verify that your application meets program guidelines.

5. RECEIVE INCENTIVE PAYMENT

- When your rebate application is approved a rebate check will be mailed to you or the participating contractor.

TERMS AND CONDITIONS FOR DOMINION ENERGY VIRGINIA

These terms and conditions apply to the Small Business Improvement Enhanced Program ("Program"). The Program was approved by the Virginia State Corporation Commission.

Any reference in these documents to "Dominion," "Dominion Energy," or "Dominion Energy Virginia" should be read as a reference to Virginia Electric and Power Company d/b/a Dominion Energy Virginia, as well as its authorized agents and contractors.

ENROLLMENT QUALIFICATIONS AND REQUIREMENTS FOR PARTICIPATION

- Service must be performed on or after **January 1, 2026**.
- Program participant must be a Dominion non-residential customer of a privately-owned business that has not exceeded monthly demand of 200 kilowatts 3 or more times in the past 12 months, is responsible for the electric bill and is the owner of the facility or reasonably able to secure permission to complete measures ("Customer").
- Customer is eligible for more than one rebate per location during the Program time period.
- Customer who has previously received a rebate for the Non-Residential Energy Audit Program, Duct Testing and Sealing Program, or Small Business Improvement Program is not eligible to receive another rebate for installing the same measure on the same unit as part of this Program, unless the measures life has expired per the program design.
- Work must be completed by a participating contractor in the Small Business Improvement Enhanced Program when the work begins.
- Dominion and/or its designees including program administrators and evaluation contractors reserve the right to review installations to verify completion and measure energy savings to ensure compliance with all Program requirements. Such reviews will be made at a time convenient to the Customer. Denial of such verification or misrepresentation of installation location or measure eligibility may result in forfeiture of the rebate.
- Service must be completed in accordance with all laws, codes and other requirements applicable under federal, state and local authority.
- The Customer understands that it may be contacted by Dominion via survey or questionnaire to provide feedback regarding Customer satisfaction with the program.
- The Customer understands that through participation in this energy conservation program and receiving a rebate, they are ineligible to opt out of energy efficiency riders for a period of three years following their year of participation.

PAYMENT

- Rebate application must be submitted within 45 days of the service date.** Failure to provide any of the required information will delay processing of Customer's application and could result in nonpayment. It is the responsibility of the Customer to assure that all requirements for the rebate are met. Dominion retains the right to deny participation to Customer for failure to comply with the enrollment qualifications and requirements for participation.
- Rebate payments are based on the date of service. Customers must abide by the rules and rebate levels in effect on the date of service.
- Rebate payments will be capped at a maximum limit of 75% of Customer's total invoice amount based on the eligible incentives on Customer's rebate application.
- Payment will be issued to the account holder and mailing address on record with the utility unless the Customer has authorized in writing that payment be made to the contractor specified in this document.

- Please allow up to 90 days from the date all required information is received to process your rebate.**

- Customer is urged to seek appropriate consultation concerning any tax liabilities that could be associated with the receipt of the rebate.

OTHER REQUIREMENTS

- Program procedures, requirements and rebate levels are subject to change or cancellation without notice and are subject to Program funds being available and regulatory approval.
- Dominion, its parents, subsidiaries, employees, affiliates and agents assume no responsibility for, and make no representations (express or implied) about, the performance of the equipment or equipment warranty, for equipment supplied or serviced by, the quality of the work or, labor performed by, the quality of the materials supplied by, and/or the acts or omissions of, itself or any participating contractor.
- By participating in this Program, the Customer hereby agrees to indemnify, defend and hold harmless Dominion, its parents, subsidiaries, employees, affiliates, contractors, and agents from any and all liability associated with the Program. Dominion shall not be liable for loss or damage to any person or property whatsoever, resulting directly or indirectly from participation in this Program.
- Dominion retains all rights to energy and demand savings resulting from measures installed under this Program for a maximum of four years. Dominion has the exclusive right to enroll, nominate, or offer a bid for energy or demand reductions resulting from measures installed under this Program into load management programs, demand response programs, or auctions operated by PJM Interconnection, L.L.C. ("PJM"), the regional electric transmission organization of which the Company is a member. Customer's participation in this Program means that the Customer is consenting to Dominion sharing the Customer's pertinent information with PJM, Dominion's agents, and contractors, including, but not limited to, its implementing contractors and its measurement and verification vendor. Pertinent Customer information includes, but is not limited to, energy usage and billing information, account holder name, account number, address, other contact information, measures installed, period of installation, demand/energy reductions resulting from measures installed under this Program and the technical basis for such reductions, loss factors, coincidence factors, interactive factors, building type and other information necessary to implement and monitor the Program, including other information as required by PJM or any other regulatory authority.
- Customer understands and affirms that the installed measures associated with this rebate application have not been, and will not be, incentivized or otherwise financially supported by any other Dominion Energy-sponsored energy efficiency program. Under no circumstances may a program measure be incentivized twice except as otherwise noted in the Program Terms and Conditions regarding allowances for multiple rebate applications (when applicable).
- These Program specific terms and conditions are in addition to the terms and conditions of service currently on file with the Virginia State Corporation Commission and contained in any agreement between the Customer and a Program vendor. To the extent there is any conflict among such terms and conditions, these Program specific terms and conditions shall control.

Virginia Small Business Improvement Enhanced Program

REBATE APPLICATION

APPLICATION CHECKLIST

Complete the checklist below and submit all required documents. Rebate cannot be processed with any missing information or blank fields.

Who is submitting this rebate application? ☐ Customer ☐ Contractor

☐ I _____ (YOUR INITIALS) **HAVE READ THE INSTRUCTIONS AND TERMS AND CONDITIONS ON PAGE 1.**

☐ Completed entire rebate application.

☐ Attached a copy of the Energy Assessment Worksheet or ensured one has been previously submitted.

☐ Attached a copy of the dated invoice from the contractor who performed the work.

☐ Included the Product Specification Sheet for the applicable measures that require a pre-approval.

☐ Ensured Online Assessment entered for customer eligibility by indicating Assessment ID: _____

✓ **Submit in one of three ways:**

1. Email: SBIREbateapps@honeywell.com

2. eFax: 804-621-2241

3. Mail: Honeywell Smart Energy
3951 Westerre Parkway, Suite 350 • Richmond, VA 23233

CUSTOMER DETAILS

Name on Dominion Energy Account:

Service Address:

City:

State:

Zip Code:

Key Contact Name:

Email Address: *(We will confirm receipt of your application via your e-mail address)*

Phone Number:

Please select one: I ☐ own ☐ lease this non-residential facility.

The following question is optional:

Did the rebate incentive offered by Dominion Energy have any influence in your decision to have the work performed? ☐ Yes ☐ No

By signing this application, I agree to the above terms and conditions. I certify that I am the Dominion Energy Virginia customer and owner or lessee of the business described above, and that I am authorized to take action on the Dominion Energy account listed above.

Customer Name (please print)

Customer Signature

Date

CONTRACTOR DETAILS

Company Name:

Technician Name:

Company Street Address

Service Date: *(Must match date on contractor invoice)*

City:

State:

Zip Code:

Company Phone:

Email Address:

Technician Signature

Date

Dominion Energy Account Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

REBATE PAYMENT METHOD

I _____ (Your Initials) understand that my rebate incentive in the amount of \$ _____ will be paid directly to the contractor specified in this document and recognize that I have received the equivalent value of this amount through services provided, unless I check here ☐ to have the rebate check sent to me.



--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Refrigeration

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Each line represents a measure entry per refrigeration unit. Please use a new form if you exceed the space for each measure.

EVAPORATOR FANS WITH ECM

Item No.	Quantity Installed	Refrigeration Door Type	Refrigeration System Information						Pre-ECM Load	Post-ECM Load	
1.		☐ Walk-in ☐ Reach-in	Manufacturer:		Model No:		Refrig. System Rated Capacity (Btu/h):				
		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		Location: ☐ Outdoors, on grade ☐ Outdoors, rooftop ☐ Rooftop penthouse			☐ Store, customer area ☐ Store, back of house			
		Fan Motor Size (hp)	Refrig. System Age:*	Compressor Type:*	Compressor System Configuration:*		Compressor Voltage:	Compressor Amps:			
				☐ Standard Reciprocating ☐ Discus ☐ Scroll	☐ Standalone ☐ Standalone with VSD ☐ Parallel equal multiplex						
2.		☐ Walk-in ☐ Reach-in	Manufacturer:		Model No:		Refrig. System Rated Capacity (Btu/h):				
		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		Location: ☐ Outdoors, on grade ☐ Outdoors, rooftop ☐ Rooftop penthouse			☐ Store, customer area ☐ Store, back of house			
		Fan Motor Size (hp)	Refrig. System Age:*	Compressor Type:*	Compressor System Configuration:*		Compressor Voltage:	Compressor Amps:			
				☐ Standard Reciprocating ☐ Discus ☐ Scroll	☐ Standalone ☐ Standalone with VSD ☐ Parallel equal multiplex						

NIGHT COVERS

Item No.	Length of Night Cover (ft.)	Refrigeration System Information					
1.		Manufacturer:		Model No:		Refrig. System Rated Capacity (Btu/h):	
		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house		Compressor System Configuration:*\br/> ☐ Standalone ☐ Standalone with VSD ☐ Parallel equal multiplex
		Refrig. System Age:*	Compressor Type:*		Compressor Amps:		Compressor Voltage:
			☐ Standard Reciprocating ☐ Discus ☐ Scroll				
2.		Manufacturer:		Model No:		Refrig. System Rated Capacity (Btu/h):	
		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house		Compressor System Configuration:*\br/> ☐ Standalone ☐ Standalone with VSD ☐ Parallel equal multiplex
		Refrig. System Age:*	Compressor Type:*		Compressor Amps:		Compressor Voltage:
			☐ Standard Reciprocating ☐ Discus ☐ Scroll				

ANTI-SWEAT DOOR FILM

Item No.	No. of Refrig. Doors	Size of Door Film (sq. ft.)	ASD Heat (Watts)	Refrigeration System Information		
1.				Manufacturer:		Phase: ☐ 1 ☐ 3
				Refrig. System Load:		
				Freezer/Refrigerator Type: ☐ Freezer (low or medium temperature) ☐ Refrigerator/Cooler (high temperature) ☐ Unrefrigerated		

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Refrigeration (Continued)

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new form if you exceed the space for each measure.

ASDH (ANTI-SWEAT) DOOR HEATER CONTROLS

Item No.	No. of Refrig. Doors	Refrigeration System Information	ASD Heat (Watts)	ASD Heat Control Type*												
1.		<table border="1"> <tr> <td colspan="2">Manufacturer:</td> <td colspan="2">Model No:</td> </tr> <tr> <td> Phase: ☐ 1 ☐ 3 </td> <td> Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated </td> <td colspan="2"> Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse </td> </tr> <tr> <td>Refrig. System Rated Capacity (Btu/h):</td> <td>Refrig. System Age:*</td> <td>Compressor Voltage:</td> <td>Compressor Amps:</td> </tr> </table>	Manufacturer:		Model No:		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse		Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:		☐ None ☐ On/Off ☐ Micropulse
Manufacturer:		Model No:														
Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse														
Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:													
2.		<table border="1"> <tr> <td colspan="2">Manufacturer:</td> <td colspan="2">Model No:</td> </tr> <tr> <td> Phase: ☐ 1 ☐ 3 </td> <td> Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated </td> <td colspan="2"> Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse </td> </tr> <tr> <td>Refrig. System Rated Capacity (Btu/h):</td> <td>Refrig. System Age:*</td> <td>Compressor Voltage:</td> <td>Compressor Amps:</td> </tr> </table>	Manufacturer:		Model No:		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse		Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:		☐ None ☐ On/Off ☐ Micropulse
Manufacturer:		Model No:														
Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse														
Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:													

EVAPORATOR FAN CONTROLS

Item No.	Quantity Installed	Evaporator Fan Motor Horsepower	Motor Type	Refrigeration System Information	Forced Air Controller Type:*																
1.			☐ PSC Motor ☐ ECM Motor ☐ Unknown	<table border="1"> <tr> <td colspan="2">Manufacturer:</td> <td colspan="2">Model No:</td> </tr> <tr> <td> Phase: ☐ 1 ☐ 3 </td> <td> Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated </td> <td colspan="2"> Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse </td> </tr> <tr> <td>Refrig. System Rated Capacity (Btu/h):</td> <td>Refrig. System Age:*</td> <td>Compressor Voltage:</td> <td>Compressor Amps:</td> </tr> <tr> <td colspan="2"> Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll </td> <td colspan="2"> Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD </td> </tr> </table>	Manufacturer:		Model No:		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse		Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:	Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll		Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD		☐ On/Off ☐ Multi-Speed ☐ Unknown ☐ None
Manufacturer:		Model No:																			
Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse																			
Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:																		
Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll		Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD																			
2.			☐ PSC Motor ☐ ECM Motor ☐ Unknown	<table border="1"> <tr> <td colspan="2">Manufacturer:</td> <td colspan="2">Model No:</td> </tr> <tr> <td> Phase: ☐ 1 ☐ 3 </td> <td> Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated </td> <td colspan="2"> Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse </td> </tr> <tr> <td>Refrig. System Rated Capacity (Btu/h):</td> <td>Refrig. System Age:*</td> <td>Compressor Voltage:</td> <td>Compressor Amps:</td> </tr> <tr> <td colspan="2"> Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll </td> <td colspan="2"> Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD </td> </tr> </table>	Manufacturer:		Model No:		Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse		Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:	Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll		Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD		☐ On/Off ☐ Multi-Speed ☐ Unknown ☐ None
Manufacturer:		Model No:																			
Phase: ☐ 1 ☐ 3	Freezer/Refrigerator: ☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated	Location: ☐ Outdoors, on grade ☐ Store, customer area ☐ Outdoors, rooftop ☐ Store, back of house ☐ Rooftop penthouse																			
Refrig. System Rated Capacity (Btu/h):	Refrig. System Age:*	Compressor Voltage:	Compressor Amps:																		
Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll		Compressor System Configuration:* ☐ Standalone ☐ Parallel equal multiplex ☐ Standalone with VSD																			

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Refrigeration (Continued)

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new form if you exceed the space for each measure.

AUTO CLOSERS, DOOR GASKETS AND STRIP CURTAINS

AUTO CLOSERS				Refrigeration Door Type ☐ Walk-in ☐ Reach-in	Refrigeration System Information							
Item No.	Quantity Installed:	No. of Doors:			Manufacturer:		Model No:					
DOOR GASKETS					Phase:		Freezer/Refrigerator:		Location:			
Item No.	Length of Gaskets (ft.):	No. of Doors:			☐ 1 ☐ 3	☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house				
STRIP CURTAINS					Refrig. System Rated Capacity (Btu/h):		Compressor Type:*		Compressor System Voltage:		Compressor System Amps:	
Item No.	Quantity Installed:	Area of Curtain (sq. ft.)	No. of Doors:				☐ Standard Reciprocating ☐ Scroll ☐ Discus					
AUTO CLOSERS					Refrigeration Door Type ☐ Walk-in ☐ Reach-in		Refrigeration System Information					
Item No.	Quantity Installed:	No. of Doors:			Manufacturer:		Model No:					
DOOR GASKETS					Phase:		Freezer/Refrigerator:		Location:			
Item No.	Length of Gaskets (ft.):	No. of Doors:			☐ 1 ☐ 3		☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house			
STRIP CURTAINS				Refrig. System Rated Capacity (Btu/h):		Compressor Type:*		Compressor System Voltage:		Compressor System Amps:		
Item No.	Quantity Installed:	Area of Curtain (sq. ft.)	No. of Doors:			☐ Standard Reciprocating ☐ Scroll ☐ Discus						
AUTO CLOSERS					Refrigeration Door Type ☐ Walk-in ☐ Reach-in		Refrigeration System Information					
Item No.	Quantity Installed:	No. of Doors:			Manufacturer:		Model No:					
DOOR GASKETS					Phase:		Freezer/Refrigerator:		Location:			
Item No.	Length of Gaskets (ft.):	No. of Doors:			☐ 1 ☐ 3		☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house			
STRIP CURTAINS				Refrig. System Rated Capacity (Btu/h):		Compressor Type:*		Compressor System Voltage:		Compressor System Amps:		
Item No.	Quantity Installed:	Area of Curtain (sq. ft.)	No. of Doors:			☐ Standard Reciprocating ☐ Scroll ☐ Discus						
AUTO CLOSERS					Refrigeration Door Type ☐ Walk-in ☐ Reach-in		Refrigeration System Information					
Item No.	Quantity Installed:	No. of Doors:			Manufacturer:		Model No:					
DOOR GASKETS					Phase:		Freezer/Refrigerator:		Location:			
Item No.	Length of Gaskets (ft.):	No. of Doors:			☐ 1 ☐ 3		☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house			
STRIP CURTAINS				Refrig. System Rated Capacity (Btu/h):		Compressor Type:*		Compressor System Voltage:		Compressor System Amps:		
Item No.	Quantity Installed:	Area of Curtain (sq. ft.)	No. of Doors:			☐ Standard Reciprocating ☐ Scroll ☐ Discus						
AUTO CLOSERS					Refrigeration Door Type ☐ Walk-in ☐ Reach-in		Refrigeration System Information					
Item No.	Quantity Installed:	No. of Doors:			Manufacturer:		Model No:					
DOOR GASKETS					Phase:		Freezer/Refrigerator:		Location:			
Item No.	Length of Gaskets (ft.):	No. of Doors:			☐ 1 ☐ 3		☐ Freezer (low or medium temperature) ☐ Refrigerator/cooler (high temperature) ☐ Unrefrigerated		☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house			
STRIP CURTAINS				Refrig. System Rated Capacity (Btu/h):		Compressor Type:*		Compressor System Voltage:		Compressor System Amps:		
Item No.	Quantity Installed:	Area of Curtain (sq. ft.)	No. of Doors:			☐ Standard Reciprocating ☐ Scroll ☐ Discus						

VENDING MACHINE CONTROLS

Item No.	Quantity Installed	Existing/Old Vending Machine Power Draw (kW)	Door Type	Vending Machine Type	Location	Location Conditioned	
1.			☐ Reach-In	☐ Refrigerated beverage vending machines ☐ Non-refrigerated snack vending machines ☐ Glass front refrigerated coolers	☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house	☐ Yes ☐ No	Manufacturer:
							Model No:
2.			☐ Reach-In	☐ Refrigerated beverage vending machines ☐ Non-refrigerated snack vending machines ☐ Glass front refrigerated coolers	☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house	☐ Yes ☐ No	Manufacturer:
							Model No:
3.			☐ Reach-In	☐ Refrigerated beverage vending machines ☐ Non-refrigerated snack vending machines ☐ Glass front refrigerated coolers	☐ Outdoors, on grade ☐ Store, customer area ☐ Store, back of house	☐ Yes ☐ No	Manufacturer:
							Model No:

REASON FOR WORK PERFORMED

Check one: ☐ Retrofit ☐ Replace Broken ☐ New Construction ☐ New Install

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Refrigeration (Continued)

Rebate cannot be processed with any missing information. All fields marked with an asterisk (*) are optional. Please use a new form if you exceed the space for each measure.

COIL CLEANING

Item No.	No. of Systems Serviced	Amount of Dust Per System (Pre)	Amount of Dust Per System (Post)	Refrigeration System Information				
1.		☐ Clean ☐ Light ☐ Medium ☐ Heavy	☐ Clean ☐ Light ☐ Medium ☐ Heavy	Manufacturer:			Phase: ☐ 1 ☐ 3	
				Refrig. System Load:	Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll	Freezer/Refrigerator Type: ☐ Freezer (low or medium temperature) ☐ Refrigerator/Cooler (high temperature) ☐ Unrefrigerated		
				Refrig. System Age:*	Compressor Voltage:*	Compressor System Configuration:*		Compressor Amps:*
						☐ Standalone ☐ Parallel unequal multiplex ☐ Standalone with VSD ☐ Parallel equal multiplex		
2.		☐ Clean ☐ Light ☐ Medium ☐ Heavy	☐ Clean ☐ Light ☐ Medium ☐ Heavy	Manufacturer:			Phase: ☐ 1 ☐ 3	
				Refrig. System Load:	Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll	Freezer/Refrigerator Type: ☐ Freezer (low or medium temperature) ☐ Refrigerator/Cooler (high temperature) ☐ Unrefrigerated		
				Refrig. System Age:*	Compressor Voltage:*	Compressor System Configuration:*		Compressor Amps:*
						☐ Standalone ☐ Parallel unequal multiplex ☐ Standalone with VSD ☐ Parallel equal multiplex		
3.		☐ Clean ☐ Light ☐ Medium ☐ Heavy	☐ Clean ☐ Light ☐ Medium ☐ Heavy	Manufacturer:			Phase: ☐ 1 ☐ 3	
				Refrig. System Load:	Compressor Type:* ☐ Standard Reciprocating ☐ Discus ☐ Scroll	Freezer/Refrigerator Type: ☐ Freezer (low or medium temperature) ☐ Refrigerator/Cooler (high temperature) ☐ Unrefrigerated		
				Refrig. System Age:*	Compressor Voltage:*	Compressor System Configuration:*		Compressor Amps:*
						☐ Standalone ☐ Parallel unequal multiplex ☐ Standalone with VSD ☐ Parallel equal multiplex		

Dominion Energy Account Number:

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

DEV-SBIE-5REF_v0826

Building Type

Rebate cannot be processed with any missing information.

Please select one:

- | | | |
|---|---|--|
| ☐ Education – Elementary and Middle School | ☐ Food Service – Full Service | ☐ Office – Small (<40,000 sq ft) |
| ☐ Education – High School | ☐ Health Care – Inpatient | ☐ Public Assembly |
| ☐ Education – College and University | ☐ Health Care – Outpatient | ☐ Public Order and Safety – Police and Fire Station |
| ☐ Food Sales – Convenience Store | ☐ Lodging – Hotel, Motel and Dormitory | ☐ Religious Worship |
| ☐ Food Sales – Gas Station Convenience Store | ☐ Mercantile – Mall | ☐ Service – Beauty, Auto Repair Workshop |
| ☐ Food Sales – Grocery | ☐ Mercantile – Retail (not Mall) | ☐ Warehouse and Storage |
| ☐ Food Service – Fast Food | ☐ Office – Large (≥40,000 sq ft) | |
| ☐ Other _____ | | |

