

DATA SHEET

FibroPool® MEA

CAST IRON COMMERCIAL POOL PUMP




Designed and engineered
in the USA


WWW.FIBROPOOL.COM
WWW.FIBROPOOL.AE

CAST IRON COMMERCIAL POOL PUMP

Swimming pool casting iron pump, low energy requirement, high height performance, bigflow and low noise. Main pump is made in casting iron. Long time lasting . Impeller andfilter nets are steel material. Convenient to hand, easy to maintain. Spare parts available.Protect grade: iP55; insulation Grade:F



Technical Drawing(mm)



Product Parameters

Model	Voltage (V)	Power (KW)	Power (HP)	Hmax (m)	Qmax (m3/h)	Motor Speed (r/min)	Pors Size (mm)	Inlet Pipe Flange (mm)	Outlet Pipe Diameter (mm)	Outlet Pipe Flange (mm)			
FFDU-40	380V/50Hz	3.0	4.0	14	48	1450	Φ100	8-Φ18 Φ110	Φ63	4-Φ18 Φ75			
FFDU-55		4.0	5.5	16	60								
FFDU-75		5.5	7.5	18	75								
FFDU-100		7.5	10.0	20	120		Φ125		Φ80	4-Φ18 Φ75			
FFDU-125		9.2	12.5	18	150								
FFDU-150		11.0	15.0	22	160								
FFDU-200		15	20	22	170								
FFDU-250		18.5	25	23	200		Φ160						
FFDU-300		22	30	25	230								

FibroPool® MEA

WWW.FIBROPOOL.COM



WWW.FIBROPOOL.AE



Designed and engineered in the USA

We reserve the right to change all or part of the features of the articles or contents of this document, with out prior notice.