



WWW.PERFORMATEC.COM.AU

EXCEPTIONAL SERVICE AND RELIABLE PRESS BRAKES



Superior Accuracy and Precision

The APHS series of press brakes combine robust power, meticulous precision and versatile performance. Offering outstanding accuracy in bending a wide range of materials, the APHS represents a perfect blend of consistency, strength and finesse.



Key Specifications (Continued over):

APHS SERIES	Bend Length (mm)	Bend Force (T)	Main Motor (kW)	Oil Capacity (L)	Inside Frame (mm)	Daylight Opening (mm)	Stroke (mm)	Throat Gap (mm)	Approach (mm/s)	Working (mm/s)	Return (mm/s)
125040	1250	40	4	80	1070	455	215	410	160	10	130
21060	2100	60	5.5	140	1600	475	210	410	150	10	130
26090	2600	90	7.5	140	2050	540	260	410	150	10	130
31090	3100	90	7.5	140	2550	530	260	410	160	10	130
31120	3100	120	11	140	2550	540	260	410	160	10	130
31160	3100	160	15	210	2550	540	260	410	160	10	130



Delem Controller




AKAS Safety System



CNC Crowning



Promecam Clamping



X + R Axis Backgauge



High Performance Bending

Designed to meet a vast array of bending needs, the APHS boasts a perfect combination of efficiency and versatility.

APHS SERIES	Bend Length (mm)	Bend Force (T)	Main Motor (kW)	Oil Capacity (L)	Inside Frame (mm)	Daylight Opening (mm)	Stroke (mm)	Throat Gap (mm)	Approach (mm/s)	Working (mm/s)	Return (mm/s)
31200	3100	200	18.5	210	2550	530	260	410	160	10	130
31240	3100	240	22	210	2550	530	260	410	160	10	130
31300	3100	300	22	280	2550	660	320	500	110	8	100
41160	4100	160	15	210	3550	530	260	410	200	10	120
41200	4100	200	18.5	210	3550	530	260	410	200	10	120
41240	4100	240	22	210	3550	530	260	410	160	8	100
41300	4100	300	22	280	3550	635	320	500	120	8	90



APHS