



EXCEPTIONAL SERVICE AND RELIABLE PRESS BRAKES



Advanced Steel Production

Designed to surpass the evolving needs of modern fabrication, the APHS Pro is an essential tool in any workshop that requires next-level production. Boasting advanced engineering and innovative capabilities, the APHS Pro ensures sustained high performance and reliability.



Key Specifications (Continued over)

APHS SERIES	Bend Length (mm)	Bend Force (T)	Main Motor (kW)	Oil Capacity (L)	Inside Frame (mm)	Daylight Opening (mm)	Stroke (mm)	Throat Gap (mm)	Approach (mm/s)	Working (mm/s)	Return (mm/s)
125040	1200	40	4	80	1070	455	215	410	160	10	130
21060	2100	60	5.5	140	1600	475	210	410	150	10	130
26090	2600	90	7.5	140	2050	540	260	410	150	10	130
31090	3100	90	7.5	140	2550	530	260	410	160	10	130
31120	3100	120	11	140	2550	540	260	410	160	10	130
31160	3100	160	15	210	2550	540	260	410	160	10	130



Delem Controller



AKAS Safety System



CNC Crowning



Promecam Clamping



X + R Axis Backgauge

APHS PRO



Designed to meet a vast array of bending needs, the APHS boasts a perfect combination of efficiency and versatility.



Key Specifications (cont.)

APHS SERIES	Bend Length (mm)	Bend Force (T)	Main Motor (kW)	Oil Capacity (L)	Inside Frame (mm)	Daylight Opening (mm)	Stroke (mm)	Throat Gap (mm)	Approach (mm/s)	Working (mm/s)	Return (mm/s)
31200	3100	200	19	210	2550	530	260	410	150	10	130
31240	3100	240	22	210	2550	530	260	410	130	10	120
31300	3100	300	22	280	2550	660	320	500	110	8	100
31440	3100	440	30	450	2550	575	320	500	80	8	70
41160	4100	160	15	210	3550	530	260	410	170	10	120
41200	4100	200	18.5	210	3550	530	260	410	160	10	110
41240	4100	240	22	210	3550	530	260	410	150	10	100
41300	4100	300	22	280	3550	635	320	500	120	8	90
41440	4100	440	30	450	3550	590	320	500	80	8	70
61240	6100	240	22	300	5100	500	260	500	140	10	100
61300	6100	300	22	300	5100	560	320	500	120	8	70
61380	6100	380	30	450	5100	570	320	500	90	8	70
61440	6100	440	30	450	5100	570	320	500	90	8	70
61600	6100	600	37	500	5100	620	360	500	80	7	70

APHS PRO