

# What Every Parent and Caregiver Needs to Know About **FAKE PILLS**



DRUG ENFORCEMENT ADMINISTRATION • Public Safety Alert

## What is fentanyl?

- It is a deadly synthetic opioid that is being pressed into fake pills or cut into heroin, cocaine, and other street drugs to drive addiction.

FENTANYL IS

**50x**

MORE POTENT  
THAN HEROIN

## What are fake pills?

- The Sinaloa Cartel and Cartel de Jalisco Nueva Generacion are making fentanyl and pressing it into fake pills. Fake pills are made to look like OxyContin®, Xanax®, Adderall®, and other pharmaceuticals. These fake pills contain no legitimate medicine.
- Fentanyl is also made in a rainbow of colors so it looks like candy.



**\*FAKE**  
rainbow oxycodone M30 tablets containing fentanyl

## Why is fentanyl so dangerous?

- DEA lab testing reveals that five out of every ten fake pills with fentanyl contain a potentially lethal dose.



## What are the physical and mental effects of fentanyl?

- Fentanyl use can cause confusion, drowsiness, dizziness, nausea, vomiting, changes in pupil size, cold and clammy skin, coma, and respiratory failure leading to death.

Visit [www.dea.gov/onepill](http://www.dea.gov/onepill) for more information and resources for parents and caregivers

*\*Photos of fake pills do not represent all available fake pills.*

**ONE  
PILL CAN  
KILL**

Data as of November 2024

## How would my child get fentanyl?

- Drug traffickers are using social media to advertise drugs and conduct sales. If you have a smartphone and a social media account, then a drug trafficker can find you. This also means they are finding your kids who have social media accounts.
- To learn about emoji codes used on social media, visit [Emoji Drug Code Decoded](https://www.dea.gov/onepill) on [www.dea.gov/onepill](https://www.dea.gov/onepill).

### PERCOCET® & OXYCODONE



### XANAX®



### ADDERALL®



## Why you should be concerned.

- The drug landscape is dramatically different from when you grew up, or even from just a few years ago.
- All parents and caregivers need to be educated on current drug threats to be able to have informed talks with their kids.

## Tips for Parents and Caregivers

- Encourage open and honest communication
- Explain what fentanyl is and why it is so dangerous
- Stress not to take any pills that were not prescribed to you from a doctor
- No pill purchased on social media is safe
- Make sure they know fentanyl has been found in most illegal drugs
- Create an “exit plan” to help your child know what to do if they’re pressured to take a pill or use drugs
- For more tips on how to talk to your child about drugs, read Chapter 4 of *Growing Up Drug Free: A Parent’s Guide to Substance Use Prevention* at [www.getsmartaboutdrugs.com/publications](https://www.getsmartaboutdrugs.com/publications)



Visit [www.dea.gov/onepill](https://www.dea.gov/onepill) for more information and resources for parents and caregivers

# Fentanilo y Píldoras Falsas

Ayudando a las familias y a los niños a Ser Listos y Mantenerse a Salvo

Protéjase y proteja a sus hijos

## ¿QUÉ ES EL FENTANILO?

Es una **droga mortal** que se añade a **píldoras falsas** que parecen medicamentos de receta. El polvo de fentanilo también se añade a la heroína, la cocaína y otras drogas callejeras. Las pastillas de fentanilo se fabrican en muchos colores, por lo que pueden parecer caramelos. En su forma líquida, el fentanilo se ha añadido ilegalmente a sprays nasales y colirios.

## ¿POR QUÉ ES TAN PELIGROSO EL FENTANILO?

**El fentanilo es 50 veces más potente que la heroína;** es indetectable a la vista, el olfato o el gusto. Tan sólo **2 miligramos de la droga (cantidad suficientemente pequeña para caber en la punta de un lápiz)** pueden ser **letales**. El consumo de fentanilo puede causar confusión, somnolencia, mareos, náuseas, vómitos, cambios en el tamaño de las pupilas, piel fría y húmeda, coma e insuficiencia respiratoria que puede provocar la muerte.

Fentanilo es **50** veces más fuerte que la heroína



## ¿CÓMO PODRÍA CONSEGUIR FENTANILO MI HIJO?

Además de la venta callejera, los traficantes utilizan las **redes sociales para vender drogas** a adultos y adolescentes. Infórmese sobre los emojis utilizados en forma de código dentro de las redes sociales en: <https://www.dea.gov/onepill>.

Los niños pequeños pueden ingerir medicamentos con fentanilo e incluso compartírselos con otros. Un bebé podría encontrar una pastilla o polvo en el suelo y metérselo en la boca. Incluso el polvo que queda en las superficies puede ser nocivo si se ingiere. Es importante almacenar y eliminar de forma segura medicamentos no utilizados en casa, y estar atentos a situaciones en las que sus hijos puedan encontrarlos.

## ¿CUÁLES SON LOS SIGNOS DE SOBREDOSIS?

- ⚠️ Cara pálida o húmeda
- ⚠️ Respiración infrecuente o se ha detenido
- ⚠️ Ronquidos profundos o gorgoteos (estertor)
- ⚠️ No responde a ningún estímulo
- ⚠️ Pulso/latido lento o inexistente
- ⚠️ Piel de color morado azulado o ceniciento

## ¿QUÉ PUEDO HACER PARA ESTAR MEJOR PREPARADO?

Participe en un **curso virtual acerca de la sobredosis de opiáceos y naloxona (REVIVE!)** para aprender qué hacer en caso de una sobredosis, cómo administrar naloxona (Narcan) para revertir una sobredosis de opiáceos, y qué hacer después. Cada asistente recibe un kit gratuito con los suministros necesarios para administrar la naloxona.

Inscríbese u obtenga más información en: [bit.ly/revive-csb](https://bit.ly/revive-csb)

## ¿QUÉ DEBO HACER EN CASO DE SOBREDOSIS?

Llame o envíe un mensaje de texto al **9-1-1**

El personal de bomberos y rescate de Fairfax portan medicamentos que puede evitar la muerte por sobredosis de opiáceos

(Source: <https://www.dea.gov/onepill>.)



Para más información, visite: <https://bit.ly/fentanyl-DFS>



Si no se indica un número TTY, utilice 711/Virginia Relay. En caso de necesidad, se facilitarán las adaptaciones pertinentes previa solicitud al 703-324-5730.

Publicación del Condado de Fairfax—12/2023



FAIRFAX COUNTY DEPARTMENT OF  
**FAMILY SERVICES**



# SOCIAL MEDIA Drug Trafficking Threat

## WHAT WE KNOW

With the growth of social media and the proliferation of smartphones, a dangerous and deadly new drug threat has emerged: **criminal drug networks are abusing social media to expand their reach, create new markets, and target new clientele.** This includes by selling deadly fake fentanyl and methamphetamine pills, often to unsuspecting teenagers, young adults, and older Americans, who think they are buying the real thing.

No longer confined to street corners and the dark web, criminal drug networks are now in every home and school in America because of the internet apps on our smartphones.

## HOW IT WORKS

### ONE-STOP SHOP

Drug traffickers have turned smartphones into a one-stop shop to market, sell, buy, and deliver deadly, fake prescription pills and other dangerous drugs. In just three steps, deadly drugs can be purchased and delivered to your home just like any other good or service.

#### 1. Advertise

Drug traffickers advertise on social media platforms like Facebook, Instagram, Snapchat, TikTok, Twitter and YouTube. These advertisements are in disappearing, 24-hour stories and in posts, which are promptly posted and removed. Posts and stories are often accompanied by known code words and emojis that are used to market and sell illicit and deadly drugs on social media. These code words and emojis are designed to evade detection by law enforcement and by the preset algorithms used by social media platforms.



**ADVERTISE**

## COMMON EMOJI CODES

### FAKE PRESCRIPTION DRUGS

#### PERCOCET & OXYCODONE



#### XANAX



#### ADDERALL



### OTHER DRUGS

#### METH



#### HEROIN



#### COCAINE



#### MDMA & MOLLIES



#### MUSHROOMS



#### COUGH SYRUP




#### MARIJUANA



### DEALER SIGNALS

#### DEALER ADVERTISING



#### HIGH POTENCY



#### UNIVERSAL FOR DRUGS



#### LARGE BATCH



*Disclaimer: These emojis reflect common examples found in DEA investigations. This list is not all-inclusive, and the images above are a representative sample.*

## 2. Connect

Prospective buyers contact drug traffickers on social media apps in response to their advertisements – either using direct messaging or by commenting on a post. Once contact is made, drug traffickers and potential buyers often move to an encrypted communications app like WhatsApp, Signal, and Telegram. Drug traffickers typically switch to these encrypted communications apps to arrange drug deals with prospective buyers.

## 3. Pay

After a deal is made, drug traffickers request payment using one-click apps like Venmo, Zelle, Cash App, and Remitly.

# CONNECT



# & PAY

## WHERE IT'S HAPPENING

### DEA has directly connected social media drug sales to overdose deaths.

DEA has found drug trafficking on internet apps nationwide — across urban, suburban, and rural communities. In 2021, DEA has investigated more than 80 cases involving drug trafficking on internet apps.



Social media drug trafficking impacts all age groups, but adolescents and young adults are particularly susceptible given their high-rates of social media usage.

## WHAT YOU CAN DO

- 1 Stay vigilant and aware of the drug trafficking threats on smartphone apps.
- 2 Know the dangers of counterfeit pills: their accessibility, availability and increasing lethality.
- 3 Share message the message that One Pill Can Kill.
- 4 Visit [DEA.Gov/onepill](https://www.dea.gov/onepill) to learn more.



## Fentanyl

### WHAT IS FENTANYL?

Fentanyl is a potent synthetic opioid drug approved by the FDA for use as an analgesic (pain relief) and anesthetic. It is approximately 100 times more potent than morphine and 50 times more potent than heroin as an analgesic.

### WHAT IS ITS ORIGIN?

Fentanyl was first developed in 1959 and introduced in the 1960s as an intravenous anesthetic. It is legally manufactured and distributed in the United States. Licit fentanyl pharmaceutical products are diverted via theft, fraudulent prescriptions, and illicit distribution by patients, physicians, nurses, physician assistants, nurse practitioners, and pharmacists.

From 2011 through 2021, both fatal overdoses associated with use of clandestinely produced fentanyl and fentanyl analogs, and law enforcement encounters increased markedly.

According to CDC, overdose deaths involving synthetic opioids, excluding methadone were involved in roughly 2,600 drug overdose deaths each year in 2011 and 2012, but from 2013 through 2021, the number of drug overdose deaths involving synthetic opioids, excluding methadone increased dramatically each year, to more than 71,000 in 2021. The total number of overdose deaths for this category was greater than 260,000 for 2013 through 2021. These overdose deaths involving synthetic opioids is primarily driven by illicitly manufactured fentanyl, including fentanyl analogs. Consistent with overdose death data, the trafficking, distribution, and use of illicitly produced fentanyl and fentanyl analogs positively correlates with the associated dramatic increase in overdose fatalities.



*A lethal dose of fentanyl*

### What are common street names?

Common street names include:

- Apache, China Girl, China Town, Dance Fever, Friend, Goodfellas, Great Bear, He-Man, Jackpot, King Ivory, Murder 8, and Tango & Cash.

### What does it look like?

Clandestinely produced fentanyl is encountered either as a powder or in fake tablets and is sold alone or in combination with other drugs such as heroin or cocaine.

Fentanyl pharmaceutical products are currently available in the following dosage forms: oral transmucosal lozenges commonly referred to as fentanyl "lollipops" (Actiq®), effervescent buccal tablets (Fentora®), sublingual tablets (Abstral®), sublingual sprays (Subsys®), nasal sprays (Lazanda®), transdermal patches (Duragesic®), and injectable formulations.

### How is it used?

Fentanyl can be injected, snorted/sniffed, smoked, taken orally by pill or tablet, and spiked onto blotter paper. Illicitly produced fentanyl is sold alone or in combination with heroin and other substances and has been identified in fake pills, mimicking

pharmaceutical drugs such as oxycodone. Fentanyl patches are misused by removing its gel contents and then injecting or ingesting these contents. Patches have also been frozen, cut into pieces, and placed under the tongue or in the cheek cavity. According to the National Forensic Laboratory Information System - National Estimates Based on All Reports estimates, reports on fentanyl (both pharmaceutical and clandestinely produced) increased from 4,697 in 2014 to over 163,201 in 2022, as reported by federal, state, and local forensic laboratories in the United States.

### **What is the effect on the body?**

Fentanyl, similar to other commonly used opioid analgesics (e.g., morphine), produces effects such as relaxation, euphoria, pain relief, sedation, confusion, drowsiness, dizziness, nausea, vomiting, urinary retention, pupillary constriction, and respiratory depression.

### **What are the overdose effects?**

Overdose may result in stupor, changes in pupillary size, cold and clammy skin, cyanosis, coma, and respiratory failure leading to death. The presence of triad of symptoms such as coma, pinpoint pupils, and respiratory depression are strongly suggestive of opioid poisoning.

### **Which drugs cause similar effects?**

Drugs that cause similar effects include other opioids such as morphine, hydrocodone, oxycodone, hydromorphone, methadone, and heroin.

### **What is the legal status in the Federal Control Substances Act?**

Fentanyl is a Schedule II narcotic under the United States Controlled Substances Act of 1970.



*Fake rainbow oxycodone M30 tablets containing fentanyl*



## Fentanilo

### ¿QUÉ ES EL FENTANILO?

El fentanilo es un potente opiode sintético aprobado por la FDA para su uso como analgésico (alivio del dolor) y anestésico. Es aproximadamente 100 veces más potente que la morfina y 50 veces más potente que la heroína como analgésico.

### ¿CUÁL ES SU ORIGEN?

El fentanilo se desarrolló por primera vez en y fue presentado en la década de 1960 como anestésico intravenoso. Se fabrica y distribuye legalmente en los Estados Unidos. Los productos farmacéuticos legales de fentanilo sufren desvíos a través de robos, prescripciones fraudulentas y distribución ilícita por parte de pacientes, médicos y farmacéuticos.

Desde 2011 hasta 2018, tanto las sobredosis fatales asociadas con el abuso de fentanilo y los análogos del fentanilo producidos clandestinamente, como los hallazgos policiales aumentaron notablemente.

Según los CDC, los opiodes sintéticos, exceptuando la metadona, causaron aproximadamente 2600 muertes por sobredosis de drogas cada año en 2011 y 2012, pero desde 2013 hasta 2021, el número de muertes por sobredosis de drogas relacionadas con opiodes sintéticos, exceptuando la metadona, aumentó dramáticamente cada año, hasta superar las 71 000 en 2021. El número total de muertes por sobredosis para esta categoría fue superior a 260.000 entre 2013 y 2021. Estas muertes por sobredosis que involucran opiodes sintéticos están impulsadas principalmente por el fentanilo fabricado ilícitamente, incluyendo los análogos del fentanilo. De acuerdo con los datos de muertes por sobredosis, el tráfico, la distribución y el uso de fentanilo y análogos del fentanilo producidos



*Una dosis letal de fentanilo*

ilícitamente se correlaciona positivamente con el aumento dramático asociado de muertes por sobredosis.

### ¿Cuáles son los términos comunes?

Los nombres callejeros comunes incluyen:

- Apache, China Girl, China Town, Dance Fever, Friend, Goodfellas, Great Bear, He-Man, Jackpot, King Ivory, Murder 8, y Tango & Cash.

### ¿Qué apariencia tiene?

El fentanilo producido clandestinamente se encuentra en forma de polvo o en tabletas falsificadas y se vende solo o en combinación con otras drogas como heroína o cocaína.

Los productos farmacéuticos de fentanilo están actualmente disponibles en las siguientes formas de dosificación: pastillas transmucosas orales comúnmente conocidas como "paletas" de fentanilo (Actiq®), tabletas efervescentes bucales (Fentora®), tabletas sublinguales (Abstral®), aerosoles sublinguales (Subsys®), aerosoles nasales (Lazanda®), parches transdérmicos (Duragesic®), y formulaciones inyectables.

### ¿Cómo se consumen?

El fentanilo se puede inyectar, inhalar/esnifar, fumar, tomar por vía oral como pastillas o comprimidos

y añadido a papel secante. El fentanilo producido ilícitamente se vende solo o en combinación con heroína y otras sustancias y se ha identificado en pastillas falsificadas, imitando medicamentos farmacéuticos como la oxicodona. Los parches de fentanilo se usan indebidamente quitando el contenido de gel y después, inyectando o ingiriendo el contenido. Los parches también se congelan, se cortan en pedazos y se colocan debajo de la lengua o en la cavidad de la mejilla. Según el Sistema Nacional de Información de Laboratorios Forenses, los reportes de fentanilo (tanto farmacéutico como clandestino) aumentaron de casi 5400 en 2014 a más de 56.500 en 2017, según lo informado por los laboratorios forenses federales, estatales y locales en los Estados Unidos.

### **¿Cuál es su efecto en el cuerpo?**

El fentanilo, similar a otros analgésicos opioides de uso común (p. ej., la morfina), produce efectos tales como relajación, euforia, alivio del dolor, sedación, confusión, somnolencia, mareos, náuseas, vómitos, retención urinaria, constricción de las pupilas, e hipoventilación.

### **¿Cuáles son los efectos de una sobredosis?**

La sobredosis puede provocar estupor, cambios en el tamaño de las pupilas, piel fría y pegajosa, cianosis, coma e insuficiencia respiratoria que provoque la muerte. La presencia de una tríada de síntomas como el coma, la contracción de las pupilas y depresión respiratoria son indicadores fuertes de envenenamiento por opioides.

### **¿Qué drogas provocan efectos similares?**

Las sustancias que causan efectos similares incluyen otros opioides como la morfina, la hidrocodona, la oxicodona, la hidromorfona, la metadona y la heroína.

### **¿Cuál es su estatus legal en la Ley de Sustancias Controladas?**

El fentanilo es un narcótico de la Clasificación II bajo la Ley de Sustancias Controladas de los Estados Unidos de 1970.



*Pastillas falsas de oxicodona M30 que contienen fentanilo*