



Move with confidence

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Barge Name: CBC 48

Test Date: 8/23/23

Testing Location: Loders

Barge Vapor Tightness Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: _____

Test Time Started: _____

Test Time Completed: _____

Beginning Pressure: _____

Ending Pressure: _____

Operational Cargo Pipeline Test

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	X	125 psi
Cargo Pump Relief Valve	Test Pressure	X	125 psi
Cargo Pump Pressure Gauge(s)	Test Pressure	X	125 psi

(If only one test performed, line through Test Not Performed)

Signature/Tester name:

Jason Failing

Print name/Tester Name:

Jason Failing

CBC Authorized Representative

Signature/Witness name:

Henry White

Print name/Witness name:

Henry White

Affiliation of Witness (Company):

CBC

T.T. COATINGS, INC

NINE MILE POINT

2012 RIVER RD. WESTWEGO LA, 70094
PHONE (504) 436-3766 FAX (504) 436-3855

CARGO PIPELINE TEST CERTIFICATE

The cargo pipeline on barge CBC 48 was tested to **187.5 P.S.I.**, one and half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 33CFR156.170 and 46CFR35.35-70.

The cargo pipeline relief valve was tested and lifted at **125 P.S.I.**

The cargo pipeline pressure gauge is working within **10** percent of shown pressure.

The steam system pipeline was tested to one and a half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 46CFR61.15-5.

The steam system pipeline relief valve was tested and lifted at **125 P.S.I.**

Signature/Tester name:

Shane Guidry

Print name/Tester Name:

Shane Guidry

CBC Authorized Representative

Signature/Witness name:

Chuck Hassell

Print name/Witness name:

CHUCK HASSELL

Affiliation of Witness (Company):

T. T. BARGE

Test Date:

7-21-22



Move with confidence

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Barge Name: CBC 48

Test Date: 7-29-21

Testing Location: Channahon Fleet

Barge Vapor Tightness Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: [Signature]

Test Time Started: 0800 Test Time Completed: 0900

Beginning Pressure: 1 psi Ending Pressure: 1 psi

Operational Cargo Pipeline Test

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	✓	125 psi
Cargo Pump Relief Valve	Test Pressure	✓	125 psi
Cargo Pump Pressure Gauge(s)	Test Pressure	✓	125 psi

(If only one test performed, line through Test Not Performed)

Signature/Tester name: [Signature]

Print name/Tester Name: Jeff Westbrook

CBC Authorized Representative

Signature/Witness name: [Signature]

Print name/Witness name: Charles Wilkinson

Affiliation of Witness (Company): Illinois Marine Towing

**NATIONAL MAINTENANCE & REPAIR OF LOUISIANA
5004 RIVER ROAD
HARAHAN, LOUISIANA 70183**

HOSE AND PIPELINE TESTS

VESSEL: CBC48

THE FOLLOWING ITEMS HAVE BEEN CHECKED AND TESTED IN ACCORDANCE WITH
46CFR 35.35-70 AND 33CFR 156.170 ON-- DATE: 7-23-20

✓ PRESSURE GAUGES HAVE BEEN CHECKED
WITHIN 10% OF ACCURACY

NA STEAM PIPING SYSTEM AND VALVES HAVE
BEEN TESTED AND CHECKED AT 125 P.S.I.

✓ CARGO HEADER PIPING AND
ASSOCIATED VALVES HAVE BEEN TESTED
AND CHECKED AT 188 P.S.I.

NA CARGO HOSE VISUALLY CHECKED
AND TESTED TO 225 P.S.I.
HOSE SERIAL NO. - _____

THE ABOVE ITEMS CHECKED, TESTED AND VERIFIED BY:

SIGNATURE: Ricky Meche



Move with confidence

1801 Engineers Road
Belle Chasse, LA 70037
Ph: (504) 581-2424

Operational Cargo Pipeline Test Letter

Barge Name: CBC 48

Test Date: 4-14-20

Testing Location: CHEVRON LOUISVILLE

Barge M.A.W.P. 125 psi

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	<u>125 psi</u>
Cargo Pump Relief Valve	Test Pressure	<u>125 psi</u>
Cargo Pump Pressure Gauge(s)	Test Pressure	<u>125 psi</u>

Signature:

Joe Engelman
CBC Authorized Representative

Printed:

JOE ENGELMAN