

T.T. COATINGS, INC

NINE MILE POINT

2012RIVER RD, WESTWEGO LA, 70094
PHONE (504) 436-3766
FAX (504) 436-3855

CARGO PIPELINE TEST CERTIFICATE

The cargo pipeline on barge CBC-189 was tested to 187.5 P.S.I., one and half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 33CFR156.170 and 46CFR35.35-70.

The cargo pipeline relief valve was tested and lifted at 125 P.S.I.

The cargo pipeline pressure gauge is working within 10 percent of shown pressure.

The steam system pipeline was tested to one and a half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 46CFR61.15-5.

The steam system pipeline relief valve was tested and lifted at 125 P.S.I.

Date: 7/8/22
Signature: 

CBC Authorized Representative

Francisco Ramos

Print name/Tester Name:

Signature/Tester name:

Affiliation of Witness (Company):

IMI

Print name/Witness name:

Ted Christie

Signature/Witness name:

Ted Christie

(If only one test performed, line through Test Not Performed)

Cargo Pump Pressure Gauge(s)	Test Pressure	125 psi	4-28-22
Cargo Pump Relief Valve	Test Pressure	125 psi	4-28-22
Transfer System Piping	Test Pressure	125 psi	4-28-22

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Operational Cargo Pipeline Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: [Signature]

Test Time Started: 1100

Test Time Completed: 1130

Beginning Pressure: 1.0

Ending Pressure: 1.0

Barge Vapor Tightness Test

Barge Name: CBCL29

Test Date: 4-28-22

Testing Location: Channahon Plant

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Move with confidence





LYNCHBURG SHIPYARD
999 Independence Pkwy N.
Baytown, TX 77520

BARGE VAPOR TIGHTNESS TEST SHEET

THE FOLLOWING BARGE WAS TESTED IN ACCORDING WITH THE NATIONAL EMISSION STANDARD FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS, SECTION 40 CFR, 61.304 (F), AND NATION EMISSIONS STANDARDS FOR HAZARDOUS AIR POLLUTANTS SECTION 40 CFR 63.565 (C).

Barge Name: CBC-129 Official# 1130123

Barge Owner: Canal Barge

Owner Address: 1801 Engineers Rd

Date of Test: 4-13-21 Name of Tester: Karim Mendez

Witnessing Inspector: Juan Serrano Juan Maldonado Angel Arredondo

Inspector Signature: [Signature]

TEST RESULTS

This barge has been tested at this facility in accordance to Section 61.304 (f), and section 63.565 (c) and is considered to be vapor-tight.

Signature of Tester: [Signature]

Time Started: 15:00 Time Completed: 15:30

Starting Pressure: 27.7 Ending Pressure: 26.7

Allowable Pressure Loss: 1.0

TRANSFER SYSTEM TESTING DATA

The Pipeline System was hydro tested at 187.50 P.S.I. 4-13-21

The Pressure Relief Valve was hydro tested at 125 P.S.I. N/A

The Load Line was hydro tested at 187.50 P.S.I. 4-13-21

The Steam Line was hydro tested at 125 P.S.I. 4-13-21

Lynchburg Shipyard Supervisor

SIGNATURE [Signature]

DATE 4-13-21

Date: 5-15-20
 Vessel Name: CIBC 129
 Cargo Pipeline: 12.5 PSI Operational
 Cargo Relief Valve: 12.5 PSI
 Cargo Pressure Gauge: Operable
 Cargo Transfer Hose: [Signature]
 Tested By: [Signature]

The following vessel equipment has
 been tested in accordance with
 46 CFR 35.35-70 and 33 CFR 156.170
 on the date indicated.

TANK BARGE PIPING PRESSURE TEST FORM

Tel. (304) 387-3860
 Fax (304) 387-3885

Campbell Transportation Company, Inc.
 2567 Congo Arroyo Road
 Newell, WV 26050-1317

