

C & C Marine and Repair, Inc.

Post Office Box 2253
Harvey, LA 70059
Phone (504) 433-2000
FAX (504) 433-2044

Vessel Cargo Piping Test Certificate

Barge CBC 1356

This is to certify that on March 17, 2023, cargo piping on the tank barge CBC 1356 was hydrostatically tested to 188 psi in accordance with 46 CFR 56.97-30. The cargo relief valve is set at 125 psi.

Prior to the hydrostatic pipeline test, the test gauge was calibrated to ensure the correct pressure was applied to the pipeline.

Tester: JA Bauer
Joshua A. Bauer

Witness: Alessio
Alessio Cavina

T.T. COATINGS, INC

NINE MILE POINT

2012 RIVER RD. WESTWEGO LA, 70094
PHONE (504) 436-3766 FAX (504) 436-3855

CARGO PIPELINE TEST CERTIFICATE

The cargo pipeline on barge CBC 1356 was tested to **187.5 P.S.I.**, one and half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 33CFR156.170 and 46CFR35.35-70.

The cargo pipeline relief valve was tested and lifted at **125 P.S.I.**

The cargo pipeline pressure gauge is working within **10** percent of shown pressure.

The steam system pipeline was tested to one and a half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 46CFR61.15-5.

The steam system pipeline relief valve was tested and lifted at **125 P.S.I.**

Signature/Tester name:

Shane Guidry

Print name/Tester Name:

Shane Guidry
CBC Authorized Representative

Signature/Witness name:

CHUCK HASSFELL

Print name/Witness name:

Chuck Hassell

Affiliation of Witness (Company):

T.T. BARGE

Test Date: 11-18-21



Move with confidence

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Barge Name: CBC 1356

Test Date: 10/29/20

Testing Location: Loders Crokiaan Channahon, IL

Barge Vapor Tightness Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: _____

Test Time Started: _____

Test Time Completed: _____

Beginning Pressure: _____

Ending Pressure: _____

Operational Cargo Pipeline Test

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

| | | |
|------------------------------|---------------|------------------|
| Transfer System Piping | Test Pressure | <u>/</u> 125 psi |
| Cargo Pump Relief Valve | Test Pressure | <u>/</u> 125 psi |
| Cargo Pump Pressure Gauge(s) | Test Pressure | <u>/</u> 125 psi |

(If only one test performed, line through Test Not Performed)

Signature: Alfredo Zarzua
CBC Authorized Representative

Print Name: Alfredo Zarzua

T.T. COATINGS, INC

NINE MILE POINT

2012 RIVER RD. WESTWEGO LA, 70094
PHONE (504) 436-3766 FAX (504) 436-3855

CARGO PIPELINE TEST CERTIFICATE

The cargo pipeline on barge CBC 1356 was tested to **187.5 P.S.I.**, one and half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 33CFR156.170 and 46CFR35.35-70.


The cargo pipeline relief valve was tested and lifted at **125 P.S.I.**

The cargo pipeline pressure gauge is working within **10** percent of shown pressure.

The steam system pipeline was tested to one and a half times its maximum allowable working pressure, M.A.W.P., and proved operable in accordance with 46CFR61.15-5.

The steam system pipeline relief valve was tested and lifted at **125 P.S.I.**

Date: 12-18-19

Signature: 



Move with confidence

1801 Engineers Road
Belle Chasse, LA 70037
Ph: (504) 581-2424

Operational Cargo Pipeline Test Letter

Barge Name: CBC 1356


Test Date: 1-15-19

Testing Location: Channon on IL Loder Dock

Barge M.A.W.P. 125 psi

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

| | | |
|------------------------------|---------------|----------------|
| Transfer System Piping | Test Pressure | <u>125 psi</u> |
| Cargo Pump Relief Valve | Test Pressure | <u>125 psi</u> |
| Cargo Pump Pressure Gauge(s) | Test Pressure | <u>125 psi</u> |

Signature: 
CBC Authorized Representative

Printed: Raymond Danekas