

NATIONAL MAINTENANCE & REPAIR OF LOUISIANA
5004 RIVER ROAD
HARAHAN, LOUISIANA 70183

HOSE AND PIPELINE TESTS

VESSEL: CBC-311

THE FOLLOWING ITEMS HAVE BEEN CHECKED AND TESTED IN ACCORDANCE WITH
46CFR 35.35-70 AND 33CFR 156.170 ON-- DATE: 9-25-23

10% PRESSURE GAUGES HAVE BEEN CHECKED
WITHIN 10% OF ACCURACY


125 PSI STEAM PIPING SYSTEM AND VALVES HAVE
BEEN TESTED AND CHECKED AT 125 P.S.I.

188 PSI CARGO HEADER PIPING AND
ASSOCIATED VALVES HAVE BEEN TESTED
AND CHECKED AT 188 P.S.I.

225 PSI CARGO HOSE VISUALLY CHECKED
AND TESTED TO 225 P.S.I.
HOSE SERIAL NO. - 83779-14

THE ABOVE ITEMS CHECKED, TESTED AND VERIFIED BY:

SIGNATURE: Carlos Lopez



Cargo Piping Test Letter

Note: Test results are valid for (1) year from date of test!

Date:	9/26/2022	M.A.W.P.	125
Vessel:	CBC 311	Method of Test:	Hydro
Owner:	Canal Barge Company	Testing Location:	VLS Marine Services Inc.
Address:	1801 Engineers Rd Belle Chase, LA 70037	Physical Address:	8700 Old Yacht Club Rd Port Arthur, TX 77642

TRANSFER SYSTEM TESTING DATA



**** Fill out completely. Write N/A on any non-applicable line. ****

Date:	Barge Piping:	Results	Note:
9/26/2022	Cargo piping & valves	187.5 p.s.i	
9/26/2022	Cargo pressure gauges	98 % accurate	
9/26/2022	Steam System	125 p.s.i	

Note: Test each pressure gauges annually, accurate within 10 percent. Test each remote controlled operating or indicating equipment such as remotely operated valve, tank alarm, or emergency shutdown device. 33 CFR 156.170(c)(2) & 46 CFR 35.35-70(b)

SIGNATURES

I credit that the tests contained herein were conducted in compliance with 33 CFR 156.170, 46 CFR 35.35-70.



Tester name:	Ryan Moreau
Tester signature:	
Witnessing inspector name:	Beverly Guidry
Witnessing inspector signature:	
Witnessing inspector affiliation:	VLS Gas Free PM



5848 Proctor Street
Port Arthur, TX 77642
409.962.1302

PIPELINE TEST REPORT

The following vessel's pipeline has been tested and stenciled in accordance with U.S.C.G. regulation 33 CFR 156.170 on the dates indicated:

Vessel Name:	CBC-311
Vessel Owner:	Canal Barge Company
Date of Test:	2/4/22
Test Pressure:	188 psi.
Name of Tester:	Kurt Moerbe
Tester Signature:	
Name of Witness:	Wes Broussard
Witness Signature:	



Move with confidence

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Barge Name: CBC 311

Test Date: 1/8/22

Testing Location: Exxon Mobil Joliet, IL

Barge Vapor Tightness Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: _____

Test Time Started: _____

Test Time Completed: _____

Beginning Pressure: _____

Ending Pressure: _____

Operational Cargo Pipeline Test

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	125 psi
Cargo Pump Relief Valve	Test Pressure	125 psi
Cargo Pump Pressure Gauge(s)	Test Pressure	125 psi

(If only one test performed, line through Test Not Performed)

Signature/Tester name: _____

Print name/Tester Name: _____

Alfredo Zarzua

CBC Authorized Representative

Signature/Witness name: _____

Print name/Witness name: _____

R. Matt Bourgeois

Affiliation of Witness (Company): _____

TKM CBC



Move with confidence

Cargo Pipeline Test and/or Vapor Tightness Test Certificate

Barge Name: CBC 311

Test Date: 12-30-20

Testing Location: Channahon Fleet

Barge Vapor Tightness Test

Test Results

This barge has been tested in accordance to section 40 CFR 61.304(f), and section 63.565(c)(1) and is considered to be vapor tight.

Signature of Tester: Michael J. [Signature]

Test Time Started: 1000 Test Time Completed: 1100

Beginning Pressure: 1 PSI Ending Pressure: 1 PSI

Operational Cargo Pipeline Test

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	<u>✓</u> 125 psi / 12-30-20
Cargo Pump Relief Valve	Test Pressure	<u>✓</u> 125 psi / 12-30-20
Cargo Pump Pressure Gauge(s)	Test Pressure	<u>✓</u> 125 psi / 12-30-20

(If only one test performed, line through Test Not Performed)

Signature: Michael J. [Signature]
CBC Authorized Representative

Print Name: Michael J. [Signature]

Revision Date: 2/15/2019