



### Cargo Piping Test Letter

*Note: Test results are valid for (1) year from date of test!*

Date:	1/14/2023	M.A.W.P.	125
Vessel:	CBC 7035	Method of Test:	Hydro
Owner:	Canal Barge Company	Testing Location:	VLS Marine Services Inc.
Address:	1801 Engineers Rd Belle Chase, LA 70037	Physical Address:	8700 Old Yacht Club Rd Port Arthur, TX 77642

### TRANSFER SYSTEM TESTING DATA



*\*\*\* Fill out completely. Write N/A on any non-applicable line. \*\*\**

Date:	Barge Piping:	Results	Note:
1/14/2023	Cargo piping & valves	187.5 p.s.i	
1/14/2023	Cargo pressure gauges	98 % accurate	
N/A	Steam System	125 p.s.i	

*Note: Test each pressure gauges annually, accurate within 10 percent. Test each remote controlled operating or indicating equipment such as remotely operated valve, tank alarm, or emergency shutdown device. 33 CFR 156.170(c)(2) & 46 CFR 35.35-70(b)*

### SIGNATURES

*I credit that the tests contained herein were conducted in compliance with 33 CFR 156.170, 46 CFR 35.35-70.*

Tester name:	Charles Johnson
Tester signature:	
Witnessing inspector name:	Beverly Guidry
Witnessing inspector signature:	
Witnessing inspector affiliation:	VLS Gas Free PM



### Cargo Piping Test Letter

*Note: Test results are valid for (1) year from date of test!*

Date:	<u>9/22/2022</u>	M.A.W.P.	<u>125</u>
Vessel:	<u>CBC 7035</u>	Method of Test:	<u>hydro</u>
Owner:	<u>Canal Barge Company</u>	Testing Location:	<u>VLS Marine Services Inc.</u>
Address:	<u>1801 Engineers Rd</u>	Physical Address:	<u>8700 Old Yacht Club Rd</u>
	<u>Belle Chase, LA 70037</u>		<u>Port Arthur, TX 77642</u>

### TRANSFER SYSTEM TESTING DATA



*\*\*\* Fill out completely. Write N/A on any non-applicable line. \*\*\**

Date:	Barge Piping:	Results	Note:
<u>9/22/2022</u>	<u>Cargo piping &amp; valves</u>	<u>187.5</u> p.s.i	
<u>9/22/2022</u>	<u>Cargo pressure gauges</u>	<u>98</u> % accurate	
<u>N/A</u>	<u>Steam System</u>	<u>125</u> p.s.i	

*Note: Test each pressure gauges annually, accurate within 10 percent. Test each remote controlled operating or indicating equipment such as remotely operated valve, tank alarm, or emergency shutdown device. 33 CFR 156.170(c)(2) & 46 CFR 35.35-70(b)*

### SIGNATURES

*I credit that the tests contained herein were conducted in compliance with 33 CFR 156.170, 46 CFR 35.35-70.*

Tester name: Charles Johnson
Tester signature: 
Witnessing inspector name: Beverly Guidry
Witnessing inspector signature: 
Witnessing inspector affiliation: VLS Gas Free PM



**Plaquemine Point Shipyard, LLC**  
**1070 River Rd.**  
**Sunshine, LA 70780**  
**Office (225)642-5376**  
**Fax (225)642-7756**

Barge Name: CBC 7035

Operator: Canal Barge

Transfer system testing data

cargo piping test date: 10/14/21

cargo piping test pressure: 188 psi

relief valve test date: 10/14/21

relieving pressure: 125 psi

pressure gauge test date: 10/14/21

Signature: James Savoy Date: 10/14/21

Witness: [Signature] Date: 10/14/21



# VLS

## GAS FREE SERVICES

### Cargo Piping Test Letter

*Note: Test results are valid for (1) year from date of test!*

Date:	10/8/2020	M.A.W.P.	125
Vessel:	CBC 7035	Method of Test:	Hydro
Owner:	Canal Barge Company	Testing Location:	VLS Gas Free Services, LLC
Address:	1801 Engineers Rd Belle Chase, LA 70037	Physical Address:	8700 Old Yacht Club Rd Port Arthur, TX 77642

### TRANSFER SYSTEM TESTING DATA


*\*\*\* Fill out completely. Write N/A on any non-applicable line. \*\*\**

Date:	Barge Piping:	Results	Note:
10/8/2020	Cargo piping & valves	187.5 p.s.i	
10/8/2020	Cargo pressure gauges	98 % accurate	
na	Steam System	125 p.s.i	

*Note: Test each pressure gauges annually, accurate within 10 percent. Test each remote controlled operating or indicating equipment such as remotely operated valve, tank alarm, or emergency shutdown device. 33 CFR 156.170(c)(2) & 46 CFR 35.35-70(b)*

### SIGNATURES

*I credit that the tests contained herein were conducted in compliance with 33 CFR 156.170, 46 CFR 35.35-70.*

Tester name: Jimmy Ortego
Tester signature: 



# SOUTHWEST SHIPYARD, L.P.

F-7.5.1(R).6-D

18310 Market Street, Channelview, Texas 77530 Phone: 281-860-3200 Fax: 281-860-3215  
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301  
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

## BARGE PIPING TEST LETTER

Note: Test Results are valid for One (1) Year from Date of Test !

INSTRUCTIONS: FILL OUT COMPLETELY. WRITE "N/A" ON ANY NON-APPLICABLE LINE.

BARGE NAME / NUMBER: CBC 7035

BARGE OWNER: CANAL

OWNER ADDRESS: \_\_\_\_\_


### TESTING LOCATION:

SOUTHWEST SHIPYARD, L.P.  
18310 MARKET STREET  
CHANNELVIEW, TX 77530

SOUTHWEST SHIPYARD, L.P.  
8502 CYPRESS  
HOUSTON, TX 77012

SOUTHWEST SHIPYARD, L.P.  
1002 TEXAS CLIPPER RD.  
GALVESTON, TX 77554

Identify Location by Checking Box



LETTER EXPIRATION DATE (One Year from Test): 11-27-2020

1. Cargo Piping and Valves (Date of Test): 11-27-2019

Test Pressure (psi): 185 PSI

2. Cargo Pressure Gauge (Date of Test): 11-27-2019

Percent Accuracy (%): 98%

3. Steam Piping and Valves (Date of Test): N/A

Test Pressure (psi): N/A

4. Cargo Tank Relief Valves (Date of Test): N/A

Test Pressure (psi): N/A

SWSLP Tester/Position: Philip D... Date: 11-27-19

SWSLP Inspector/Position: E. B... Date: 1-27-19

DISTRIBUTION: Place original as last page of "USCG Papers Folder" located in Barge document mailbox.



## SOUTHWEST SHIPYARD, L.P.

18310 Market Street, Channelview, Texas 77530 Phone: 281-860-3200 Fax: 281-860-3215  
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301  
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

F-7.5.1(R).6.3-E

### BARGE PIPELINE PRESSURE TEST

THE FOLLOWING BARGE PIPELINE WAS PRESSURE TESTED USING AIR OR LIQUID NITROGEN IN ACCORDANCE WITH SOUTHWEST SHIPYARD PRESSURE TESTING AND INSPECTION PROCEDURES.

BARGE NAME/NUMBER: CBC-7035  
BARGE OWNER: Coral Barge  
OWNER ADDRESS: \_\_\_\_\_

TESTING  
LOCATION:

SOUTHWEST SHIPYARD, L.P.  
18310 MARKET STREET  
CHANNELVIEW, TX 77530

SOUTHWEST SHIPYARD, L.P.  
8502 CYPRESS  
HOUSTON, TX 77012

SOUTHWEST SHIPYARD, L.P.  
1002 TEXAS CLIPPER RD.  
GALVESTON, TX 77554

Identify Location by Checking Box



DATE OF TEST:

3.8.19

SWSLP TESTER/POSITION:

Jesus Nolasco (Foreman)

SWSLP TESTER SIGNATURE:

[Signature]

WITNESSING SWSLP INSPECTOR/POSITION:

Enrique Lugo (Shift Manager)

SWSLP INSPECTOR SIGNATURE:

[Signature]

### TEST RESULTS

THIS BARGE HAS BEEN TESTED AND INSPECTED IN ACCORDANCE WITH SOUTHWEST SHIPYARD PIPELINE PRESSURE TESTING PROCEDURE, USING THE FOLLOWING GAS: Nitrogen

TIME START:

1000

TIME STOP:

1100

PIPING TEST PRESSURE: 20 PSI BELOW DECK, 188 PSI ABOVE DECK

ENDING PRESSURE: 187.8 PSI WITH 10 MIN MINIMUM HOLD TIME

NO LEAKS DETECTED FROM PRESSURE DROP OR AT JOINTS, CONNECTIONS AND HIGH STRESS REGIONS AROUND OPENING AREAS.



## SOUTHWEST SHIPYARD, L.P.

F-7.5.1(R).6.2-E

18310 Market Street, Channelview, Texas 77530 Phone: 281-860-3200 Fax: 281-860-3215  
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301  
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

### BARGE PIPELINE HYDROSTATIC TEST

THE FOLLOWING BARGE WAS TESTED IN ACCORDANCE WITH 33 CFR – PART 156.170, SECTION (c)(4) & (e), EQUIPMENT TESTS AND INSPECTIONS REQUIREMENTS.

BARGE NAME/NUMBER: CBC-7035  
BARGE OWNER: Canal Barge  
OWNER ADDRESS: New Orleans LA.

TESTING  
LOCATION:

SOUTHWEST SHIPYARD, L.P.  
18310 MARKET STREET  
CHANNELVIEW, TX 77530

SOUTHWEST SHIPYARD, L.P.  
8502 CYPRESS  
HOUSTON, TX 77012

SOUTHWEST SHIPYARD, L.P.  
1002 TEXAS CLIPPER RD.  
GALVESTON, TX 77554

Identify Location by Checking Box



DATE OF TEST: 2.20.19  
SWSLP TESTER/POSITION: Francisco Monjarrez (Foreman)  
SWSLP TESTER SIGNATURE: Francisco Monjarrez  
WITNESSING SWSLP INSPECTOR/POSITION: Enrique Linares (Shift Manager)  
SWSLP INSPECTOR SIGNATURE: [Signature]

### TEST RESULTS

THIS BARGE HAS BEEN TESTED IN ACCORDANCE WITH 33 CFR, PART 156.170, SECTION (C)(4) AND (E) WITH HYDROSTATIC TESTING.

TIME START: 1100 TIME STOP: 1200

TEST PRESSURE: 187.5 PSI WITH MINIMUM HOLD TIME OF 10 MINUTES

ENDING PRESSURE: 187.4 PSI

NO LEAKS DETECTED AT JOINTS, CONNECTIONS AND HIGH STRESS REGIONS AROUND OPENINGS AND THICKNESS TRANSITIONS.



*Move with confidence*

1801 Engineers Road  
Belle Chasse, LA 70037  
Ph: (504) 581-2424

## Operational Cargo Pipeline Test Letter

Barge Name: LBC 7035

Test Date: 10/19/18

Testing Location: TT 104

Repair Yard

Barge M.A.W.P. 125 psi

The following test(s) have been performed in compliance with U.S. Coast Guard regulations 33 CFR 156.170 and 46 CFR 35.35-70 and USCG Marine Safety Manual, Vol. II, Section B, Page B6-30.

Transfer System Piping	Test Pressure	<u>125 psi</u>
Cargo Pump Relief Valve	Test Pressure	<u>125 psi</u>
Cargo Pump Pressure Gauge(s)	Test Pressure	<u>125 psi</u>

Signature: Keith Emrick  
CBC Authorized Representative

Printed: Keith Emrick





## SOUTHWEST SHIPYARD, L.P.

18310 Market Street, Channelview, Texas 77530 Phone: 281-860-3200 Fax: 281-860-3215  
8502 Cypress Street, Houston, Texas 77012 Phone: 713-967-6300 Fax: 713-967-6301  
1002 Texas Clipper Rd., Galveston, Texas 77554 Phone: 409-740-3755 Fax: 409-740-3451

F-7.5.1(R).6.3-E

### BARGE PIPELINE PRESSURE TEST

THE FOLLOWING BARGE PIPELINE WAS PRESSURE TESTED USING AIR OR LIQUID NITROGEN IN ACCORDANCE WITH SOUTHWEST SHIPYARD PRESSURE TESTING AND INSPECTION PROCEDURES.

BARGE NAME/NUMBER: CBC-7035  
BARGE OWNER: Canal  
OWNER ADDRESS: 1801 engineers Rd belle chasse la 70037

TESTING  
LOCATION:

SOUTHWEST SHIPYARD, L.P.  
18310 MARKET STREET  
CHANNELVIEW, TX 77530

SOUTHWEST SHIPYARD, L.P.  
8502 CYPRESS  
HOUSTON, TX 77012

SOUTHWEST SHIPYARD, L.P.  
1002 TEXAS CLIPPER RD.  
GALVESTON, TX 77554

Identify Location by Checking Box



DATE OF TEST: 11-10-17

SWSLP TESTER/POSITION: JESUS ROSADA / Foreman

SWSLP TESTER SIGNATURE: JESUS ROSADA

WITNESSING SWSLP INSPECTOR/POSITION: Adrian Gonzalez Supervisor

SWSLP INSPECTOR SIGNATURE: Adrian Gonzalez

### TEST RESULTS

THIS BARGE HAS BEEN TESTED AND INSPECTED IN ACCORDANCE WITH SOUTHWEST SHIPYARD PIPELINE PRESSURE TESTING PROCEDURE, USING THE FOLLOWING GAS: Nitrogen

TIME START: 20:00 TIME STOP: 21:00

PIPING TEST PRESSURE: 20 PSI BELOW DECK, PSI ABOVE DECK

ENDING PRESSURE: PSI WITH 10 MIN MINIMUM HOLD TIME

NO LEAKS DETECTED FROM PRESSURE DROP OR AT JOINTS, CONNECTIONS AND HIGH STRESS REGIONS AROUND OPENING AREAS.