T.T. COATINGS, INC. NINE MILE POINT

2012 RIVER RD. WESTWEGO, LA. 70094 OFFICE: (504)436-3766 FAX: (504)346-3855

MARINE VESSELS VAPOR TIGHTNESS DOCUMENTATION

REQUIRED SUBPART BB-NATIONAL EMISSION STANDARDS FOR BENZENE EMISSIONS FROM TRANSFER OPERATIONS SECTION 61.00-61.306

VESSEL: <u>C</u>	BC-183	OFFICIAL NUMBER: 1027567
TESTING L	OCATION: T. T. Cartings mik #104	MAXIMUM LOADING RATE (BFH) 3500
		PRESSURE INDICATOR: Mananeter
VESSEL OW		DANY Inc. 1801 Engineers RD-BELLE CHASE, LA 70037 U.S.
		ST RESULTS
BEGINNING	G PRESSURE: 23 "of H20	BEGINNING TIME: 09:00
ENDING PRESSURE: 28"of H20		ENDING TIME:09:30
TOTAL PRE	SSURE LOSS:	ALLOWABLE PRESSURE LOSS: _2.5
NOT	E: VESSEL IS CONSIDERED VAPOR TIGHT IF "TO	DTAL PRESSURE LOSS" IS LESS THAN "ALLOWABLE PRESSURE LOSS"
	VESSEL HAS BEEN TESTED IN A	CCORDANCE WITH SECTION 61.304F, AND IS RED VAPOR TIGHT.
TESTER: <u>Mi</u> TESTER: <u></u>	(PRINT)	WITNESS: <u>Share Guiden</u> (PRINT) WITNESS: <u>Share Guiden</u> (SIGN) T. T. Coating S
CALCULATI	ON OF ALLOWABLE PRESSURE LOSS:	AFFILIATION OF WITNESS
0.861 x <u>15.7</u>	(TP) × (<u>3506</u> / <u>1863</u> (L) ($\frac{7}{(APL)} = \frac{2.5}{(APL)}$
TP = 14.7 PLUS THE BARGE TEST PRESSURE IN PSI (1psi = 16 ounces) L = MAXIMUM LOADING RATE IN BARRELS PER HOUR V = VOLUME OF TANK(S) IN BARRELS APL = ALLOWABLE PRESSURE LOSS IN INCHES OF WATER		
NOTES:	14.70psi = 406.8 inches of H2O 1psi = 27.67 inches of H2O 1 inch = 25.40 mm 1inch = 2.54 cm 1oz. = 1.729 inches OF H2O	