NATIONAL MAINTENANCE & REPAIR OF LOUISIANA 5004 RIVER ROAD HARAHAN, LOUISIANA 70183

BARGE VAPOR TIGHTNESS LETTER

NOTE: Test results are valid for (1) one year from date of test.
NOTE: This test was performed with a certified and calibrated gauge by the testing facility.
NOTE: The vapor stack flame screen was verified to be clean and defect free.
□ Test date: 12 - 20 - 22
· Barge owner: Canal Barge
Barge name / Official Number: Canal Barge 7037
■ Maximum load rate (BPH):5,000
 → Pressure cargo tanks and vapor system to (28) twenty-eight inches of water using Manometer to record the time and pressure. Close all air valves and allow the vessel t remain pressured for (30) thirty minutes. Use soap to test and inspect for leaks. After (30) thirty minutes, record pressure and times. → Test cargo tanks & Vapor System to <u>28''</u> inches of water. → Start Time: <u>10:00 AM</u> Beginning Pressure: <u>28''0F He0</u> → End Time: <u>11:00 AM</u> Ending Pressure: <u>28''0F He0</u>
✓ This vessel has been tested in accordance with Section 40 CFR 61.304(f) and has been found to be vapor tight.
Company of Tester: Location:
National Maint + Repair 5004 River RD HavaHan La

Name of Tester (print):	Signature of Tester:
Carlos Lopez	Carlos Lopoz
Name of Witness (print):	Signature of Witness:
ELI MILES	Eli Miles
Affiliation / Company of Witness (print)	
Supervisor	