

Gauge Height 16'- 10 1/4"

CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
<b>0</b>	35	<b>0</b>	10,081	<b>0</b>	21,573	<b>0</b>	33,046	<b>0</b>	44,532	<b>0</b>	56,018	<b>0</b>	67,504	<b>0</b>	78,991	<b>0</b>	90,477	<b>0</b>	101,963
1/4	45	1/4	10,320	1/4	21,812	1/4	33,285	1/4	44,771	1/4	56,257	1/4	67,744	1/4	79,230	1/4	90,716	1/4	102,202
1/2	75	1/2	10,559	1/2	22,051	1/2	33,524	1/2	45,011	1/2	56,497	1/2	67,983	1/2	79,469	1/2	90,955	1/2	102,444
3/4	125	3/4	10,799	3/4	22,291	3/4	33,764	3/4	45,250	3/4	56,736	3/4	68,222	3/4	79,708	3/4	91,195	3/4	102,681
<b>1</b>	195	<b>1</b>	11,038	<b>1</b>	22,530	<b>1</b>	34,003	<b>1</b>	45,489	<b>1</b>	56,975	<b>1</b>	68,462	<b>1</b>	79,948	<b>1</b>	91,434	<b>1</b>	102,920
1/4	284	1/4	11,278	1/4	22,770	1/4	34,242	1/4	45,728	1/4	57,215	1/4	68,701	1/4	80,187	1/4	91,673	1/4	103,159
1/2	394	1/2	11,517	1/2	23,009	1/2	34,482	1/2	45,968	1/2	57,454	1/2	68,940	1/2	80,426	1/2	91,913	1/2	103,399
3/4	524	3/4	11,757	3/4	23,249	3/4	34,721	3/4	46,207	3/4	57,693	3/4	69,179	3/4	80,666	3/4	92,152	3/4	103,638
<b>2</b>	674	<b>2</b>	11,996	<b>2</b>	23,488	<b>2</b>	34,960	<b>2</b>	46,446	<b>2</b>	57,933	<b>2</b>	69,419	<b>2</b>	80,905	<b>2</b>	92,391	<b>2</b>	103,877
1/4	843	1/4	12,235	1/4	23,727	1/4	35,199	1/4	46,686	1/4	58,172	1/4	69,658	1/4	81,144	1/4	92,630	1/4	104,117
1/2	1,033	1/2	12,475	1/2	23,967	1/2	35,439	1/2	46,925	1/2	58,411	1/2	69,897	1/2	81,384	1/2	92,870	1/2	104,356
3/4	1,242	3/4	12,714	3/4	24,206	3/4	35,678	3/4	47,164	3/4	58,650	3/4	70,137	3/4	81,623	3/4	93,109	3/4	104,595
<b>3</b>	1,472	<b>3</b>	12,954	<b>3</b>	24,446	<b>3</b>	35,917	<b>3</b>	47,404	<b>3</b>	58,890	<b>3</b>	70,376	<b>3</b>	81,862	<b>3</b>	93,348	<b>3</b>	104,835
1/4	1,701	1/4	13,193	1/4	24,685	1/4	36,157	1/4	47,643	1/4	59,129	1/4	70,615	1/4	82,101	1/4	93,588	1/4	105,074
1/2	1,940	1/2	13,432	1/2	24,925	1/2	36,396	1/2	47,882	1/2	59,368	1/2	70,855	1/2	82,341	1/2	93,827	1/2	105,313
3/4	2,180	3/4	13,672	3/4	25,164	3/4	36,635	3/4	48,121	3/4	59,608	3/4	71,094	3/4	82,580	3/4	94,066	3/4	105,552
<b>4</b>	2,419	<b>4</b>	13,911	<b>4</b>	25,403	<b>4</b>	36,875	<b>4</b>	48,361	<b>4</b>	59,847	<b>4</b>	71,333	<b>4</b>	82,819	<b>4</b>	94,305	<b>4</b>	105,792
1/4	2,659	1/4	14,151	1/4	25,643	1/4	37,114	1/4	48,600	1/4	60,086	1/4	71,572	1/4	83,059	1/4	94,545	1/4	106,031
1/2	2,898	1/2	14,390	1/2	25,882	1/2	37,353	1/2	48,839	1/2	60,326	1/2	71,812	1/2	83,298	1/2	94,784	1/2	106,270
3/4	3,138	3/4	14,630	3/4	26,121	3/4	37,592	3/4	49,079	3/4	60,565	3/4	72,051	3/4	83,537	3/4	95,023	3/4	106,510
<b>5</b>	3,377	<b>5</b>	14,869	<b>5</b>	26,360	<b>5</b>	37,832	<b>5</b>	49,318	<b>5</b>	60,804	<b>5</b>	72,290	<b>5</b>	83,776	<b>5</b>	95,263	<b>5</b>	106,749
1/4	3,616	1/4	15,108	1/4	26,599	1/4	38,071	1/4	49,557	1/4	61,043	1/4	72,530	1/4	84,016	1/4	95,502	1/4	106,988
1/2	3,856	1/2	15,348	1/2	26,837	1/2	38,310	1/2	49,796	1/2	61,283	1/2	72,769	1/2	84,255	1/2	95,741	1/2	107,227
3/4	4,095	3/4	15,587	3/4	27,076	3/4	38,550	3/4	50,036	3/4	61,522	3/4	73,008	3/4	84,494	3/4	95,981	3/4	107,467
<b>6</b>	4,335	<b>6</b>	15,827	<b>6</b>	27,315	<b>6</b>	38,789	<b>6</b>	50,275	<b>6</b>	61,761	<b>6</b>	73,247	<b>6</b>	84,734	<b>6</b>	96,220	<b>6</b>	107,706
1/4	4,574	1/4	16,066	1/4	27,554	1/4	39,028	1/4	50,514	1/4	62,001	1/4	73,487	1/4	84,973	1/4	96,459	1/4	107,945
1/2	4,813	1/2	16,305	1/2	27,792	1/2	39,267	1/2	50,754	1/2	62,240	1/2	73,726	1/2	85,212	1/2	96,698	1/2	108,185
3/4	5,053	3/4	16,545	3/4	28,031	3/4	39,507	3/4	50,993	3/4	62,479	3/4	73,965	3/4	85,452	3/4	96,938	3/4	108,424
<b>7</b>	5,292	<b>7</b>	16,784	<b>7</b>	28,270	<b>7</b>	39,746	<b>7</b>	51,232	<b>7</b>	62,718	<b>7</b>	74,205	<b>7</b>	85,691	<b>7</b>	97,177	<b>7</b>	108,663
1/4	5,532	1/4	17,024	1/4	28,509	1/4	39,985	1/4	51,472	1/4	62,958	1/4	74,444	1/4	85,930	1/4	97,416	1/4	108,903
1/2	5,771	1/2	17,263	1/2	28,748	1/2	40,225	1/2	51,711	1/2	63,197	1/2	74,683	1/2	86,169	1/2	97,656	1/2	109,142
3/4	6,011	3/4	17,503	3/4	28,986	3/4	40,464	3/4	51,950	3/4	63,436	3/4	74,923	3/4	86,409	3/4	97,895	3/4	109,381
<b>8</b>	6,250	<b>8</b>	17,742	<b>8</b>	29,225	<b>8</b>	40,703	<b>8</b>	52,189	<b>8</b>	63,676	<b>8</b>	75,162	<b>8</b>	86,648	<b>8</b>	98,134	<b>8</b>	109,620
1/4	6,489	1/4	17,981	1/4	29,464	1/4	40,943	1/4	52,429	1/4	63,915	1/4	75,401	1/4	86,887	1/4	98,374	1/4	109,860
1/2	6,729	1/2	18,221	1/2	29,703	1/2	41,182	1/2	52,668	1/2	64,154	1/2	75,640	1/2	87,127	1/2	98,613	1/2	110,099
3/4	6,968	3/4	18,460	3/4	29,942	3/4	41,421	3/4	52,907	3/4	64,394	3/4	75,880	3/4	87,366	3/4	98,852	3/4	110,338
<b>9</b>	7,208	<b>9</b>	18,700	<b>9</b>	30,180	<b>9</b>	41,660	<b>9</b>	53,147	<b>9</b>	64,633	<b>9</b>	76,119	<b>9</b>	87,605	<b>9</b>	99,091	<b>9</b>	110,578
1/4	7,447	1/4	18,939	1/4	30,419	1/4	41,900	1/4	53,386	1/4	64,872	1/4	76,358	1/4	87,845	1/4	99,331	1/4	110,817
1/2	7,686	1/2	19,178	1/2	30,658	1/2	42,139	1/2	53,625	1/2	65,111	1/2	76,598	1/2	88,084	1/2	99,570	1/2	111,056
3/4	7,926	3/4	19,418	3/4	30,897	3/4	42,378	3/4	53,865	3/4	65,351	3/4	76,837	3/4	88,323	3/4	99,809	3/4	111,295
<b>10</b>	8,165	<b>10</b>	19,657	<b>10</b>	31,135	<b>10</b>	42,618	<b>10</b>	54,104	<b>10</b>	65,590	<b>10</b>	77,076	<b>10</b>	88,562	<b>10</b>	100,049	<b>10</b>	111,535
1/4	8,405	1/4	19,897	1/4	31,374	1/4	42,857	1/4	54,343	1/4	65,829	1/4	77,316	1/4	88,802	1/4	100,288	1/4	111,774
1/2	8,644	1/2	20,136	1/2	31,613	1/2	43,096	1/2	54,582	1/2	66,069	1/2	77,555	1/2	89,041	1/2	100,527	1/2	112,013
3/4	8,884	3/4	20,376	3/4	31,852	3/4	43,336	3/4	54,822	3/4	66,308	3/4	77,794	3/4	89,280	3/4	100,766	3/4	112,253
<b>11</b>	9,123	<b>11</b>	20,615	<b>11</b>	32,091	<b>11</b>	43,575	<b>11</b>	55,061	<b>11</b>	66,547	<b>11</b>	78,033	<b>11</b>	89,520	<b>11</b>	101,006	<b>11</b>	112,492
1/4	9,362	1/4	20,854	1/4	32,329	1/4	43,814	1/4	55,300	1/4	66,786	1/4	78,273	1/4	89,759	1/4	101,245	1/4	112,731
1/2	9,602	1/2	21,094	1/2	32,568	1/2	44,053	1/2	55,540	1/2	67,026	1/2	78,512	1/2	89,998	1/2	101,484	1/2	112,971
3/4	9,841	3/4	21,333	3/4	32,807	3/4	44,293	3/4	55,779	3/4	67,265	3/4	78,751	3/4	90,237	3/4	101,724	3/4	113,210

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 0' - 10" OFF CENTERLINE AND 27' - 3" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

DATE STRAPPED 11/23/04 BY: BB/LJ  
 DATE COMPUTED: 11/30/04 BY: WHF  
 DATE RE-ISSUED: 11/06/06 FOR CORRECTIONS

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GUAGE HEIGHT 16'- 10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	113,449	0	124,305	0	134,627	0	144,949	0	155,271	0		0		0		0		0	
1/4	113,688	1/4	124,520	1/4	134,842	1/4	145,164	1/4	155,486	1/4		1/4		1/4		1/4		1/4	
1/2	113,928	1/2	124,735	1/2	135,057	1/2	145,379	1/2	155,701	1/2		1/2		1/2		1/2		1/2	
3/4	114,167	3/4	124,950	3/4	135,272	3/4	145,594	3/4	155,916	3/4		3/4		3/4		3/4		3/4	
1	114,406	1	125,165	1	135,487	1	145,809	1	156,131	1		1		1		1		1	
1/4	114,646	1/4	125,380	1/4	135,702	1/4	146,024	1/4	156,346	1/4		1/4		1/4		1/4		1/4	
1/2	114,885	1/2	125,595	1/2	135,917	1/2	146,239	1/2	156,561	1/2		1/2		1/2		1/2		1/2	
3/4	115,124	3/4	125,810	3/4	136,132	3/4	146,454	3/4	156,776	3/4		3/4		3/4		3/4		3/4	
2	115,364	2	126,025	2	136,347	2	146,669	2	156,991	2		2		2		2		2	
1/4	115,603	1/4	126,240	1/4	136,562	1/4	146,884	1/4	157,206	1/4		1/4		1/4		1/4		1/4	
1/2	115,842	1/2	126,455	1/2	136,777	1/2	147,099	1/2	157,421	1/2		1/2		1/2		1/2		1/2	
3/4	116,081	3/4	126,670	3/4	136,992	3/4	147,314	3/4	157,636	3/4		3/4		3/4		3/4		3/4	
3	116,321	3	126,885	3	137,207	3	147,529	3	157,851	3		3		3		3		3	
1/4	116,560	1/4	127,100	1/4	137,422	1/4	147,744	1/4	158,057	1/4		1/4		1/4		1/4		1/4	
1/2	116,799	1/2	127,315	1/2	137,637	1/2	147,959	1/2	158,253	1/2		1/2		1/2		1/2		1/2	
3/4	117,039	3/4	127,530	3/4	137,852	3/4	148,174	3/4	158,440	3/4		3/4		3/4		3/4		3/4	
4	117,278	4	127,745	4	138,067	4	148,389	4	158,618	4		4		4		4		4	
1/4	117,517	1/4	127,960	1/4	138,282	1/4	148,604	1/4	158,786	1/4		1/4		1/4		1/4		1/4	
1/2	117,756	1/2	128,175	1/2	138,497	1/2	148,819	1/2	158,945	1/2		1/2		1/2		1/2		1/2	
3/4	117,996	3/4	128,391	3/4	138,712	3/4	149,034	3/4	159,094	3/4		3/4		3/4		3/4		3/4	
5	118,235	5	128,606	5	138,928	5	149,249	5	159,235	5		5		5		5		5	
1/4	118,474	1/4	128,821	1/4	139,143	1/4	149,465	1/4	159,366	1/4		1/4		1/4		1/4		1/4	
1/2	118,714	1/2	129,036	1/2	139,358	1/2	149,680	1/2	159,487	1/2		1/2		1/2		1/2		1/2	
3/4	118,929	3/4	129,251	3/4	139,573	3/4	149,895	3/4	159,599	3/4		3/4		3/4		3/4		3/4	
6	119,144	6	129,466	6	139,788	6	150,110	6	159,702	6		6		6		6		6	
1/4	119,359	1/4	129,681	1/4	140,003	1/4	150,325	1/4	159,795	1/4		1/4		1/4		1/4		1/4	
1/2	119,574	1/2	129,896	1/2	140,218	1/2	150,540	1/2	159,879	1/2		1/2		1/2		1/2		1/2	
3/4	119,789	3/4	130,111	3/4	140,433	3/4	150,755	3/4	159,954	3/4		3/4		3/4		3/4		3/4	
7	120,004	7	130,326	7	140,648	7	150,970	7	160,019	7		7		7		7		7	
1/4	120,219	1/4	130,541	1/4	140,863	1/4	151,185	1/4	160,075	1/4		1/4		1/4		1/4		1/4	
1/2	120,434	1/2	130,756	1/2	141,078	1/2	151,400	1/2	160,122	1/2		1/2		1/2		1/2		1/2	
3/4	120,649	3/4	130,971	3/4	141,293	3/4	151,615	3/4	160,159	3/4		3/4		3/4		3/4		3/4	
8	120,864	8	131,186	8	141,508	8	151,830	8	160,187	8		8		8		8		8	
1/4	121,079	1/4	131,401	1/4	141,723	1/4	152,045	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	121,294	1/2	131,616	1/2	141,938	1/2	152,260	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	121,509	3/4	131,831	3/4	142,153	3/4	152,475	3/4		3/4		3/4		3/4		3/4		3/4	
9	121,724	9	132,046	9	142,368	9	152,690	9		9		9		9		9		9	
1/4	121,939	1/4	132,261	1/4	142,583	1/4	152,905	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	122,154	1/2	132,476	1/2	142,798	1/2	153,120	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	122,369	3/4	132,691	3/4	143,013	3/4	153,335	3/4		3/4		3/4		3/4		3/4		3/4	
10	122,584	10	132,906	10	143,228	10	153,550	10		10		10		10		10		10	
1/4	122,799	1/4	133,121	1/4	143,443	1/4	153,765	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	123,014	1/2	133,336	1/2	143,658	1/2	153,980	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	123,230	3/4	133,551	3/4	143,873	3/4	154,195	3/4		3/4		3/4		3/4		3/4		3/4	
11	123,445	11	133,767	11	144,089	11	154,410	11		11		11		11		11		11	
1/4	123,660	1/4	133,982	1/4	144,304	1/4	154,626	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	123,875	1/2	134,197	1/2	144,519	1/2	154,841	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	124,090	3/4	134,412	3/4	144,734	3/4	155,056	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE RE-ISSUED: 11/06/06 FOR CORRECTION

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	28	0	9,011	0	19,465	0	29,909	0	40,342	0	50,796	0	61,249	0	71,703	0	82,157	0	92,610
1/4	55	1/4	9,229	1/4	19,682	1/4	30,126	1/4	40,560	1/4	51,014	1/4	61,467	1/4	71,921	1/4	82,375	1/4	92,828
1/2	82	1/2	9,447	1/2	19,900	1/2	30,343	1/2	40,778	1/2	51,231	1/2	61,685	1/2	72,139	1/2	82,592	1/2	93,046
3/4	109	3/4	9,664	3/4	20,118	3/4	30,560	3/4	40,996	3/4	51,449	3/4	61,903	3/4	72,356	3/4	82,810	3/4	93,264
1	191	1	9,882	1	20,336	1	30,777	1	41,213	1	51,667	1	62,121	1	72,574	1	83,028	1	93,482
1/4	273	1/4	10,100	1/4	20,553	1/4	30,994	1/4	41,431	1/4	51,885	1/4	62,338	1/4	72,792	1/4	83,246	1/4	93,699
1/2	354	1/2	10,318	1/2	20,771	1/2	31,211	1/2	41,649	1/2	52,103	1/2	62,556	1/2	73,010	1/2	83,463	1/2	93,917
3/4	436	3/4	10,536	3/4	20,989	3/4	31,428	3/4	41,867	3/4	52,320	3/4	62,774	3/4	73,228	3/4	83,681	3/4	94,135
2	572	2	10,753	2	21,207	2	31,645	2	42,084	2	52,538	2	62,992	2	73,445	2	83,899	2	94,353
1/4	708	1/4	10,971	1/4	21,425	1/4	31,862	1/4	42,302	1/4	52,756	1/4	63,210	1/4	73,663	1/4	84,117	1/4	94,570
1/2	844	1/2	11,189	1/2	21,642	1/2	32,079	1/2	42,520	1/2	52,974	1/2	63,427	1/2	73,881	1/2	84,335	1/2	94,788
3/4	981	3/4	11,407	3/4	21,860	3/4	32,296	3/4	42,738	3/4	53,191	3/4	63,645	3/4	74,099	3/4	84,552	3/4	95,006
3	1,171	3	11,625	3	22,078	3	32,513	3	42,956	3	53,409	3	63,863	3	74,317	3	84,770	3	95,224
1/4	1,389	1/4	11,842	1/4	22,296	1/4	32,730	1/4	43,173	1/4	53,627	1/4	64,081	1/4	74,534	1/4	84,988	1/4	95,442
1/2	1,607	1/2	12,060	1/2	22,513	1/2	32,947	1/2	43,391	1/2	53,845	1/2	64,298	1/2	74,752	1/2	85,206	1/2	95,659
3/4	1,824	3/4	12,278	3/4	22,731	3/4	33,164	3/4	43,609	3/4	54,063	3/4	64,516	3/4	74,970	3/4	85,424	3/4	95,877
4	2,042	4	12,496	4	22,949	4	33,382	4	43,827	4	54,280	4	64,734	4	75,188	4	85,641	4	96,095
1/4	2,260	1/4	12,713	1/4	23,167	1/4	33,599	1/4	44,045	1/4	54,498	1/4	64,952	1/4	75,405	1/4	85,859	1/4	96,313
1/2	2,478	1/2	12,931	1/2	23,385	1/2	33,816	1/2	44,262	1/2	54,716	1/2	65,170	1/2	75,623	1/2	86,077	1/2	96,531
3/4	2,696	3/4	13,149	3/4	23,602	3/4	34,033	3/4	44,480	3/4	54,934	3/4	65,387	3/4	75,841	3/4	86,295	3/4	96,748
5	2,913	5	13,367	5	23,820	5	34,250	5	44,698	5	55,152	5	65,605	5	76,059	5	86,512	5	96,966
1/4	3,131	1/4	13,585	1/4	24,038	1/4	34,467	1/4	44,916	1/4	55,369	1/4	65,823	1/4	76,277	1/4	86,730	1/4	97,184
1/2	3,349	1/2	13,802	1/2	24,256	1/2	34,684	1/2	45,133	1/2	55,587	1/2	66,041	1/2	76,494	1/2	86,948	1/2	97,402
3/4	3,567	3/4	14,020	3/4	24,473	3/4	34,901	3/4	45,351	3/4	55,805	3/4	66,259	3/4	76,712	3/4	87,166	3/4	97,619
6	3,784	6	14,238	6	24,691	6	35,118	6	45,569	6	56,023	6	66,476	6	76,930	6	87,384	6	97,837
1/4	4,002	1/4	14,456	1/4	24,909	1/4	35,335	1/4	45,787	1/4	56,240	1/4	66,694	1/4	77,148	1/4	87,601	1/4	98,055
1/2	4,220	1/2	14,673	1/2	25,127	1/2	35,552	1/2	46,005	1/2	56,458	1/2	66,912	1/2	77,366	1/2	87,819	1/2	98,273
3/4	4,438	3/4	14,891	3/4	25,345	3/4	35,769	3/4	46,222	3/4	56,676	3/4	67,130	3/4	77,583	3/4	88,037	3/4	98,491
7	4,656	7	15,109	7	25,562	7	35,986	7	46,440	7	56,894	7	67,347	7	77,801	7	88,255	7	98,708
1/4	4,873	1/4	15,327	1/4	25,780	1/4	36,204	1/4	46,658	1/4	57,112	1/4	67,565	1/4	78,019	1/4	88,473	1/4	98,926
1/2	5,091	1/2	15,545	1/2	25,998	1/2	36,422	1/2	46,876	1/2	57,329	1/2	67,783	1/2	78,237	1/2	88,690	1/2	99,144
3/4	5,309	3/4	15,762	3/4	26,216	3/4	36,640	3/4	47,093	3/4	57,547	3/4	68,001	3/4	78,454	3/4	88,908	3/4	99,362
8	5,527	8	15,980	8	26,433	8	36,858	8	47,311	8	57,765	8	68,219	8	78,672	8	89,126	8	99,580
1/4	5,744	1/4	16,198	1/4	26,651	1/4	37,075	1/4	47,529	1/4	57,983	1/4	68,436	1/4	78,890	1/4	89,344	1/4	99,797
1/2	5,962	1/2	16,416	1/2	26,869	1/2	37,293	1/2	47,747	1/2	58,200	1/2	68,654	1/2	79,108	1/2	89,561	1/2	100,015
3/4	6,180	3/4	16,633	3/4	27,087	3/4	37,511	3/4	47,965	3/4	58,418	3/4	68,872	3/4	79,326	3/4	89,779	3/4	100,233
9	6,398	9	16,851	9	27,305	9	37,729	9	48,182	9	58,636	9	69,090	9	79,543	9	89,997	9	100,451
1/4	6,616	1/4	17,069	1/4	27,522	1/4	37,947	1/4	48,400	1/4	58,854	1/4	69,307	1/4	79,761	1/4	90,215	1/4	100,668
1/2	6,833	1/2	17,287	1/2	27,739	1/2	38,164	1/2	48,618	1/2	59,072	1/2	69,525	1/2	79,979	1/2	90,433	1/2	100,886
3/4	7,051	3/4	17,505	3/4	27,956	3/4	38,382	3/4	48,836	3/4	59,289	3/4	69,743	3/4	80,197	3/4	90,650	3/4	101,104
10	7,269	10	17,722	10	28,173	10	38,600	10	49,054	10	59,507	10	69,961	10	80,414	10	90,868	10	101,322
1/4	7,487	1/4	17,940	1/4	28,390	1/4	38,818	1/4	49,271	1/4	59,725	1/4	70,179	1/4	80,632	1/4	91,086	1/4	101,540
1/2	7,704	1/2	18,158	1/2	28,607	1/2	39,035	1/2	49,489	1/2	59,943	1/2	70,396	1/2	80,850	1/2	91,304	1/2	101,757
3/4	7,922	3/4	18,376	3/4	28,824	3/4	39,253	3/4	49,707	3/4	60,161	3/4	70,614	3/4	81,068	3/4	91,521	3/4	101,975
11	8,140	11	18,593	11	29,041	11	39,471	11	49,925	11	60,378	11	70,832	11	81,286	11	91,739	11	102,193
1/4	8,358	1/4	18,811	1/4	29,258	1/4	39,689	1/4	50,142	1/4	60,596	1/4	71,050	1/4	81,503	1/4	91,957	1/4	102,411
1/2	8,576	1/2	19,029	1/2	29,475	1/2	39,907	1/2	50,360	1/2	60,814	1/2	71,268	1/2	81,721	1/2	92,175	1/2	102,628
3/4	8,793	3/4	19,247	3/4	29,692	3/4	40,124	3/4	50,578	3/4	61,032	3/4	71,485	3/4	81,939	3/4	92,393	3/4	102,846

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 0' 10" OFF CENTERLINE AND 26' 10" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
 DATE COMPUTED: 11/30/04 BY: WHF  
 DATE RE-ISSUED: 11/06/06 FOR CORRECTIONS

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT 16'-9 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	103,064	0	113,518	0	123,971	0	134,425	0	144,879	0		0		0		0		0	
1/4	103,282	1/4	113,735	1/4	124,189	1/4	134,643	1/4	145,096	1/4		1/4		1/4		1/4		1/4	
1/2	103,500	1/2	113,953	1/2	124,407	1/2	134,861	1/2	145,314	1/2		1/2		1/2		1/2		1/2	
3/4	103,717	3/4	114,171	3/4	124,625	3/4	135,078	3/4	145,532	3/4		3/4		3/4		3/4		3/4	
1	103,935	1	114,389	1	124,842	1	135,296	1	145,750	1		1		1		1		1	
1/4	104,153	1/4	114,607	1/4	125,060	1/4	135,514	1/4	145,968	1/4		1/4		1/4		1/4		1/4	
1/2	104,371	1/2	114,824	1/2	125,278	1/2	135,732	1/2	146,185	1/2		1/2		1/2		1/2		1/2	
3/4	104,589	3/4	115,042	3/4	125,496	3/4	135,949	3/4	146,403	3/4		3/4		3/4		3/4		3/4	
2	104,806	2	115,260	2	125,714	2	136,167	2	146,621	2		2		2		2		2	
1/4	105,024	1/4	115,478	1/4	125,931	1/4	136,385	1/4	146,839	1/4		1/4		1/4		1/4		1/4	
1/2	105,242	1/2	115,696	1/2	126,149	1/2	136,603	1/2	147,056	1/2		1/2		1/2		1/2		1/2	
3/4	105,460	3/4	115,913	3/4	126,367	3/4	136,821	3/4	147,274	3/4		3/4		3/4		3/4		3/4	
3	105,677	3	116,131	3	126,585	3	137,038	3	147,492	3		3		3		3		3	
1/4	105,895	1/4	116,349	1/4	126,803	1/4	137,256	1/4	147,692	1/4		1/4		1/4		1/4		1/4	
1/2	106,113	1/2	116,567	1/2	127,020	1/2	137,474	1/2	147,891	1/2		1/2		1/2		1/2		1/2	
3/4	106,331	3/4	116,784	3/4	127,238	3/4	137,692	3/4	148,091	3/4		3/4		3/4		3/4		3/4	
4	106,549	4	117,002	4	127,456	4	137,910	4	148,291	4		4		4		4		4	
1/4	106,766	1/4	117,220	1/4	127,674	1/4	138,127	1/4	148,454	1/4		1/4		1/4		1/4		1/4	
1/2	106,984	1/2	117,438	1/2	127,891	1/2	138,345	1/2	148,617	1/2		1/2		1/2		1/2		1/2	
3/4	107,202	3/4	117,656	3/4	128,109	3/4	138,563	3/4	148,781	3/4		3/4		3/4		3/4		3/4	
5	107,420	5	117,873	5	128,327	5	138,781	5	148,944	5		5		5		5		5	
1/4	107,638	1/4	118,091	1/4	128,545	1/4	138,998	1/4	149,071	1/4		1/4		1/4		1/4		1/4	
1/2	107,855	1/2	118,309	1/2	128,763	1/2	139,216	1/2	149,198	1/2		1/2		1/2		1/2		1/2	
3/4	108,073	3/4	118,527	3/4	128,980	3/4	139,434	3/4	149,325	3/4		3/4		3/4		3/4		3/4	
6	108,291	6	118,745	6	129,198	6	139,652	6	149,452	6		6		6		6		6	
1/4	108,509	1/4	118,962	1/4	129,416	1/4	139,870	1/4	149,543	1/4		1/4		1/4		1/4		1/4	
1/2	108,726	1/2	119,180	1/2	129,634	1/2	140,087	1/2	149,634	1/2		1/2		1/2		1/2		1/2	
3/4	108,944	3/4	119,398	3/4	129,852	3/4	140,305	3/4	149,688	3/4		3/4		3/4		3/4		3/4	
7	109,162	7	119,616	7	130,069	7	140,523	7	149,742	7		7		7		7		7	
1/4	109,380	1/4	119,833	1/4	130,287	1/4	140,741	1/4	149,797	1/4		1/4		1/4		1/4		1/4	
1/2	109,598	1/2	120,051	1/2	130,505	1/2	140,959	1/2	149,851	1/2		1/2		1/2		1/2		1/2	
3/4	109,815	3/4	120,269	3/4	130,723	3/4	141,176	3/4	149,888	3/4		3/4		3/4		3/4		3/4	
8	110,033	8	120,487	8	130,940	8	141,394	8	149,924	8		8		8		8		8	
1/4	110,251	1/4	120,705	1/4	131,158	1/4	141,612	1/4	149,960	1/4		1/4		1/4		1/4		1/4	
1/2	110,469	1/2	120,922	1/2	131,376	1/2	141,830	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,686	3/4	121,140	3/4	131,594	3/4	142,047	3/4		3/4		3/4		3/4		3/4		3/4	
9	110,904	9	121,358	9	131,812	9	142,265	9		9		9		9		9		9	
1/4	111,122	1/4	121,576	1/4	132,029	1/4	142,483	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,340	1/2	121,793	1/2	132,247	1/2	142,701	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,558	3/4	122,011	3/4	132,465	3/4	142,919	3/4		3/4		3/4		3/4		3/4		3/4	
10	111,775	10	122,229	10	132,683	10	143,136	10		10		10		10		10		10	
1/4	111,993	1/4	122,447	1/4	132,900	1/4	143,354	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	112,211	1/2	122,665	1/2	133,118	1/2	143,572	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	112,429	3/4	122,882	3/4	133,336	3/4	143,790	3/4		3/4		3/4		3/4		3/4		3/4	
11	112,647	11	123,100	11	133,554	11	144,007	11		11		11		11		11		11	
1/4	112,864	1/4	123,318	1/4	133,772	1/4	144,225	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	113,082	1/2	123,536	1/2	133,989	1/2	144,443	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	113,300	3/4	123,754	3/4	134,207	3/4	144,661	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE RE-ISSUED: 11/06/06 FOR CORRECTIONS

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT 16'- 9 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	28	0	8,974	0	19,383	0	29,792	0	40,199	0	50,609	0	61,019	0	71,429	0	81,839	0	92,249
1/4	55	1/4	9,190	1/4	19,600	1/4	30,008	1/4	40,416	1/4	50,826	1/4	61,236	1/4	71,646	1/4	82,056	1/4	92,466
1/2	82	1/2	9,407	1/2	19,817	1/2	30,225	1/2	40,633	1/2	51,043	1/2	61,453	1/2	71,863	1/2	82,273	1/2	92,683
3/4	109	3/4	9,624	3/4	20,034	3/4	30,442	3/4	40,849	3/4	51,259	3/4	61,670	3/4	72,080	3/4	82,490	3/4	92,900
1	190	1	9,841	1	20,251	1	30,659	1	41,066	1	51,476	1	61,886	1	72,297	1	82,707	1	93,117
1/4	272	1/4	10,058	1/4	20,468	1/4	30,875	1/4	41,283	1/4	51,693	1/4	62,103	1/4	72,513	1/4	82,923	1/4	93,334
1/2	353	1/2	10,275	1/2	20,685	1/2	31,092	1/2	41,500	1/2	51,910	1/2	62,320	1/2	72,730	1/2	83,140	1/2	93,550
3/4	434	3/4	10,492	3/4	20,901	3/4	31,309	3/4	41,717	3/4	52,127	3/4	62,537	3/4	72,947	3/4	83,357	3/4	93,767
2	570	2	10,709	2	21,118	2	31,526	2	41,934	2	52,344	2	62,754	2	73,164	2	83,574	2	93,984
1/4	705	1/4	10,925	1/4	21,335	1/4	31,742	1/4	42,151	1/4	52,561	1/4	62,971	1/4	73,381	1/4	83,791	1/4	94,201
1/2	841	1/2	11,142	1/2	21,552	1/2	31,959	1/2	42,368	1/2	52,778	1/2	63,188	1/2	73,598	1/2	84,008	1/2	94,418
3/4	977	3/4	11,359	3/4	21,769	3/4	32,176	3/4	42,584	3/4	52,994	3/4	63,405	3/4	73,815	3/4	84,225	3/4	94,635
3	1,166	3	11,576	3	21,986	3	32,393	3	42,801	3	53,211	3	63,621	3	74,032	3	84,442	3	94,852
1/4	1,383	1/4	11,793	1/4	22,203	1/4	32,609	1/4	43,018	1/4	53,428	1/4	63,838	1/4	74,248	1/4	84,658	1/4	95,069
1/2	1,600	1/2	12,010	1/2	22,420	1/2	32,826	1/2	43,235	1/2	53,645	1/2	64,055	1/2	74,465	1/2	84,875	1/2	95,285
3/4	1,817	3/4	12,227	3/4	22,636	3/4	33,043	3/4	43,452	3/4	53,862	3/4	64,272	3/4	74,682	3/4	85,092	3/4	95,502
4	2,034	4	12,444	4	22,853	4	33,260	4	43,669	4	54,079	4	64,489	4	74,899	4	85,309	4	95,719
1/4	2,251	1/4	12,660	1/4	23,070	1/4	33,477	1/4	43,886	1/4	54,296	1/4	64,706	1/4	75,116	1/4	85,526	1/4	95,936
1/2	2,467	1/2	12,877	1/2	23,287	1/2	33,693	1/2	44,103	1/2	54,513	1/2	64,923	1/2	75,333	1/2	85,743	1/2	96,153
3/4	2,684	3/4	13,094	3/4	23,504	3/4	33,910	3/4	44,319	3/4	54,730	3/4	65,140	3/4	75,550	3/4	85,960	3/4	96,370
5	2,901	5	13,311	5	23,721	5	34,127	5	44,536	5	54,946	5	65,356	5	75,767	5	86,177	5	96,587
1/4	3,118	1/4	13,528	1/4	23,938	1/4	34,344	1/4	44,753	1/4	55,163	1/4	65,573	1/4	75,983	1/4	86,393	1/4	96,804
1/2	3,335	1/2	13,745	1/2	24,155	1/2	34,560	1/2	44,970	1/2	55,380	1/2	65,790	1/2	76,200	1/2	86,610	1/2	97,020
3/4	3,552	3/4	13,962	3/4	24,371	3/4	34,777	3/4	45,187	3/4	55,597	3/4	66,007	3/4	76,417	3/4	86,827	3/4	97,237
6	3,769	6	14,178	6	24,588	6	34,994	6	45,404	6	55,814	6	66,224	6	76,634	6	87,044	6	97,454
1/4	3,986	1/4	14,395	1/4	24,805	1/4	35,211	1/4	45,621	1/4	56,031	1/4	66,441	1/4	76,851	1/4	87,261	1/4	97,671
1/2	4,202	1/2	14,612	1/2	25,022	1/2	35,428	1/2	45,838	1/2	56,248	1/2	66,658	1/2	77,068	1/2	87,478	1/2	97,888
3/4	4,419	3/4	14,829	3/4	25,239	3/4	35,644	3/4	46,054	3/4	56,465	3/4	66,875	3/4	77,285	3/4	87,695	3/4	98,105
7	4,636	7	15,046	7	25,456	7	35,861	7	46,271	7	56,681	7	67,091	7	77,502	7	87,912	7	98,322
1/4	4,853	1/4	15,263	1/4	25,673	1/4	36,078	1/4	46,488	1/4	56,898	1/4	67,308	1/4	77,718	1/4	88,128	1/4	98,539
1/2	5,070	1/2	15,480	1/2	25,890	1/2	36,295	1/2	46,705	1/2	57,115	1/2	67,525	1/2	77,935	1/2	88,345	1/2	98,755
3/4	5,287	3/4	15,697	3/4	26,106	3/4	36,512	3/4	46,922	3/4	57,332	3/4	67,742	3/4	78,152	3/4	88,562	3/4	98,972
8	5,504	8	15,913	8	26,323	8	36,729	8	47,139	8	57,549	8	67,959	8	78,369	8	88,779	8	99,189
1/4	5,721	1/4	16,130	1/4	26,540	1/4	36,946	1/4	47,356	1/4	57,766	1/4	68,176	1/4	78,586	1/4	88,996	1/4	99,406
1/2	5,937	1/2	16,347	1/2	26,757	1/2	37,162	1/2	47,573	1/2	57,983	1/2	68,393	1/2	78,803	1/2	89,213	1/2	99,623
3/4	6,154	3/4	16,564	3/4	26,974	3/4	37,379	3/4	47,789	3/4	58,200	3/4	68,610	3/4	79,020	3/4	89,430	3/4	99,840
9	6,371	9	16,781	9	27,191	9	37,596	9	48,006	9	58,416	9	68,826	9	79,237	9	89,647	9	100,057
1/4	6,588	1/4	16,998	1/4	27,407	1/4	37,813	1/4	48,223	1/4	58,633	1/4	69,043	1/4	79,453	1/4	89,864	1/4	100,274
1/2	6,805	1/2	17,215	1/2	27,624	1/2	38,030	1/2	48,440	1/2	58,850	1/2	69,260	1/2	79,670	1/2	90,080	1/2	100,490
3/4	7,022	3/4	17,432	3/4	27,841	3/4	38,247	3/4	48,657	3/4	59,067	3/4	69,477	3/4	79,887	3/4	90,297	3/4	100,707
10	7,239	10	17,648	10	28,058	10	38,464	10	48,874	10	59,284	10	69,694	10	80,104	10	90,514	10	100,924
1/4	7,456	1/4	17,865	1/4	28,274	1/4	38,681	1/4	49,091	1/4	59,501	1/4	69,911	1/4	80,321	1/4	90,731	1/4	101,141
1/2	7,672	1/2	18,082	1/2	28,491	1/2	38,898	1/2	49,308	1/2	59,718	1/2	70,128	1/2	80,538	1/2	90,948	1/2	101,358
3/4	7,889	3/4	18,299	3/4	28,708	3/4	39,114	3/4	49,524	3/4	59,935	3/4	70,345	3/4	80,755	3/4	91,165	3/4	101,575
11	8,106	11	18,516	11	28,925	11	39,331	11	49,741	11	60,151	11	70,561	11	80,972	11	91,382	11	101,792
1/4	8,323	1/4	18,733	1/4	29,141	1/4	39,548	1/4	49,958	1/4	60,368	1/4	70,778	1/4	81,188	1/4	91,599	1/4	102,009
1/2	8,540	1/2	18,950	1/2	29,358	1/2	39,765	1/2	50,175	1/2	60,585	1/2	70,995	1/2	81,405	1/2	91,815	1/2	102,225
3/4	8,757	3/4	19,167	3/4	29,575	3/4	39,982	3/4	50,392	3/4	60,802	3/4	71,212	3/4	81,622	3/4	92,032	3/4	102,442

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 0' - 10" OFF CENTERLINE AND 27' - 3" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE RE-ISSUED: 11/06/06 FOR CORRECTIONS

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE U.S. GALLONS

GAUGE HEIGHT 16'- 9 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
<b>0</b>	102,659	<b>0</b>	113,069	<b>0</b>	123,479	<b>0</b>	133,889	<b>0</b>	144,300	<b>0</b>									
1/4	102,876	1/4	113,286	1/4	123,696	1/4	134,106	1/4	144,516	1/4		1/4		1/4		1/4		1/4	
1/2	103,093	1/2	113,503	1/2	123,913	1/2	134,323	1/2	144,733	1/2		1/2		1/2		1/2		1/2	
3/4	103,310	3/4	113,720	3/4	124,130	3/4	134,540	3/4	144,950	3/4		3/4		3/4		3/4		3/4	
<b>1</b>	103,527	<b>1</b>	113,937	<b>1</b>	124,347	<b>1</b>	134,757	<b>1</b>	145,167	<b>1</b>									
1/4	103,744	1/4	114,154	1/4	124,564	1/4	134,974	1/4	145,384	1/4		1/4		1/4		1/4		1/4	
1/2	103,960	1/2	114,371	1/2	124,781	1/2	135,191	1/2	145,601	1/2		1/2		1/2		1/2		1/2	
3/4	104,177	3/4	114,587	3/4	124,998	3/4	135,408	3/4	145,818	3/4		3/4		3/4		3/4		3/4	
<b>2</b>	104,394	<b>2</b>	114,804	<b>2</b>	125,214	<b>2</b>	135,624	<b>2</b>	146,035	<b>2</b>									
1/4	104,611	1/4	115,021	1/4	125,431	1/4	135,841	1/4	146,251	1/4		1/4		1/4		1/4		1/4	
1/2	104,828	1/2	115,238	1/2	125,648	1/2	136,058	1/2	146,468	1/2		1/2		1/2		1/2		1/2	
3/4	105,045	3/4	115,455	3/4	125,865	3/4	136,275	3/4	146,685	3/4		3/4		3/4		3/4		3/4	
<b>3</b>	105,262	<b>3</b>	115,672	<b>3</b>	126,082	<b>3</b>	136,492	<b>3</b>	146,902	<b>3</b>									
1/4	105,479	1/4	115,889	1/4	126,299	1/4	136,709	1/4	147,101	1/4		1/4		1/4		1/4		1/4	
1/2	105,696	1/2	116,106	1/2	126,516	1/2	136,926	1/2	147,300	1/2		1/2		1/2		1/2		1/2	
3/4	105,912	3/4	116,322	3/4	126,733	3/4	137,143	3/4	147,498	3/4		3/4		3/4		3/4		3/4	
<b>4</b>	106,129	<b>4</b>	116,539	<b>4</b>	126,949	<b>4</b>	137,359	<b>4</b>	147,697	<b>4</b>									
1/4	106,346	1/4	116,756	1/4	127,166	1/4	137,576	1/4	147,860	1/4		1/4		1/4		1/4		1/4	
1/2	106,563	1/2	116,973	1/2	127,383	1/2	137,793	1/2	148,023	1/2		1/2		1/2		1/2		1/2	
3/4	106,780	3/4	117,190	3/4	127,600	3/4	138,010	3/4	148,185	3/4		3/4		3/4		3/4		3/4	
<b>5</b>	106,997	<b>5</b>	117,407	<b>5</b>	127,817	<b>5</b>	138,227	<b>5</b>	148,348	<b>5</b>									
1/4	107,214	1/4	117,624	1/4	128,034	1/4	138,444	1/4	148,474	1/4		1/4		1/4		1/4		1/4	
1/2	107,431	1/2	117,841	1/2	128,251	1/2	138,661	1/2	148,601	1/2		1/2		1/2		1/2		1/2	
3/4	107,647	3/4	118,057	3/4	128,468	3/4	138,878	3/4	148,727	3/4		3/4		3/4		3/4		3/4	
<b>6</b>	107,864	<b>6</b>	118,274	<b>6</b>	128,684	<b>6</b>	139,094	<b>6</b>	148,854	<b>6</b>									
1/4	108,081	1/4	118,491	1/4	128,901	1/4	139,311	1/4	148,944	1/4		1/4		1/4		1/4		1/4	
1/2	108,298	1/2	118,708	1/2	129,118	1/2	139,528	1/2	149,035	1/2		1/2		1/2		1/2		1/2	
3/4	108,515	3/4	118,925	3/4	129,335	3/4	139,745	3/4	149,089	3/4		3/4		3/4		3/4		3/4	
<b>7</b>	108,732	<b>7</b>	119,142	<b>7</b>	129,552	<b>7</b>	139,962	<b>7</b>	149,143	<b>7</b>									
1/4	108,949	1/4	119,359	1/4	129,769	1/4	140,179	1/4	149,197	1/4		1/4		1/4		1/4		1/4	
1/2	109,166	1/2	119,576	1/2	129,986	1/2	140,396	1/2	149,252	1/2		1/2		1/2		1/2		1/2	
3/4	109,382	3/4	119,792	3/4	130,203	3/4	140,613	3/4	149,270	3/4		3/4		3/4		3/4		3/4	
<b>8</b>	109,599	<b>8</b>	120,009	<b>8</b>	130,419	<b>8</b>	140,830	<b>8</b>	149,282	<b>8</b>									
1/4	109,816	1/4	120,226	1/4	130,636	1/4	141,046	1/4	149,294	1/4		1/4		1/4		1/4		1/4	
1/2	110,033	1/2	120,443	1/2	130,853	1/2	141,263	1/2	149,306	1/2		1/2		1/2		1/2		1/2	
3/4	110,250	3/4	120,660	3/4	131,070	3/4	141,480	3/4	149,318	3/4		3/4		3/4		3/4		3/4	
<b>9</b>	110,467	<b>9</b>	120,877	<b>9</b>	131,287	<b>9</b>	141,697	<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>		<b>9</b>	
1/4	110,684	1/4	121,094	1/4	131,504	1/4	141,914	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,901	1/2	121,311	1/2	131,721	1/2	142,131	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,117	3/4	121,527	3/4	131,938	3/4	142,348	3/4		3/4		3/4		3/4		3/4		3/4	
<b>10</b>	111,334	<b>10</b>	121,744	<b>10</b>	132,154	<b>10</b>	142,565	<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>		<b>10</b>	
1/4	111,551	1/4	121,961	1/4	132,371	1/4	142,781	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,768	1/2	122,178	1/2	132,588	1/2	142,998	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,985	3/4	122,395	3/4	132,805	3/4	143,215	3/4		3/4		3/4		3/4		3/4		3/4	
<b>11</b>	112,202	<b>11</b>	122,612	<b>11</b>	133,022	<b>11</b>	143,432	<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>		<b>11</b>	
1/4	112,419	1/4	122,829	1/4	133,239	1/4	143,649	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	112,636	1/2	123,046	1/2	133,456	1/2	143,866	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	112,852	3/4	123,263	3/4	133,673	3/4	144,083	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE RE-ISSUED: 11/06/06

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17' 10 1/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0		0	153,765	0	143,443	0	133,121	0	122,799	0	111,774	0	100,288	0	88,802	0	77,316
1/4		1/4		1/4	153,550	1/4	143,228	1/4	132,906	1/4	122,584	1/4	111,535	1/4	100,049	1/4	88,562	1/4	77,076
1/2		1/2		1/2	153,335	1/2	143,013	1/2	132,691	1/2	122,369	1/2	111,295	1/2	99,809	1/2	88,323	1/2	76,837
3/4		3/4		3/4	153,120	3/4	142,798	3/4	132,476	3/4	122,154	3/4	111,056	3/4	99,570	3/4	88,084	3/4	76,598
1		1		1	152,905	1	142,583	1	132,261	1	121,939	1	110,817	1	99,331	1	87,845	1	76,358
1/4		1/4		1/4	152,690	1/4	142,368	1/4	132,046	1/4	121,724	1/4	110,578	1/4	99,091	1/4	87,605	1/4	76,119
1/2		1/2		1/2	152,475	1/2	142,153	1/2	131,831	1/2	121,509	1/2	110,338	1/2	98,852	1/2	87,366	1/2	75,880
3/4		3/4		3/4	152,260	3/4	141,938	3/4	131,616	3/4	121,294	3/4	110,099	3/4	98,613	3/4	87,127	3/4	75,640
2		2		2	152,045	2	141,723	2	131,401	2	121,079	2	109,860	2	98,374	2	86,887	2	75,401
1/4		1/4	160,187	1/4	151,830	1/4	141,508	1/4	131,186	1/4	120,864	1/4	109,620	1/4	98,134	1/4	86,648	1/4	75,162
1/2		1/2	160,159	1/2	151,615	1/2	141,293	1/2	130,971	1/2	120,649	1/2	109,381	1/2	97,895	1/2	86,409	1/2	74,923
3/4		3/4	160,122	3/4	151,400	3/4	141,078	3/4	130,756	3/4	120,434	3/4	109,142	3/4	97,656	3/4	86,169	3/4	74,683
3		3	160,075	3	151,185	3	140,863	3	130,541	3	120,219	3	108,903	3	97,416	3	85,930	3	74,444
1/4		1/4	160,019	1/4	150,970	1/4	140,648	1/4	130,326	1/4	120,004	1/4	108,663	1/4	97,177	1/4	85,691	1/4	74,205
1/2		1/2	159,954	1/2	150,755	1/2	140,433	1/2	130,111	1/2	119,789	1/2	108,424	1/2	96,938	1/2	85,452	1/2	73,965
3/4		3/4	159,879	3/4	150,540	3/4	140,218	3/4	129,896	3/4	119,574	3/4	108,185	3/4	96,698	3/4	85,212	3/4	73,726
4		4	159,795	4	150,325	4	140,003	4	129,681	4	119,359	4	107,945	4	96,459	4	84,973	4	73,487
1/4		1/4	159,702	1/4	150,110	1/4	139,788	1/4	129,466	1/4	119,144	1/4	107,706	1/4	96,220	1/4	84,734	1/4	73,247
1/2		1/2	159,599	1/2	149,895	1/2	139,573	1/2	129,251	1/2	118,929	1/2	107,467	1/2	95,981	1/2	84,494	1/2	73,008
3/4		3/4	159,487	3/4	149,680	3/4	139,358	3/4	129,036	3/4	118,714	3/4	107,227	3/4	95,741	3/4	84,255	3/4	72,769
5		5	159,366	5	149,465	5	139,143	5	128,821	5	118,474	5	106,988	5	95,502	5	84,016	5	72,530
1/4		1/4	159,235	1/4	149,249	1/4	138,928	1/4	128,606	1/4	118,235	1/4	106,749	1/4	95,263	1/4	83,776	1/4	72,290
1/2		1/2	159,094	1/2	149,034	1/2	138,712	1/2	128,391	1/2	117,969	1/2	106,510	1/2	95,023	1/2	83,537	1/2	72,051
3/4		3/4	158,945	3/4	148,819	3/4	138,497	3/4	128,175	3/4	117,756	3/4	106,270	3/4	94,784	3/4	83,298	3/4	71,812
6		6	158,786	6	148,604	6	138,282	6	127,960	6	117,517	6	106,031	6	94,545	6	83,059	6	71,572
1/4		1/4	158,618	1/4	148,389	1/4	138,067	1/4	127,745	1/4	117,278	1/4	105,792	1/4	94,305	1/4	82,819	1/4	71,333
1/2		1/2	158,440	1/2	148,174	1/2	137,852	1/2	127,530	1/2	117,039	1/2	105,552	1/2	94,066	1/2	82,580	1/2	71,094
3/4		3/4	158,253	3/4	147,959	3/4	137,637	3/4	127,315	3/4	116,799	3/4	105,313	3/4	93,827	3/4	82,341	3/4	70,855
7		7	158,057	7	147,744	7	137,422	7	127,100	7	116,560	7	105,074	7	93,588	7	82,101	7	70,615
1/4		1/4	157,851	1/4	147,529	1/4	137,207	1/4	126,885	1/4	116,321	1/4	104,835	1/4	93,348	1/4	81,862	1/4	70,376
1/2		1/2	157,636	1/2	147,314	1/2	136,992	1/2	126,670	1/2	116,081	1/2	104,595	1/2	93,109	1/2	81,623	1/2	70,137
3/4		3/4	157,421	3/4	147,099	3/4	136,777	3/4	126,455	3/4	115,842	3/4	104,356	3/4	92,870	3/4	81,384	3/4	69,897
8		8	157,206	8	146,884	8	136,562	8	126,240	8	115,603	8	104,117	8	92,630	8	81,144	8	69,658
1/4		1/4	156,991	1/4	146,669	1/4	136,347	1/4	126,025	1/4	115,364	1/4	103,877	1/4	92,391	1/4	80,905	1/4	69,419
1/2		1/2	156,776	1/2	146,454	1/2	136,132	1/2	125,810	1/2	115,124	1/2	103,638	1/2	92,152	1/2	80,666	1/2	69,179
3/4		3/4	156,561	3/4	146,239	3/4	135,917	3/4	125,595	3/4	114,885	3/4	103,399	3/4	91,913	3/4	80,426	3/4	68,940
9		9	156,346	9	146,024	9	135,702	9	125,380	9	114,646	9	103,159	9	91,673	9	80,187	9	68,701
1/4		1/4	156,131	1/4	145,809	1/4	135,487	1/4	125,165	1/4	114,406	1/4	102,920	1/4	91,434	1/4	79,948	1/4	68,462
1/2		1/2	155,916	1/2	145,594	1/2	135,272	1/2	124,950	1/2	114,167	1/2	102,681	1/2	91,195	1/2	79,708	1/2	68,222
3/4		3/4	155,701	3/4	145,379	3/4	135,057	3/4	124,735	3/4	113,928	3/4	102,442	3/4	90,955	3/4	79,469	3/4	67,983
10		10	155,486	10	145,164	10	134,842	10	124,520	10	113,688	10	102,202	10	90,716	10	79,230	10	67,744
1/4		1/4	155,271	1/4	144,949	1/4	134,627	1/4	124,305	1/4	113,449	1/4	101,963	1/4	90,477	1/4	78,991	1/4	67,504
1/2		1/2	155,056	1/2	144,734	1/2	134,412	1/2	124,090	1/2	113,210	1/2	101,724	1/2	90,237	1/2	78,751	1/2	67,265
3/4		3/4	154,841	3/4	144,519	3/4	134,197	3/4	123,875	3/4	112,971	3/4	101,484	3/4	89,998	3/4	78,512	3/4	67,026
11		11	154,626	11	144,304	11	133,982	11	123,660	11	112,731	11	101,245	11	89,759	11	78,273	11	66,786
1/4		1/4	154,410	1/4	144,089	1/4	133,767	1/4	123,445	1/4	112,492	1/4	101,006	1/4	89,520	1/4	78,033	1/4	66,547
1/2		1/2	154,195	1/2	143,873	1/2	133,551	1/2	123,230	1/2	112,253	1/2	100,766	1/2	89,280	1/2	77,794	1/2	66,308
3/4		3/4	153,980	3/4	143,658	3/4	133,336	3/4	123,014	3/4	112,013	3/4	100,527	3/4	89,041	3/4	77,555	3/4	66,069

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 0" 10" OFF CENTERLINE AND 27' 3" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
 DATE COMPUTED: 11/30/04 BY: WHF  
 DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17' 10 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	65,829	0	54,343	0	42,857	0	31,374	0	19,897	0	8,405	0		0		0		0	
1/4	65,590	1/4	54,104	1/4	42,618	1/4	31,135	1/4	19,657	1/4	8,165	1/4		1/4		1/4		1/4	
1/2	65,351	1/2	53,865	1/2	42,378	1/2	30,897	1/2	19,418	1/2	7,926	1/2		1/2		1/2		1/2	
3/4	65,111	3/4	53,625	3/4	42,139	3/4	30,658	3/4	19,178	3/4	7,686	3/4		3/4		3/4		3/4	
1	64,872	1	53,386	1	41,900	1	30,419	1	18,939	1	7,447	1		1		1		1	
1/4	64,633	1/4	53,147	1/4	41,660	1/4	30,180	1/4	18,700	1/4	7,208	1/4		1/4		1/4		1/4	
1/2	64,394	1/2	52,907	1/2	41,421	1/2	29,942	1/2	18,460	1/2	6,968	1/2		1/2		1/2		1/2	
3/4	64,154	3/4	52,668	3/4	41,182	3/4	29,703	3/4	18,221	3/4	6,729	3/4		3/4		3/4		3/4	
2	63,915	2	52,429	2	40,943	2	29,464	2	17,981	2	6,489	2		2		2		2	
1/4	63,676	1/4	52,189	1/4	40,703	1/4	29,225	1/4	17,742	1/4	6,250	1/4		1/4		1/4		1/4	
1/2	63,436	1/2	51,950	1/2	40,464	1/2	28,986	1/2	17,503	1/2	6,011	1/2		1/2		1/2		1/2	
3/4	63,197	3/4	51,711	3/4	40,225	3/4	28,748	3/4	17,263	3/4	5,771	3/4		3/4		3/4		3/4	
3	62,958	3	51,472	3	39,985	3	28,509	3	17,024	3	5,532	3		3		3		3	
1/4	62,718	1/4	51,232	1/4	39,746	1/4	28,270	1/4	16,784	1/4	5,292	1/4		1/4		1/4		1/4	
1/2	62,479	1/2	50,993	1/2	39,507	1/2	28,031	1/2	16,545	1/2	5,053	1/2		1/2		1/2		1/2	
3/4	62,240	3/4	50,754	3/4	39,267	3/4	27,792	3/4	16,305	3/4	4,813	3/4		3/4		3/4		3/4	
4	62,001	4	50,514	4	39,028	4	27,554	4	16,066	4	4,574	4		4		4		4	
1/4	61,761	1/4	50,275	1/4	38,789	1/4	27,315	1/4	15,827	1/4	4,335	1/4		1/4		1/4		1/4	
1/2	61,522	1/2	50,036	1/2	38,550	1/2	27,076	1/2	15,587	1/2	4,095	1/2		1/2		1/2		1/2	
3/4	61,283	3/4	49,796	3/4	38,310	3/4	26,837	3/4	15,348	3/4	3,856	3/4		3/4		3/4		3/4	
5	61,043	5	49,557	5	38,071	5	26,599	5	15,108	5	3,616	5		5		5		5	
1/4	60,804	1/4	49,318	1/4	37,832	1/4	26,360	1/4	14,869	1/4	3,377	1/4		1/4		1/4		1/4	
1/2	60,565	1/2	49,079	1/2	37,592	1/2	26,121	1/2	14,630	1/2	3,138	1/2		1/2		1/2		1/2	
3/4	60,326	3/4	48,839	3/4	37,353	3/4	25,882	3/4	14,390	3/4	2,898	3/4		3/4		3/4		3/4	
6	60,086	6	48,600	6	37,114	6	25,643	6	14,151	6	2,659	6		6		6		6	
1/4	59,847	1/4	48,361	1/4	36,875	1/4	25,403	1/4	13,911	1/4	2,419	1/4		1/4		1/4		1/4	
1/2	59,608	1/2	48,121	1/2	36,635	1/2	25,164	1/2	13,672	1/2	2,180	1/2		1/2		1/2		1/2	
3/4	59,368	3/4	47,882	3/4	36,396	3/4	24,925	3/4	13,432	3/4	1,940	3/4		3/4		3/4		3/4	
7	59,129	7	47,643	7	36,157	7	24,685	7	13,193	7	1,701	7		7		7		7	
1/4	58,890	1/4	47,404	1/4	35,917	1/4	24,446	1/4	12,954	1/4	1,472	1/4		1/4		1/4		1/4	
1/2	58,650	1/2	47,164	1/2	35,678	1/2	24,206	1/2	12,714	1/2	1,242	1/2		1/2		1/2		1/2	
3/4	58,411	3/4	46,925	3/4	35,439	3/4	23,967	3/4	12,475	3/4	1,033	3/4		3/4		3/4		3/4	
8	58,172	8	46,686	8	35,199	8	23,727	8	12,235	8	843	8		8		8		8	
1/4	57,933	1/4	46,446	1/4	34,960	1/4	23,488	1/4	11,996	1/4	674	1/4		1/4		1/4		1/4	
1/2	57,693	1/2	46,207	1/2	34,721	1/2	23,249	1/2	11,757	1/2	524	1/2		1/2		1/2		1/2	
3/4	57,454	3/4	45,968	3/4	34,482	3/4	23,009	3/4	11,517	3/4	394	3/4		3/4		3/4		3/4	
9	57,215	9	45,728	9	34,242	9	22,770	9	11,278	9	284	9		9		9		9	
1/4	56,975	1/4	45,489	1/4	34,003	1/4	22,530	1/4	11,038	1/4	195	1/4		1/4		1/4		1/4	
1/2	56,736	1/2	45,250	1/2	33,764	1/2	22,291	1/2	10,799	1/2	125	1/2		1/2		1/2		1/2	
3/4	56,497	3/4	45,011	3/4	33,524	3/4	22,051	3/4	10,559	3/4	75	3/4		3/4		3/4		3/4	
10	56,257	10	44,771	10	33,285	10	21,812	10	10,320	10	45	10		10		10		10	
1/4	56,018	1/4	44,532	1/4	33,046	1/4	21,573	1/4	10,081	1/4	35	1/4		1/4		1/4		1/4	
1/2	55,779	1/2	44,293	1/2	32,807	1/2	21,333	1/2	9,841	1/2		1/2		1/2		1/2		1/2	
3/4	55,540	3/4	44,053	3/4	32,568	3/4	21,094	3/4	9,602	3/4		3/4		3/4		3/4		3/4	
11	55,300	11	43,814	11	32,329	11	20,854	11	9,362	11		11		11		11		11	
1/4	55,061	1/4	43,575	1/4	32,091	1/4	20,615	1/4	9,123	1/4		1/4		1/4		1/4		1/4	
1/2	54,822	1/2	43,336	1/2	31,852	1/2	20,376	1/2	8,884	1/2		1/2		1/2		1/2		1/2	
3/4	54,582	3/4	43,096	3/4	31,613	3/4	20,136	3/4	8,644	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**



**BARGE "CBC 73"**  
HULL NO. 04-2185

**TANK NO. 2**  
MMC ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'- 9 1/2"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0		0	142,701	0	132,247	0	121,793	0	111,340	0	100,886	0	90,433	0	79,979	0	69,525
1/4		1/4		1/4	142,483	1/4	132,029	1/4	121,576	1/4	111,122	1/4	100,668	1/4	90,215	1/4	79,761	1/4	69,307
1/2		1/2		1/2	142,265	1/2	131,812	1/2	121,358	1/2	110,904	1/2	100,451	1/2	89,997	1/2	79,543	1/2	69,090
3/4		3/4		3/4	142,047	3/4	131,594	3/4	121,140	3/4	110,686	3/4	100,233	3/4	89,779	3/4	79,326	3/4	68,872
1		1		1	141,830	1	131,376	1	120,922	1	110,469	1	100,015	1	89,561	1	79,108	1	68,654
1/4		1/4	149,960	1/4	141,612	1/4	131,158	1/4	120,705	1/4	110,251	1/4	99,797	1/4	89,344	1/4	78,890	1/4	68,436
1/2		1/2	149,924	1/2	141,394	1/2	130,940	1/2	120,487	1/2	110,033	1/2	99,580	1/2	89,126	1/2	78,672	1/2	68,219
3/4		3/4	149,888	3/4	141,176	3/4	130,723	3/4	120,269	3/4	109,815	3/4	99,362	3/4	88,908	3/4	78,454	3/4	68,001
2		2	149,851	2	140,959	2	130,505	2	120,051	2	109,598	2	99,144	2	88,690	2	78,237	2	67,783
3/8		1/4	149,797	1/4	140,741	1/4	130,287	1/4	119,833	1/4	109,380	1/4	98,926	1/4	88,473	1/4	78,019	1/4	67,565
1/2		1/2	149,742	1/2	140,523	1/2	130,069	1/2	119,616	1/2	109,162	1/2	98,708	1/2	88,255	1/2	77,801	1/2	67,347
3/4		3/4	149,688	3/4	140,305	3/4	129,852	3/4	119,398	3/4	108,944	3/4	98,491	3/4	88,037	3/4	77,583	3/4	67,130
3		3	149,634	3	140,087	3	129,634	3	119,180	3	108,726	3	98,273	3	87,819	3	77,366	3	66,912
1/4		1/4	149,543	1/4	139,870	1/4	129,416	1/4	118,962	1/4	108,509	1/4	98,055	1/4	87,601	1/4	77,148	1/4	66,694
1/2		1/2	149,452	1/2	139,652	1/2	129,198	1/2	118,745	1/2	108,291	1/2	97,837	1/2	87,384	1/2	76,930	1/2	66,476
3/4		3/4	149,325	3/4	139,434	3/4	128,980	3/4	118,527	3/4	108,073	3/4	97,619	3/4	87,166	3/4	76,712	3/4	66,259
4		4	149,198	4	139,216	4	128,763	4	118,309	4	107,855	4	97,402	4	86,948	4	76,494	4	66,041
1/4		1/4	149,071	1/4	138,998	1/4	128,545	1/4	118,091	1/4	107,638	1/4	97,184	1/4	86,730	1/4	76,277	1/4	65,823
1/2		1/2	148,944	1/2	138,781	1/2	128,327	1/2	117,873	1/2	107,420	1/2	96,966	1/2	86,512	1/2	76,059	1/2	65,605
3/4		3/4	148,781	3/4	138,563	3/4	128,109	3/4	117,656	3/4	107,202	3/4	96,748	3/4	86,295	3/4	75,841	3/4	65,387
5		5	148,617	5	138,345	5	127,891	5	117,438	5	106,984	5	96,531	5	86,077	5	75,623	5	65,170
1/4		1/4	148,454	1/4	138,127	1/4	127,674	1/4	117,220	1/4	106,766	1/4	96,313	1/4	85,859	1/4	75,405	1/4	64,952
1/2		1/2	148,291	1/2	137,910	1/2	127,456	1/2	117,002	1/2	106,549	1/2	96,095	1/2	85,641	1/2	75,188	1/2	64,734
3/4		3/4	148,091	3/4	137,692	3/4	127,238	3/4	116,784	3/4	106,331	3/4	95,877	3/4	85,424	3/4	74,970	3/4	64,516
6		6	147,891	6	137,474	6	127,020	6	116,567	6	106,113	6	95,659	6	85,206	6	74,752	6	64,298
1/4		1/4	147,692	1/4	137,256	1/4	126,803	1/4	116,349	1/4	105,895	1/4	95,442	1/4	84,988	1/4	74,534	1/4	64,081
1/2		1/2	147,492	1/2	137,038	1/2	126,585	1/2	116,131	1/2	105,677	1/2	95,224	1/2	84,770	1/2	74,317	1/2	63,863
3/4		3/4	147,274	3/4	136,821	3/4	126,367	3/4	115,913	3/4	105,460	3/4	95,006	3/4	84,552	3/4	74,099	3/4	63,645
7		7	147,056	7	136,603	7	126,149	7	115,696	7	105,242	7	94,788	7	84,335	7	73,881	7	63,427
1/4		1/4	146,839	1/4	136,385	1/4	125,931	1/4	115,478	1/4	105,024	1/4	94,570	1/4	84,117	1/4	73,663	1/4	63,210
1/2		1/2	146,621	1/2	136,167	1/2	125,714	1/2	115,260	1/2	104,806	1/2	94,353	1/2	83,899	1/2	73,445	1/2	62,992
3/4		3/4	146,403	3/4	135,949	3/4	125,496	3/4	115,042	3/4	104,589	3/4	94,135	3/4	83,681	3/4	73,228	3/4	62,774
8		8	146,185	8	135,732	8	125,278	8	114,824	8	104,371	8	93,917	8	83,463	8	73,010	8	62,556
1/4		1/4	145,968	1/4	135,514	1/4	125,060	1/4	114,607	1/4	104,153	1/4	93,699	1/4	83,246	1/4	72,792	1/4	62,338
1/2		1/2	145,750	1/2	135,296	1/2	124,842	1/2	114,389	1/2	103,935	1/2	93,482	1/2	83,028	1/2	72,574	1/2	62,121
3/4		3/4	145,532	3/4	135,078	3/4	124,625	3/4	114,171	3/4	103,717	3/4	93,264	3/4	82,810	3/4	72,356	3/4	61,903
9		9	145,314	9	134,861	9	124,407	9	113,953	9	103,500	9	93,046	9	82,592	9	72,139	9	61,685
1/4		1/4	145,096	1/4	134,643	1/4	124,189	1/4	113,735	1/4	103,282	1/4	92,828	1/4	82,375	1/4	71,921	1/4	61,467
1/2		1/2	144,879	1/2	134,425	1/2	123,971	1/2	113,518	1/2	103,064	1/2	92,610	1/2	82,157	1/2	71,703	1/2	61,249
3/4		3/4	144,661	3/4	134,207	3/4	123,754	3/4	113,300	3/4	102,846	3/4	92,393	3/4	81,939	3/4	71,485	3/4	61,032
10		10	144,443	10	133,989	10	123,536	10	113,082	10	102,628	10	92,175	10	81,721	10	71,268	10	60,814
1/4		1/4	144,225	1/4	133,772	1/4	123,318	1/4	112,864	1/4	102,411	1/4	91,957	1/4	81,503	1/4	71,050	1/4	60,596
1/2		1/2	144,007	1/2	133,554	1/2	123,100	1/2	112,647	1/2	102,193	1/2	91,739	1/2	81,286	1/2	70,832	1/2	60,378
3/4		3/4	143,790	3/4	133,336	3/4	122,882	3/4	112,429	3/4	101,975	3/4	91,521	3/4	81,068	3/4	70,614	3/4	60,161
11		11	143,572	11	133,118	11	122,665	11	112,211	11	101,757	11	91,304	11	80,850	11	70,396	11	59,943
1/4		1/4	143,354	1/4	132,900	1/4	122,447	1/4	111,993	1/4	101,540	1/4	91,086	1/4	80,632	1/4	70,179	1/4	59,725
1/2		1/2	143,136	1/2	132,683	1/2	122,229	1/2	111,775	1/2	101,322	1/2	90,868	1/2	80,414	1/2	69,961	1/2	59,507
3/4		3/4	142,919	3/4	132,465	3/4	122,011	3/4	111,558	3/4	101,104	3/4	90,650	3/4	80,197	3/4	69,743	3/4	59,289

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 0" 10" OFF CENTERLINE AND 26' 10" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
 DATE COMPUTED: 11/30/04 BY: WHF  
 DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'- 9 1/2"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	59,072	0	48,618	0	38,164	0	27,739	0	17,287	0	6,833	0		0		0		0	
1/4	58,854	1/4	48,400	1/4	37,947	1/4	27,522	1/4	17,069	1/4	6,616	1/4		1/4		1/4		1/4	
1/2	58,636	1/2	48,182	1/2	37,729	1/2	27,305	1/2	16,851	1/2	6,398	1/2		1/2		1/2		1/2	
3/4	58,418	3/4	47,965	3/4	37,511	3/4	27,087	3/4	16,633	3/4	6,180	3/4		3/4		3/4		3/4	
1	58,200	1	47,747	1	37,293	1	26,869	1	16,416	1	5,962	1		1		1		1	
1/4	57,983	1/4	47,529	1/4	37,075	1/4	26,651	1/4	16,198	1/4	5,744	1/4		1/4		1/4		1/4	
1/2	57,765	1/2	47,311	1/2	36,858	1/2	26,433	1/2	15,980	1/2	5,527	1/2		1/2		1/2		1/2	
3/4	57,547	3/4	47,093	3/4	36,640	3/4	26,216	3/4	15,762	3/4	5,309	3/4		3/4		3/4		3/4	
2	57,329	2	46,876	2	36,422	2	25,998	2	15,545	2	5,091	2		2		2		2	
1/4	57,112	1/4	46,658	1/4	36,204	1/4	25,780	1/4	15,327	1/4	4,873	1/4		1/4		1/4		1/4	
1/2	56,894	1/2	46,440	1/2	35,986	1/2	25,562	1/2	15,109	1/2	4,656	1/2		1/2		1/2		1/2	
3/4	56,676	3/4	46,222	3/4	35,769	3/4	25,345	3/4	14,891	3/4	4,438	3/4		3/4		3/4		3/4	
3	56,458	3	46,005	3	35,552	3	25,127	3	14,673	3	4,220	3		3		3		3	
1/4	56,240	1/4	45,787	1/4	35,335	1/4	24,909	1/4	14,456	1/4	4,002	1/4		1/4		1/4		1/4	
1/2	56,023	1/2	45,569	1/2	35,118	1/2	24,691	1/2	14,238	1/2	3,784	1/2		1/2		1/2		1/2	
3/4	55,805	3/4	45,351	3/4	34,901	3/4	24,473	3/4	14,020	3/4	3,567	3/4		3/4		3/4		3/4	
4	55,587	4	45,133	4	34,684	4	24,256	4	13,802	4	3,349	4		4		4		4	
1/4	55,369	1/4	44,916	1/4	34,467	1/4	24,038	1/4	13,585	1/4	3,131	1/4		1/4		1/4		1/4	
1/2	55,152	1/2	44,698	1/2	34,250	1/2	23,820	1/2	13,367	1/2	2,913	1/2		1/2		1/2		1/2	
3/4	54,934	3/4	44,480	3/4	34,033	3/4	23,602	3/4	13,149	3/4	2,696	3/4		3/4		3/4		3/4	
5	54,716	5	44,262	5	33,816	5	23,385	5	12,931	5	2,478	5		5		5		5	
1/4	54,498	1/4	44,045	1/4	33,599	1/4	23,167	1/4	12,713	1/4	2,260	1/4		1/4		1/4		1/4	
1/2	54,280	1/2	43,827	1/2	33,382	1/2	22,949	1/2	12,496	1/2	2,042	1/2		1/2		1/2		1/2	
3/4	54,063	3/4	43,609	3/4	33,164	3/4	22,731	3/4	12,278	3/4	1,824	3/4		3/4		3/4		3/4	
6	53,845	6	43,391	6	32,947	6	22,513	6	12,060	6	1,607	6		6		6		6	
1/4	53,627	1/4	43,173	1/4	32,730	1/4	22,296	1/4	11,842	1/4	1,389	1/4		1/4		1/4		1/4	
1/2	53,409	1/2	42,956	1/2	32,513	1/2	22,078	1/2	11,625	1/2	1,171	1/2		1/2		1/2		1/2	
3/4	53,191	3/4	42,738	3/4	32,296	3/4	21,860	3/4	11,407	3/4	981	3/4		3/4		3/4		3/4	
7	52,974	7	42,520	7	32,079	7	21,642	7	11,189	7	844	7		7		7		7	
1/4	52,756	1/4	42,302	1/4	31,862	1/4	21,425	1/4	10,971	1/4	708	1/4		1/4		1/4		1/4	
1/2	52,538	1/2	42,084	1/2	31,645	1/2	21,207	1/2	10,753	1/2	572	1/2		1/2		1/2		1/2	
3/4	52,320	3/4	41,867	3/4	31,428	3/4	20,989	3/4	10,536	3/4	436	3/4		3/4		3/4		3/4	
8	52,103	8	41,649	8	31,211	8	20,771	8	10,318	8	354	8		8		8		8	
1/4	51,885	1/4	41,431	1/4	30,994	1/4	20,553	1/4	10,100	1/4	273	1/4		1/4		1/4		1/4	
1/2	51,667	1/2	41,213	1/2	30,777	1/2	20,336	1/2	9,882	1/2	191	1/2		1/2		1/2		1/2	
3/4	51,449	3/4	40,996	3/4	30,560	3/4	20,118	3/4	9,664	3/4	109	3/4		3/4		3/4		3/4	
9	51,231	9	40,778	9	30,343	9	19,900	9	9,447	9	82	9		9		9		9	
1/4	51,014	1/4	40,560	1/4	30,126	1/4	19,682	1/4	9,229	1/4	55	1/4		1/4		1/4		1/4	
1/2	50,796	1/2	40,342	1/2	29,909	1/2	19,465	1/2	9,011	1/2	28	1/2		1/2		1/2		1/2	
3/4	50,578	3/4	40,124	3/4	29,692	3/4	19,247	3/4	8,793	3/4		3/4		3/4		3/4		3/4	
10	50,360	10	39,907	10	29,475	10	19,029	10	8,576	10		10		10		10		10	
1/4	50,142	1/4	39,689	1/4	29,258	1/4	18,811	1/4	8,358	1/4		1/4		1/4		1/4		1/4	
1/2	49,925	1/2	39,471	1/2	29,041	1/2	18,593	1/2	8,140	1/2		1/2		1/2		1/2		1/2	
3/4	49,707	3/4	39,253	3/4	28,824	3/4	18,376	3/4	7,922	3/4		3/4		3/4		3/4		3/4	
11	49,489	11	39,035	11	28,607	11	18,158	11	7,704	11		11		11		11		11	
1/4	49,271	1/4	38,818	1/4	28,390	1/4	17,940	1/4	7,487	1/4		1/4		1/4		1/4		1/4	
1/2	49,054	1/2	38,600	1/2	28,173	1/2	17,722	1/2	7,269	1/2		1/2		1/2		1/2		1/2	
3/4	48,836	3/4	38,382	3/4	27,956	3/4	17,505	3/4	7,051	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'- 9 1/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0		0	141,914	0	131,504	0	121,094	0	110,684	0	100,274	0	89,864	0	79,453	0	69,043
1/4		1/4		1/4	141,697	1/4	131,287	1/4	120,877	1/4	110,467	1/4	100,057	1/4	89,647	1/4	79,237	1/4	68,826
1/2		1/2		1/2	141,480	1/2	131,070	1/2	120,660	1/2	110,250	1/2	99,840	1/2	89,430	1/2	79,020	1/2	68,610
3/4		3/4	149,306	3/4	141,263	3/4	130,853	3/4	120,443	3/4	110,033	3/4	99,623	3/4	89,213	3/4	78,803	3/4	68,393
1		1	149,294	1	141,046	1	130,636	1	120,226	1	109,816	1	99,406	1	88,996	1	78,586	1	68,176
1/4		1/4	149,282	1/4	140,830	1/4	130,419	1/4	120,009	1/4	109,599	1/4	99,189	1/4	88,779	1/4	78,369	1/4	67,959
1/2		1/2	149,270	1/2	140,613	1/2	130,203	1/2	119,792	1/2	109,382	1/2	98,972	1/2	88,562	1/2	78,152	1/2	67,742
3/4		3/4	149,252	3/4	140,396	3/4	129,986	3/4	119,576	3/4	109,166	3/4	98,755	3/4	88,345	3/4	77,935	3/4	67,525
2		2	149,197	2	140,179	2	129,769	2	119,359	2	108,949	2	98,539	2	88,128	2	77,718	2	67,308
1/4		1/4	149,143	1/4	139,962	1/4	129,552	1/4	119,142	1/4	108,732	1/4	98,322	1/4	87,912	1/4	77,502	1/4	67,091
1/2		1/2	149,089	1/2	139,745	1/2	129,335	1/2	118,925	1/2	108,515	1/2	98,105	1/2	87,695	1/2	77,285	1/2	66,875
3/4		3/4	149,035	3/4	139,528	3/4	129,118	3/4	118,708	3/4	108,298	3/4	97,888	3/4	87,478	3/4	77,068	3/4	66,658
3		3	148,944	3	139,311	3	128,901	3	118,491	3	108,081	3	97,671	3	87,261	3	76,851	3	66,441
1/4		1/4	148,854	1/4	139,094	1/4	128,684	1/4	118,274	1/4	107,864	1/4	97,454	1/4	87,044	1/4	76,634	1/4	66,224
1/2		1/2	148,727	1/2	138,878	1/2	128,468	1/2	118,057	1/2	107,647	1/2	97,237	1/2	86,827	1/2	76,417	1/2	66,007
3/4		3/4	148,601	3/4	138,661	3/4	128,251	3/4	117,841	3/4	107,431	3/4	97,020	3/4	86,610	3/4	76,200	3/4	65,790
4		4	148,474	4	138,444	4	128,034	4	117,624	4	107,214	4	96,804	4	86,393	4	75,983	4	65,573
1/4		1/4	148,348	1/4	138,227	1/4	127,817	1/4	117,407	1/4	106,997	1/4	96,587	1/4	86,177	1/4	75,767	1/4	65,356
1/2		1/2	148,185	1/2	138,010	1/2	127,600	1/2	117,190	1/2	106,780	1/2	96,370	1/2	85,960	1/2	75,550	1/2	65,140
3/4		3/4	148,023	3/4	137,793	3/4	127,383	3/4	116,973	3/4	106,563	3/4	96,153	3/4	85,743	3/4	75,333	3/4	64,923
5		5	147,860	5	137,576	5	127,166	5	116,756	5	106,346	5	95,936	5	85,526	5	75,116	5	64,706
1/4		1/4	147,697	1/4	137,359	1/4	126,949	1/4	116,539	1/4	106,129	1/4	95,719	1/4	85,309	1/4	74,899	1/4	64,489
1/2		1/2	147,498	1/2	137,143	1/2	126,733	1/2	116,322	1/2	105,912	1/2	95,502	1/2	85,092	1/2	74,682	1/2	64,272
3/4		3/4	147,300	3/4	136,926	3/4	126,516	3/4	116,106	3/4	105,696	3/4	95,285	3/4	84,875	3/4	74,465	3/4	64,055
6		6	147,101	6	136,709	6	126,299	6	115,889	6	105,479	6	95,069	6	84,658	6	74,248	6	63,838
1/4		1/4	146,902	1/4	136,492	1/4	126,082	1/4	115,672	1/4	105,262	1/4	94,852	1/4	84,442	1/4	74,032	1/4	63,621
1/2		1/2	146,685	1/2	136,275	1/2	125,865	1/2	115,455	1/2	105,045	1/2	94,635	1/2	84,225	1/2	73,815	1/2	63,405
3/4		3/4	146,468	3/4	136,058	3/4	125,648	3/4	115,238	3/4	104,828	3/4	94,418	3/4	84,008	3/4	73,598	3/4	63,188
7		7	146,251	7	135,841	7	125,431	7	115,021	7	104,611	7	94,201	7	83,791	7	73,381	7	62,971
1/4		1/4	146,035	1/4	135,624	1/4	125,214	1/4	114,804	1/4	104,394	1/4	93,984	1/4	83,574	1/4	73,164	1/4	62,754
1/2		1/2	145,818	1/2	135,408	1/2	124,998	1/2	114,587	1/2	104,177	1/2	93,767	1/2	83,357	1/2	72,947	1/2	62,537
3/4		3/4	145,601	3/4	135,191	3/4	124,781	3/4	114,371	3/4	103,960	3/4	93,550	3/4	83,140	3/4	72,730	3/4	62,320
8		8	145,384	8	134,974	8	124,564	8	114,154	8	103,744	8	93,334	8	82,923	8	72,513	8	62,103
1/4		1/4	145,167	1/4	134,757	1/4	124,347	1/4	113,937	1/4	103,527	1/4	93,117	1/4	82,707	1/4	72,297	1/4	61,886
1/2		1/2	144,950	1/2	134,540	1/2	124,130	1/2	113,720	1/2	103,310	1/2	92,900	1/2	82,490	1/2	72,080	1/2	61,670
3/4		3/4	144,733	3/4	134,323	3/4	123,913	3/4	113,503	3/4	103,093	3/4	92,683	3/4	82,273	3/4	71,863	3/4	61,453
9		9	144,516	9	134,106	9	123,696	9	113,286	9	102,876	9	92,466	9	82,056	9	71,646	9	61,236
1/4		1/4	144,300	1/4	133,889	1/4	123,479	1/4	113,069	1/4	102,659	1/4	92,249	1/4	81,839	1/4	71,429	1/4	61,019
1/2		1/2	144,083	1/2	133,673	1/2	123,263	1/2	112,852	1/2	102,442	1/2	92,032	1/2	81,622	1/2	71,212	1/2	60,802
3/4		3/4	143,866	3/4	133,456	3/4	123,046	3/4	112,636	3/4	102,225	3/4	91,815	3/4	81,405	3/4	70,995	3/4	60,585
10		10	143,649	10	133,239	10	122,829	10	112,419	10	102,009	10	91,599	10	81,188	10	70,778	10	60,368
1/4		1/4	143,432	1/4	133,022	1/4	122,612	1/4	112,202	1/4	101,792	1/4	91,382	1/4	80,972	1/4	70,561	1/4	60,151
1/2		1/2	143,215	1/2	132,805	1/2	122,395	1/2	111,985	1/2	101,575	1/2	91,165	1/2	80,755	1/2	70,345	1/2	59,935
3/4		3/4	142,998	3/4	132,588	3/4	122,178	3/4	111,768	3/4	101,358	3/4	90,948	3/4	80,538	3/4	70,128	3/4	59,718
11		11	142,781	11	132,371	11	121,961	11	111,551	11	101,141	11	90,731	11	80,321	11	69,911	11	59,501
1/4		1/4	142,565	1/4	132,154	1/4	121,744	1/4	111,334	1/4	100,924	1/4	90,514	1/4	80,104	1/4	69,694	1/4	59,284
1/2		1/2	142,348	1/2	131,938	1/2	121,527	1/2	111,117	1/2	100,707	1/2	90,297	1/2	79,887	1/2	69,477	1/2	59,067
3/4		3/4	142,131	3/4	131,721	3/4	121,311	3/4	110,901	3/4	100,490	3/4	90,080	3/4	79,670	3/4	69,260	3/4	58,850

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MMC BALL VALVE, LOCATED 9'10" OFF CENTERLINE AND 27'- 3" FORWARD OF AFT. BULKHEAD.  
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT CENTERLINE.  
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON ZERO DATUM LOCATED 1/4" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
 DATE COMPUTED: 11/30/04 BY: WHF  
 DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**



CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'- 9 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	58,633	0	48,223	0	37,813	0	27,407	0	16,998	0	6,588	0		0		0		0	
1/4	58,416	1/4	48,006	1/4	37,596	1/4	27,191	1/4	16,781	1/4	6,371	1/4		1/4		1/4		1/4	
1/2	58,200	1/2	47,789	1/2	37,379	1/2	26,974	1/2	16,564	1/2	6,154	1/2		1/2		1/2		1/2	
3/4	57,983	3/4	47,573	3/4	37,162	3/4	26,757	3/4	16,347	3/4	5,937	3/4		3/4		3/4		3/4	
1	57,766	1	47,356	1	36,946	1	26,540	1	16,130	1	5,721	1		1		1		1	
1/4	57,549	1/4	47,139	1/4	36,729	1/4	26,323	1/4	15,913	1/4	5,504	1/4		1/4		1/4		1/4	
1/2	57,332	1/2	46,922	1/2	36,512	1/2	26,106	1/2	15,697	1/2	5,287	1/2		1/2		1/2		1/2	
3/4	57,115	3/4	46,705	3/4	36,295	3/4	25,890	3/4	15,480	3/4	5,070	3/4		3/4		3/4		3/4	
2	56,898	2	46,488	2	36,078	2	25,673	2	15,263	2	4,853	2		2		2		2	
1/4	56,681	1/4	46,271	1/4	35,861	1/4	25,456	1/4	15,046	1/4	4,636	1/4		1/4		1/4		1/4	
1/2	56,465	1/2	46,054	1/2	35,644	1/2	25,239	1/2	14,829	1/2	4,419	1/2		1/2		1/2		1/2	
3/4	56,248	3/4	45,838	3/4	35,428	3/4	25,022	3/4	14,612	3/4	4,202	3/4		3/4		3/4		3/4	
3	56,031	3	45,621	3	35,211	3	24,805	3	14,395	3	3,986	3		3		3		3	
1/4	55,814	1/4	45,404	1/4	34,994	1/4	24,588	1/4	14,178	1/4	3,769	1/4		1/4		1/4		1/4	
1/2	55,597	1/2	45,187	1/2	34,777	1/2	24,371	1/2	13,962	1/2	3,552	1/2		1/2		1/2		1/2	
3/4	55,380	3/4	44,970	3/4	34,560	3/4	24,155	3/4	13,745	3/4	3,335	3/4		3/4		3/4		3/4	
4	55,163	4	44,753	4	34,344	4	23,938	4	13,528	4	3,118	4		4		4		4	
1/4	54,946	1/4	44,536	1/4	34,127	1/4	23,721	1/4	13,311	1/4	2,901	1/4		1/4		1/4		1/4	
1/2	54,730	1/2	44,319	1/2	33,910	1/2	23,504	1/2	13,094	1/2	2,684	1/2		1/2		1/2		1/2	
3/4	54,513	3/4	44,103	3/4	33,693	3/4	23,287	3/4	12,877	3/4	2,467	3/4		3/4		3/4		3/4	
5	54,296	5	43,886	5	33,477	5	23,070	5	12,660	5	2,251	5		5		5		5	
1/4	54,079	1/4	43,669	1/4	33,260	1/4	22,853	1/4	12,444	1/4	2,034	1/4		1/4		1/4		1/4	
1/2	53,862	1/2	43,452	1/2	33,043	1/2	22,636	1/2	12,227	1/2	1,817	1/2		1/2		1/2		1/2	
3/4	53,645	3/4	43,235	3/4	32,826	3/4	22,420	3/4	12,010	3/4	1,600	3/4		3/4		3/4		3/4	
6	53,428	6	43,018	6	32,609	6	22,203	6	11,793	6	1,383	6		6		6		6	
1/4	53,211	1/4	42,801	1/4	32,393	1/4	21,986	1/4	11,576	1/4	1,166	1/4		1/4		1/4		1/4	
1/2	52,994	1/2	42,584	1/2	32,176	1/2	21,769	1/2	11,359	1/2	977	1/2		1/2		1/2		1/2	
3/4	52,778	3/4	42,368	3/4	31,959	3/4	21,552	3/4	11,142	3/4	841	3/4		3/4		3/4		3/4	
7	52,561	7	42,151	7	31,742	7	21,335	7	10,925	7	705	7		7		7		7	
1/4	52,344	1/4	41,934	1/4	31,526	1/4	21,118	1/4	10,709	1/4	570	1/4		1/4		1/4		1/4	
1/2	52,127	1/2	41,717	1/2	31,309	1/2	20,901	1/2	10,492	1/2	434	1/2		1/2		1/2		1/2	
3/4	51,910	3/4	41,500	3/4	31,092	3/4	20,685	3/4	10,275	3/4	353	3/4		3/4		3/4		3/4	
8	51,693	8	41,283	8	30,875	8	20,468	8	10,058	8	272	8		8		8		8	
1/4	51,476	1/4	41,066	1/4	30,659	1/4	20,251	1/4	9,841	1/4	190	1/4		1/4		1/4		1/4	
1/2	51,259	1/2	40,849	1/2	30,442	1/2	20,034	1/2	9,624	1/2	109	1/2		1/2		1/2		1/2	
3/4	51,043	3/4	40,633	3/4	30,225	3/4	19,817	3/4	9,407	3/4	82	3/4		3/4		3/4		3/4	
9	50,826	9	40,416	9	30,008	9	19,600	9	9,190	9	55	9		9		9		9	
1/4	50,609	1/4	40,199	1/4	29,792	1/4	19,383	1/4	8,974	1/4	28	1/4		1/4		1/4		1/4	
1/2	50,392	1/2	39,982	1/2	29,575	1/2	19,167	1/2	8,757	1/2		1/2		1/2		1/2		1/2	
3/4	50,175	3/4	39,765	3/4	29,358	3/4	18,950	3/4	8,540	3/4		3/4		3/4		3/4		3/4	
10	49,958	10	39,548	10	29,141	10	18,733	10	8,323	10		10		10		10		10	
1/4	49,741	1/4	39,331	1/4	28,925	1/4	18,516	1/4	8,106	1/4		1/4		1/4		1/4		1/4	
1/2	49,524	1/2	39,114	1/2	28,708	1/2	18,299	1/2	7,889	1/2		1/2		1/2		1/2		1/2	
3/4	49,308	3/4	38,898	3/4	28,491	3/4	18,082	3/4	7,672	3/4		3/4		3/4		3/4		3/4	
11	49,091	11	38,681	11	28,274	11	17,865	11	7,456	11		11		11		11		11	
1/4	48,874	1/4	38,464	1/4	28,058	1/4	17,648	1/4	7,239	1/4		1/4		1/4		1/4		1/4	
1/2	48,657	1/2	38,247	1/2	27,841	1/2	17,432	1/2	7,022	1/2		1/2		1/2		1/2		1/2	
3/4	48,440	3/4	38,030	3/4	27,624	3/4	17,215	3/4	6,805	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 11/23/04 BY: BB/LJ  
DATE COMPUTED: 11/30/04 BY: WHF  
DATE ISSUED: 7/13/05

**INTERTEK - CALEB BRETT**

