

SAYBOLT INC.
 400 Jackson Drive
 Kenilworth, NJ 07033
 (908) -245-3100

BARGE CBC 111

ULLAGE TRIM CORRECTIONS

DOWN	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN	BY BOW	BY STERN
TANK 1	-0 1/8"	+0 1/8"	-0 1/4"	+0 1/4"	-0 3/8"	+0 3/8"	-0 1/2"	+0 1/2"	-0 5/8"	+0 5/8"	-0 3/4"	+0 3/4"
TANK 2	NO CORRECTION											
TANK 3	-0 1/8"	+0 1/8"	-0 1/8"	+0 1/8"	-0 1/4"	+0 1/4"	-0 3/8"	+0 3/8"	-0 1/2"	+0 1/2"	-0 1/2"	+0 1/2"

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

LENGTH BETWEEN DRAFT MARKS 164.00'

FWD DRAFT = 6'-0"
 AFT DRAFT = 9'-0"
 DIFF. = 3'-0" (DOWN BY STERN)

THE CORRECTION FOR 3'-0" TRIM DOWN BY STERN FOR TANK 1 IS +0 3/8".
 FOR A MEASURED ULLAGE GAUGE OF 4'-0" ON TANK 1, THE TRIM CORRECTED ULLAGE IS 4'-0 3/8".

September 21, 1999
 SAYBOLT INC.

MMC GAUGE HEIGHT 15'-10 7/8"

COMPUTED IN U. S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	63.277	0	52.312	0	41.347	0	30.382	0	19.418	0	8.453
1/4	63.049	1/4	52.084	1/4	41.119	1/4	30.154	1/4	19.190	1/4	8.224
1/2	62.820	1/2	51.855	1/2	40.890	1/2	29.925	1/2	18.961	1/2	7.996
3/4	62.592	3/4	51.627	3/4	40.662	3/4	29.697	3/4	18.733	3/4	7.768
1	62.364	1	51.398	1	40.433	1	29.468	1	18.504	1	7.539
1/4	62.135	1/4	51.170	1/4	40.205	1/4	29.240	1/4	18.276	1/4	7.311
1/2	61.907	1/2	50.942	1/2	39.976	1/2	29.011	1/2	18.047	1/2	7.082
3/4	61.678	3/4	50.713	3/4	39.748	3/4	28.783	3/4	17.819	3/4	6.854
2	61.450	2	50.485	2	39.520	2	28.554	2	17.591	2	6.626
1/4	61.221	1/4	50.256	1/4	39.291	1/4	28.326	1/4	17.362	1/4	6.397
1/2	60.993	1/2	50.028	1/2	39.063	1/2	28.098	1/2	17.134	1/2	6.169
3/4	60.764	3/4	49.799	3/4	38.834	3/4	27.869	3/4	16.905	3/4	5.941
3	60.536	3	49.571	3	38.606	3	27.641	3	16.677	3	5.713
1/4	60.308	1/4	49.342	1/4	38.377	1/4	27.412	1/4	16.448	1/4	5.485
1/2	60.079	1/2	49.114	1/2	38.149	1/2	27.184	1/2	16.220	1/2	5.257
3/4	59.851	3/4	48.886	3/4	37.920	3/4	26.956	3/4	15.991	3/4	5.029
4	59.622	4	48.657	4	37.692	4	26.727	4	15.763	4	4.801
1/4	59.394	1/4	48.429	1/4	37.464	1/4	26.499	1/4	15.535	1/4	4.574
1/2	59.165	1/2	48.200	1/2	37.235	1/2	26.270	1/2	15.306	1/2	4.347
3/4	58.937	3/4	47.972	3/4	37.007	3/4	26.042	3/4	15.078	3/4	4.119
5	58.709	5	47.743	5	36.778	5	25.814	5	14.849	5	3.893
1/4	58.480	1/4	47.515	1/4	36.550	1/4	25.585	1/4	14.621	1/4	3.667
1/2	58.252	1/2	47.287	1/2	36.321	1/2	25.357	1/2	14.392	1/2	3.440
3/4	58.023	3/4	47.058	3/4	36.093	3/4	25.128	3/4	14.164	3/4	3.214
6	57.795	6	46.830	6	35.865	6	24.900	6	13.935	6	2.989
1/4	57.566	1/4	46.601	1/4	35.636	1/4	24.672	1/4	13.707	1/4	2.765
1/2	57.338	1/2	46.373	1/2	35.408	1/2	24.443	1/2	13.479	1/2	2.540
3/4	57.109	3/4	46.144	3/4	35.179	3/4	24.215	3/4	13.250	3/4	2.316
7	56.881	7	45.916	7	34.951	7	23.986	7	13.022	7	2.104
1/4	56.653	1/4	45.687	1/4	34.722	1/4	23.758	1/4	12.793	1/4	1.893
1/2	56.424	1/2	45.459	1/2	34.494	1/2	23.530	1/2	12.565	1/2	1.682
3/4	56.196	3/4	45.231	3/4	34.265	3/4	23.301	3/4	12.336	3/4	1.471
8	55.967	8	45.002	8	34.037	8	23.073	8	12.108	8	1.300
1/4	55.739	1/4	44.774	1/4	33.809	1/4	22.844	1/4	11.880	1/4	1.128
1/2	55.510	1/2	44.545	1/2	33.580	1/2	22.616	1/2	11.651	1/2	957
3/4	55.282	3/4	44.317	3/4	33.352	3/4	22.388	3/4	11.423	3/4	785
9	55.053	9	44.088	9	33.123	9	22.159	9	11.194	9	669
1/4	54.825	1/4	43.860	1/4	32.895	1/4	21.931	1/4	10.966	1/4	553
1/2	54.597	1/2	43.631	1/2	32.666	1/2	21.702	1/2	10.737	1/2	437
3/4	54.368	3/4	43.403	3/4	32.438	3/4	21.474	3/4	10.509	3/4	321
10	54.140	10	43.175	10	32.209	10	21.246	10	10.280	10	262
1/4	53.911	1/4	42.946	1/4	31.981	1/4	21.017	1/4	10.052	1/4	203
1/2	53.683	1/2	42.718	1/2	31.753	1/2	20.789	1/2	9.824	1/2	143
3/4	53.454	3/4	42.489	3/4	31.524	3/4	20.560	3/4	9.595	3/4	84
11	53.226	11	42.261	11	31.296	11	20.332	11	9.367	11	78
1/4	52.998	1/4	42.032	1/4	31.067	1/4	20.103	1/4	9.138		
1/2	52.769	1/2	41.804	1/2	30.839	1/2	19.875	1/2	8.910		
3/4	52.541	3/4	41.576	3/4	30.610	3/4	19.646	3/4	8.681		

GAUGE LOCATED 26'-6" FROM AFT BULKHEAD AND 1'-4" FROM CENTERLINE BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/99

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 09/17/99
 STRAPPED BY: BC & CJ 09/14/99

SAYBOLT INC


MMC GAUGE HEIGHT 15'-10 3/4"

COMPUTED IN U. S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	60.340	0	49.831	0	39.322	0	28.813	0	18.502	0	7.993
1/4	60.122	1/4	49.612	1/4	39.103	1/4	28.594	1/4	18.283	1/4	7.774
1/2	59.903	1/2	49.393	1/2	38.884	1/2	28.375	1/2	18.064	1/2	7.555
3/4	59.684	3/4	49.175	3/4	38.665	3/4	28.156	3/4	17.845	3/4	7.336
1	59.465	1	48.956	1	38.446	1	27.937	1	17.626	1	7.117
1/4	59.246	1/4	48.737	1/4	38.228	1/4	27.718	1/4	17.407	1/4	6.898
1/2	59.027	1/2	48.518	1/2	38.009	1/2	27.499	1/2	17.188	1/2	6.679
3/4	58.808	3/4	48.299	3/4	37.790	3/4	27.281	3/4	16.969	3/4	6.460
2	58.589	2	48.080	2	37.571	2	27.065	2	16.750	2	6.241
1/4	58.370	1/4	47.861	1/4	37.352	1/4	26.850	1/4	16.531	1/4	6.022
1/2	58.151	1/2	47.642	1/2	37.133	1/2	26.635	1/2	16.312	1/2	5.804
3/4	57.932	3/4	47.423	3/4	36.914	3/4	26.419	3/4	16.093	3/4	5.585
3	57.713	3	47.204	3	36.695	3	26.207	3	15.874	3	5.366
1/4	57.494	1/4	46.985	1/4	36.476	1/4	25.994	1/4	15.655	1/4	5.148
1/2	57.275	1/2	46.766	1/2	36.257	1/2	25.781	1/2	15.436	1/2	4.929
3/4	57.056	3/4	46.547	3/4	36.038	3/4	25.568	3/4	15.218	3/4	4.711
4	56.837	4	46.328	4	35.819	4	25.356	4	14.999	4	4.493
1/4	56.618	1/4	46.109	1/4	35.600	1/4	25.143	1/4	14.780	1/4	4.275
1/2	56.400	1/2	45.890	1/2	35.381	1/2	24.930	1/2	14.561	1/2	4.058
3/4	56.181	3/4	45.671	3/4	35.162	3/4	24.717	3/4	14.342	3/4	3.840
5	55.962	5	45.453	5	34.943	5	24.505	5	14.123	5	3.623
1/4	55.743	1/4	45.234	1/4	34.724	1/4	24.292	1/4	13.904	1/4	3.406
1/2	55.524	1/2	45.015	1/2	34.506	1/2	24.079	1/2	13.685	1/2	3.189
3/4	55.305	3/4	44.796	3/4	34.287	3/4	23.866	3/4	13.466	3/4	2.973
6	55.086	6	44.577	6	34.068	6	23.653	6	13.247	6	2.757
1/4	54.867	1/4	44.358	1/4	33.849	1/4	23.441	1/4	13.028	1/4	2.542
1/2	54.648	1/2	44.139	1/2	33.630	1/2	23.228	1/2	12.809	1/2	2.327
3/4	54.429	3/4	43.920	3/4	33.411	3/4	23.015	3/4	12.590	3/4	2.112
7	54.210	7	43.701	7	33.192	7	22.802	7	12.371	7	1.912
1/4	53.991	1/4	43.482	1/4	32.973	1/4	22.590	1/4	12.152	1/4	1.711
1/2	53.772	1/2	43.263	1/2	32.754	1/2	22.377	1/2	11.933	1/2	1.511
3/4	53.553	3/4	43.044	3/4	32.535	3/4	22.164	3/4	11.714	3/4	1.310
8	53.334	8	42.825	8	32.316	8	21.951	8	11.496	8	1.151
1/4	53.115	1/4	42.606	1/4	32.097	1/4	21.739	1/4	11.277	1/4	992
1/2	52.897	1/2	42.387	1/2	31.878	1/2	21.526	1/2	11.058	1/2	833
3/4	52.678	3/4	42.168	3/4	31.659	3/4	21.313	3/4	10.839	3/4	674
9	52.459	9	41.950	9	31.440	9	21.100	9	10.620	9	569
1/4	52.240	1/4	41.731	1/4	31.221	1/4	20.888	1/4	10.401	1/4	465
1/2	52.021	1/2	41.512	1/2	31.003	1/2	20.675	1/2	10.182	1/2	360
3/4	51.802	3/4	41.293	3/4	30.784	3/4	20.462	3/4	9.963	3/4	256
10	51.583	10	41.074	10	30.565	10	20.246	10	9.744	10	206
1/4	51.364	1/4	40.855	1/4	30.346	1/4	20.029	1/4	9.525	1/4	156
1/2	51.145	1/2	40.636	1/2	30.127	1/2	19.813	1/2	9.306	1/2	106
3/4	50.926	3/4	40.417	3/4	29.908	3/4	19.596	3/4	9.087	3/4	56
11	50.707	11	40.198	11	29.689	11	19.377	11	8.868		
1/4	50.488	1/4	39.979	1/4	29.470	1/4	19.158	1/4	8.649		
1/2	50.269	1/2	39.760	1/2	29.251	1/2	18.940	1/2	8.430		
3/4	50.050	3/4	39.541	3/4	29.032	3/4	18.721	3/4	8.211		

GAUGE LOCATED 27'-0" FROM AFT BULKHEAD AND
 1'-4" FROM CENTERLINE BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/99

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 09/17/99
 STRAPPED BY: BC & CJ 09/14/99

SAYBOLT INC.


BARGE CBC 111

TANK 3
 ULLAGE TABLE
 MMC GAUGING

MMC GAUGE HEIGHT 15'-11"

COMPUTED IN U. S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	150.581	0	150.581	0	139.635	0	128.677	0	117.718	0	106.760	0	95.801	0	84.843	0	73.885
1/4	1/4	1/4	150.355	1/4	150.355	1/4	139.407	1/4	128.448	1/4	117.480	1/4	106.532	1/4	95.573	1/4	84.615	1/4	73.656
1/2	1/2	1/2	150.128	1/2	150.128	1/2	139.178	1/2	128.220	1/2	117.262	1/2	106.303	1/2	95.345	1/2	84.386	1/2	73.428
3/4	3/4	3/4	149.902	3/4	149.902	3/4	138.950	3/4	127.992	3/4	116.033	3/4	105.075	3/4	94.117	3/4	83.158	3/4	72.200
1	1	1	149.675	1	149.675	1	138.722	1	127.763	1	115.805	1	104.847	1	93.888	1	82.930	1	71.971
1/4	1/4	1/4	149.448	1/4	149.448	1/4	138.494	1/4	127.535	1/4	115.577	1/4	104.618	1/4	93.660	1/4	82.702	1/4	71.743
1/2	1/2	1/2	149.220	1/2	149.220	1/2	138.265	1/2	127.307	1/2	115.348	1/2	104.390	1/2	93.432	1/2	82.432	1/2	71.515
3/4	3/4	3/4	148.992	3/4	148.992	3/4	138.037	3/4	127.079	3/4	115.120	3/4	104.162	3/4	93.203	3/4	82.203	3/4	71.287
2	2	2	148.765	2	148.765	2	137.809	2	126.850	2	114.892	2	103.933	2	92.975	2	81.017	2	70.058
1/4	1/4	1/4	148.537	1/4	148.537	1/4	137.580	1/4	126.622	1/4	114.664	1/4	103.705	1/4	92.747	1/4	80.788	1/4	69.830
1/2	1/2	1/2	148.309	1/2	148.309	1/2	137.352	1/2	126.394	1/2	114.435	1/2	103.477	1/2	92.518	1/2	80.560	1/2	69.592
3/4	3/4	3/4	148.081	3/4	148.081	3/4	137.124	3/4	126.165	3/4	114.207	3/4	103.249	3/4	92.290	3/4	80.332	3/4	69.364
3	3	3	147.853	3	147.853	3	136.895	3	125.937	3	113.979	3	103.020	3	92.062	3	80.103	3	69.135
1/4	1/4	1/4	147.625	1/4	147.625	1/4	136.667	1/4	125.709	1/4	113.750	1/4	102.792	1/4	91.834	1/4	79.875	1/4	68.907
1/2	1/2	1/2	147.397	1/2	147.397	1/2	136.439	1/2	125.480	1/2	113.522	1/2	102.564	1/2	91.605	1/2	79.647	1/2	68.678
3/4	3/4	3/4	147.169	3/4	147.169	3/4	136.211	3/4	125.252	3/4	113.294	3/4	102.335	3/4	91.377	3/4	79.419	3/4	68.449
4	4	4	146.941	4	146.941	4	135.982	4	125.024	4	113.065	4	102.107	4	91.149	4	79.190	4	68.220
1/4	1/4	1/4	146.712	1/4	146.712	1/4	135.754	1/4	124.796	1/4	112.837	1/4	101.879	1/4	90.920	1/4	78.962	1/4	68.004
1/2	1/2	1/2	146.484	1/2	146.484	1/2	135.526	1/2	124.567	1/2	112.609	1/2	101.650	1/2	90.692	1/2	78.734	1/2	67.775
3/4	3/4	3/4	146.256	3/4	146.256	3/4	135.297	3/4	124.339	3/4	112.381	3/4	101.422	3/4	90.464	3/4	78.505	3/4	67.547
5	5	5	146.027	5	146.027	5	135.069	5	124.111	5	112.152	5	101.194	5	90.235	5	78.277	5	67.319
1/4	1/4	1/4	145.799	1/4	145.799	1/4	134.841	1/4	123.882	1/4	111.924	1/4	100.966	1/4	90.007	1/4	78.049	1/4	67.090
1/2	1/2	1/2	145.571	1/2	145.571	1/2	134.612	1/2	123.654	1/2	111.696	1/2	100.737	1/2	89.779	1/2	77.820	1/2	66.862
3/4	3/4	3/4	145.343	3/4	145.343	3/4	134.384	3/4	123.426	3/4	111.467	3/4	100.509	3/4	89.551	3/4	77.592	3/4	66.634
6	6	6	145.114	6	145.114	6	134.156	6	123.197	6	111.239	6	100.281	6	89.322	6	77.364	6	66.405
1/4	1/4	1/4	144.886	1/4	144.886	1/4	133.928	1/4	122.969	1/4	111.011	1/4	100.052	1/4	89.094	1/4	77.136	1/4	66.177
1/2	1/2	1/2	144.658	1/2	144.658	1/2	133.699	1/2	122.741	1/2	110.782	1/2	99.824	1/2	88.866	1/2	76.907	1/2	65.948
3/4	3/4	3/4	144.429	3/4	144.429	3/4	133.471	3/4	122.513	3/4	110.554	3/4	99.596	3/4	88.637	3/4	76.679	3/4	65.721
7	7	7	144.201	7	144.201	7	133.243	7	122.284	7	110.326	7	99.367	7	88.409	7	76.451	7	65.492
1/4	1/4	1/4	143.973	1/4	143.973	1/4	133.014	1/4	122.056	1/4	110.098	1/4	99.139	1/4	88.181	1/4	76.222	1/4	65.264
1/2	1/2	1/2	143.744	1/2	143.744	1/2	132.786	1/2	121.828	1/2	109.869	1/2	98.911	1/2	87.952	1/2	75.994	1/2	65.036
3/4	3/4	3/4	143.516	3/4	143.516	3/4	132.558	3/4	121.599	3/4	109.641	3/4	98.683	3/4	87.724	3/4	75.766	3/4	64.807
8	8	8	143.288	8	143.288	8	132.329	8	121.371	8	109.413	8	98.454	8	87.496	8	75.537	8	64.579
1/4	1/4	1/4	143.060	1/4	143.060	1/4	132.101	1/4	121.143	1/4	109.184	1/4	98.226	1/4	87.268	1/4	75.309	1/4	64.351
1/2	1/2	1/2	142.831	1/2	142.831	1/2	131.873	1/2	120.914	1/2	108.956	1/2	97.998	1/2	87.039	1/2	75.081	1/2	64.122
3/4	3/4	3/4	142.603	3/4	142.603	3/4	131.645	3/4	120.686	3/4	108.728	3/4	97.769	3/4	86.811	3/4	74.853	3/4	63.894
9	9	9	142.375	9	142.375	9	131.416	9	120.458	9	108.499	9	97.541	9	86.583	9	74.624	9	63.666
1/4	1/4	1/4	142.146	1/4	142.146	1/4	131.188	1/4	120.230	1/4	108.271	1/4	97.313	1/4	86.354	1/4	74.396	1/4	63.438
1/2	1/2	1/2	141.918	1/2	141.918	1/2	130.960	1/2	120.001	1/2	108.043	1/2	97.084	1/2	86.126	1/2	74.168	1/2	63.209
3/4	3/4	3/4	141.690	3/4	141.690	3/4	130.731	3/4	119.773	3/4	107.815	3/4	96.856	3/4	85.898	3/4	73.939	3/4	62.981
10	10	10	141.461	10	141.461	10	130.503	10	119.545	10	107.586	10	96.628	10	85.669	10	73.711	10	62.753
1/4	1/4	1/4	141.233	1/4	141.233	1/4	130.275	1/4	119.316	1/4	107.358	1/4	96.400	1/4	85.441	1/4	73.483	1/4	62.524
1/2	1/2	1/2	141.005	1/2	141.005	1/2	130.046	1/2	119.088	1/2	107.130	1/2	96.171	1/2	85.213	1/2	73.254	1/2	62.296
3/4	3/4	3/4	140.777	3/4	140.777	3/4	129.818	3/4	118.860	3/4	106.903	3/4	95.943	3/4	84.985	3/4	73.026	3/4	62.068
11	11	11	140.548	11	140.548	11	129.590	11	118.631	11	106.673	11	95.715	11	84.756	11	72.797	11	61.839
1/4	1/4	1/4	140.320	1/4	140.320	1/4	129.362	1/4	118.403	1/4	106.445	1/4	95.486	1/4	84.528	1/4	72.568	1/4	61.611
1/2	1/2	1/2	140.092	1/2	140.092	1/2	129.133	1/2	118.175	1/2	106.216	1/2	95.258	1/2	84.300	1/2	72.341	1/2	61.383
3/4	3/4	3/4	139.863	3/4	139.863	3/4	128.905	3/4	117.947	3/4	105.988	3/4	95.030	3/4	84.071	3/4	72.113	3/4	61.155

GAUGE LOCATED 27'-0" FROM AFT BULKHEAD AND 1'-4" FROM CENTERLINE BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/1993.

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 09/30/99
 STRAPPED BY: BC & CJ 09/14/99
SAYBOLT INC.

MMC GAUGE HEIGHT 15'-11"

COMPUTED IN U. S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	62,926	0	51,968	0	41,009	0	30,051	0	19,530	0	8,569
1/4	62,698	1/4	51,740	1/4	40,781	1/4	29,823	1/4	19,302	1/4	8,340
1/2	62,470	1/2	51,511	1/2	40,553	1/2	29,594	1/2	19,073	1/2	8,112
3/4	62,241	3/4	51,283	3/4	40,325	3/4	29,366	3/4	18,845	3/4	7,883
1	62,013	1	51,055	1	40,096	1	29,138	1	18,617	1	7,655
1/4	61,785	1/4	50,826	1/4	39,868	1/4	28,913	1/4	18,388	1/4	7,426
1/2	61,556	1/2	50,598	1/2	39,640	1/2	28,689	1/2	18,160	1/2	7,198
3/4	61,328	3/4	50,370	3/4	39,411	3/4	28,465	3/4	17,932	3/4	6,969
2	61,100	2	50,141	2	39,183	2	28,240	2	17,704	2	6,741
1/4	60,872	1/4	49,913	1/4	38,955	1/4	28,019	1/4	17,475	1/4	6,513
1/2	60,643	1/2	49,685	1/2	38,726	1/2	27,797	1/2	17,247	1/2	6,284
3/4	60,415	3/4	49,457	3/4	38,498	3/4	27,575	3/4	17,019	3/4	6,056
3	60,187	3	49,228	3	38,270	3	27,354	3	16,790	3	5,828
1/4	59,958	1/4	49,000	1/4	38,042	1/4	27,135	1/4	16,562	1/4	5,600
1/2	59,730	1/2	48,772	1/2	37,813	1/2	26,917	1/2	16,334	1/2	5,372
3/4	59,502	3/4	48,543	3/4	37,585	3/4	26,698	3/4	16,105	3/4	5,144
4	59,273	4	48,315	4	37,357	4	26,480	4	15,877	4	4,916
1/4	59,045	1/4	48,087	1/4	37,128	1/4	26,264	1/4	15,649	1/4	4,688
1/2	58,817	1/2	47,858	1/2	36,900	1/2	26,047	1/2	15,421	1/2	4,461
3/4	58,589	3/4	47,630	3/4	36,672	3/4	25,831	3/4	15,192	3/4	4,234
5	58,360	5	47,402	5	36,443	5	25,615	5	14,964	5	4,007
1/4	58,132	1/4	47,174	1/4	36,215	1/4	25,398	1/4	14,736	1/4	3,780
1/2	57,904	1/2	46,945	1/2	35,987	1/2	25,182	1/2	14,507	1/2	3,554
3/4	57,675	3/4	46,717	3/4	35,759	3/4	24,966	3/4	14,279	3/4	3,328
6	57,447	6	46,489	6	35,530	6	24,749	6	14,051	6	3,102
1/4	57,219	1/4	46,260	1/4	35,302	1/4	24,533	1/4	13,822	1/4	2,877
1/2	56,990	1/2	46,032	1/2	35,074	1/2	24,317	1/2	13,594	1/2	2,653
3/4	56,762	3/4	45,804	3/4	34,845	3/4	24,101	3/4	13,366	3/4	2,428
7	56,534	7	45,575	7	34,617	7	23,884	7	13,138	7	2,204
1/4	56,306	1/4	45,347	1/4	34,389	1/4	23,668	1/4	12,909	1/4	1,995
1/2	56,077	1/2	45,119	1/2	34,160	1/2	23,452	1/2	12,681	1/2	1,785
3/4	55,849	3/4	44,891	3/4	33,932	3/4	23,235	3/4	12,453	3/4	1,576
8	55,621	8	44,662	8	33,704	8	23,019	8	12,224	8	1,367
1/4	55,392	1/4	44,434	1/4	33,476	1/4	22,803	1/4	11,996	1/4	1,201
1/2	55,164	1/2	44,206	1/2	33,247	1/2	22,586	1/2	11,768	1/2	1,035
3/4	54,936	3/4	43,977	3/4	33,019	3/4	22,370	3/4	11,539	3/4	868
9	54,707	9	43,749	9	32,791	9	22,154	9	11,311	9	702
1/4	54,479	1/4	43,521	1/4	32,562	1/4	21,938	1/4	11,082	1/4	593
1/2	54,251	1/2	43,292	1/2	32,334	1/2	21,721	1/2	10,854	1/2	484
3/4	54,023	3/4	43,064	3/4	32,106	3/4	21,505	3/4	10,625	3/4	375
10	53,794	10	42,836	10	31,877	10	21,289	10	10,397	10	266
1/4	53,566	1/4	42,608	1/4	31,649	1/4	21,072	1/4	10,168	1/4	214
1/2	53,338	1/2	42,379	1/2	31,421	1/2	20,856	1/2	9,940	1/2	162
3/4	53,109	3/4	42,151	3/4	31,193	3/4	20,640	3/4	9,711	3/4	110
11	52,881	11	41,923	11	30,964	11	20,423	11	9,483	11	58
1/4	52,653	1/4	41,694	1/4	30,736	1/4	20,200	1/4	9,254		
1/2	52,424	1/2	41,466	1/2	30,508	1/2	19,977	1/2	9,026		
3/4	52,196	3/4	41,238	3/4	30,279	3/4	19,753	3/4	8,797		

GAUGE LOCATED 27'-0" FROM AFT BULKHEAD AND
 1'-4" FROM CENTERLINE BULKHEAD.

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7.

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 09/99.

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 09/30/99
 STRAPPED BY: BC & CJ 09/14/99

SAYBOLT INC.