

BARGE CBL 119

TANK NO. 1
 ULLAGE TABLE
 MMC GAUGING

MMC GAUGE HEIGHT 15'-10 3/4"

COMPUTED U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	59,976	0	49,484	0	38,992	0	28,520	0	18,414	0	7,949
1/4	59,788	1/4	49,265	1/4	38,773	1/4	28,308	1/4	18,201	1/4	7,730
1/2	59,539	1/2	49,047	1/2	38,554	1/2	28,095	1/2	17,989	1/2	7,512
3/4	59,321	3/4	48,828	3/4	38,336	3/4	27,882	3/4	17,776	3/4	7,293
1	59,102	1	48,610	1	38,117	1	27,670	1	17,560	1	7,075
1/4	58,883	1/4	48,391	1/4	37,899	1/4	27,457	1/4	17,344	1/4	6,856
1/2	58,665	1/2	48,172	1/2	37,680	1/2	27,245	1/2	17,127	1/2	6,638
3/4	58,446	3/4	47,954	3/4	37,462	3/4	27,032	3/4	16,911	3/4	6,419
2	58,228	2	47,735	2	37,243	2	26,819	2	16,693	2	6,201
1/4	58,009	1/4	47,517	1/4	37,024	1/4	26,607	1/4	16,474	1/4	5,982
1/2	57,790	1/2	47,298	1/2	36,806	1/2	26,394	1/2	16,255	1/2	5,764
3/4	57,572	3/4	47,079	3/4	36,587	3/4	26,181	3/4	16,037	3/4	5,545
3	57,353	3	46,861	3	36,369	3	25,973	3	15,818	3	5,327
1/4	57,135	1/4	46,642	1/4	36,150	1/4	25,764	1/4	15,600	1/4	5,109
1/2	56,916	1/2	46,424	1/2	35,931	1/2	25,555	1/2	15,381	1/2	4,891
3/4	56,697	3/4	46,205	3/4	35,713	3/4	25,346	3/4	15,162	3/4	4,673
4	56,479	4	45,987	4	35,494	4	25,139	4	14,944	4	4,456
1/4	56,260	1/4	45,768	1/4	35,276	1/4	24,933	1/4	14,725	1/4	4,238
1/2	56,042	1/2	45,549	1/2	35,057	1/2	24,726	1/2	14,507	1/2	4,021
3/4	55,823	3/4	45,331	3/4	34,838	3/4	24,520	3/4	14,288	3/4	3,803
5	55,604	5	45,112	5	34,620	5	24,313	5	14,069	5	3,587
1/4	55,386	1/4	44,894	1/4	34,401	1/4	24,107	1/4	13,851	1/4	3,370
1/2	55,167	1/2	44,675	1/2	34,183	1/2	23,900	1/2	13,632	1/2	3,154
3/4	54,949	3/4	44,456	3/4	33,964	3/4	23,694	3/4	13,414	3/4	2,938
6	54,730	6	44,238	6	33,745	6	23,487	6	13,195	6	2,723
1/4	54,512	1/4	44,019	1/4	33,527	1/4	23,281	1/4	12,977	1/4	2,508
1/2	54,293	1/2	43,801	1/2	33,308	1/2	23,074	1/2	12,758	1/2	2,294
3/4	54,074	3/4	43,582	3/4	33,090	3/4	22,867	3/4	12,539	3/4	2,079
7	53,856	7	43,363	7	32,871	7	22,657	7	12,321	7	1,880
1/4	53,637	1/4	43,145	1/4	32,653	1/4	22,447	1/4	12,102	1/4	1,680
1/2	53,419	1/2	42,926	1/2	32,434	1/2	22,237	1/2	11,884	1/2	1,481
3/4	53,200	3/4	42,708	3/4	32,215	3/4	22,026	3/4	11,665	3/4	1,281
8	52,981	8	42,489	8	31,997	8	21,814	8	11,446	8	1,124
1/4	52,763	1/4	42,270	1/4	31,778	1/4	21,601	1/4	11,228	1/4	967
1/2	52,544	1/2	42,052	1/2	31,560	1/2	21,389	1/2	11,009	1/2	810
3/4	52,326	3/4	41,833	3/4	31,341	3/4	21,176	3/4	10,791	3/4	653
9	52,107	9	41,615	9	31,122	9	20,964	9	10,572	9	551
1/4	51,888	1/4	41,396	1/4	30,904	1/4	20,751	1/4	10,353	1/4	448
1/2	51,670	1/2	41,178	1/2	30,685	1/2	20,539	1/2	10,135	1/2	346
3/4	51,451	3/4	40,959	3/4	30,467	3/4	20,326	3/4	9,916	3/4	243
10	51,233	10	40,740	10	30,248	10	20,114	10	9,698	10	196
1/4	51,014	1/4	40,522	1/4	30,029	1/4	19,901	1/4	9,479	1/4	148
1/2	50,796	1/2	40,303	1/2	29,811	1/2	19,689	1/2	9,261	1/2	100
3/4	50,577	3/4	40,085	3/4	29,592	3/4	19,476	3/4	9,042	3/4	52
11	50,358	11	39,866	11	29,377	11	19,264	11	8,823		
1/4	50,140	1/4	39,647	1/4	29,153	1/4	19,051	1/4	8,605		
1/2	49,921	1/2	39,429	1/2	28,948	1/2	18,839	1/2	8,386		
3/4	49,703	3/4	39,210	3/4	28,733	3/4	18,626	3/4	8,168		

GAUGE LOCATED 26'-4" FROM AFT BULKHEAD AND
 1'-4" FROM CENTERLINE BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 03/00

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 03/23/00
 STRAPPED BY: C-LDG 03/09/00
SAYBOLT INC.

BARGE CBC 119

TANK NO. 2
 ULLAGE TABLE
 MMC GAUGING

MMC GAUGE HEIGHT 15'-11 1/4"

COMPUTED IN U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12

GAUGE LOCATED 27'-0" FROM AFT BULKHEAD AND 1'-4" FROM CENTERLINE BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/10/00

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 03/23/00
 STRAPPED BY: CJDG 03/09/00
SAYBOLT INC.

MMC GAUGE HEIGHT 15'-11 1/4" COMPUTED IN U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	60.674	0	50.178	0	39.683	0	29.188	0	18.881	0	8.388
1/4	60.455	1/4	49.960	1/4	39.465	1/4	28.969	1/4	18.665	1/4	8.170
1/2	60.236	1/2	49.741	1/2	39.246	1/2	28.751	1/2	18.446	1/2	7.951
3/4	60.018	3/4	49.522	3/4	39.027	3/4	28.532	3/4	18.228	3/4	7.732
1	59.799	1	49.304	1	38.809	1	28.313	1	18.009	1	7.514
1/4	59.580	1/4	49.085	1/4	38.590	1/4	28.095	1/4	17.790	1/4	7.295
1/2	59.362	1/2	48.866	1/2	38.371	1/2	27.876	1/2	17.572	1/2	7.077
3/4	59.143	3/4	48.648	3/4	38.153	3/4	27.657	3/4	17.353	3/4	6.858
2	58.924	2	48.429	2	37.934	2	27.439	2	17.134	2	6.639
1/4	58.706	1/4	48.211	1/4	37.715	1/4	27.220	1/4	16.916	1/4	6.421
1/2	58.487	1/2	47.992	1/2	37.497	1/2	27.001	1/2	16.697	1/2	6.202
3/4	58.268	3/4	47.773	3/4	37.278	3/4	26.783	3/4	16.478	3/4	5.984
3	58.050	3	47.555	3	37.059	3	26.564	3	16.260	3	5.765
1/4	57.831	1/4	47.336	1/4	36.841	1/4	26.346	1/4	16.041	1/4	5.547
1/2	57.612	1/2	47.117	1/2	36.622	1/2	26.131	1/2	15.823	1/2	5.329
3/4	57.394	3/4	46.899	3/4	36.403	3/4	25.916	3/4	15.604	3/4	5.110
4	57.175	4	46.680	4	36.185	4	25.701	4	15.385	4	4.892
1/4	56.957	1/4	46.461	1/4	35.966	1/4	25.486	1/4	15.167	1/4	4.674
1/2	56.738	1/2	46.243	1/2	35.747	1/2	25.273	1/2	14.948	1/2	4.457
3/4	56.519	3/4	46.024	3/4	35.529	3/4	25.060	3/4	14.729	3/4	4.239
5	56.301	5	45.805	5	35.310	5	24.848	5	14.511	5	4.022
1/4	56.082	1/4	45.587	1/4	35.092	1/4	24.635	1/4	14.292	1/4	3.804
1/2	55.863	1/2	45.368	1/2	34.873	1/2	24.422	1/2	14.073	1/2	3.588
3/4	55.645	3/4	45.149	3/4	34.654	3/4	24.210	3/4	13.855	3/4	3.371
6	55.426	6	44.931	6	34.436	6	23.997	6	13.636	6	3.155
1/4	55.207	1/4	44.712	1/4	34.217	1/4	23.784	1/4	13.417	1/4	2.938
1/2	54.989	1/2	44.493	1/2	33.998	1/2	23.572	1/2	13.199	1/2	2.724
3/4	54.770	3/4	44.275	3/4	33.780	3/4	23.359	3/4	12.980	3/4	2.509
7	54.551	7	44.056	7	33.561	7	23.146	7	12.761	7	2.294
1/4	54.333	1/4	43.838	1/4	33.342	1/4	22.934	1/4	12.543	1/4	2.080
1/2	54.114	1/2	43.619	1/2	33.124	1/2	22.721	1/2	12.324	1/2	1.880
3/4	53.895	3/4	43.400	3/4	32.905	3/4	22.508	3/4	12.105	3/4	1.681
8	53.677	8	43.182	8	32.686	8	22.295	8	11.887	8	1.481
1/4	53.458	1/4	42.963	1/4	32.468	1/4	22.083	1/4	11.668	1/4	1.281
1/2	53.239	1/2	42.744	1/2	32.249	1/2	21.870	1/2	11.450	1/2	1.124
3/4	53.021	3/4	42.526	3/4	32.030	3/4	21.657	3/4	11.231	3/4	967
9	52.802	9	42.307	9	31.812	9	21.445	9	11.012	9	810
1/4	52.584	1/4	42.088	1/4	31.593	1/4	21.232	1/4	10.794	1/4	653
1/2	52.365	1/2	41.870	1/2	31.374	1/2	21.019	1/2	10.575	1/2	551
3/4	52.146	3/4	41.651	3/4	31.156	3/4	20.807	3/4	10.356	3/4	448
10	51.928	10	41.432	10	30.937	10	20.594	10	10.138	10	346
1/4	51.709	1/4	41.214	1/4	30.719	1/4	20.381	1/4	9.919	1/4	243
1/2	51.490	1/2	40.995	1/2	30.500	1/2	20.169	1/2	9.700	1/2	196
3/4	51.272	3/4	40.776	3/4	30.281	3/4	19.956	3/4	9.482	3/4	148
11	51.053	11	40.558	11	30.063	11	19.743	11	9.263	11	100
1/4	50.834	1/4	40.339	1/4	29.844	1/4	19.530	1/4	9.044	1/4	52
1/2	50.616	1/2	40.120	1/2	29.625	1/2	19.314	1/2	8.826	1/2	
3/4	50.397	3/4	39.902	3/4	29.407	3/4	19.098	3/4	8.607	3/4	

GAUGE LOCATED 27'-0" FROM AFT BULKHEAD AND 1'-4" FROM CENTERLINE BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 02/00

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW O3/23/00
 STRAPPED BY: CLDG O3/09/00
 SAYBOLT INC.

MMC GAUGE HEIGHT 15'-11 1/4" COMPUTED IN U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.
0	63.039	0	52.164	0	41.289	0	30.414	0	19.566	0	8.692
1/4	62.813	1/4	51.938	1/4	41.063	1/4	30.188	1/4	19.340	1/4	8.465
1/2	62.586	1/2	51.711	1/2	40.836	1/2	29.961	1/2	19.114	1/2	8.239
3/4	62.359	3/4	51.485	3/4	40.610	3/4	29.735	3/4	18.887	3/4	8.012
1	62.133	1	51.258	1	40.383	1	29.508	1	18.660	1	7.786
1 1/4	61.906	1 1/4	51.031	1 1/4	40.157	1 1/4	29.282	1 1/4	18.434	1 1/4	7.559
1 1/2	61.680	1 1/2	50.805	1 1/2	39.930	1 1/2	29.055	1 1/2	18.207	1 1/2	7.332
3/4	61.453	3/4	50.578	3/4	39.703	3/4	28.829	3/4	17.981	3/4	7.106
2	61.227	2	50.352	2	39.477	2	28.602	2	17.754	2	6.879
1 1/4	61.000	1 1/4	50.125	1 1/4	39.250	1 1/4	28.375	1 1/4	17.528	1 1/4	6.653
1 1/2	60.774	1 1/2	49.899	1 1/2	39.024	1 1/2	28.149	1 1/2	17.301	1 1/2	6.426
3/4	60.547	3/4	49.672	3/4	38.797	3/4	27.922	3/4	17.074	3/4	6.200
3	60.320	3	49.446	3	38.571	3	27.696	3	16.848	3	5.974
1 1/4	60.094	1 1/4	49.219	1 1/4	38.344	1 1/4	27.469	1 1/4	16.621	1 1/4	5.747
1 1/2	59.867	1 1/2	48.992	1 1/2	38.118	1 1/2	27.243	1 1/2	16.395	1 1/2	5.521
3/4	59.641	3/4	48.766	3/4	37.891	3/4	27.017	3/4	16.168	3/4	5.295
4	59.414	4	48.539	4	37.664	4	26.791	4	15.942	4	5.069
1 1/4	59.188	1 1/4	48.313	1 1/4	37.438	1 1/4	26.565	1 1/4	15.715	1 1/4	4.843
1 1/2	58.961	1 1/2	48.086	1 1/2	37.211	1 1/2	26.339	1 1/2	15.489	1 1/2	4.618
3/4	58.734	3/4	47.860	3/4	36.985	3/4	26.114	3/4	15.262	3/4	4.392
5	58.508	5	47.633	5	36.758	5	25.888	5	15.035	5	4.167
1 1/4	58.281	1 1/4	47.406	1 1/4	36.532	1 1/4	25.662	1 1/4	14.809	1 1/4	3.942
1 1/2	58.055	1 1/2	47.180	1 1/2	36.305	1 1/2	25.436	1 1/2	14.582	1 1/2	3.717
3/4	57.828	3/4	46.953	3/4	36.078	3/4	25.211	3/4	14.356	3/4	3.493
6	57.602	6	46.727	6	35.852	6	24.985	6	14.129	6	3.269
1 1/4	57.375	1 1/4	46.500	1 1/4	35.625	1 1/4	24.759	1 1/4	13.903	1 1/4	3.044
1 1/2	57.149	1 1/2	46.274	1 1/2	35.399	1 1/2	24.534	1 1/2	13.676	1 1/2	2.822
3/4	56.922	3/4	46.047	3/4	35.172	3/4	24.308	3/4	13.450	3/4	2.599
7	56.695	7	45.821	7	34.946	7	24.082	7	13.223	7	2.377
1 1/4	56.469	1 1/4	45.594	1 1/4	34.719	1 1/4	23.856	1 1/4	12.996	1 1/4	2.155
1 1/2	56.242	1 1/2	45.367	1 1/2	34.493	1 1/2	23.631	1 1/2	12.770	1 1/2	1.948
3/4	56.016	3/4	45.141	3/4	34.266	3/4	23.405	3/4	12.543	3/4	1.741
8	55.789	8	44.914	8	34.039	8	23.179	8	12.317	8	1.534
1 1/4	55.563	1 1/4	44.688	1 1/4	33.813	1 1/4	22.954	1 1/4	12.090	1 1/4	1.327
1 1/2	55.336	1 1/2	44.461	1 1/2	33.586	1 1/2	22.728	1 1/2	11.864	1 1/2	1.165
3/4	55.110	3/4	44.235	3/4	33.360	3/4	22.502	3/4	11.637	3/4	1.002
9	54.883	9	44.008	9	33.133	9	22.276	9	11.410	9	839
1 1/4	54.656	1 1/4	43.782	1 1/4	32.907	1 1/4	22.051	1 1/4	11.184	1 1/4	677
1 1/2	54.430	1 1/2	43.555	1 1/2	32.680	1 1/2	21.825	1 1/2	10.957	1 1/2	570
3/4	54.203	3/4	43.328	3/4	32.454	3/4	21.599	3/4	10.731	3/4	464
10	53.977	10	43.102	10	32.227	10	21.374	10	10.504	10	358
1 1/4	53.750	1 1/4	42.875	1 1/4	32.000	1 1/4	21.148	1 1/4	10.278	1 1/4	252
1 1/2	53.524	1 1/2	42.649	1 1/2	31.774	1 1/2	20.922	1 1/2	10.051	1 1/2	202
3/4	53.297	3/4	42.422	3/4	31.547	3/4	20.696	3/4	9.825	3/4	153
11	53.070	11	42.196	11	31.321	11	20.471	11	9.598	11	103
1 1/4	52.844	1 1/4	41.969	1 1/4	31.094	1 1/4	20.245	1 1/4	9.371	1 1/4	53
1 1/2	52.617	1 1/2	41.742	1 1/2	30.868	1 1/2	20.019	1 1/2	9.145		
3/4	52.391	3/4	41.516	3/4	30.641	3/4	19.793	3/4	8.918		

GAUGE LOCATED 29'-2" FROM AFT BULKHEAD AND 1'-4" FROM CENTERLINE BULKHEAD

TABLE COMPUTED IN ACCORDANCE WITH API MPMS CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 03/00

CHART IS CERTIFIED FOR THIS TANK ONLY.
 COMPUTED BY: JW 03/23/00
 STRAPPED BY: CLDG 03/09/00
SAYBOLT INC.