

RGE "CBC 121"
HULL NO. 01

TANK NO. 1
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	55	0	9,949	0	21,489	0	33,021	0	44,528	0	56,060	0	67,591	0	79,123	0	90,654	0	102,186
1/4	65	1/4	10,189	1/4	21,729	1/4	33,261	1/4	44,769	1/4	56,300	1/4	67,832	1/4	79,363	1/4	90,895	1/4	102,426
1/2	95	1/2	10,430	1/2	21,970	1/2	33,501	1/2	45,009	1/2	56,540	1/2	68,072	1/2	79,603	1/2	91,135	1/2	102,666
3/4	145	3/4	10,670	3/4	22,210	3/4	33,740	3/4	45,249	3/4	56,781	3/4	68,312	3/4	79,844	3/4	91,375	3/4	102,907
1	215	1	10,910	1	22,450	1	33,980	1	45,489	1	57,021	1	68,552	1	80,084	1	91,615	1	103,147
1/4	306	1/4	11,151	1/4	22,691	1/4	34,219	1/4	45,730	1/4	57,261	1/4	68,793	1/4	80,324	1/4	91,856	1/4	103,387
1/2	416	1/2	11,391	1/2	22,931	1/2	34,459	1/2	45,970	1/2	57,501	1/2	69,033	1/2	80,564	1/2	92,096	1/2	103,627
3/4	546	3/4	11,632	3/4	23,172	3/4	34,699	3/4	46,210	3/4	57,742	3/4	69,273	3/4	80,805	3/4	92,336	3/4	103,868
2	696	2	11,872	2	23,412	2	34,938	2	46,450	2	57,982	2	69,513	2	81,045	2	92,576	2	104,108
1/4	867	1/4	12,112	1/4	23,652	1/4	35,178	1/4	46,690	1/4	58,222	1/4	69,754	1/4	81,285	1/4	92,817	1/4	104,348
1/2	1,057	1/2	12,353	1/2	23,893	1/2	35,417	1/2	46,931	1/2	58,462	1/2	69,994	1/2	81,525	1/2	93,057	1/2	104,588
3/4	1,267	3/4	12,593	3/4	24,133	3/4	35,657	3/4	47,171	3/4	58,702	3/4	70,234	3/4	81,766	3/4	93,297	3/4	104,829
3	1,498	3	12,834	3	24,374	3	35,897	3	47,411	3	58,943	3	70,474	3	82,006	3	93,537	3	105,069
1/4	2,691	1/4	13,074	1/4	24,614	1/4	36,136	1/4	47,651	1/4	59,183	1/4	70,714	1/4	82,246	1/4	93,778	1/4	105,309
1/2	2,930	1/2	13,315	1/2	24,855	1/2	36,376	1/2	47,892	1/2	59,423	1/2	70,955	1/2	82,486	1/2	94,018	1/2	105,549
3/4	3,169	3/4	13,555	3/4	25,095	3/4	36,616	3/4	48,132	3/4	59,663	3/4	71,195	3/4	82,726	3/4	94,258	3/4	105,790
4	2,452	4	13,795	4	25,335	4	36,855	4	48,372	4	59,904	4	71,435	4	82,967	4	94,498	4	106,030
1/4	3,646	1/4	14,036	1/4	25,576	1/4	37,095	1/4	48,612	1/4	60,144	1/4	71,675	1/4	83,207	1/4	94,738	1/4	106,270
1/2	3,885	1/2	14,276	1/2	25,816	1/2	37,334	1/2	48,853	1/2	60,384	1/2	71,916	1/2	83,447	1/2	94,979	1/2	106,510
3/4	4,123	3/4	14,517	3/4	26,056	3/4	37,574	3/4	49,093	3/4	60,624	3/4	72,156	3/4	83,687	3/4	95,219	3/4	106,750
5	3,407	5	14,757	5	26,297	5	37,814	5	49,333	5	60,865	5	72,396	5	83,928	5	95,459	5	106,991
1/4	3,646	1/4	14,997	1/4	26,537	1/4	38,053	1/4	49,573	1/4	61,105	1/4	72,636	1/4	84,169	1/4	95,699	1/4	107,231
1/2	3,885	1/2	15,238	1/2	26,777	1/2	38,293	1/2	49,814	1/2	61,345	1/2	72,877	1/2	84,408	1/2	95,940	1/2	107,471
3/4	4,123	3/4	15,478	3/4	27,017	3/4	38,532	3/4	49,054	3/4	61,585	3/4	73,117	3/4	84,648	3/4	96,180	3/4	107,711
6	4,347	6	15,719	6	27,257	6	38,772	6	49,294	6	61,826	6	73,357	6	84,889	6	96,420	6	107,952
1/4	4,571	1/4	15,959	1/4	27,498	1/4	39,012	1/4	50,534	1/4	62,066	1/4	73,597	1/4	85,129	1/4	96,660	1/4	108,192
1/2	4,794	1/2	16,200	1/2	27,738	1/2	39,251	1/2	50,775	1/2	62,306	1/2	73,838	1/2	85,369	1/2	96,901	1/2	108,432
3/4	5,018	3/4	16,440	3/4	27,978	3/4	39,491	3/4	51,015	3/4	62,546	3/4	74,078	3/4	85,609	3/4	97,141	3/4	108,672
7	5,241	7	16,680	7	28,218	7	39,730	7	51,255	7	62,787	7	74,318	7	85,850	7	97,381	7	108,913
1/4	5,465	1/4	16,921	1/4	28,459	1/4	39,970	1/4	51,495	1/4	63,027	1/4	74,558	1/4	86,090	1/4	97,621	1/4	109,153
1/2	5,689	1/2	17,161	1/2	28,699	1/2	40,210	1/2	51,736	1/2	63,267	1/2	74,799	1/2	86,330	1/2	97,862	1/2	109,393
3/4	5,912	3/4	17,402	3/4	28,939	3/4	40,449	3/4	51,976	3/4	63,507	3/4	75,039	3/4	86,572	3/4	98,102	3/4	109,633
8	6,136	8	17,642	8	29,179	8	40,689	8	52,216	8	63,748	8	75,279	8	86,811	8	98,342	8	109,874
1/4	6,359	1/4	17,882	1/4	29,420	1/4	40,928	1/4	52,456	1/4	63,988	1/4	75,519	1/4	87,051	1/4	98,582	1/4	110,114
1/2	6,583	1/2	18,123	1/2	29,660	1/2	41,168	1/2	52,696	1/2	64,228	1/2	75,760	1/2	87,291	1/2	98,823	1/2	110,354
3/4	6,823	3/4	18,363	3/4	29,900	3/4	41,408	3/4	52,937	3/4	64,468	3/4	76,000	3/4	87,531	3/4	99,063	3/4	110,594
9	7,064	9	18,604	9	30,140	9	41,647	9	53,177	9	64,708	9	76,240	9	87,772	9	99,303	9	110,835
1/4	7,304	1/4	18,844	1/4	30,381	1/4	41,887	1/4	53,417	1/4	64,949	1/4	76,480	1/4	88,012	1/4	99,543	1/4	111,075
1/2	7,545	1/2	19,085	1/2	30,621	1/2	42,127	1/2	53,657	1/2	65,189	1/2	76,720	1/2	88,252	1/2	99,784	1/2	111,315
3/4	7,785	3/4	19,325	3/4	30,861	3/4	42,366	3/4	53,898	3/4	65,429	3/4	76,961	3/4	88,492	3/4	99,024	3/4	111,555
10	8,025	10	19,565	10	31,101	10	42,606	10	54,138	10	65,669	10	77,201	10	88,732	10	99,264	10	111,796
1/4	8,266	1/4	19,806	1/4	31,342	1/4	42,847	1/4	54,378	1/4	65,910	1/4	77,441	1/4	88,973	1/4	100,504	1/4	112,036
1/2	8,506	1/2	20,046	1/2	31,582	1/2	43,087	1/2	54,618	1/2	66,150	1/2	77,681	1/2	89,213	1/2	100,744	1/2	112,276
3/4	8,747	3/4	20,287	3/4	31,822	3/4	43,327	3/4	54,859	3/4	66,390	3/4	77,922	3/4	89,453	3/4	100,985	3/4	112,516
11	8,987	11	20,527	11	32,062	11	43,567	11	55,099	11	66,630	11	78,162	11	89,693	11	101,225	11	112,756
1/4	9,228	1/4	20,767	1/4	32,303	1/4	43,808	1/4	55,339	1/4	66,871	1/4	78,402	1/4	89,934	1/4	101,465	1/4	112,997
1/2	9,468	1/2	21,008	1/2	32,542	1/2	44,048	1/2	55,579	1/2	67,111	1/2	78,642	1/2	90,174	1/2	101,705	1/2	113,237
3/4	9,708	3/4	21,248	3/4	32,782	3/4	44,288	3/4	55,820	3/4	67,351	3/4	78,883	3/4	90,414	3/4	101,946	3/4	113,477

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
 DATE COMPUTED: 4/29/04 BY: WHF
 DATE ISSUED: 5/3/04



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	113,717	0	125,249	0	136,780	0	148,312	0		0		0		0		0		0	
1/4	113,958	1/4	125,489	1/4	137,021	1/4	148,552	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	114,198	1/2	125,729	1/2	137,261	1/2	148,792	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	114,438	3/4	125,970	3/4	137,501	3/4	149,033	3/4		3/4		3/4		3/4		3/4		3/4	
1	114,678	1	126,210	1	137,741	1	149,273	1		1		1		1		1		1	
1/4	114,919	1/4	126,450	1/4	137,982	1/4	149,513	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	115,159	1/2	126,690	1/2	138,222	1/2	149,753	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	115,399	3/4	126,931	3/4	138,462	3/4	149,994	3/4		3/4		3/4		3/4		3/4		3/4	
2	115,639	2	127,171	2	138,702	2	150,234	2		2		2		2		2		2	
1/4	115,880	1/4	127,411	1/4	138,943	1/4	150,474	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	116,120	1/2	127,651	1/2	139,183	1/2	150,714	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	116,360	3/4	127,892	3/4	139,423	3/4	150,955	3/4		3/4		3/4		3/4		3/4		3/4	
3	116,600	3	128,132	3	139,663	3	151,195	3		3		3		3		3		3	
1/4	116,841	1/4	128,372	1/4	139,904	1/4	151,435	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	117,081	1/2	128,612	1/2	140,144	1/2	151,675	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	117,321	3/4	128,853	3/4	140,384	3/4	151,916	3/4		3/4		3/4		3/4		3/4		3/4	
4	117,561	4	129,093	4	140,624	4	152,156	4		4		4		4		4		4	
1/4	117,802	1/4	129,333	1/4	140,865	1/4	152,396	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	118,042	1/2	129,573	1/2	141,105	1/2	152,636	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	118,282	3/4	129,814	3/4	141,345	3/4	152,877	3/4		3/4		3/4		3/4		3/4		3/4	
5	118,522	5	130,054	5	141,585	5	153,117	5		5		5		5		5		5	
1/4	118,762	1/4	130,294	1/4	141,826	1/4	153,357	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	119,003	1/2	130,534	1/2	142,066	1/2	153,597	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	119,243	3/4	130,774	3/4	142,306	3/4	153,838	3/4		3/4		3/4		3/4		3/4		3/4	
6	119,483	6	131,015	6	142,546	6	154,078	6		6		6		6		6		6	
1/4	119,723	1/4	131,255	1/4	142,786	1/4	154,318	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	119,964	1/2	131,495	1/2	143,027	1/2	154,558	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	120,204	3/4	131,735	3/4	143,267	3/4	154,798	3/4		3/4		3/4		3/4		3/4		3/4	
7	120,444	7	131,976	7	143,507	7	155,039	7		7		7		7		7		7	
1/4	120,684	1/4	132,216	1/4	143,747	1/4	155,279	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	120,925	1/2	132,456	1/2	143,988	1/2	155,519	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	121,165	3/4	132,696	3/4	144,228	3/4	155,759	3/4		3/4		3/4		3/4		3/4		3/4	
8	121,405	8	132,937	8	144,468	8	155,917	8		8		8		8		8		8	
1/4	121,645	1/4	133,177	1/4	144,708	1/4	156,062	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	121,886	1/2	133,417	1/2	144,949	1/2	156,194	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	122,126	3/4	133,657	3/4	145,189	3/4	156,312	3/4		3/4		3/4		3/4		3/4		3/4	
9	122,366	9	133,898	9	145,429	9	156,416	9		9		9		9		9		9	
1/4	122,606	1/4	134,138	1/4	145,669	1/4	156,507	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	122,847	1/2	134,378	1/2	145,910	1/2	156,585	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	123,087	3/4	134,618	3/4	146,150	3/4	156,650	3/4		3/4		3/4		3/4		3/4		3/4	
10	123,327	10	134,859	10	146,390	10	156,701	10		10		10		10		10		10	
1/4	123,567	1/4	135,099	1/4	146,630	1/4	156,739	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	123,808	1/2	135,339	1/2	146,871	1/2	156,771	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	124,048	3/4	135,579	3/4	147,111	3/4	156,775	3/4		3/4		3/4		3/4		3/4		3/4	
11	124,288	11	135,820	11	147,351	11		11		11		11		11		11		11	
1/4	124,528	1/4	136,060	1/4	147,591	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	124,768	1/2	136,300	1/2	147,832	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	125,009	3/4	136,540	3/4	148,072	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/3/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	101,978	0	112,299	0	122,619	0	132,939	0	141,759	0		0		0					0
1/4	102,193	1/4	112,514	1/4	122,834	1/4	133,154	1/4	141,786	1/4			1/4						1/4
1/2	102,408	1/2	112,729	1/2	123,049	1/2	133,369	1/2		1/2			1/2						1/2
3/4	102,623	3/4	112,944	3/4	123,264	3/4	133,584	3/4		3/4			3/4						3/4
1	102,838	1	113,159	1	123,479	1	133,799	1		1			1						1
1/4	103,053	1/4	113,374	1/4	123,694	1/4	134,014	1/4		1/4			1/4						1/4
1/2	103,268	1/2	113,589	1/2	123,909	1/2	134,229	1/2		1/2			1/2						1/2
3/4	103,483	3/4	113,804	3/4	124,124	3/4	134,444	3/4		3/4			3/4						3/4
2	103,698	2	114,019	2	124,339	2	134,659	2		2			2						2
1/4	103,913	1/4	114,234	1/4	124,554	1/4	134,874	1/4		1/4			1/4						1/4
1/2	104,128	1/2	114,449	1/2	124,769	1/2	135,089	1/2		1/2			1/2						1/2
3/4	104,343	3/4	114,664	3/4	124,984	3/4	135,304	3/4		3/4			3/4						3/4
3	104,558	3	114,879	3	125,199	3	135,519	3		3			3						3
1/4	104,774	1/4	115,094	1/4	125,414	1/4	135,734	1/4		1/4			1/4						1/4
1/2	104,989	1/2	115,309	1/2	125,629	1/2	135,949	1/2		1/2			1/2						1/2
3/4	105,204	3/4	115,524	3/4	125,844	3/4	136,164	3/4		3/4			3/4						3/4
4	105,419	4	115,739	4	126,059	4	136,379	4		4			4						4
1/4	105,634	1/4	115,954	1/4	126,274	1/4	136,594	1/4		1/4			1/4						1/4
1/2	105,849	1/2	116,169	1/2	126,489	1/2	136,809	1/2		1/2			1/2						1/2
3/4	106,064	3/4	116,384	3/4	126,704	3/4	137,024	3/4		3/4			3/4						3/4
5	106,279	5	116,599	5	126,919	5	137,239	5		5			5						5
1/4	106,494	1/4	116,814	1/4	127,134	1/4	137,454	1/4		1/4			1/4						1/4
1/2	106,709	1/2	117,029	1/2	127,349	1/2	137,669	1/2		1/2			1/2						1/2
3/4	106,924	3/4	117,244	3/4	127,564	3/4	137,884	3/4		3/4			3/4						3/4
6	107,139	6	117,459	6	127,779	6	138,099	6		6			6						6
1/4	107,354	1/4	117,674	1/4	127,994	1/4	138,315	1/4		1/4			1/4						1/4
1/2	107,569	1/2	117,889	1/2	128,209	1/2	138,530	1/2		1/2			1/2						1/2
3/4	107,784	3/4	118,104	3/4	128,424	3/4	138,745	3/4		3/4			3/4						3/4
7	107,999	7	118,319	7	128,639	7	138,960	7		7			7						7
1/4	108,214	1/4	118,534	1/4	128,854	1/4	139,175	1/4		1/4			1/4						1/4
1/2	108,429	1/2	118,749	1/2	129,069	1/2	139,390	1/2		1/2			1/2						1/2
3/4	108,644	3/4	118,964	3/4	129,284	3/4	139,605	3/4		3/4			3/4						3/4
8	108,859	8	119,179	8	129,499	8	139,820	8		8			8						8
1/4	109,074	1/4	119,394	1/4	129,714	1/4	140,035	1/4		1/4			1/4						1/4
1/2	109,289	1/2	119,609	1/2	129,929	1/2	140,250	1/2		1/2			1/2						1/2
3/4	109,504	3/4	119,824	3/4	130,144	3/4	140,465	3/4		3/4			3/4						3/4
9	109,719	9	120,039	9	130,359	9	140,680	9		9			9						9
1/4	109,934	1/4	120,254	1/4	130,574	1/4	140,895	1/4		1/4			1/4						1/4
1/2	110,149	1/2	120,469	1/2	130,789	1/2	141,110	1/2		1/2			1/2						1/2
3/4	110,364	3/4	120,684	3/4	131,004	3/4	141,325	3/4		3/4			3/4						3/4
10	110,579	10	120,899	10	131,219	10	141,540	10		10			10						10
1/4	110,794	1/4	121,114	1/4	131,434	1/4	141,755	1/4		1/4			1/4						1/4
1/2	111,009	1/2	121,329	1/2	131,649	1/2	141,970	1/2		1/2			1/2						1/2
3/4	111,224	3/4	121,544	3/4	131,864	3/4	142,185	3/4		3/4			3/4						3/4
11	111,439	11	121,759	11	132,079	11	142,400	11		11			11						11
1/4	111,654	1/4	121,974	1/4	132,294	1/4	142,615	1/4		1/4			1/4						1/4
1/2	111,869	1/2	122,189	1/2	132,509	1/2	142,830	1/2		1/2			1/2						1/2
3/4	112,084	3/4	122,404	3/4	132,724	3/4	143,045	3/4		3/4			3/4						3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/3/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-00"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	54	0	9,171	0	19,568	0	29,960	0	40,346	0	50,735	0	61,124	0	71,513	0	81,902	0	92,291
1/4	91	1/4	9,387	1/4	19,785	1/4	30,176	1/4	40,562	1/4	50,951	1/4	61,340	1/4	71,730	1/4	82,119	1/4	92,508
1/2	126	1/2	9,604	1/2	20,002	1/2	30,393	1/2	40,779	1/2	51,168	1/2	61,557	1/2	71,946	1/2	82,335	1/2	92,724
3/4	190	3/4	9,821	3/4	20,218	3/4	30,609	3/4	40,995	3/4	51,384	3/4	61,773	3/4	72,162	3/4	82,551	3/4	92,940
1	271	1	10,037	1	20,435	1	30,826	1	41,212	1	51,601	1	61,990	1	72,379	1	82,768	1	93,157
1/4	370	1/4	10,254	1/4	20,651	1/4	31,042	1/4	41,428	1/4	51,817	1/4	62,206	1/4	72,595	1/4	82,984	1/4	93,373
1/2	487	1/2	10,471	1/2	20,868	1/2	31,258	1/2	41,645	1/2	52,034	1/2	62,423	1/2	72,812	1/2	83,201	1/2	93,590
3/4	623	3/4	10,687	3/4	21,085	3/4	31,475	3/4	41,861	3/4	52,250	3/4	62,639	3/4	73,028	3/4	83,417	3/4	93,806
2	726	2	10,904	2	21,301	2	31,691	2	42,077	2	52,466	2	62,856	2	73,245	2	83,634	2	94,023
1/4	948	1/4	11,120	1/4	21,518	1/4	31,907	1/4	42,294	1/4	52,683	1/4	63,072	1/4	73,461	1/4	83,850	1/4	94,239
1/2	1,137	1/2	11,337	1/2	21,734	1/2	32,124	1/2	42,510	1/2	52,899	1/2	63,288	1/2	73,677	1/2	84,067	1/2	94,456
3/4	1,345	3/4	11,554	3/4	21,951	3/4	32,340	3/4	42,727	3/4	53,116	3/4	63,505	3/4	74,028	3/4	84,283	3/4	94,672
3	1,560	3	11,770	3	22,168	3	32,556	3	42,943	3	53,332	3	63,721	3	74,110	3	84,499	3	94,888
1/4	1,775	1/4	11,987	1/4	22,384	1/4	32,773	1/4	43,160	1/4	53,549	1/4	64,033	1/4	74,327	1/4	84,716	1/4	95,105
1/2	1,990	1/2	12,203	1/2	22,601	1/2	32,989	1/2	43,376	1/2	53,765	1/2	64,154	1/2	74,543	1/2	84,932	1/2	95,321
3/4	2,204	3/4	12,420	3/4	22,818	3/4	33,205	3/4	43,592	3/4	53,982	3/4	64,371	3/4	74,760	3/4	85,149	3/4	95,538
4	2,419	4	12,637	4	23,034	4	33,421	4	43,809	4	54,198	4	64,597	4	74,976	4	85,365	4	95,754
1/4	2,634	1/4	12,853	1/4	23,251	1/4	33,638	1/4	44,025	1/4	54,414	1/4	64,803	1/4	75,193	1/4	85,582	1/4	95,971
1/2	2,849	1/2	13,070	1/2	23,467	1/2	33,856	1/2	44,242	1/2	54,631	1/2	65,020	1/2	75,409	1/2	85,798	1/2	96,187
3/4	3,064	3/4	13,287	3/4	23,684	3/4	34,071	3/4	44,458	3/4	54,847	3/4	65,236	3/4	75,625	3/4	86,014	3/4	96,404
5	3,279	5	13,503	5	23,900	5	34,287	5	44,675	5	55,064	5	65,453	5	75,842	5	86,231	5	96,620
1/4	3,494	1/4	13,720	1/4	24,117	1/4	34,504	1/4	44,891	1/4	55,280	1/4	65,669	1/4	76,058	1/4	86,447	1/4	96,836
1/2	3,709	1/2	13,936	1/2	24,333	1/2	34,720	1/2	45,108	1/2	55,497	1/2	65,886	1/2	76,275	1/2	86,664	1/2	97,053
3/4	3,924	3/4	14,153	3/4	24,549	3/4	34,936	3/4	45,324	3/4	55,713	3/4	66,102	3/4	76,491	3/4	86,880	3/4	97,269
6	4,121	6	14,370	6	24,766	6	35,153	6	45,540	6	55,929	6	66,319	6	76,708	6	87,097	6	97,486
1/4	4,323	1/4	14,586	1/4	24,982	1/4	35,369	1/4	45,757	1/4	56,146	1/4	66,535	1/4	76,924	1/4	87,313	1/4	97,702
1/2	4,523	1/2	14,803	1/2	25,199	1/2	35,585	1/2	45,973	1/2	56,362	1/2	66,751	1/2	77,143	1/2	87,530	1/2	97,919
3/4	4,723	3/4	15,019	3/4	25,415	3/4	35,802	3/4	46,190	3/4	56,579	3/4	66,968	3/4	77,357	3/4	87,746	3/4	98,135
7	4,923	7	15,236	7	25,632	7	36,018	7	46,406	7	56,795	7	67,184	7	77,573	7	87,962	7	98,351
1/4	5,122	1/4	15,453	1/4	25,848	1/4	36,234	1/4	46,623	1/4	57,012	1/4	67,401	1/4	77,790	1/4	88,179	1/4	98,568
1/2	5,322	1/2	15,669	1/2	26,064	1/2	36,451	1/2	46,839	1/2	57,228	1/2	67,617	1/2	78,006	1/2	88,395	1/2	98,784
3/4	5,522	3/4	15,886	3/4	26,281	3/4	36,667	3/4	47,056	3/4	57,445	3/4	67,834	3/4	78,223	3/4	88,612	3/4	99,001
8	5,722	8	16,102	8	26,497	8	36,883	8	47,272	8	57,661	8	68,050	8	78,439	8	88,828	8	99,217
1/4	5,922	1/4	16,319	1/4	26,714	1/4	37,100	1/4	47,488	1/4	57,877	1/4	68,266	1/4	78,656	1/4	89,045	1/4	99,434
1/2	6,138	1/2	16,536	1/2	26,930	1/2	37,316	1/2	47,705	1/2	58,094	1/2	68,493	1/2	78,872	1/2	89,261	1/2	99,650
3/4	6,355	3/4	16,752	3/4	27,147	3/4	37,533	3/4	47,931	3/4	58,310	3/4	68,699	3/4	79,088	3/4	89,477	3/4	99,867
9	6,571	9	16,969	9	27,363	9	37,749	9	48,138	9	58,527	9	68,916	9	79,305	9	89,694	9	100,083
1/4	6,789	1/4	17,186	1/4	27,580	1/4	37,965	1/4	48,354	1/4	58,743	1/4	69,132	1/4	79,521	1/4	89,910	1/4	100,299
1/2	7,005	1/2	17,402	1/2	27,796	1/2	38,182	1/2	48,571	1/2	58,960	1/2	69,349	1/2	79,738	1/2	90,127	1/2	100,516
3/4	7,221	3/4	17,619	3/4	28,012	3/4	38,398	3/4	48,787	3/4	59,176	3/4	69,565	3/4	79,954	3/4	90,343	3/4	100,732
10	7,439	10	17,835	10	28,229	10	38,614	10	49,003	10	59,393	10	69,782	10	80,171	10	90,560	10	100,949
1/4	7,655	1/4	18,052	1/4	28,445	1/4	38,831	1/4	49,220	1/4	59,609	1/4	69,998	1/4	80,387	1/4	90,776	1/4	101,165
1/2	7,871	1/2	18,269	1/2	28,662	1/2	39,047	1/2	49,436	1/2	59,825	1/2	70,214	1/2	80,603	1/2	90,993	1/2	101,382
3/4	8,088	3/4	18,485	3/4	28,878	3/4	39,264	3/4	49,653	3/4	60,042	3/4	70,411	3/4	80,820	3/4	91,209	3/4	101,598
11	8,304	11	18,702	11	29,095	11	39,480	11	49,869	11	60,258	11	70,647	11	81,036	11	91,425	11	101,814
1/4	8,521	1/4	18,918	1/4	29,311	1/4	39,697	1/4	50,086	1/4	60,475	1/4	70,864	1/4	81,253	1/4	91,642	1/4	102,031
1/2	8,738	1/2	19,135	1/2	29,527	1/2	39,913	1/2	50,302	1/2	60,691	1/2	71,080	1/2	81,469	1/2	91,858	1/2	102,247
3/4	8,954	3/4	19,352	3/4	29,744	3/4	40,129	3/4	50,519	3/4	60,908	3/4	71,297	3/4	81,686	3/4	92,075	3/4	102,464

NOTE: GAUGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: BARGE POINT - IN CENTER OF TANK
 NOTE: NO TANK CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/29/04 BY: MDL
 DATE COMPUTED 4/29/04 BY: WHF
 DATE ISSUED: 5/3/04

INTERTEK - CALEB BRETT



1 RANGE "CBC 121"
HULL NO. 01

TANK NO. 3
INNAGE TABLE

GAUGE HEIGHT 16'00"

CAPACITIES GIVEN IN WHOLE GALLONS		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.			
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT		
0	102,680	0	113,069	0	123,458	0	133,847	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384
1/4	102,897	1/4	113,286	1/4	123,675	1/4	134,064	1/4	144,501	1/4	144,501	1/4	144,501	1/4	144,501	1/4	144,501	1/4	144,501	1/4	144,501	1/4	144,501
1/2	103,113	1/2	113,502	1/2	123,891	1/2	134,280	1/2	144,717	1/2	144,717	1/2	144,717	1/2	144,717	1/2	144,717	1/2	144,717	1/2	144,717	1/2	144,717
3/4	103,330	3/4	113,719	3/4	124,108	3/4	134,497	3/4	144,934	3/4	144,934	3/4	144,934	3/4	144,934	3/4	144,934	3/4	144,934	3/4	144,934	3/4	144,934
1	103,546	1	113,935	1	124,324	1	134,713	1	145,150	1	145,150	1	145,150	1	145,150	1	145,150	1	145,150	1	145,150	1	145,150
1/4	103,762	1/4	114,151	1/4	124,541	1/4	134,930	1/4	145,367	1/4	145,367	1/4	145,367	1/4	145,367	1/4	145,367	1/4	145,367	1/4	145,367	1/4	145,367
1/2	103,979	1/2	114,368	1/2	124,757	1/2	135,146	1/2	145,583	1/2	145,583	1/2	145,583	1/2	145,583	1/2	145,583	1/2	145,583	1/2	145,583	1/2	145,583
3/4	104,195	3/4	114,584	3/4	124,973	3/4	135,362	3/4	145,800	3/4	145,800	3/4	145,800	3/4	145,800	3/4	145,800	3/4	145,800	3/4	145,800	3/4	145,800
2	104,412	2	114,801	2	125,190	2	135,579	2	146,017	2	146,017	2	146,017	2	146,017	2	146,017	2	146,017	2	146,017	2	146,017
1/4	104,628	1/4	115,017	1/4	125,406	1/4	135,795	1/4	146,234	1/4	146,234	1/4	146,234	1/4	146,234	1/4	146,234	1/4	146,234	1/4	146,234	1/4	146,234
1/2	104,845	1/2	115,234	1/2	125,623	1/2	136,012	1/2	146,451	1/2	146,451	1/2	146,451	1/2	146,451	1/2	146,451	1/2	146,451	1/2	146,451	1/2	146,451
3/4	105,061	3/4	115,450	3/4	125,839	3/4	136,228	3/4	146,668	3/4	146,668	3/4	146,668	3/4	146,668	3/4	146,668	3/4	146,668	3/4	146,668	3/4	146,668
3	105,277	3	115,667	3	126,056	3	136,445	3	146,885	3	146,885	3	146,885	3	146,885	3	146,885	3	146,885	3	146,885	3	146,885
1/4	105,494	1/4	115,883	1/4	126,272	1/4	136,661	1/4	147,102	1/4	147,102	1/4	147,102	1/4	147,102	1/4	147,102	1/4	147,102	1/4	147,102	1/4	147,102
1/2	105,710	1/2	116,099	1/2	126,488	1/2	136,878	1/2	147,319	1/2	147,319	1/2	147,319	1/2	147,319	1/2	147,319	1/2	147,319	1/2	147,319	1/2	147,319
3/4	105,927	3/4	116,316	3/4	126,705	3/4	137,094	3/4	147,536	3/4	147,536	3/4	147,536	3/4	147,536	3/4	147,536	3/4	147,536	3/4	147,536	3/4	147,536
4	106,143	4	116,532	4	126,921	4	137,310	4	147,752	4	147,752	4	147,752	4	147,752	4	147,752	4	147,752	4	147,752	4	147,752
1/4	106,360	1/4	116,749	1/4	127,138	1/4	137,527	1/4	147,969	1/4	147,969	1/4	147,969	1/4	147,969	1/4	147,969	1/4	147,969	1/4	147,969	1/4	147,969
1/2	106,576	1/2	116,965	1/2	127,354	1/2	137,743	1/2	148,185	1/2	148,185	1/2	148,185	1/2	148,185	1/2	148,185	1/2	148,185	1/2	148,185	1/2	148,185
3/4	106,793	3/4	117,182	3/4	127,571	3/4	137,960	3/4	148,401	3/4	148,401	3/4	148,401	3/4	148,401	3/4	148,401	3/4	148,401	3/4	148,401	3/4	148,401
5	107,009	5	117,398	5	127,787	5	138,176	5	148,617	5	148,617	5	148,617	5	148,617	5	148,617	5	148,617	5	148,617	5	148,617
1/4	107,225	1/4	117,614	1/4	128,004	1/4	138,393	1/4	148,833	1/4	148,833	1/4	148,833	1/4	148,833	1/4	148,833	1/4	148,833	1/4	148,833	1/4	148,833
1/2	107,442	1/2	117,831	1/2	128,220	1/2	138,609	1/2	149,049	1/2	149,049	1/2	149,049	1/2	149,049	1/2	149,049	1/2	149,049	1/2	149,049	1/2	149,049
3/4	107,658	3/4	118,047	3/4	128,436	3/4	138,825	3/4	149,265	3/4	149,265	3/4	149,265	3/4	149,265	3/4	149,265	3/4	149,265	3/4	149,265	3/4	149,265
6	107,875	6	118,264	6	128,653	6	139,042	6	149,481	6	149,481	6	149,481	6	149,481	6	149,481	6	149,481	6	149,481	6	149,481
1/4	108,091	1/4	118,480	1/4	128,869	1/4	139,258	1/4	149,697	1/4	149,697	1/4	149,697	1/4	149,697	1/4	149,697	1/4	149,697	1/4	149,697	1/4	149,697
1/2	108,308	1/2	118,697	1/2	129,086	1/2	139,475	1/2	149,913	1/2	149,913	1/2	149,913	1/2	149,913	1/2	149,913	1/2	149,913	1/2	149,913	1/2	149,913
3/4	108,524	3/4	118,913	3/4	129,302	3/4	139,691	3/4	150,129	3/4	150,129	3/4	150,129	3/4	150,129	3/4	150,129	3/4	150,129	3/4	150,129	3/4	150,129
7	108,741	7	119,130	7	129,519	7	139,908	7	150,345	7	150,345	7	150,345	7	150,345	7	150,345	7	150,345	7	150,345	7	150,345
1/4	108,957	1/4	119,346	1/4	129,735	1/4	140,124	1/4	150,561	1/4	150,561	1/4	150,561	1/4	150,561	1/4	150,561	1/4	150,561	1/4	150,561	1/4	150,561
1/2	109,173	1/2	119,562	1/2	129,951	1/2	140,341	1/2	150,777	1/2	150,777	1/2	150,777	1/2	150,777	1/2	150,777	1/2	150,777	1/2	150,777	1/2	150,777
3/4	109,390	3/4	119,779	3/4	130,168	3/4	140,556	3/4	150,992	3/4	150,992	3/4	150,992	3/4	150,992	3/4	150,992	3/4	150,992	3/4	150,992	3/4	150,992
8	109,606	8	119,995	8	130,384	8	140,771	8	151,208	8	151,208	8	151,208	8	151,208	8	151,208	8	151,208	8	151,208	8	151,208
1/4	109,823	1/4	120,212	1/4	130,601	1/4	140,986	1/4	151,423	1/4	151,423	1/4	151,423	1/4	151,423	1/4	151,423	1/4	151,423	1/4	151,423	1/4	151,423
1/2	110,039	1/2	120,428	1/2	130,817	1/2	141,201	1/2	151,638	1/2	151,638	1/2	151,638	1/2	151,638	1/2	151,638	1/2	151,638	1/2	151,638	1/2	151,638
3/4	110,256	3/4	120,645	3/4	131,034	3/4	141,416	3/4	151,853	3/4	151,853	3/4	151,853	3/4	151,853	3/4	151,853	3/4	151,853	3/4	151,853	3/4	151,853
9	110,472	9	120,861	9	131,250	9	141,632	9	152,068	9	152,068	9	152,068	9	152,068	9	152,068	9	152,068	9	152,068	9	152,068
1/4	110,688	1/4	121,078	1/4	131,467	1/4	141,847	1/4	152,283	1/4	152,283	1/4	152,283	1/4	152,283	1/4	152,283	1/4	152,283	1/4	152,283	1/4	152,283
1/2	110,905	1/2	121,294	1/2	131,683	1/2	142,062	1/2	152,498	1/2	152,498	1/2	152,498	1/2	152,498	1/2	152,498	1/2	152,498	1/2	152,498	1/2	152,498
3/4	111,121	3/4	121,510	3/4	131,899	3/4	142,277	3/4	152,713	3/4	152,713	3/4	152,713	3/4	152,713	3/4	152,713	3/4	152,713	3/4	152,713	3/4	152,713
10	111,338	10	121,727	10	132,116	10	142,491	10	152,928	10	152,928	10	152,928	10	152,928	10	152,928	10	152,928	10	152,928	10	152,928
1/4	111,554	1/4	121,943	1/4	132,332	1/4	142,706	1/4	153,143	1/4	153,143	1/4	153,143	1/4	153,143	1/4	153,143	1/4	153,143	1/4	153,143	1/4	153,143
1/2	111,771	1/2	122,160	1/2	132,549	1/2	142,921	1/2	153,358	1/2	153,358	1/2	153,358	1/2	153,358	1/2	153,358	1/2	153,358	1/2	153,358	1/2	153,358
3/4	111,987	3/4	122,376	3/4	132,765	3/4	143,136	3/4	153,573	3/4	153,573	3/4	153,573	3/4	153,573	3/4	153,573	3/4	153,573	3/4	153,573	3/4	153,573
11	112,204	11	122,593	11	132,982	11	143,351	11	153,788	11	153,788	11	153,788	11	15								

RGE "CBC 121"
HULL NO. 01

TANK NO. 1
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 16' 0 1/4"

IN	2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
	IN	IN	IN	IN	IN	IN														
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED TO EXTEND TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXCLUSIVE HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS TANK IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

DATE STRAPPED 4/20/04 BY: MDL
 DATE COMPUTED: 4/20/04 BY: WHF
 DATE RE-ISSUED: 5/7/04
 FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT

56,540

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'0 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	44,769	0	33,261	0	21,729	0	10,189	0	65	0	0	0	0	0	0	0	0	0	0
1/4	44,528	1/4	33,021	1/4	21,489	1/4	9,949	1/4	55	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	44,288	1/2	32,782	1/2	21,248	1/2	9,708	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44,048	3/4	32,542	3/4	21,008	3/4	9,468	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	43,808	1	32,303	1	20,767	1	9,228	1		1	1	1	1	1	1	1	1	1	1
1/4	43,567	1/4	32,062	1/4	20,527	1/4	8,987	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	43,327	1/2	31,822	1/2	20,287	1/2	8,747	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	43,087	3/4	31,582	3/4	20,046	3/4	8,506	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	42,847	2	31,342	2	19,806	2	8,266	2		2	2	2	2	2	2	2	2	2	2
1/4	42,606	1/4	31,101	1/4	19,565	1/4	8,025	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	42,366	1/2	30,861	1/2	19,325	1/2	7,785	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42,127	3/4	30,621	3/4	19,085	3/4	7,545	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	41,887	3	30,381	3	18,844	3	7,304	3		3	3	3	3	3	3	3	3	3	3
1/4	41,647	1/4	30,140	1/4	18,604	1/4	7,064	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	41,408	1/2	29,900	1/2	18,363	1/2	6,823	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	41,168	3/4	29,660	3/4	18,123	3/4	6,583	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	40,928	4	29,420	4	17,882	4	6,359	4		4	4	4	4	4	4	4	4	4	4
1/4	40,689	1/4	29,179	1/4	17,642	1/4	6,136	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	40,449	1/2	28,939	1/2	17,402	1/2	5,912	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	40,210	3/4	28,699	3/4	17,161	3/4	5,689	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	39,970	5	28,459	5	16,921	5	5,465	5		5	5	5	5	5	5	5	5	5	5
1/4	39,730	1/4	28,218	1/4	16,680	1/4	5,241	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,491	1/2	27,978	1/2	16,440	1/2	5,018	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,251	3/4	27,738	3/4	16,200	3/4	4,794	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	39,012	6	27,498	6	15,959	6	4,571	6		6	6	6	6	6	6	6	6	6	6
1/4	38,772	1/4	27,257	1/4	15,719	1/4	4,347	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,532	1/2	27,017	1/2	15,478	1/2	4,123	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,293	3/4	26,777	3/4	15,238	3/4	3,898	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	38,053	7	26,537	7	14,997	7	3,646	7		7	7	7	7	7	7	7	7	7	7
1/4	37,814	1/4	26,297	1/4	14,757	1/4	3,407	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,574	1/2	26,056	1/2	14,517	1/2	3,169	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,334	3/4	25,816	3/4	14,276	3/4	2,930	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	37,095	8	25,576	8	14,036	8	2,691	8		8	8	8	8	8	8	8	8	8	8
1/4	36,855	1/4	25,335	1/4	13,795	1/4	2,452	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,616	1/2	25,095	1/2	13,555	1/2	2,214	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,376	3/4	24,855	3/4	13,315	3/4	1,975	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	36,136	9	24,614	9	13,074	9	1,736	9		9	9	9	9	9	9	9	9	9	9
1/4	35,897	1/4	24,374	1/4	12,834	1/4	1,498	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,657	1/2	24,133	1/2	12,593	1/2	1,267	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,417	3/4	23,893	3/4	12,353	3/4	1,057	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	35,178	10	23,652	10	12,112	10	867	10		10	10	10	10	10	10	10	10	10	10
1/4	34,938	1/4	23,412	1/4	11,872	1/4	656	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,699	1/2	23,172	1/2	11,632	1/2	546	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,459	3/4	22,931	3/4	11,391	3/4	416	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	34,219	11	22,691	11	11,151	11	306	11		11	11	11	11	11	11	11	11	11	11
1/4	33,980	1/4	22,450	1/4	10,910	1/4	215	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,740	1/2	22,210	1/2	10,670	1/2	145	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,501	3/4	21,970	3/4	10,430	3/4	95	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/7/04
FOR ULLAGE GAUGE HEIGHT
FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT



RGE "CBC 121"
HULL NO. 01

TANK NO. 2
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0 1/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	141,786	0	133,154	0	122,834	0	112,514	0	102,193	0	91,873	0	81,553	0	71,233	0	60,912	0	50,592
1/4	141,759	1/4	132,939	1/4	122,619	1/4	112,299	1/4	101,978	1/4	91,658	1/4	81,338	1/4	71,017	1/4	60,697	1/4	50,377
1/2	141,720	1/2	132,724	1/2	122,404	1/2	112,084	1/2	101,763	1/2	91,443	1/2	81,123	1/2	70,802	1/2	60,482	1/2	50,162
3/4	141,671	3/4	132,509	3/4	122,189	3/4	111,863	3/4	101,548	3/4	91,228	3/4	80,908	3/4	70,587	3/4	60,267	3/4	49,947
1	141,610	1	132,294	1	121,974	1	111,654	1	101,333	1	91,013	1	80,693	1	70,372	1	60,052	1	49,732
1/4	141,539	1/4	132,079	1/4	121,759	1/4	111,439	1/4	101,118	1/4	90,798	1/4	80,478	1/4	70,157	1/4	59,837	1/4	49,517
1/2	141,456	1/2	131,864	1/2	121,549	1/2	111,224	1/2	100,903	1/2	90,583	1/2	80,263	1/2	69,942	1/2	59,622	1/2	49,302
3/4	141,363	3/4	131,649	3/4	121,329	3/4	111,009	3/4	100,688	3/4	90,368	3/4	80,048	3/4	69,727	3/4	59,407	3/4	49,087
2	141,258	2	131,434	2	121,114	2	110,794	2	100,473	2	90,153	2	79,833	2	69,512	2	59,192	2	48,872
3/3	141,142	1/4	131,219	1/4	120,899	1/4	110,579	1/4	100,258	1/4	89,938	1/4	79,618	1/4	69,297	1/4	58,977	1/4	48,657
1/2	141,016	1/2	131,004	1/2	120,684	1/2	110,364	1/2	100,043	1/2	89,723	1/2	79,403	1/2	69,082	1/2	58,762	1/2	48,442
3/4	140,878	3/4	130,789	3/4	120,469	3/4	110,149	3/4	99,828	3/4	89,508	3/4	79,188	3/4	68,867	3/4	58,547	3/4	48,227
3	140,729	3	130,574	3	120,254	3	109,934	3	99,613	3	89,293	3	78,973	3	68,652	3	58,332	3	48,012
1/4	140,569	1/4	130,359	1/4	120,039	1/4	109,719	1/4	99,398	1/4	89,078	1/4	78,758	1/4	68,437	1/4	58,117	1/4	47,797
1/2	140,398	1/2	130,144	1/2	119,824	1/2	109,504	1/2	99,183	1/2	88,863	1/2	78,543	1/2	68,222	1/2	57,902	1/2	47,582
3/4	140,216	3/4	129,929	3/4	119,609	3/4	109,289	3/4	98,968	3/4	88,648	3/4	78,328	3/4	68,007	3/4	57,687	3/4	47,367
4	140,024	4	129,714	4	119,394	4	109,074	4	98,753	4	88,433	4	78,113	4	67,792	4	57,472	4	47,152
1/4	139,820	1/4	129,499	1/4	119,179	1/4	108,859	1/4	98,538	1/4	88,218	1/4	77,898	1/4	67,577	1/4	57,257	1/4	46,937
1/2	139,605	1/2	129,284	1/2	118,964	1/2	108,644	1/2	98,323	1/2	88,003	1/2	77,683	1/2	67,362	1/2	57,042	1/2	46,722
3/4	139,390	3/4	129,069	3/4	118,749	3/4	108,429	3/4	98,108	3/4	87,788	3/4	77,468	3/4	67,147	3/4	56,827	3/4	46,507
5	139,175	5	128,854	5	118,534	5	108,214	5	97,893	5	87,573	5	77,253	5	66,932	5	56,612	5	46,292
1/4	138,960	1/4	128,639	1/4	118,319	1/4	107,999	1/4	97,678	1/4	87,358	1/4	77,038	1/4	66,717	1/4	56,397	1/4	46,077
1/2	138,745	1/2	128,424	1/2	118,104	1/2	107,784	1/2	97,463	1/2	87,143	1/2	76,823	1/2	66,502	1/2	56,182	1/2	45,862
3/4	138,530	3/4	128,209	3/4	117,889	3/4	107,569	3/4	97,248	3/4	86,928	3/4	76,608	3/4	66,287	3/4	55,967	3/4	45,647
6	138,315	6	127,994	6	117,674	6	107,354	6	97,033	6	86,713	6	76,393	6	66,072	6	55,752	6	45,432
1/4	138,099	1/4	127,779	1/4	117,459	1/4	107,139	1/4	96,818	1/4	86,498	1/4	76,178	1/4	65,857	1/4	55,537	1/4	45,217
1/2	137,884	1/2	127,564	1/2	117,244	1/2	106,924	1/2	96,603	1/2	86,283	1/2	75,963	1/2	65,642	1/2	55,322	1/2	45,007
3/4	137,669	3/4	127,349	3/4	117,029	3/4	106,709	3/4	96,388	3/4	86,068	3/4	75,748	3/4	65,427	3/4	55,107	3/4	44,787
7	137,454	7	127,134	7	116,814	7	106,494	7	96,173	7	85,853	7	75,533	7	65,212	7	54,892	7	44,572
1/4	137,239	1/4	126,919	1/4	116,599	1/4	106,279	1/4	95,958	1/4	85,638	1/4	75,318	1/4	64,997	1/4	54,677	1/4	44,357
1/2	137,024	1/2	126,704	1/2	116,384	1/2	106,064	1/2	95,743	1/2	85,423	1/2	75,103	1/2	64,782	1/2	54,462	1/2	44,142
3/4	136,809	3/4	126,489	3/4	116,169	3/4	105,849	3/4	95,528	3/4	85,208	3/4	74,883	3/4	64,567	3/4	54,247	3/4	43,927
8	136,594	8	126,274	8	115,954	8	105,634	8	95,313	8	84,993	8	74,673	8	64,352	8	54,032	8	43,712
1/4	136,379	1/4	126,059	1/4	115,739	1/4	105,419	1/4	95,098	1/4	84,778	1/4	74,458	1/4	64,137	1/4	53,817	1/4	43,497
1/2	136,164	1/2	125,844	1/2	115,524	1/2	105,204	1/2	94,883	1/2	84,563	1/2	74,243	1/2	63,922	1/2	53,602	1/2	43,282
3/4	135,949	3/4	125,629	3/4	115,309	3/4	104,989	3/4	94,668	3/4	84,348	3/4	74,028	3/4	63,707	3/4	53,387	3/4	43,067
9	135,734	9	125,414	9	115,094	9	104,774	9	94,453	9	84,133	9	73,813	9	63,492	9	53,172	9	42,852
1/4	135,519	1/4	125,199	1/4	114,879	1/4	104,558	1/4	94,238	1/4	83,918	1/4	73,598	1/4	63,277	1/4	52,957	1/4	42,637
1/2	135,304	1/2	124,984	1/2	114,664	1/2	104,347	1/2	94,023	1/2	83,703	1/2	73,383	1/2	63,062	1/2	52,742	1/2	42,422
3/4	135,089	3/4	124,769	3/4	114,449	3/4	104,129	3/4	93,808	3/4	83,488	3/4	73,168	3/4	62,847	3/4	52,527	3/4	42,207
10	134,874	10	124,554	10	114,234	10	103,913	10	93,593	10	83,273	10	72,953	10	62,632	10	52,312	10	41,992
1/4	134,659	1/4	124,339	1/4	114,019	1/4	103,698	1/4	93,378	1/4	83,058	1/4	72,738	1/4	62,417	1/4	52,097	1/4	41,777
1/2	134,444	1/2	124,124	1/2	113,804	1/2	103,483	1/2	93,163	1/2	82,843	1/2	72,523	1/2	62,202	1/2	51,882	1/2	41,562
3/4	134,229	3/4	123,909	3/4	113,589	3/4	103,269	3/4	92,948	3/4	82,628	3/4	72,308	3/4	61,987	3/4	51,667	3/4	41,347
11	134,014	11	123,694	11	113,374	11	103,053	11	92,733	11	82,413	11	72,093	11	61,772	11	51,452	11	41,132
1/4	133,799	1/4	123,479	1/4	113,159	1/4	102,838	1/4	92,518	1/4	82,198	1/4	71,878	1/4	61,557	1/4	51,237	1/4	40,917
1/2	133,584	1/2	123,264	1/2	112,944	1/2	102,623	1/2	92,303	1/2	81,983	1/2	71,663	1/2	61,342	1/2	51,022	1/2	40,702
3/4	133,369	3/4	123,049	3/4	112,729	3/4	102,409	3/4	92,088	3/4	81,768	3/4	71,448	3/4	61,127	3/4	50,807	3/4	40,487

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/2004 BY: MCL
 DATE COMPUTED: 4/29/04 BY: WHF
 DATE ISSUED: 5/7/04
 FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'0 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	40,272	0	29,974	0	19,653	0	9,324	0	81	0	0	0	0	0	0	0	0	0	0
1/4	40,057	1/4	29,760	1/4	19,438	1/4	9,109	1/4	54	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,842	1/2	29,545	1/2	19,223	1/2	8,894	1/2	8,594	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,627	3/4	29,331	3/4	19,008	3/4	8,679	3/4	8,379	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	39,412	1	29,116	1	18,792	1	8,464	1	8,164	1	1	1	1	1	1	1	1	1	1
1/4	39,197	1/4	28,901	1/4	18,577	1/4	8,249	1/4	7,949	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,982	1/2	28,686	1/2	18,362	1/2	8,033	1/2	7,733	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,767	3/4	28,471	3/4	18,147	3/4	7,818	3/4	7,518	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	38,552	2	28,256	2	17,932	2	7,603	2	7,303	2	2	2	2	2	2	2	2	2	2
1/4	38,337	1/4	28,041	1/4	17,717	1/4	7,388	1/4	7,088	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,122	1/2	27,826	1/2	17,501	1/2	7,173	1/2	6,873	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,907	3/4	27,611	3/4	17,286	3/4	6,957	3/4	6,657	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	37,693	3	27,396	3	17,071	3	6,742	3	6,442	3	3	3	3	3	3	3	3	3	3
1/4	37,478	1/4	27,181	1/4	16,856	1/4	6,527	1/4	6,227	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,264	1/2	26,966	1/2	16,641	1/2	6,312	1/2	6,012	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,049	3/4	26,751	3/4	16,425	3/4	6,097	3/4	5,797	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	36,835	4	26,536	4	16,210	4	5,881	4	5,581	4	4	4	4	4	4	4	4	4	4
1/4	36,621	1/4	26,321	1/4	15,995	1/4	5,663	1/4	5,363	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,406	1/2	26,106	1/2	15,780	1/2	5,445	1/2	5,145	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,192	3/4	25,891	3/4	15,565	3/4	5,226	3/4	4,926	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	35,977	5	25,676	5	15,350	5	5,009	5	4,709	5	5	5	5	5	5	5	5	5	5
1/4	35,763	1/4	25,461	1/4	15,134	1/4	4,790	1/4	4,490	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,549	1/2	25,246	1/2	14,919	1/2	4,571	1/2	4,271	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,334	3/4	25,031	3/4	14,704	3/4	4,353	3/4	4,053	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	35,120	6	24,816	6	14,489	6	4,135	6	3,835	6	6	6	6	6	6	6	6	6	6
1/4	34,905	1/4	24,601	1/4	14,274	1/4	3,916	1/4	3,616	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,691	1/2	24,386	1/2	14,058	1/2	3,698	1/2	3,398	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,477	3/4	24,171	3/4	13,843	3/4	3,480	3/4	3,180	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	34,262	7	23,956	7	13,628	7	3,261	7	2,961	7	7	7	7	7	7	7	7	7	7
1/4	34,048	1/4	23,741	1/4	13,413	1/4	3,043	1/4	2,743	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,833	1/2	23,526	1/2	13,198	1/2	2,824	1/2	2,524	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,619	3/4	23,311	3/4	12,983	3/4	2,605	3/4	2,305	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	33,404	8	23,096	8	12,767	8	2,387	8	2,087	8	8	8	8	8	8	8	8	8	8
1/4	33,190	1/4	22,881	1/4	12,552	1/4	2,168	1/4	1,868	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,976	1/2	22,666	1/2	12,337	1/2	1,950	1/2	1,650	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,761	3/4	22,451	3/4	12,122	3/4	1,731	3/4	1,431	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	32,547	9	22,235	9	11,907	9	1,513	9	1,213	9	9	9	9	9	9	9	9	9	9
1/4	32,332	1/4	22,020	1/4	11,691	1/4	1,295	1/4	1,095	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,118	1/2	21,805	1/2	11,476	1/2	1,076	1/2	976	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,904	3/4	21,590	3/4	11,261	3/4	957	3/4	857	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	31,689	10	21,375	10	11,046	10	938	10	838	10	10	10	10	10	10	10	10	10	10
1/4	31,475	1/4	21,159	1/4	10,831	1/4	919	1/4	819	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,260	1/2	20,944	1/2	10,616	1/2	899	1/2	799	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,046	3/4	20,729	3/4	10,400	3/4	880	3/4	780	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	30,832	11	20,514	11	10,185	11	861	11	761	11	11	11	11	11	11	11	11	11	11
1/4	30,617	1/4	20,299	1/4	9,970	1/4	842	1/4	742	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30,403	1/2	20,084	1/2	9,755	1/2	823	1/2	723	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	30,188	3/4	19,869	3/4	9,540	3/4	804	3/4	704	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED 4/29/04 BY: WHF
DATE ISSUED 5/7/04
FOR GAUGE HEIGHT CORRECTION

RGE "CBC 121"
HULL NO. 01

TANK NO. 3
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16' 0"

IN	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.
0	142,384	133,847	123,458	113,069	102,680	92,291	81,902	71,513	61,124	50,735
1/4	142,363	133,631	123,242	112,853	102,464	92,075	81,686	71,297	60,908	50,519
1/2	142,341	133,415	123,026	112,636	102,247	91,858	81,469	71,080	60,691	50,302
3/4	142,287	133,198	122,809	112,420	102,031	91,642	81,253	70,864	60,475	50,086
1	142,233	132,982	122,593	112,204	101,814	91,425	81,036	70,647	60,258	49,869
1/4	142,169	132,765	122,376	111,987	101,598	91,209	80,820	70,431	60,042	49,653
1/2	142,093	132,549	122,160	111,771	101,382	90,993	80,603	70,214	59,825	49,436
3/4	142,007	132,332	121,943	111,554	101,165	90,776	80,381	69,998	59,609	49,220
2	141,909	132,116	121,727	111,338	100,949	90,560	80,171	69,782	59,393	49,003
1/4	141,801	131,899	121,510	111,121	100,732	90,343	79,954	69,565	59,176	48,787
1/2	141,682	131,683	121,294	110,905	100,515	90,127	79,738	69,349	58,960	48,571
3/4	141,552	131,467	121,078	110,688	100,299	89,910	79,521	69,132	58,743	48,354
3	141,412	131,250	120,861	110,472	100,083	89,694	79,305	68,916	58,527	48,138
1/4	141,260	131,034	120,645	110,256	99,867	89,477	79,088	68,699	58,310	47,921
1/2	141,098	130,817	120,428	110,039	99,650	89,261	78,872	68,483	58,094	47,705
3/4	140,975	130,601	120,212	109,823	99,434	89,045	78,656	68,266	57,877	47,488
4	140,741	130,384	119,995	109,606	99,217	88,828	78,439	68,050	57,661	47,272
1/4	140,546	130,168	119,779	109,390	99,001	88,612	78,223	67,834	57,445	47,056
1/2	140,341	129,951	119,562	109,173	98,784	88,395	78,006	67,617	57,228	46,839
3/4	140,124	129,735	119,346	108,957	98,568	88,179	77,790	67,401	57,011	46,623
5	139,908	129,519	119,130	108,741	98,351	87,962	77,573	67,184	56,795	46,406
1/4	139,691	129,302	118,913	108,524	98,135	87,746	77,357	66,968	56,579	46,190
1/2	139,475	129,086	118,697	108,308	97,919	87,530	77,140	66,751	56,362	45,973
3/4	139,258	128,869	118,480	108,091	97,702	87,313	76,924	66,535	56,146	45,757
6	139,042	128,653	118,264	107,875	97,486	87,097	76,708	66,319	55,929	45,540
1/4	138,825	128,436	118,047	107,658	97,269	86,880	76,491	66,102	55,713	45,324
1/2	138,609	128,220	117,831	107,442	97,051	86,664	76,275	65,886	55,497	45,108
3/4	138,393	128,004	117,614	107,225	96,836	86,447	76,058	65,669	55,280	44,891
7	138,176	127,787	117,398	107,009	96,620	86,231	75,842	65,453	55,064	44,675
1/4	137,960	127,571	117,182	106,793	96,404	86,014	75,625	65,236	54,847	44,458
1/2	137,743	127,354	116,965	106,576	96,187	85,798	75,409	65,020	54,631	44,242
3/4	137,527	127,138	116,749	106,360	95,971	85,582	75,193	64,803	54,414	44,025
8	137,310	126,921	116,532	106,143	95,754	85,365	74,976	64,587	54,198	43,809
1/4	137,094	126,705	116,315	105,927	95,538	85,149	74,760	64,371	53,982	43,592
1/2	136,878	126,488	116,099	105,710	95,321	84,932	74,543	64,154	53,765	43,376
3/4	136,661	126,272	115,883	105,494	95,105	84,716	74,327	63,938	53,549	43,160
9	136,445	126,055	115,667	105,277	94,889	84,499	74,110	63,721	53,332	42,943
1/4	136,228	125,839	115,450	105,061	94,672	84,283	73,894	63,505	53,116	42,727
1/2	136,012	125,623	115,234	104,845	94,456	84,067	73,677	63,288	52,899	42,510
3/4	135,795	125,406	115,017	104,628	94,239	83,850	73,461	63,072	52,683	42,294
10	135,579	125,190	114,801	104,412	94,023	83,634	73,245	62,856	52,466	42,077
1/4	135,362	124,973	114,584	104,195	93,806	83,417	73,028	62,639	52,250	41,861
1/2	135,146	124,757	114,368	103,979	93,590	83,201	72,812	62,423	52,034	41,645
3/4	134,930	124,541	114,151	103,762	93,373	82,984	72,595	62,206	51,817	41,428
11	134,713	124,324	113,935	103,546	93,157	82,768	72,379	61,990	51,601	41,212
1/4	134,497	124,108	113,719	103,330	92,940	82,551	72,162	61,773	51,384	40,995
1/2	134,280	123,891	113,502	103,113	92,724	82,335	71,946	61,557	51,168	40,779
3/4	134,064	123,675	113,286	102,897	92,508	82,119	71,730	61,340	50,951	40,562

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7.
 NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXCESSIVE HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/29/04 BY: MDL
 DATE COMPUTED 4/29/04 BY: WHF
 DATE ISSUED: 5/7/04
 FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	40,346	0	29,960	0	19,568	0	9,171	0	54	0	0	0	0	0	0	0	0	0	0
1/4	40,129	1/4	29,744	1/4	19,352	1/4	8,954	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,913	1/2	29,527	1/2	19,135	1/2	8,738	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,697	3/4	29,311	3/4	18,918	3/4	8,521	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	39,480	1	29,095	1	18,702	1	8,304	1		1	1	1	1	1	1	1	1	1	1
1/4	39,264	1/4	28,878	1/4	18,485	1/4	8,088	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,047	1/2	28,662	1/2	18,269	1/2	7,871	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,831	3/4	28,445	3/4	18,052	3/4	7,655	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	38,614	2	28,229	2	17,835	2	7,438	2		2	2	2	2	2	2	2	2	2	2
1/4	38,398	1/4	28,012	1/4	17,619	1/4	7,221	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,182	1/2	27,796	1/2	17,402	1/2	7,005	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,965	3/4	27,580	3/4	17,186	3/4	6,788	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	37,749	3	27,363	3	16,969	3	6,571	3		3	3	3	3	3	3	3	3	3	3
1/4	37,533	1/4	27,147	1/4	16,752	1/4	6,355	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,316	1/2	26,930	1/2	16,536	1/2	6,138	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,100	3/4	26,714	3/4	16,319	3/4	5,922	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	36,883	4	26,497	4	16,102	4	5,705	4		4	4	4	4	4	4	4	4	4	4
1/4	36,667	1/4	26,281	1/4	15,886	1/4	5,488	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,451	1/2	26,064	1/2	15,669	1/2	5,272	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,234	3/4	25,848	3/4	15,453	3/4	5,055	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	36,018	5	25,632	5	15,236	5	4,838	5		5	5	5	5	5	5	5	5	5	5
1/4	35,802	1/4	25,415	1/4	15,019	1/4	4,622	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,585	1/2	25,199	1/2	14,803	1/2	4,405	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,369	3/4	24,982	3/4	14,586	3/4	4,188	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	35,153	6	24,766	6	14,370	6	3,972	6		6	6	6	6	6	6	6	6	6	6
1/4	34,936	1/4	24,549	1/4	14,153	1/4	3,755	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,720	1/2	24,333	1/2	13,936	1/2	3,538	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,504	3/4	24,117	3/4	13,720	3/4	3,322	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	34,287	7	23,900	7	13,503	7	3,105	7		7	7	7	7	7	7	7	7	7	7
1/4	34,071	1/4	23,684	1/4	13,287	1/4	2,888	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,855	1/2	23,467	1/2	13,070	1/2	2,672	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,638	3/4	23,251	3/4	12,853	3/4	2,455	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	33,422	8	23,034	8	12,637	8	2,238	8		8	8	8	8	8	8	8	8	8	8
1/4	33,205	1/4	22,818	1/4	12,420	1/4	2,022	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,989	1/2	22,601	1/2	12,203	1/2	1,805	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,773	3/4	22,384	3/4	11,987	3/4	1,588	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	32,556	9	22,168	9	11,770	9	1,372	9		9	9	9	9	9	9	9	9	9	9
1/4	32,340	1/4	21,951	1/4	11,554	1/4	1,155	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,124	1/2	21,734	1/2	11,337	1/2	938	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,907	3/4	21,518	3/4	11,120	3/4	722	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	31,691	10	21,301	10	10,904	10	505	10		10	10	10	10	10	10	10	10	10	10
1/4	31,475	1/4	21,085	1/4	10,687	1/4	288	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,258	1/2	20,868	1/2	10,471	1/2	72	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,042	3/4	20,651	3/4	10,254	3/4	14	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	30,826	11	20,435	11	10,037	11	1	11		11	11	11	11	11	11	11	11	11	11
1/4	30,609	1/4	20,218	1/4	9,821	1/4	181	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30,393	1/2	20,002	1/2	9,604	1/2	165	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	30,176	3/4	19,785	3/4	9,387	3/4	149	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED 4/29/04 BY: WHF
DATE ISSUED: 5/7/04
FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT



RGE "CBC 121"
HULL NO. 01

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	54	0	9,109	0	19,438	0	29,760	0	40,057	0	50,377	0	60,697	0	71,017	0	81,338	0	91,658
1/4	81	1/4	9,324	1/4	19,653	1/4	29,974	1/4	40,272	1/4	50,592	1/4	60,912	1/4	71,233	1/4	81,553	1/4	91,873
1/2	126	1/2	9,540	1/2	19,868	1/2	30,188	1/2	40,487	1/2	50,807	1/2	61,127	1/2	71,448	1/2	81,768	1/2	92,088
3/4	189	3/4	9,755	3/4	20,084	3/4	30,403	3/4	40,702	3/4	51,022	3/4	61,342	3/4	71,663	3/4	81,983	3/4	92,303
1	269	1	9,970	1	20,299	1	30,617	1	40,917	1	51,237	1	61,557	1	71,878	1	82,198	1	92,518
1/4	368	1/4	10,185	1/4	20,514	1/4	30,832	1/4	41,132	1/4	51,452	1/4	61,772	1/4	72,093	1/4	82,413	1/4	92,733
1/2	484	1/2	10,400	1/2	20,729	1/2	31,046	1/2	41,347	1/2	51,667	1/2	61,987	1/2	72,308	1/2	82,628	1/2	92,948
3/4	619	3/4	10,616	3/4	20,944	3/4	31,260	3/4	41,562	3/4	51,882	3/4	62,202	3/4	72,523	3/4	82,843	3/4	93,163
2	771	2	10,831	2	21,159	2	31,475	2	41,777	2	52,097	2	62,417	2	72,738	2	83,058	2	93,378
1/4	942	1/4	11,046	1/4	21,375	1/4	31,689	1/4	41,992	1/4	52,312	1/4	62,632	1/4	72,953	1/4	83,273	1/4	93,593
1/2	1,130	1/2	11,261	1/2	21,590	1/2	31,904	1/2	42,207	1/2	52,527	1/2	62,847	1/2	73,168	1/2	83,488	1/2	93,808
3/4	1,336	3/4	11,476	3/4	21,805	3/4	32,118	3/4	42,422	3/4	52,742	3/4	63,062	3/4	73,383	3/4	83,703	3/4	94,023
3	1,550	3	11,691	3	22,020	3	32,332	3	42,637	3	52,957	3	63,277	3	73,598	3	83,918	3	94,238
1/4	1,763	1/4	11,907	1/4	22,235	1/4	32,547	1/4	42,852	1/4	53,172	1/4	63,492	1/4	73,813	1/4	84,133	1/4	94,453
1/2	1,977	1/2	12,122	1/2	22,451	1/2	32,761	1/2	43,067	1/2	53,387	1/2	63,707	1/2	74,028	1/2	84,348	1/2	94,668
3/4	2,190	3/4	12,337	3/4	22,666	3/4	32,976	3/4	43,282	3/4	53,602	3/4	63,922	3/4	74,243	3/4	84,563	3/4	94,883
4	2,404	4	12,552	4	22,881	4	33,190	4	43,497	4	53,817	4	64,137	4	74,458	4	84,778	4	95,098
1/4	2,617	1/4	12,767	1/4	23,096	1/4	33,404	1/4	43,712	1/4	54,032	1/4	64,352	1/4	74,673	1/4	84,993	1/4	95,313
1/2	2,831	1/2	12,983	1/2	23,311	1/2	33,611	1/2	43,927	1/2	54,247	1/2	64,567	1/2	74,888	1/2	85,208	1/2	95,528
3/4	3,044	3/4	13,198	3/4	23,526	3/4	33,823	3/4	44,142	3/4	54,462	3/4	64,792	3/4	75,103	3/4	85,423	3/4	95,743
5	3,258	5	13,413	5	23,741	5	34,038	5	44,357	5	54,677	5	64,997	5	75,318	5	85,638	5	95,958
1/4	3,471	1/4	13,628	1/4	23,956	1/4	34,252	1/4	44,572	1/4	54,892	1/4	65,212	1/4	75,533	1/4	85,853	1/4	96,173
1/2	3,684	1/2	13,843	1/2	24,171	1/2	34,477	1/2	44,787	1/2	55,107	1/2	65,427	1/2	75,748	1/2	86,068	1/2	96,388
3/4	3,898	3/4	14,058	3/4	24,386	3/4	34,691	3/4	45,002	3/4	55,322	3/4	65,642	3/4	75,963	3/4	86,288	3/4	96,608
6	4,096	6	14,274	6	24,601	6	34,905	6	45,217	6	55,537	6	65,857	6	76,178	6	86,498	6	96,818
1/4	4,295	1/4	14,489	1/4	24,816	1/4	35,120	1/4	45,432	1/4	55,752	1/4	66,072	1/4	76,393	1/4	86,713	1/4	97,033
1/2	4,493	1/2	14,704	1/2	25,031	1/2	35,334	1/2	45,647	1/2	55,967	1/2	66,287	1/2	76,608	1/2	86,928	1/2	97,248
3/4	4,691	3/4	14,919	3/4	25,246	3/4	35,549	3/4	45,862	3/4	56,182	3/4	66,502	3/4	76,823	3/4	87,143	3/4	97,463
7	4,890	7	15,134	7	25,461	7	35,763	7	46,077	7	56,397	7	66,717	7	77,038	7	87,358	7	97,678
1/4	5,088	1/4	15,350	1/4	25,676	1/4	35,977	1/4	46,292	1/4	56,612	1/4	66,932	1/4	77,253	1/4	87,573	1/4	97,893
1/2	5,286	1/2	15,565	1/2	25,891	1/2	36,192	1/2	46,507	1/2	56,827	1/2	67,147	1/2	77,468	1/2	87,788	1/2	98,108
3/4	5,485	3/4	15,780	3/4	26,106	3/4	36,406	3/4	46,722	3/4	57,042	3/4	67,362	3/4	77,683	3/4	88,003	3/4	98,323
8	5,683	8	15,995	8	26,321	8	36,621	8	46,937	8	57,257	8	67,577	8	77,898	8	88,218	8	98,538
1/4	5,881	1/4	16,210	1/4	26,536	1/4	36,835	1/4	47,152	1/4	57,472	1/4	67,792	1/4	78,113	1/4	88,433	1/4	98,753
1/2	6,079	1/2	16,425	1/2	26,751	1/2	37,049	1/2	47,367	1/2	57,687	1/2	68,007	1/2	78,329	1/2	88,648	1/2	98,968
3/4	6,312	3/4	16,641	3/4	26,966	3/4	37,264	3/4	47,582	3/4	57,902	3/4	68,226	3/4	78,543	3/4	88,863	3/4	99,183
9	6,527	9	16,856	9	27,181	9	37,478	9	47,797	9	58,117	9	68,437	9	78,758	9	89,078	9	99,393
1/4	6,742	1/4	17,071	1/4	27,396	1/4	37,693	1/4	48,012	1/4	58,332	1/4	68,652	1/4	79,033	1/4	89,293	1/4	99,613
1/2	6,957	1/2	17,286	1/2	27,611	1/2	37,907	1/2	48,227	1/2	58,547	1/2	68,867	1/2	79,183	1/2	89,508	1/2	99,828
3/4	7,173	3/4	17,501	3/4	27,826	3/4	38,122	3/4	48,442	3/4	58,762	3/4	69,082	3/4	79,403	3/4	89,723	3/4	100,043
10	7,388	10	17,717	10	28,041	10	38,337	10	48,657	10	59,077	10	69,297	10	79,617	10	89,938	10	100,258
1/4	7,603	1/4	17,932	1/4	28,256	1/4	38,552	1/4	48,872	1/4	59,192	1/4	69,512	1/4	79,833	1/4	90,153	1/4	100,473
1/2	7,818	1/2	18,147	1/2	28,471	1/2	38,767	1/2	49,087	1/2	59,407	1/2	69,727	1/2	80,045	1/2	90,368	1/2	100,688
3/4	8,033	3/4	18,362	3/4	28,686	3/4	38,982	3/4	49,302	3/4	59,622	3/4	69,942	3/4	80,263	3/4	90,583	3/4	100,903
11	8,249	11	18,577	11	28,901	11	39,197	11	49,517	11	59,837	11	70,157	11	80,478	11	90,798	11	101,118
1/4	8,464	1/4	18,792	1/4	29,116	1/4	39,412	1/4	49,732	1/4	60,052	1/4	70,372	1/4	80,693	1/4	91,013	1/4	101,333
1/2	8,679	1/2	19,009	1/2	29,331	1/2	39,627	1/2	49,947	1/2	60,267	1/2	70,597	1/2	80,909	1/2	91,228	1/2	101,548
3/4	8,894	3/4	19,223	3/4	29,545	3/4	39,842	3/4	50,162	3/4	60,482	3/4	70,822	3/4	81,123	3/4	91,443	3/4	101,763

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: GAUGE POINT: IN CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/29/04 BY: WHF
DATE ISSUED: 5/2/04

INTERTEK - CALEB BRETT