

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 16'-9"

IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0	0	152,280	0	140,176	0	128,073	0	115,970	0	103,867	0	91,764	0	79,661	0	67,558	0	55,454	
1/4	1/4	152,028	1/4	139,924	1/4	127,821	1/4	115,718	1/4	103,615	1/4	91,512	1/4	79,409	1/4	67,305	1/4	55,202	
1/2	1/2	151,775	1/2	139,672	1/2	127,569	1/2	115,466	1/2	103,363	1/2	91,260	1/2	79,156	1/2	67,053	1/2	54,950	
3/4	3/4	151,523	3/4	139,420	3/4	127,317	3/4	115,214	3/4	103,111	3/4	91,007	3/4	78,904	3/4	66,801	3/4	54,698	
1	1	151,271	1	139,168	1	127,065	1	114,962	1	102,858	1	90,755	1	78,652	1	66,549	1	54,446	
1/4	1/4	151,019	1/4	138,916	1/4	126,813	1/4	114,709	1/4	102,606	1/4	90,503	1/4	78,400	1/4	66,297	1/4	54,194	
1/2	1/2	150,767	1/2	138,664	1/2	126,560	1/2	114,457	1/2	102,354	1/2	90,251	1/2	78,148	1/2	66,045	1/2	53,941	
3/4	3/4	150,515	3/4	138,411	3/4	126,308	3/4	114,205	3/4	102,102	3/4	89,999	3/4	77,896	3/4	65,792	3/4	53,689	
2	2	150,262	2	138,159	2	126,056	2	113,953	2	101,850	2	89,747	2	77,643	2	65,540	2	53,437	
1/4	1/4	150,010	1/4	137,907	1/4	125,804	1/4	113,701	1/4	101,598	1/4	89,495	1/4	77,391	1/4	65,288	1/4	53,185	
1/2	1/2	149,758	1/2	137,655	1/2	125,552	1/2	113,449	1/2	101,346	1/2	89,242	1/2	77,139	1/2	65,036	1/2	52,933	
3/4	3/4	149,506	3/4	137,403	3/4	125,300	3/4	113,197	3/4	101,093	3/4	88,990	3/4	76,887	3/4	64,784	3/4	52,681	
3	3	149,254	3	137,151	3	125,048	3	112,944	3	100,841	3	88,738	3	76,635	3	64,532	3	52,429	
1/4	1/4	149,002	1/4	136,899	1/4	124,795	1/4	112,692	1/4	100,589	1/4	88,486	1/4	76,383	1/4	64,280	1/4	52,176	
1/2	1/2	148,750	1/2	136,646	1/2	124,543	1/2	112,440	1/2	100,337	1/2	88,234	1/2	76,131	1/2	64,027	1/2	51,924	
3/4	3/4	148,497	3/4	136,394	3/4	124,291	3/4	112,189	3/4	100,085	3/4	87,982	3/4	75,878	3/4	63,775	3/4	51,672	
4	4	148,245	4	136,142	4	124,039	4	111,936	4	99,833	4	87,729	4	75,626	4	63,523	4	51,420	
1/4	1/4	147,993	1/4	135,890	1/4	123,787	1/4	111,684	1/4	99,580	1/4	87,477	1/4	75,374	1/4	63,271	1/4	51,168	
1/2	1/2	147,741	1/2	135,638	1/2	123,535	1/2	111,431	1/2	99,328	1/2	87,225	1/2	75,122	1/2	63,019	1/2	50,916	
3/4	3/4	147,489	3/4	135,386	3/4	123,282	3/4	111,179	3/4	99,076	3/4	86,973	3/4	74,870	3/4	62,767	3/4	50,664	
5	5	147,237	5	135,134	5	123,030	5	110,927	5	98,824	5	86,721	5	74,618	5	62,515	5	50,411	
1/4	1/4	146,985	1/4	134,881	1/4	122,778	1/4	110,675	1/4	98,572	1/4	86,469	1/4	74,366	1/4	62,262	1/4	50,159	
1/2	1/2	146,732	1/2	134,629	1/2	122,526	1/2	110,423	1/2	98,320	1/2	86,217	1/2	74,113	1/2	62,010	1/2	49,907	
3/4	3/4	146,480	3/4	134,377	3/4	122,274	3/4	110,171	3/4	98,068	3/4	85,964	3/4	73,861	3/4	61,758	3/4	49,655	
6	6	146,228	6	134,125	6	122,022	6	109,919	6	97,815	6	85,712	6	73,609	6	61,506	6	49,403	
1/4	1/4	145,976	1/4	133,873	1/4	121,770	1/4	109,666	1/4	97,563	1/4	85,460	1/4	73,357	1/4	61,254	1/4	49,151	
1/2	1/2	145,724	1/2	133,621	1/2	121,517	1/2	109,414	1/2	97,311	1/2	85,208	1/2	73,105	1/2	61,002	1/2	48,898	
3/4	3/4	145,472	3/4	133,368	3/4	121,265	3/4	109,162	3/4	97,059	3/4	84,956	3/4	72,853	3/4	60,749	3/4	48,646	
7	7	145,219	7	133,116	7	121,013	7	108,910	7	96,807	7	84,704	7	72,601	7	60,497	7	48,394	
1/4	1/4	144,967	1/4	132,864	1/4	120,761	1/4	108,658	1/4	96,555	1/4	84,452	1/4	72,348	1/4	60,245	1/4	48,142	
1/2	1/2	144,715	1/2	132,612	1/2	120,509	1/2	108,406	1/2	96,303	1/2	84,199	1/2	72,096	1/2	59,993	1/2	47,890	
3/4	3/4	144,463	3/4	132,360	3/4	120,257	3/4	108,154	3/4	96,050	3/4	83,947	3/4	71,844	3/4	59,741	3/4	47,638	
8	8	144,211	8	132,108	8	120,005	8	107,901	8	95,798	8	83,695	8	71,592	8	59,489	8	47,386	
1/4	1/4	143,959	1/4	131,856	1/4	119,752	1/4	107,649	1/4	95,546	1/4	83,443	1/4	71,340	1/4	59,237	1/4	47,133	
1/2	1/2	143,707	1/2	131,603	1/2	119,500	1/2	107,397	1/2	95,294	1/2	83,191	1/2	71,088	1/2	58,984	1/2	46,881	
3/4	3/4	143,454	3/4	131,351	3/4	119,248	3/4	107,145	3/4	95,042	3/4	82,939	3/4	70,835	3/4	58,732	3/4	46,629	
9	9	143,202	9	131,099	9	118,996	9	106,893	9	94,790	9	82,686	9	70,583	9	58,480	9	46,377	
1/4	1/4	142,950	1/4	130,847	1/4	118,744	1/4	106,641	1/4	94,537	1/4	82,434	1/4	70,331	1/4	58,228	1/4	46,125	
1/2	1/2	142,698	1/2	130,595	1/2	118,492	1/2	106,389	1/2	94,285	1/2	82,182	1/2	70,079	1/2	57,976	1/2	45,873	
3/4	3/4	142,446	3/4	130,343	3/4	118,240	3/4	106,136	3/4	94,033	3/4	81,930	3/4	69,827	3/4	57,724	3/4	45,621	
10	10	142,194	10	130,091	10	117,987	10	105,884	10	93,781	10	81,678	10	69,575	10	57,472	10	45,368	
1/4	1/4	141,942	1/4	129,839	1/4	117,735	1/4	105,632	1/4	93,529	1/4	81,426	1/4	69,323	1/4	57,219	1/4	45,116	
1/2	1/2	141,689	1/2	129,586	1/2	117,483	1/2	105,380	1/2	93,277	1/2	81,174	1/2	69,070	1/2	56,967	1/2	44,864	
3/4	3/4	141,437	3/4	129,334	3/4	117,231	3/4	105,128	3/4	93,025	3/4	80,921	3/4	68,818	3/4	56,715	3/4	44,612	
11	11	141,185	11	129,082	11	116,979	11	104,876	11	92,772	11	80,669	11	68,566	11	56,463	11	44,360	
1/4	1/4	140,933	1/4	128,830	1/4	116,727	1/4	104,623	1/4	92,520	1/4	80,415	1/4	68,314	1/4	56,211	1/4	44,108	
1/2	1/2	140,681	1/2	128,578	1/2	116,474	1/2	104,371	1/2	92,268	1/2	80,165	1/2	68,062	1/2	55,959	1/2	43,856	
3/4	3/4	140,429	3/4	128,325	3/4	116,222	3/4	104,119	3/4	92,016	3/4	79,913	3/4	67,810	3/4	55,707	3/4	43,603	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "AMC" CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 2'-0" OFF CENTERLINE AND 19'-3" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/05 BY: KS-RF
DATE COMPUTED: 4/3/05 BY: DR
DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Paul A. Row

CAPACITIES GIVEN IN WHOLE GALLONS

		CAPACITIES GIVEN IN WHOLE GALLONS										GAUGE HEIGHT 16'-0"	
		13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.	22 FT.		
0	43,351	0	31,248	0	19,145	0	7,049	0	0	0	0	0	0
1/4	43,099	1/4	30,996	1/4	18,893	1/4	6,798	1/4	1/4	1/4	1/4	1/4	1/4
1/2	42,847	1/2	30,744	1/2	18,641	1/2	6,547	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42,595	3/4	30,492	3/4	18,389	3/4	6,296	3/4	3/4	3/4	3/4	3/4	3/4
1	42,343	1	30,239	1	18,136	1	6,045	1	1	1	1	1	1
1/4	42,090	1/4	29,987	1/4	17,884	1/4	5,794	1/4	1/4	1/4	1/4	1/4	1/4
1/2	41,838	1/2	29,735	1/2	17,632	1/2	5,543	1/2	1/2	1/2	1/2	1/2	1/2
3/4	41,586	3/4	29,483	3/4	17,380	3/4	5,292	3/4	3/4	3/4	3/4	3/4	3/4
2	41,334	2	29,231	2	17,128	2	5,041	2	2	2	2	2	2
1/4	41,082	1/4	28,979	1/4	16,876	1/4	4,790	1/4	1/4	1/4	1/4	1/4	1/4
1/2	40,830	1/2	28,727	1/2	16,623	1/2	4,539	1/2	1/2	1/2	1/2	1/2	1/2
3/4	40,578	3/4	28,474	3/4	16,371	3/4	4,288	3/4	3/4	3/4	3/4	3/4	3/4
3	40,325	3	28,222	3	16,119	3	4,037	3	3	3	3	3	3
1/4	40,073	1/4	27,970	1/4	15,867	1/4	3,786	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,821	1/2	27,718	1/2	15,615	1/2	3,535	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,569	3/4	27,466	3/4	15,363	3/4	3,284	3/4	3/4	3/4	3/4	3/4	3/4
4	39,317	4	27,214	4	15,110	4	3,033	4	4	4	4	4	4
1/4	39,065	1/4	26,962	1/4	14,858	1/4	2,782	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,813	1/2	26,709	1/2	14,606	1/2	2,531	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,560	3/4	26,457	3/4	14,354	3/4	2,304	3/4	3/4	3/4	3/4	3/4	3/4
5	38,308	5	26,205	5	14,102	5	2,077	5	5	5	5	5	5
1/4	38,056	1/4	25,953	1/4	13,850	1/4	1,851	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,804	1/2	25,701	1/2	13,598	1/2	1,624	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,552	3/4	25,449	3/4	13,345	3/4	1,447	3/4	3/4	3/4	3/4	3/4	3/4
6	37,300	6	25,196	6	13,093	6	1,271	6	6	6	6	6	6
1/4	37,047	1/4	24,944	1/4	12,841	1/4	1,094	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,795	1/2	24,692	1/2	12,589	1/2	918	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,543	3/4	24,440	3/4	12,337	3/4	792	3/4	3/4	3/4	3/4	3/4	3/4
7	36,291	7	24,188	7	12,085	7	666	7	7	7	7	7	7
1/4	36,039	1/4	23,936	1/4	11,833	1/4	540	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,787	1/2	23,684	1/2	11,580	1/2	414	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,535	3/4	23,431	3/4	11,328	3/4	338	3/4	3/4	3/4	3/4	3/4	3/4
8	35,282	8	23,179	8	11,076	8	263	8	8	8	8	8	8
1/4	35,030	1/4	22,927	1/4	10,824	1/4	187	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,778	1/2	22,675	1/2	10,572	1/2	112	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,526	3/4	22,423	3/4	10,320	3/4	86	3/4	3/4	3/4	3/4	3/4	3/4
9	34,274	9	22,171	9	10,068	9	61	9	9	9	9	9	9
1/4	34,022	1/4	21,919	1/4	9,815	1/4	61	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,770	1/2	21,666	1/2	9,563	1/2	61	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,517	3/4	21,414	3/4	9,311	3/4	61	3/4	3/4	3/4	3/4	3/4	3/4
10	33,265	10	21,162	10	9,059	10	61	10	10	10	10	10	10
1/4	33,013	1/4	20,910	1/4	8,807	1/4	61	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,761	1/2	20,658	1/2	8,555	1/2	61	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,509	3/4	20,406	3/4	8,304	3/4	61	3/4	3/4	3/4	3/4	3/4	3/4
11	32,257	11	20,153	11	8,053	11	61	11	11	11	11	11	11
1/4	32,004	1/4	19,901	1/4	7,802	1/4	61	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,752	1/2	19,649	1/2	7,551	1/2	61	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,500	3/4	19,397	3/4	7,300	3/4	61	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/27/05 BY: KS-RF
 DATE COMPUTED: 4/3/05 BY: DR
 DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Bill A. Row

BARGE "C" 202"

2 PORT
ULLAGE TABLE

GAUGE HEIGHT 16'-3 3/8"

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	84,502	0	77,644	0	70,786	0	63,929	0	57,071	0	50,213	0	43,356	0	36,498	0	29,640	0	22,783	0
1/4	1/4	84,359	1/4	77,501	1/4	70,644	1/4	63,786	1/4	56,928	1/4	50,071	1/4	43,213	1/4	36,355	1/4	29,497	1/4	22,640	1/4
1/2	1/2	84,216	1/2	77,358	1/2	70,501	1/2	63,643	1/2	56,785	1/2	49,928	1/2	43,070	1/2	36,212	1/2	29,355	1/2	22,500	1/2
3/4	3/4	84,073	3/4	77,216	3/4	70,358	3/4	63,500	3/4	56,643	3/4	49,785	3/4	42,927	3/4	36,069	3/4	29,212	3/4	22,358	3/4
1	1	83,930	1	77,073	1	70,215	1	63,357	1	56,500	1	49,642	1	42,784	1	35,927	1	29,069	1	22,215	1
1/4	1/4	83,788	1/4	76,930	1/4	70,072	1/4	63,214	1/4	56,357	1/4	49,499	1/4	42,641	1/4	35,784	1/4	28,926	1/4	22,073	1/4
1/2	1/2	83,645	1/2	76,787	1/2	69,929	1/2	63,072	1/2	56,214	1/2	49,356	1/2	42,499	1/2	35,641	1/2	28,783	1/2	21,930	1/2
3/4	3/4	83,502	3/4	76,644	3/4	69,786	3/4	62,929	3/4	56,071	3/4	49,213	3/4	42,356	3/4	35,498	3/4	28,640	3/4	21,787	3/4
2	2	83,359	2	76,501	2	69,644	2	62,786	2	55,928	2	49,070	2	42,213	2	35,355	2	28,497	2	21,644	2
1/4	1/4	83,216	1/4	76,358	1/4	69,501	1/4	62,643	1/4	55,785	1/4	48,928	1/4	42,070	1/4	35,212	1/4	28,355	1/4	21,500	1/4
1/2	1/2	83,073	1/2	76,215	1/2	69,358	1/2	62,500	1/2	55,642	1/2	48,785	1/2	41,927	1/2	35,069	1/2	28,212	1/2	21,358	1/2
3/4	3/4	82,930	3/4	76,073	3/4	69,215	3/4	62,357	3/4	55,500	3/4	48,642	3/4	41,784	3/4	34,926	3/4	28,069	3/4	21,215	3/4
3	3	82,787	3	75,930	3	69,072	3	62,214	3	55,357	3	48,499	3	41,641	3	34,784	3	27,926	3	21,073	3
1/4	1/4	82,645	1/4	75,787	1/4	68,929	1/4	62,072	1/4	55,214	1/4	48,356	1/4	41,498	1/4	34,641	1/4	27,783	1/4	20,930	1/4
1/2	1/2	82,502	1/2	75,644	1/2	68,786	1/2	61,929	1/2	55,071	1/2	48,213	1/2	41,356	1/2	34,498	1/2	27,640	1/2	20,787	1/2
3/4	3/4	82,359	3/4	75,501	3/4	68,643	3/4	61,786	3/4	54,928	3/4	48,070	3/4	41,213	3/4	34,355	3/4	27,497	3/4	20,644	3/4
4	4	82,216	4	75,358	4	68,501	4	61,643	4	54,785	4	47,928	4	41,070	4	34,212	4	27,354	4	20,500	4
1/4	1/4	82,073	1/4	75,215	1/4	68,358	1/4	61,500	1/4	54,642	1/4	47,785	1/4	40,927	1/4	34,069	1/4	27,212	1/4	20,358	1/4
1/2	1/2	81,930	1/2	75,073	1/2	68,215	1/2	61,357	1/2	54,499	1/2	47,642	1/2	40,784	1/2	33,926	1/2	27,069	1/2	20,215	1/2
3/4	3/4	81,787	3/4	74,930	3/4	68,072	3/4	61,214	3/4	54,357	3/4	47,499	3/4	40,641	3/4	33,784	3/4	26,926	3/4	20,073	3/4
5	5	81,644	5	74,787	5	67,929	5	61,071	5	54,214	5	47,356	5	40,498	5	33,641	5	26,783	5	19,930	5
1/4	1/4	81,502	1/4	74,644	1/4	67,786	1/4	60,929	1/4	54,071	1/4	47,213	1/4	40,355	1/4	33,498	1/4	26,640	1/4	19,787	1/4
1/2	1/2	81,359	1/2	74,501	1/2	67,643	1/2	60,786	1/2	53,928	1/2	47,070	1/2	40,213	1/2	33,355	1/2	26,497	1/2	19,644	1/2
3/4	3/4	81,216	3/4	74,358	3/4	67,501	3/4	60,643	3/4	53,785	3/4	46,927	3/4	40,070	3/4	33,212	3/4	26,354	3/4	19,500	3/4
6	6	81,073	6	74,215	6	67,358	6	60,500	6	53,642	6	46,785	6	39,927	6	33,069	6	26,212	6	19,358	6
1/4	1/4	80,930	1/4	74,072	1/4	67,215	1/4	60,357	1/4	53,499	1/4	46,642	1/4	39,784	1/4	32,926	1/4	26,069	1/4	19,215	1/4
1/2	1/2	80,787	1/2	73,930	1/2	67,072	1/2	60,214	1/2	53,357	1/2	46,499	1/2	39,641	1/2	32,783	1/2	25,926	1/2	19,073	1/2
3/4	3/4	80,644	3/4	73,787	3/4	66,929	3/4	60,071	3/4	53,214	3/4	46,356	3/4	39,498	3/4	32,641	3/4	25,783	3/4	18,930	3/4
7	7	80,502	7	73,644	7	66,786	7	59,928	7	53,071	7	46,213	7	39,355	7	32,498	7	25,640	7	18,787	7
1/4	1/4	80,359	1/4	73,501	1/4	66,643	1/4	59,786	1/4	52,928	1/4	46,070	1/4	39,213	1/4	32,355	1/4	25,497	1/4	18,644	1/4
1/2	1/2	80,216	1/2	73,358	1/2	66,500	1/2	59,643	1/2	52,785	1/2	45,927	1/2	39,070	1/2	32,212	1/2	25,354	1/2	18,500	1/2
3/4	3/4	80,073	3/4	73,215	3/4	66,358	3/4	59,500	3/4	52,642	3/4	45,784	3/4	38,927	3/4	32,069	3/4	25,211	3/4	18,358	3/4
8	8	79,930	8	73,072	8	66,215	8	59,357	8	52,499	8	45,642	8	38,784	8	31,926	8	25,069	8	18,215	8
1/4	1/4	79,787	1/4	72,930	1/4	66,072	1/4	59,214	1/4	52,356	1/4	45,499	1/4	38,641	1/4	31,783	1/4	24,926	1/4	18,073	1/4
1/2	1/2	79,644	1/2	72,787	1/2	65,929	1/2	59,071	1/2	52,214	1/2	45,356	1/2	38,498	1/2	31,641	1/2	24,783	1/2	17,930	1/2
3/4	3/4	79,501	3/4	72,644	3/4	65,786	3/4	58,928	3/4	52,071	3/4	45,213	3/4	38,355	3/4	31,498	3/4	24,640	3/4	17,787	3/4
9	9	79,359	9	72,501	9	65,643	9	58,786	9	51,928	9	45,070	9	38,212	9	31,355	9	24,497	9	17,644	9
1/4	1/4	79,216	1/4	72,358	1/4	65,500	1/4	58,643	1/4	51,785	1/4	44,927	1/4	38,070	1/4	31,212	1/4	24,354	1/4	17,500	1/4
1/2	1/2	79,073	1/2	72,215	1/2	65,357	1/2	58,500	1/2	51,642	1/2	44,784	1/2	37,927	1/2	31,069	1/2	24,211	1/2	17,358	1/2
3/4	3/4	78,930	3/4	72,072	3/4	65,215	3/4	58,357	3/4	51,499	3/4	44,642	3/4	37,784	3/4	30,926	3/4	24,068	3/4	17,215	3/4
10	10	78,787	10	71,929	10	65,072	10	58,214	10	51,356	10	44,499	10	37,641	10	30,783	10	23,926	10	17,073	10
1/4	1/4	78,644	1/4	71,787	1/4	64,786	1/4	58,071	1/4	51,214	1/4	44,356	1/4	37,498	1/4	30,640	1/4	23,783	1/4	16,930	1/4
1/2	1/2	78,501	1/2	71,644	1/2	64,643	1/2	57,928	1/2	51,071	1/2	44,213	1/2	37,355	1/2	30,498	1/2	23,640	1/2	16,787	1/2
3/4	3/4	78,359	3/4	71,501	3/4	64,500	3/4	57,785	3/4	50,928	3/4	44,070	3/4	37,212	3/4	30,355	3/4	23,497	3/4	16,644	3/4
11	11	78,216	11	71,358	11	64,357	11	57,643	11	50,785	11	43,927	11	37,070	11	30,212	11	23,354	11	16,500	11
1/4	1/4	78,073	1/4	71,215	1/4	64,215	1/4	57,500	1/4	50,642	1/4	43,784	1/4	36,927	1/4	30,069	1/4	23,211	1/4	16,358	1/4
1/2	1/2	77,930	1/2	71,072	1/2	64,072	1/2	57,357	1/2	50,499	1/2	43,641	1/2	36,784	1/2	29,926	1/2	23,068	1/2	16,215	1/2
3/4	3/4	77,787	3/4	70,929	3/4	64,072	3/4	57,214	3/4	50,356	3/4	43,499	3/4	36,641	3/4	29,783	3/4	22,926	3/4	16,073	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M.M.C." CLOSED GAUGING DEVICE.
 NOTE: GAUGE POINT LOCATED 14'-0" OFF CENTERLINE AND 21'-4" FORWARD OF AFT BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/85 BY: KS-RF
 DATE COMPUTED: 4/3/85 BY: DR
 DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

Dale A. Brown

BARGE "C" 202"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,783	0	15,925	0	9,067	0	2,222	0	2,080	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,640	1/4	15,782	1/4	8,924	1/4	2,080	1/4	1,938	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,497	1/2	15,639	1/2	8,782	1/2	1,938	1/2	1,795	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,354	3/4	15,496	3/4	8,639	3/4	1,795	3/4	1,653	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	22,211	1	15,354	1	8,496	1	1,511	1	1,511	1	1	1	1	1	1	1	1	1	1	1	1
1/4	22,068	1/4	15,211	1/4	8,353	1/4	1,376	1/4	1,376	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,925	1/2	15,068	1/2	8,210	1/2	1,247	1/2	1,247	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,783	3/4	14,925	3/4	8,067	3/4	1,118	3/4	1,118	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	21,640	1	14,782	1	7,924	1	990	1	990	1	1	1	1	1	1	1	1	1	1	1	1
1/4	21,497	1/4	14,639	1/4	7,781	1/4	875	1/4	875	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,354	1/2	14,496	1/2	7,639	1/2	755	1/2	755	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,211	3/4	14,353	3/4	7,496	3/4	635	3/4	635	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	21,068	1	14,211	1	7,353	1	515	1	515	1	1	1	1	1	1	1	1	1	1	1	1
1/4	20,925	1/4	14,068	1/4	7,210	1/4	395	1/4	395	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,783	1/2	13,925	1/2	7,067	1/2	275	1/2	275	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,640	3/4	13,782	3/4	6,924	3/4	155	3/4	155	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	20,497	1	13,639	1	6,781	1	35	1	35	1	1	1	1	1	1	1	1	1	1	1	1
1/4	20,354	1/4	13,496	1/4	6,639	1/4	15	1/4	15	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,211	1/2	13,353	1/2	6,496	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,068	3/4	13,210	3/4	6,353	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	19,925	1	13,068	1	6,210	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	19,782	1/4	12,925	1/4	6,067	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,640	1/2	12,782	1/2	5,924	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,497	3/4	12,639	3/4	5,781	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	19,354	1	12,496	1	5,638	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	19,211	1/4	12,353	1/4	5,496	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,068	1/2	12,210	1/2	5,353	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,925	3/4	12,068	3/4	5,210	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	18,782	1	11,925	1	5,067	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	18,639	1/4	11,782	1/4	4,924	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	18,497	1/2	11,639	1/2	4,782	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,354	3/4	11,496	3/4	4,639	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	18,211	1	11,353	1	4,497	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	18,068	1/4	11,210	1/4	4,355	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,925	1/2	11,067	1/2	4,213	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,782	3/4	10,925	3/4	4,071	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	17,639	1	10,782	1	3,928	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	17,497	1/4	10,639	1/4	3,786	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,354	1/2	10,496	1/2	3,644	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,211	3/4	10,353	3/4	3,502	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	17,068	1	10,210	1	3,360	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	16,925	1/4	10,067	1/4	3,217	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,782	1/2	9,925	1/2	3,075	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,639	3/4	9,782	3/4	2,933	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	16,496	1	9,639	1	2,791	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	16,354	1/4	9,496	1/4	2,649	1/4	5	1/4	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,211	1/2	9,353	1/2	2,506	1/2	5	1/2	5	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,068	3/4	9,210	3/4	2,364	3/4	5	3/4	5	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
 DATE COMPUTED: 4/3/85 BY: DR
 DATE ISSUED: 4/3/85

Bill G. Row

BARGE "CJC 202"

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	84,203	0	77,381	0	70,559	0	63,738	0	56,916	0	50,094	0	43,272	0	36,450	0	29,628	0	22,806	0
1/4	1/4	84,081	1/4	77,239	1/4	70,417	1/4	63,595	1/4	56,773	1/4	49,952	1/4	43,130	1/4	36,308	1/4	29,486	1/4	22,664	1/4
1/2	1/2	83,919	1/2	77,097	1/2	70,275	1/2	63,453	1/2	56,631	1/2	49,809	1/2	42,987	1/2	36,166	1/2	29,344	1/2	22,522	1/2
3/4	3/4	83,777	3/4	76,955	3/4	70,133	3/4	63,311	3/4	56,489	3/4	49,667	3/4	42,845	3/4	36,023	3/4	29,202	3/4	22,380	3/4
1	1	83,635	1	76,813	1	70,011	1	63,169	1	56,347	1	49,525	1	42,703	1	35,881	1	29,059	1	22,238	1
1/4	1/4	83,493	1/4	76,671	1/4	69,849	1/4	63,027	1/4	56,205	1/4	49,383	1/4	42,561	1/4	35,739	1/4	28,917	1/4	22,096	1/4
1/2	1/2	83,351	1/2	76,529	1/2	69,707	1/2	62,885	1/2	56,063	1/2	49,241	1/2	42,419	1/2	35,597	1/2	28,775	1/2	21,954	1/2
3/4	3/4	83,208	3/4	76,386	3/4	69,565	3/4	62,743	3/4	55,921	3/4	49,099	3/4	42,277	3/4	35,455	3/4	28,633	3/4	21,812	3/4
2	2	83,066	2	76,244	2	69,422	2	62,601	2	55,779	2	48,957	2	42,135	2	35,313	2	28,491	2	21,670	2
1/4	1/4	82,924	1/4	76,102	1/4	69,280	1/4	62,458	1/4	55,636	1/4	48,815	1/4	42,013	1/4	35,171	1/4	28,349	1/4	21,528	1/4
1/2	1/2	82,782	1/2	75,960	1/2	69,138	1/2	62,316	1/2	55,494	1/2	48,672	1/2	41,871	1/2	35,029	1/2	28,207	1/2	21,386	1/2
3/4	3/4	82,640	3/4	75,818	3/4	68,996	3/4	62,174	3/4	55,352	3/4	48,530	3/4	41,708	3/4	34,896	3/4	28,065	3/4	21,244	3/4
3 1/8	3 1/8	82,498	3	75,676	3	68,854	3	62,032	3	55,210	3	48,388	3	41,566	3	34,744	3	27,922	3	21,102	3
1/4	1/4	82,356	1/4	75,534	1/4	68,712	1/4	61,890	1/4	55,068	1/4	48,246	1/4	41,424	1/4	34,602	1/4	27,780	1/4	20,960	1/4
1/2	1/2	82,214	1/2	75,392	1/2	68,570	1/2	61,748	1/2	54,926	1/2	48,104	1/2	41,282	1/2	34,460	1/2	27,638	1/2	20,818	1/2
3/4	3/4	82,071	3/4	75,250	3/4	68,428	3/4	61,606	3/4	54,784	3/4	47,962	3/4	41,140	3/4	34,318	3/4	27,496	3/4	20,676	3/4
4	4	81,929	4	75,107	4	68,285	4	61,464	4	54,642	4	47,820	4	40,998	4	34,176	4	27,354	4	20,534	4
1/4	1/4	81,787	1/4	74,965	1/4	68,143	1/4	61,321	1/4	54,499	1/4	47,678	1/4	40,856	1/4	34,034	1/4	27,212	1/4	20,392	1/4
1/2	1/2	81,645	1/2	74,823	1/2	68,001	1/2	61,179	1/2	54,357	1/2	47,535	1/2	40,714	1/2	33,892	1/2	27,070	1/2	20,250	1/2
3/4	3/4	81,503	3/4	74,681	3/4	67,859	3/4	61,037	3/4	54,215	3/4	47,393	3/4	40,571	3/4	33,750	3/4	26,928	3/4	20,108	3/4
5	5	81,361	5	74,539	5	67,717	5	60,895	5	54,073	5	47,251	5	40,429	5	33,607	5	26,786	5	19,966	5
1/4	1/4	81,219	1/4	74,397	1/4	67,575	1/4	60,753	1/4	53,931	1/4	47,109	1/4	40,287	1/4	33,465	1/4	26,644	1/4	19,824	1/4
1/2	1/2	81,077	1/2	74,255	1/2	67,433	1/2	60,611	1/2	53,789	1/2	46,967	1/2	40,145	1/2	33,323	1/2	26,502	1/2	19,682	1/2
3/4	3/4	80,934	3/4	74,113	3/4	67,291	3/4	60,469	3/4	53,647	3/4	46,825	3/4	40,003	3/4	33,181	3/4	26,360	3/4	19,540	3/4
6	6	80,792	6	73,970	6	67,148	6	60,327	6	53,505	6	46,683	6	39,861	6	33,039	6	26,218	6	19,398	6
1/4	1/4	80,650	1/4	73,828	1/4	67,006	1/4	60,184	1/4	53,362	1/4	46,541	1/4	39,719	1/4	32,897	1/4	26,076	1/4	19,256	1/4
1/2	1/2	80,508	1/2	73,686	1/2	66,864	1/2	60,042	1/2	53,220	1/2	46,398	1/2	39,577	1/2	32,755	1/2	25,934	1/2	19,114	1/2
3/4	3/4	80,366	3/4	73,544	3/4	66,722	3/4	59,900	3/4	53,078	3/4	46,256	3/4	39,434	3/4	32,612	3/4	25,792	3/4	18,972	3/4
7	7	80,224	7	73,402	7	66,580	7	59,758	7	52,936	7	46,114	7	39,292	7	32,470	7	25,650	7	18,830	7
1/4	1/4	80,082	1/4	73,260	1/4	66,438	1/4	59,616	1/4	52,794	1/4	45,972	1/4	39,150	1/4	32,328	1/4	25,508	1/4	18,688	1/4
1/2	1/2	80,040	1/2	73,118	1/2	66,296	1/2	59,474	1/2	52,652	1/2	45,830	1/2	39,008	1/2	32,186	1/2	25,366	1/2	18,546	1/2
3/4	3/4	79,977	3/4	72,976	3/4	66,154	3/4	59,332	3/4	52,510	3/4	45,688	3/4	38,866	3/4	32,044	3/4	25,224	3/4	18,404	3/4
8	8	79,835	8	72,833	8	66,011	8	59,210	8	52,368	8	45,546	8	38,724	8	31,902	8	25,082	8	18,262	8
1/4	1/4	79,693	1/4	72,691	1/4	65,869	1/4	59,047	1/4	52,226	1/4	45,404	1/4	38,582	1/4	31,760	1/4	24,940	1/4	18,120	1/4
1/2	1/2	79,551	1/2	72,549	1/2	65,727	1/2	58,905	1/2	52,083	1/2	45,261	1/2	38,440	1/2	31,618	1/2	24,798	1/2	17,978	1/2
3/4	3/4	79,409	3/4	72,407	3/4	65,585	3/4	58,763	3/4	51,941	3/4	45,119	3/4	38,297	3/4	31,475	3/4	24,656	3/4	17,836	3/4
9	9	79,267	9	72,265	9	65,443	9	58,621	9	51,799	9	44,977	9	38,155	9	31,333	9	24,514	9	17,694	9
1/4	1/4	79,125	1/4	72,123	1/4	65,301	1/4	58,479	1/4	51,657	1/4	44,835	1/4	38,013	1/4	31,191	1/4	24,372	1/4	17,552	1/4
1/2	1/2	78,983	1/2	71,981	1/2	65,159	1/2	58,337	1/2	51,515	1/2	44,693	1/2	37,871	1/2	31,049	1/2	24,230	1/2	17,410	1/2
3/4	3/4	78,841	3/4	71,839	3/4	65,017	3/4	58,215	3/4	51,373	3/4	44,551	3/4	37,729	3/4	30,907	3/4	24,088	3/4	17,268	3/4
10	10	78,699	10	71,696	10	64,874	10	58,053	10	51,231	10	44,409	10	37,587	10	30,765	10	23,946	10	17,126	10
1/4	1/4	78,557	1/4	71,554	1/4	64,732	1/4	57,910	1/4	51,089	1/4	44,267	1/4	37,445	1/4	30,623	1/4	23,804	1/4	17,084	1/4
1/2	1/2	78,415	1/2	71,412	1/2	64,590	1/2	57,768	1/2	50,946	1/2	44,124	1/2	37,303	1/2	30,481	1/2	23,662	1/2	16,942	1/2
3/4	3/4	78,273	3/4	71,270	3/4	64,448	3/4	57,626	3/4	50,804	3/4	43,982	3/4	37,160	3/4	30,339	3/4	23,520	3/4	16,800	3/4
11	11	77,950	11	71,128	11	64,306	11	57,484	11	50,662	11	43,840	11	37,018	11	30,196	11	23,378	11	16,658	11
1/4	1/4	77,808	1/4	70,984	1/4	64,164	1/4	57,342	1/4	50,520	1/4	43,698	1/4	36,876	1/4	30,054	1/4	23,236	1/4	16,516	1/4
1/2	1/2	77,666	1/2	70,844	1/2	64,022	1/2	57,200	1/2	50,378	1/2	43,556	1/2	36,734	1/2	29,912	1/2	23,094	1/2	16,374	1/2
3/4	3/4	77,523	3/4	70,702	3/4	63,880	3/4	57,058	3/4	50,236	3/4	43,414	3/4	36,592	3/4	29,770	3/4	22,952	3/4	16,232	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MAMC" CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 10'-7" OFF CENTERLINE AND 21'-4" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

Bill A. Brown

BARGE "COCO 202"

**2 STBD
ULLAGE TABLE**

GAUGE HEIGHT: 16'-4 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,806	0	15,984	0	9,162	0	2,352	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,864	1/4	15,842	1/4	9,020	1/4	2,210	1/4	2,210	1/4	2,069	1/4	1,927	1/4	1,786	1/4	1,645	1/4	1,503	1/4	1,362
1/2	22,522	1/2	15,700	1/2	8,878	1/2	2,069	1/2	1,927	1/2	1,786	1/2	1,645	1/2	1,503	1/2	1,362	1/2	1,221	1/2	1,080
3/4	22,380	3/4	15,558	3/4	8,736	3/4	1,927	3/4	1,786	3/4	1,645	3/4	1,503	3/4	1,362	3/4	1,221	3/4	1,080	3/4	939
1	22,237	1	15,416	1	8,594	1	1,786	1	1,645	1	1,503	1	1,362	1	1,221	1	1,080	1	939	1	798
1/4	22,095	1/4	15,273	1/4	8,452	1/4	1,645	1/4	1,503	1/4	1,362	1/4	1,221	1/4	1,080	1/4	939	1/4	798	1/4	657
1/2	21,953	1/2	15,131	1/2	8,309	1/2	1,503	1/2	1,362	1/2	1,221	1/2	1,080	1/2	939	1/2	798	1/2	657	1/2	516
3/4	21,811	3/4	14,989	3/4	8,167	3/4	1,362	3/4	1,221	3/4	1,080	3/4	939	3/4	798	3/4	657	3/4	516	3/4	375
1	21,669	1	14,847	1	8,025	1	1,221	1	1,113	1	985	1	871	1	771	1	671	1	571	1	471
1/4	21,527	1/4	14,705	1/4	7,883	1/4	1,113	1/4	985	1/4	871	1/4	771	1/4	671	1/4	571	1/4	471	1/4	371
1/2	21,385	1/2	14,563	1/2	7,741	1/2	985	1/2	871	1/2	771	1/2	671	1/2	571	1/2	471	1/2	371	1/2	271
3/4	21,243	3/4	14,421	3/4	7,599	3/4	871	3/4	771	3/4	671	3/4	571	3/4	471	3/4	371	3/4	271	3/4	171
1	21,100	1	14,279	1	7,457	1	771	1	671	1	571	1	471	1	371	1	271	1	171	1	71
1/4	20,958	1/4	14,136	1/4	7,315	1/4	671	1/4	571	1/4	471	1/4	371	1/4	271	1/4	171	1/4	71	1/4	0
1/2	20,816	1/2	13,994	1/2	7,172	1/2	571	1/2	471	1/2	371	1/2	271	1/2	171	1/2	71	1/2	0	1/2	0
3/4	20,674	3/4	13,852	3/4	7,030	3/4	471	3/4	371	3/4	271	3/4	171	3/4	71	3/4	0	3/4	0	3/4	0
1	20,532	1	13,710	1	6,888	1	371	1	271	1	171	1	71	1	0	1	0	1	0	1	0
1/4	20,390	1/4	13,568	1/4	6,746	1/4	271	1/4	171	1/4	71	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	20,248	1/2	13,426	1/2	6,604	1/2	171	1/2	71	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,106	3/4	13,284	3/4	6,462	3/4	71	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	19,963	1	13,142	1	6,320	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	19,821	1/4	12,999	1/4	6,178	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,679	1/2	12,857	1/2	6,035	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,537	3/4	12,715	3/4	5,893	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	19,395	1	12,573	1	5,751	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	19,253	1/4	12,431	1/4	5,609	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,111	1/2	12,289	1/2	5,467	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,969	3/4	12,147	3/4	5,325	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	18,827	1	12,005	1	5,183	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	18,684	1/4	11,862	1/4	5,041	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,542	1/2	11,720	1/2	4,898	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,400	3/4	11,578	3/4	4,757	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	18,258	1	11,436	1	4,615	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	18,116	1/4	11,294	1/4	4,474	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,974	1/2	11,152	1/2	4,332	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,832	3/4	11,010	3/4	4,191	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	17,690	1	10,868	1	4,049	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	17,547	1/4	10,725	1/4	3,908	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,405	1/2	10,583	1/2	3,766	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,263	3/4	10,441	3/4	3,625	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	17,121	1	10,299	1	3,484	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	16,979	1/4	10,157	1/4	3,342	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,837	1/2	10,015	1/2	3,201	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,695	3/4	9,873	3/4	3,059	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
1	16,553	1	9,731	1	2,918	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
1/4	16,410	1/4	9,589	1/4	2,776	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,268	1/2	9,446	1/2	2,635	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,126	3/4	9,304	3/4	2,493	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

Paul S. Row

GAUGE HEIGHT 16'-3 7/8"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	23,035	0	16,187	0	9,340	0	2,503	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,893	1/4	16,045	1/4	9,197	1/4	2,361	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,750	1/2	15,902	1/2	9,054	1/2	2,219	1/2	2,077	1/2	1,935	1/2	1,793	1/2	1,651	1/2	1,509	1/2	1,367	1/2	1,225
3/4	22,607	3/4	15,759	3/4	8,912	3/4	1,935	3/4	1,793	3/4	1,651	3/4	1,509	3/4	1,367	3/4	1,225	3/4	1,083	3/4	941
1	22,465	1	15,617	1	8,769	1	1,793	1	1,651	1	1,509	1	1,367	1	1,225	1	1,083	1	941	1	799
1/4	22,322	1/4	15,474	1/4	8,626	1/4	1,651	1/4	1,509	1/4	1,367	1/4	1,225	1/4	1,083	1/4	941	1/4	799	1/4	657
1/2	22,179	1/2	15,331	1/2	8,484	1/2	1,509	1/2	1,367	1/2	1,225	1/2	1,083	1/2	941	1/2	799	1/2	657	1/2	515
3/4	22,037	3/4	15,189	3/4	8,341	3/4	1,367	3/4	1,225	3/4	1,083	3/4	941	3/4	799	3/4	657	3/4	515	3/4	373
2	21,894	2	15,046	2	8,198	2	1,225	2	1,083	2	941	2	799	2	657	2	515	2	373	2	231
1/4	21,751	1/4	14,903	1/4	8,056	1/4	1,083	1/4	941	1/4	799	1/4	657	1/4	515	1/4	373	1/4	231	1/4	89
1/2	21,609	1/2	14,761	1/2	7,913	1/2	941	1/2	800	1/2	657	1/2	515	1/2	373	1/2	231	1/2	89	1/2	0
3/4	21,466	3/4	14,618	3/4	7,770	3/4	800	3/4	657	3/4	515	3/4	373	3/4	231	3/4	89	3/4	0	3/4	0
3	21,323	3	14,475	3	7,628	3	657	3	515	3	373	3	231	3	89	3	0	3	0	3	0
1/4	21,181	1/4	14,333	1/4	7,485	1/4	515	1/4	373	1/4	231	1/4	89	1/4	0	1/4	0	1/4	0	1/4	0
1/2	21,038	1/2	14,190	1/2	7,342	1/2	373	1/2	231	1/2	89	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,895	3/4	14,047	3/4	7,200	3/4	231	3/4	89	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
4	20,753	4	13,905	4	7,057	4	89	4	0	4	0	4	0	4	0	4	0	4	0	4	0
1/4	20,610	1/4	13,762	1/4	6,914	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	20,467	1/2	13,620	1/2	6,772	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,325	3/4	13,477	3/4	6,629	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
5	20,182	5	13,334	5	6,486	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0
1/4	20,039	1/4	13,192	1/4	6,344	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,897	1/2	13,049	1/2	6,201	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,754	3/4	12,906	3/4	6,058	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
6	19,611	6	12,764	6	5,916	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0
1/4	19,469	1/4	12,621	1/4	5,773	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,326	1/2	12,478	1/2	5,630	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,183	3/4	12,336	3/4	5,488	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
7	19,041	7	12,193	7	5,345	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0
1/4	18,898	1/4	12,050	1/4	5,202	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,755	1/2	11,908	1/2	5,060	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,613	3/4	11,765	3/4	4,917	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
8	18,470	8	11,622	8	4,775	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0
1/4	18,327	1/4	11,480	1/4	4,633	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,185	1/2	11,337	1/2	4,491	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,042	3/4	11,194	3/4	4,349	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
9	17,899	9	11,052	9	4,207	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0
1/4	17,757	1/4	10,909	1/4	4,065	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,614	1/2	10,766	1/2	3,923	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,471	3/4	10,624	3/4	3,781	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
10	17,329	10	10,481	10	3,639	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0
1/4	17,186	1/4	10,338	1/4	3,497	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,043	1/2	10,196	1/2	3,355	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,901	3/4	10,053	3/4	3,213	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
11	16,758	11	9,910	11	3,071	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0
1/4	16,615	1/4	9,768	1/4	2,929	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,473	1/2	9,625	1/2	2,787	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,330	3/4	9,482	3/4	2,645	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

Paul S. Row

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-6"

IN	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	85,004	84,861	84,718	84,575	84,432	84,289	84,146	83,999	83,856	83,713
1/2	84,718	84,575	84,432	84,289	84,146	83,999	83,856	83,713	83,570	83,427
3/4	84,432	84,289	84,146	83,999	83,856	83,713	83,570	83,427	83,284	83,141
1	84,146	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855
1/4	84,290	84,147	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998
1/2	84,147	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855
3/4	84,005	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855	82,712
2	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855	82,712	82,569
1/4	83,719	83,576	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432
1/2	83,576	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432	82,289
3/4	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432	82,289	82,146
3	83,291	83,148	82,999	82,856	82,713	82,570	82,427	82,284	82,141	81,998
1/4	83,148	82,999	82,856	82,713	82,570	82,427	82,284	82,141	81,998	81,855
1/2	83,005	82,863	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719
7/8	82,863	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576
4	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433
1/4	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433	81,290
1/2	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433	81,290	81,147
3/4	82,291	82,148	82,005	81,862	81,719	81,576	81,433	81,290	81,147	81,004
5	82,149	82,006	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862
1/4	82,006	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862	80,719
1/2	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862	80,719	80,576
3/4	81,720	81,577	81,434	81,291	81,148	81,005	80,862	80,719	80,576	80,433
6	81,578	81,435	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291
1/4	81,435	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291	80,148
1/2	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291	80,148	80,005
3/4	81,150	80,999	80,848	80,697	80,546	80,395	80,244	80,093	79,942	79,791
7	81,007	80,856	80,705	80,554	80,403	80,252	80,101	79,950	79,799	79,648
1/4	80,864	80,713	80,562	80,411	80,260	80,109	79,958	79,807	79,656	79,505
1/2	80,721	80,570	80,419	80,268	80,117	79,966	79,815	79,664	79,513	79,362
3/4	80,579	80,428	80,277	80,126	79,975	79,824	79,673	79,522	79,371	79,220
8	80,436	80,285	80,134	79,983	79,832	79,681	79,530	79,379	79,228	79,077
1/4	80,293	80,142	79,991	79,840	79,689	79,538	79,387	79,236	79,085	78,934
1/2	80,150	79,999	79,848	79,697	79,546	79,395	79,244	79,093	78,942	78,791
3/4	80,007	79,856	79,705	79,554	79,403	79,252	79,101	78,950	78,799	78,648
9	79,865	79,714	79,563	79,412	79,261	79,110	78,959	78,808	78,657	78,506
1/4	79,722	79,571	79,420	79,269	79,118	78,967	78,816	78,665	78,514	78,363
1/2	79,579	79,428	79,277	79,126	78,975	78,824	78,673	78,522	78,371	78,220
3/4	79,436	79,285	79,134	78,983	78,832	78,681	78,530	78,379	78,228	78,077
10	79,294	79,143	78,992	78,841	78,690	78,539	78,388	78,237	78,086	77,935
1/4	79,151	78,999	78,848	78,697	78,546	78,395	78,244	78,093	77,942	77,791
1/2	79,008	78,857	78,706	78,555	78,404	78,253	78,102	77,951	77,800	77,649
3/4	78,865	78,714	78,563	78,412	78,261	78,110	77,959	77,808	77,657	77,506
11	78,723	78,572	78,421	78,270	78,119	77,968	77,817	77,666	77,515	77,364
1/4	78,580	78,429	78,278	78,127	77,976	77,825	77,674	77,523	77,372	77,221
1/2	78,437	78,286	78,135	77,984	77,833	77,682	77,531	77,380	77,229	77,078
3/4	78,294	78,143	77,992	77,841	77,690	77,539	77,388	77,237	77,086	76,935
12	78,152	78,001	77,850	77,699	77,548	77,397	77,246	77,095	76,944	76,793
1/4	78,009	77,858	77,707	77,556	77,405	77,254	77,103	76,952	76,801	76,650
1/2	77,866	77,715	77,564	77,413	77,262	77,111	76,960	76,809	76,658	76,507
3/4	77,723	77,572	77,421	77,270	77,119	76,968	76,817	76,666	76,515	76,364
1	77,581	77,430	77,279	77,128	76,977	76,826	76,675	76,524	76,373	76,222
1/4	77,438	77,287	77,136	76,985	76,834	76,683	76,532	76,381	76,230	76,079
1/2	77,295	77,144	76,993	76,842	76,691	76,540	76,389	76,238	76,087	75,936
3/4	77,152	76,999	76,848	76,697	76,546	76,395	76,244	76,093	75,942	75,791
2	77,010	76,857	76,706	76,555	76,404	76,253	76,102	75,951	75,800	75,649
1/4	76,867	76,714	76,563	76,412	76,261	76,110	75,959	75,808	75,657	75,506
1/2	76,724	76,571	76,420	76,269	76,118	75,967	75,816	75,665	75,514	75,363
3/4	76,581	76,428	76,277	76,126	75,975	75,824	75,673	75,522	75,371	75,220
3	76,439	76,286	76,135	75,984	75,833	75,682	75,531	75,380	75,229	75,078
1/4	76,296	76,143	75,992	75,841	75,690	75,539	75,388	75,237	75,086	74,935
1/2	76,153	75,999	75,848	75,697	75,546	75,395	75,244	75,093	74,942	74,791
7/8	76,010	75,857	75,706	75,555	75,404	75,253	75,102	74,951	74,800	74,649
4	75,868	75,715	75,564	75,413	75,262	75,111	74,960	74,809	74,658	74,507
1/4	75,725	75,572	75,421	75,270	75,119	74,968	74,817	74,666	74,515	74,364
1/2	75,582	75,429	75,278	75,127	74,976	74,825	74,674	74,523	74,372	74,221
3/4	75,439	75,286	75,135	74,984	74,833	74,682	74,531	74,380	74,229	74,078
5	75,297	75,144	74,993	74,842	74,691	74,540	74,389	74,238	74,087	73,936
1/4	75,154	74,999	74,848	74,697	74,546	74,395	74,244	74,093	73,942	73,791
1/2	75,011	74,858	74,707	74,556	74,405	74,254	74,103	73,952	73,801	73,650
3/4	74,868	74,715	74,564	74,413	74,262	74,111	73,960	73,809	73,658	73,507
6	74,726	74,573	74,422	74,271	74,120	73,969	73,818	73,667	73,516	73,365
1/4	74,583	74,430	74,279	74,128	73,977	73,826	73,675	73,524	73,373	73,222
1/2	74,440	74,287	74,136	73,985	73,834	73,683	73,532	73,381	73,230	73,079
3/4	74,297	74,144	73,993	73,842	73,691	73,540	73,389	73,238	73,087	72,936
7	74,155	74,002	73,851	73,700	73,549	73,398	73,247	73,096	72,945	72,794
1/4	74,012	73,859	73,708	73,557	73,406	73,255	73,104	72,953	72,802	72,651
1/2	73,869	73,716	73,565	73,414	73,263	73,112	72,961	72,810	72,659	72,508
3/4	73,726	73,573	73,422	73,271	73,120	72,969	72,818	72,667	72,516	72,365
8	73,584	73,431	73,278	73,127	72,976	72,825	72,674	72,523	72,372	72,221
1/4	73,441	73,288	73,137	72,986	72,835	72,684	72,533	72,382	72,231	72,080
1/2	73,298	73,145	72,994	72,843	72,692	72,541	72,390	72,239	72,088	71,937
3/4	73,155	73,002	72,851	72,700	72,549	72,398	72,247	72,096	71,945	71,794
9	73,013	72,860	72,709	72,558	72,407	72,256	72,105	71,954	71,803	71,652
1/4	72,870	72,717	72,566	72,415	72,264	72,113	71,962	71,811	71,660	71,509
1/2	72,727	72,574	72,423	72,272	72,121	71,970	71,819	71,668	71,517	71,366
3/4	72,584	72,431	72,280	72,129	71,978	71,827	71,676	71,525	71,374	71,223
10	72,442	72,289	72,138	71,987	71,836	71,685	71,534	71,		

BARGE "CbC 202"

**3 STBD
ULLAGE TABLE**

GAUGE HEIGHT 16'-5"

CAPACITIES GIVEN IN WHICH F GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	23,335	0	16,463	0	9,631	0	2,789	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	23,192	1/4	16,340	1/4	9,488	1/4	2,646	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,050	1/2	16,197	1/2	9,345	1/2	2,504	1/2	2,504	1/2	2,362	1/2	2,220	1/2	2,078	1/2	1,936	1/2	1,794	1/2	1,652
3/4	22,907	3/4	16,055	3/4	9,203	3/4	2,362	3/4	2,220	3/4	2,078	3/4	1,936	3/4	1,794	3/4	1,652	3/4	1,510	3/4	1,368
1	22,764	1	15,912	1	9,060	1	2,220	1	2,078	1	1,936	1	1,794	1	1,652	1	1,510	1	1,368	1	1,226
1/4	22,621	1/4	15,769	1/4	8,917	1/4	2,078	1/4	1,936	1/4	1,794	1/4	1,652	1/4	1,510	1/4	1,368	1/4	1,226	1/4	1,084
1/2	22,479	1/2	15,626	1/2	8,774	1/2	1,936	1/2	1,794	1/2	1,652	1/2	1,510	1/2	1,368	1/2	1,226	1/2	1,084	1/2	942
3/4	22,336	3/4	15,484	3/4	8,632	3/4	1,794	3/4	1,652	3/4	1,510	3/4	1,368	3/4	1,226	3/4	1,084	3/4	942	3/4	799
2	22,193	2	15,341	2	8,489	2	1,652	2	1,510	2	1,368	2	1,226	2	1,084	2	942	2	799	2	657
1/4	22,050	1/4	15,198	1/4	8,346	1/4	1,510	1/4	1,368	1/4	1,226	1/4	1,084	1/4	942	1/4	799	1/4	657	1/4	515
1/2	21,908	1/2	15,055	1/2	8,203	1/2	1,368	1/2	1,226	1/2	1,084	1/2	942	1/2	799	1/2	657	1/2	515	1/2	373
3/4	21,765	3/4	14,913	3/4	8,061	3/4	1,226	3/4	1,084	3/4	942	3/4	799	3/4	657	3/4	515	3/4	373	3/4	231
3	21,622	3	14,770	3	7,918	3	1,117	3	989	3	847	3	705	3	563	3	421	3	279	3	137
1/4	21,479	1/4	14,627	1/4	7,775	1/4	989	1/4	847	1/4	705	1/4	563	1/4	421	1/4	279	1/4	137	1/4	0
1/2	21,337	1/2	14,484	1/2	7,632	1/2	847	1/2	705	1/2	563	1/2	421	1/2	279	1/2	137	1/2	0	1/2	0
3/4	21,194	3/4	14,342	3/4	7,490	3/4	705	3/4	563	3/4	421	3/4	279	3/4	137	3/4	0	3/4	0	3/4	0
4	21,051	4	14,199	4	7,347	4	563	4	421	4	279	4	137	4	0	4	0	4	0	4	0
1/4	20,908	1/4	14,056	1/4	7,204	1/4	421	1/4	279	1/4	137	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	20,766	1/2	13,913	1/2	7,061	1/2	279	1/2	137	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,623	3/4	13,771	3/4	6,919	3/4	137	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
5	20,480	5	13,628	5	6,776	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0
1/4	20,337	1/4	13,485	1/4	6,633	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	20,194	1/2	13,342	1/2	6,490	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,052	3/4	13,200	3/4	6,348	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
6	19,909	6	13,057	6	6,205	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0
1/4	19,766	1/4	12,914	1/4	6,062	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,623	1/2	12,771	1/2	5,919	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,481	3/4	12,628	3/4	5,777	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
7	19,338	7	12,486	7	5,634	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0
1/4	19,195	1/4	12,343	1/4	5,491	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,052	1/2	12,200	1/2	5,348	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,910	3/4	12,058	3/4	5,206	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
8	18,767	8	11,915	8	5,063	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0
1/4	18,624	1/4	11,772	1/4	4,920	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,481	1/2	11,629	1/2	4,778	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,339	3/4	11,487	3/4	4,636	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
9	18,196	9	11,344	9	4,493	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0
1/4	18,053	1/4	11,201	1/4	4,351	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,910	1/2	11,058	1/2	4,209	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,768	3/4	10,916	3/4	4,067	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
10	17,625	10	10,773	10	3,925	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0
1/4	17,482	1/4	10,630	1/4	3,783	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,339	1/2	10,487	1/2	3,641	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,197	3/4	10,345	3/4	3,499	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
11	17,054	11	10,202	11	3,357	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0
1/4	16,911	1/4	10,059	1/4	3,215	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,768	1/2	9,916	1/2	3,073	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,626	3/4	9,774	3/4	2,931	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

Bill A. Row

BARGE "C-202"

TANK NO. 4
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-9 3/4"

IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	174,495	1/4	174,208	1/4	160,695	1/4	146,607	1/4	133,094	1/4	119,294	1/4	105,493	1/4	91,693	1/4	77,892	1/4	64,092
1/2	173,920	1/2	173,920	1/2	160,120	1/2	146,319	1/2	132,519	1/2	118,719	1/2	104,918	1/2	91,118	1/2	77,317	1/2	63,517
3/4	173,333	3/4	173,333	3/4	159,832	3/4	146,032	3/4	132,231	3/4	118,431	3/4	104,631	3/4	90,831	3/4	77,030	3/4	63,229
1	173,345	1	173,345	1	159,545	1	145,744	1	131,944	1	118,144	1	104,343	1	90,543	1	76,742	1	62,942
1/4	173,058	1/4	173,058	1/4	159,257	1/4	145,457	1/4	131,656	1/4	117,856	1/4	104,056	1/4	90,255	1/4	76,455	1/4	62,654
1/2	172,483	1/2	172,483	1/2	158,970	1/2	145,169	1/2	131,369	1/2	117,569	1/2	103,768	1/2	89,968	1/2	76,167	1/2	62,357
3/4	172,195	3/4	172,195	3/4	158,682	3/4	144,882	3/4	131,081	3/4	117,281	3/4	103,481	3/4	89,680	3/4	75,880	3/4	62,079
2	172,195	2	172,195	2	158,395	2	144,594	2	130,794	2	116,994	2	103,193	2	89,393	2	75,592	2	61,792
1/4	171,908	1/4	171,908	1/4	158,107	1/4	144,307	1/4	130,506	1/4	116,706	1/4	102,906	1/4	89,105	1/4	75,305	1/4	61,504
1/2	171,620	1/2	171,620	1/2	157,820	1/2	144,019	1/2	130,219	1/2	116,419	1/2	102,619	1/2	88,818	1/2	75,017	1/2	61,217
3/4	171,333	3/4	171,333	3/4	157,532	3/4	143,732	3/4	129,931	3/4	116,131	3/4	102,331	3/4	88,530	3/4	74,730	3/4	60,929
1	171,045	1	171,045	1	157,245	1	143,444	1	129,644	1	115,844	1	102,043	1	88,243	1	74,442	1	60,642
1/4	170,758	1/4	170,758	1/4	156,957	1/4	143,157	1/4	129,356	1/4	115,556	1/4	101,756	1/4	87,955	1/4	74,155	1/4	60,354
1/2	170,470	1/2	170,470	1/2	156,670	1/2	142,869	1/2	129,069	1/2	115,269	1/2	101,468	1/2	87,668	1/2	73,867	1/2	60,067
3/4	170,183	3/4	170,183	3/4	156,382	3/4	142,582	3/4	128,781	3/4	114,981	3/4	101,181	3/4	87,380	3/4	73,580	3/4	59,779
4	169,895	4	169,895	4	156,095	4	142,294	4	128,494	4	114,693	4	100,893	4	87,093	4	73,292	4	59,492
1/4	169,608	1/4	169,608	1/4	155,807	1/4	142,007	1/4	128,206	1/4	114,406	1/4	100,606	1/4	86,805	1/4	73,005	1/4	59,204
1/2	169,320	1/2	169,320	1/2	155,520	1/2	141,719	1/2	127,919	1/2	114,118	1/2	100,318	1/2	86,518	1/2	72,717	1/2	58,917
3/4	169,033	3/4	169,033	3/4	155,232	3/4	141,432	3/4	127,631	3/4	113,831	3/4	100,031	3/4	86,230	3/4	72,430	3/4	58,629
5	168,745	5	168,745	5	154,945	5	141,144	5	127,344	5	113,543	5	99,743	5	85,943	5	72,142	5	58,342
1/4	168,458	1/4	168,458	1/4	154,657	1/4	140,857	1/4	127,056	1/4	113,256	1/4	99,456	1/4	85,655	1/4	71,855	1/4	58,054
5/8	179,597	1/2	168,170	1/2	154,370	1/2	140,569	1/2	126,769	1/2	112,968	1/2	99,168	1/2	85,368	1/2	71,567	1/2	57,767
3/4	179,583	3/4	167,883	3/4	154,082	3/4	140,282	3/4	126,481	3/4	112,681	3/4	98,880	3/4	85,080	3/4	71,280	3/4	57,480
6	179,554	6	167,595	6	153,795	6	139,994	6	126,194	6	112,394	6	98,593	6	84,793	6	70,992	6	57,192
1/4	179,468	1/4	167,308	1/4	153,507	1/4	139,707	1/4	125,906	1/4	112,106	1/4	98,305	1/4	84,505	1/4	70,705	1/4	56,904
1/2	179,382	1/2	167,020	1/2	153,220	1/2	139,419	1/2	125,619	1/2	111,818	1/2	98,018	1/2	84,218	1/2	70,417	1/2	56,617
3/4	179,296	3/4	166,732	3/4	152,932	3/4	139,132	3/4	125,331	3/4	111,531	3/4	97,730	3/4	83,930	3/4	70,130	3/4	56,329
7	179,210	7	166,445	7	152,645	7	138,844	7	125,044	7	111,243	7	97,443	7	83,643	7	69,842	7	56,042
1/4	179,066	1/4	166,157	1/4	152,357	1/4	138,557	1/4	124,756	1/4	110,956	1/4	97,155	1/4	83,355	1/4	69,555	1/4	55,754
1/2	178,922	1/2	165,870	1/2	152,070	1/2	138,269	1/2	124,469	1/2	110,669	1/2	96,868	1/2	83,068	1/2	69,267	1/2	55,467
3/4	178,779	3/4	165,582	3/4	151,782	3/4	137,982	3/4	124,181	3/4	110,381	3/4	96,580	3/4	82,780	3/4	68,980	3/4	55,179
8	178,635	8	165,295	8	151,495	8	137,694	8	123,894	8	110,093	8	96,293	8	82,493	8	68,692	8	54,892
1/4	178,434	1/4	165,007	1/4	151,207	1/4	137,407	1/4	123,606	1/4	109,806	1/4	96,005	1/4	82,205	1/4	68,405	1/4	54,604
1/2	178,233	1/2	164,720	1/2	150,920	1/2	137,119	1/2	123,319	1/2	109,518	1/2	95,718	1/2	81,917	1/2	68,117	1/2	54,317
3/4	178,031	3/4	164,432	3/4	150,632	3/4	136,832	3/4	123,031	3/4	109,231	3/4	95,430	3/4	81,630	3/4	67,830	3/4	54,029
9	177,830	9	164,145	9	150,345	9	136,544	9	122,744	9	108,943	9	95,143	9	81,342	9	67,542	9	53,742
1/4	177,632	1/4	163,857	1/4	150,057	1/4	136,257	1/4	122,456	1/4	108,656	1/4	94,855	1/4	81,055	1/4	67,255	1/4	53,454
1/2	177,431	1/2	163,570	1/2	149,769	1/2	135,969	1/2	122,169	1/2	108,368	1/2	94,568	1/2	80,767	1/2	66,967	1/2	53,167
3/4	177,230	3/4	163,282	3/4	149,482	3/4	135,682	3/4	121,881	3/4	108,081	3/4	94,280	3/4	80,480	3/4	66,680	3/4	52,879
10	177,029	10	163,005	10	149,194	10	135,394	10	121,594	10	107,793	10	93,993	10	80,192	10	66,393	10	52,592
1/4	176,828	1/4	162,707	1/4	148,907	1/4	135,107	1/4	121,306	1/4	107,506	1/4	93,705	1/4	79,905	1/4	66,105	1/4	52,304
1/2	176,620	1/2	162,420	1/2	148,619	1/2	134,819	1/2	121,019	1/2	107,218	1/2	93,418	1/2	79,617	1/2	65,817	1/2	52,017
3/4	176,419	3/4	162,132	3/4	148,332	3/4	134,532	3/4	120,731	3/4	106,931	3/4	93,131	3/4	79,330	3/4	65,530	3/4	51,729
11	176,218	11	161,845	11	148,044	11	134,244	11	120,444	11	106,643	11	92,843	11	79,042	11	65,242	11	51,442
1/4	176,017	1/4	161,557	1/4	147,757	1/4	133,957	1/4	120,156	1/4	106,356	1/4	92,556	1/4	78,755	1/4	64,955	1/4	51,154
1/2	175,816	1/2	161,270	1/2	147,469	1/2	133,669	1/2	119,869	1/2	106,069	1/2	92,269	1/2	78,467	1/2	64,667	1/2	50,867
3/4	175,615	3/4	160,982	3/4	147,182	3/4	133,382	3/4	119,581	3/4	105,781	3/4	91,981	3/4	78,180	3/4	64,379	3/4	50,579

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M-M-C" CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 1'-6" OFF CENTERLINE AND 19'-5" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/05 BY: KS-RF
DATE COMPUTED: 4/3/05 BY: DR
DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Paul S. Rose

CAPACITIES GIVEN IN WHOLE GALLONS		GAUGE HEIGHT 16'-0 3/4"																	
M	13 FT.	M	14 FT.	M	15 FT.	M	16 FT.	M	17 FT.	M	18 FT.	M	19 FT.	M	20 FT.	M	21 FT.	M	22 FT.
0	50,292	0	36,491	0	22,691	0	8,894	0		0		0		0		0		0	
1/4	50,004	1/4	36,204	1/4	22,403	1/4	8,608	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49,717	1/2	35,916	1/2	22,116	1/2	8,322	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	49,429	3/4	35,629	3/4	21,828	3/4	8,036	3/4		3/4		3/4		3/4		3/4		3/4	
1	49,142	1	35,341	1	21,541	1	7,750	1		1		1		1		1		1	
1/4	48,854	1/4	35,054	1/4	21,253	1/4	7,464	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48,567	1/2	34,766	1/2	20,966	1/2	7,177	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	48,279	3/4	34,479	3/4	20,678	3/4	6,891	3/4		3/4		3/4		3/4		3/4		3/4	
2	47,991	2	34,191	2	20,391	2	6,605	2		2		2		2		2		2	
1/4	47,704	1/4	33,904	1/4	20,103	1/4	6,319	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	47,416	1/2	33,616	1/2	19,816	1/2	6,033	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	47,129	3/4	33,329	3/4	19,528	3/4	5,747	3/4		3/4		3/4		3/4		3/4		3/4	
3	46,841	3	33,041	3	19,241	3	5,460	3		3		3		3		3		3	
1/4	46,554	1/4	32,754	1/4	18,953	1/4	5,174	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	46,266	1/2	32,466	1/2	18,666	1/2	4,888	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45,979	3/4	32,179	3/4	18,378	3/4	4,602	3/4		3/4		3/4		3/4		3/4		3/4	
4	45,691	4	31,891	4	18,091	4	4,316	4		4		4		4		4		4	
1/4	45,404	1/4	31,604	1/4	17,803	1/4	4,030	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	45,116	1/2	31,316	1/2	17,516	1/2	3,743	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44,829	3/4	31,028	3/4	17,228	3/4	3,457	3/4		3/4		3/4		3/4		3/4		3/4	
5	44,541	5	30,741	5	16,941	5	3,171	5		5		5		5		5		5	
1/4	44,254	1/4	30,453	1/4	16,653	1/4	2,885	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	43,966	1/2	30,166	1/2	16,366	1/2	2,626	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	43,679	3/4	29,878	3/4	16,078	3/4	2,367	3/4		3/4		3/4		3/4		3/4		3/4	
6	43,391	6	29,591	6	15,791	6	2,109	6		6		6		6		6		6	
1/4	43,104	1/4	29,303	1/4	15,503	1/4	1,850	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42,816	1/2	29,016	1/2	15,216	1/2	1,647	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42,529	3/4	28,728	3/4	14,928	3/4	1,447	3/4		3/4		3/4		3/4		3/4		3/4	
7	42,241	7	28,441	7	14,641	7	1,246	7		7		7		7		7		7	
1/4	41,954	1/4	28,153	1/4	14,353	1/4	1,045	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	41,666	1/2	27,866	1/2	14,065	1/2	901	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	41,379	3/4	27,578	3/4	13,778	3/4	758	3/4		3/4		3/4		3/4		3/4		3/4	
8	41,091	8	27,291	8	13,490	8	614	8		8		8		8		8		8	
1/4	40,804	1/4	27,003	1/4	13,203	1/4	470	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	40,516	1/2	26,716	1/2	12,915	1/2	384	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	40,229	3/4	26,428	3/4	12,628	3/4	298	3/4		3/4		3/4		3/4		3/4		3/4	
9	39,941	9	26,141	9	12,340	9	212	9		9		9		9		9		9	
1/4	39,654	1/4	25,853	1/4	12,053	1/4	126	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	39,366	1/2	25,566	1/2	11,765	1/2	97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	39,079	3/4	25,278	3/4	11,478	3/4	68	3/4		3/4		3/4		3/4		3/4		3/4	
10	38,791	10	24,991	10	11,190	10		10		10		10		10		10		10	
1/4	38,504	1/4	24,703	1/4	10,903	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	38,216	1/2	24,416	1/2	10,615	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	37,929	3/4	24,128	3/4	10,328	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	37,641	11	23,841	11	10,040	11		11		11		11		11		11		11	
1/4	37,354	1/4	23,553	1/4	9,753	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	37,066	1/2	23,266	1/2	9,467	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	36,779	3/4	22,978	3/4	9,181	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

