

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-3 5/8"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	156,710	1/4	146,369	1/4	134,306	1/4	122,243	1/4	110,180	1/4	98,118	1/4	86,055	1/4	73,992	1/4	61,929	1/4	49,866
1/2	146,117	1/2	133,803	1/2	121,741	1/2	109,678	1/2	97,615	1/2	85,552	1/2	73,489	1/2	61,426	1/2	49,363	1/2	37,300
3/4	156,584	3/4	145,866	3/4	133,552	3/4	121,489	3/4	109,426	3/4	97,363	3/4	85,300	3/4	73,237	3/4	61,174	3/4	49,111
1	156,433	1	145,363	1	133,301	1	121,238	1	109,175	1	97,112	1	85,050	1	72,987	1	60,924	1	48,861
1 1/4	156,333	1 1/4	145,112	1 1/4	133,049	1 1/4	120,987	1 1/4	108,924	1 1/4	96,861	1 1/4	84,798	1 1/4	72,736	1 1/4	60,673	1 1/4	48,610
1 1/2	156,207	1 1/2	144,861	1 1/2	132,798	1 1/2	120,735	1 1/2	108,673	1 1/2	96,610	1 1/2	84,547	1 1/2	72,484	1 1/2	60,422	1 1/2	48,459
1 3/4	156,082	1 3/4	144,609	1 3/4	132,547	1 3/4	120,484	1 3/4	108,421	1 3/4	96,359	1 3/4	84,296	1 3/4	72,233	1 3/4	60,170	1 3/4	48,336
2	155,956	2	144,358	2	132,295	2	120,233	2	108,170	2	96,107	2	84,044	2	71,982	2	59,919	2	47,856
2 1/4	155,805	2 1/4	144,107	2 1/4	132,044	2 1/4	119,981	2 1/4	107,919	2 1/4	95,856	2 1/4	83,793	2 1/4	71,730	2 1/4	59,668	2 1/4	47,605
2 1/2	155,629	2 1/2	143,856	2 1/2	131,793	2 1/2	119,730	2 1/2	107,667	2 1/2	95,605	2 1/2	83,542	2 1/2	71,479	2 1/2	59,416	2 1/2	47,354
2 3/4	155,453	2 3/4	143,604	2 3/4	131,541	2 3/4	119,479	2 3/4	107,416	2 3/4	95,353	2 3/4	83,291	2 3/4	71,228	2 3/4	59,165	2 3/4	47,002
3	155,277	3	143,353	3	131,290	3	119,227	3	107,165	3	95,102	3	83,039	3	70,977	3	58,914	3	46,749
3 1/4	155,076	3 1/4	143,102	3 1/4	131,039	3 1/4	118,976	3 1/4	106,913	3 1/4	94,851	3 1/4	82,788	3 1/4	70,725	3 1/4	58,662	3 1/4	46,497
3 1/2	154,850	3 1/2	142,850	3 1/2	130,788	3 1/2	118,725	3 1/2	106,657	3 1/2	94,599	3 1/2	82,537	3 1/2	70,474	3 1/2	58,411	3 1/2	46,245
3 3/4	154,624	3 3/4	142,599	3 3/4	130,536	3 3/4	118,474	3 3/4	106,411	3 3/4	94,348	3 3/4	82,285	3 3/4	70,223	3 3/4	58,160	3 3/4	45,993
4	154,398	4	142,348	4	130,285	4	118,222	4	106,159	4	94,097	4	82,034	4	69,971	4	57,909	4	45,740
4 1/4	154,159	4 1/4	142,096	4 1/4	130,034	4 1/4	117,971	4 1/4	105,908	4 1/4	93,845	4 1/4	81,783	4 1/4	69,720	4 1/4	57,657	4 1/4	45,497
4 1/2	153,908	4 1/2	141,845	4 1/2	129,782	4 1/2	117,720	4 1/2	105,657	4 1/2	93,594	4 1/2	81,531	4 1/2	69,469	4 1/2	57,406	4 1/2	45,246
4 3/4	153,656	4 3/4	141,594	4 3/4	129,531	4 3/4	117,468	4 3/4	105,406	4 3/4	93,343	4 3/4	81,280	4 3/4	69,217	4 3/4	57,155	4 3/4	44,995
5	153,405	5	141,342	5	129,280	5	117,217	5	105,154	5	93,092	5	81,029	5	68,966	5	56,903	5	44,744
5 1/4	153,154	5 1/4	141,091	5 1/4	129,028	5 1/4	116,966	5 1/4	104,903	5 1/4	92,840	5 1/4	80,777	5 1/4	68,715	5 1/4	56,652	5 1/4	44,493
5 1/2	152,903	5 1/2	140,840	5 1/2	128,777	5 1/2	116,714	5 1/2	104,652	5 1/2	92,589	5 1/2	80,526	5 1/2	68,463	5 1/2	56,401	5 1/2	44,242
5 3/4	152,651	5 3/4	140,589	5 3/4	128,526	5 3/4	116,463	5 3/4	104,400	5 3/4	92,338	5 3/4	80,275	5 3/4	68,212	5 3/4	56,149	5 3/4	43,991
6	152,400	6	140,337	6	128,274	6	116,212	6	104,149	6	92,086	6	80,024	6	67,961	6	55,898	6	43,740
6 1/4	152,149	6 1/4	140,086	6 1/4	128,023	6 1/4	115,960	6 1/4	103,898	6 1/4	91,835	6 1/4	79,772	6 1/4	67,710	6 1/4	55,647	6 1/4	43,489
6 1/2	151,897	6 1/2	139,835	6 1/2	127,772	6 1/2	115,709	6 1/2	103,646	6 1/2	91,584	6 1/2	79,521	6 1/2	67,458	6 1/2	55,396	6 1/2	43,238
6 3/4	151,646	6 3/4	139,583	6 3/4	127,521	6 3/4	115,458	6 3/4	103,395	6 3/4	91,332	6 3/4	79,270	6 3/4	67,207	6 3/4	55,144	6 3/4	42,987
7	151,395	7	139,332	7	127,269	7	115,207	7	103,144	7	91,081	7	79,018	7	66,956	7	54,893	7	42,736
7 1/4	151,143	7 1/4	139,081	7 1/4	127,018	7 1/4	114,955	7 1/4	102,892	7 1/4	90,830	7 1/4	78,767	7 1/4	66,704	7 1/4	54,642	7 1/4	42,485
7 1/2	150,892	7 1/2	138,829	7 1/2	126,767	7 1/2	114,704	7 1/2	102,641	7 1/2	90,578	7 1/2	78,516	7 1/2	66,453	7 1/2	54,390	7 1/2	42,234
7 3/4	150,641	7 3/4	138,578	7 3/4	126,515	7 3/4	114,453	7 3/4	102,390	7 3/4	90,327	7 3/4	78,264	7 3/4	66,202	7 3/4	54,139	7 3/4	41,983
8	150,389	8	138,327	8	126,264	8	114,201	8	102,139	8	90,076	8	78,013	8	65,950	8	53,888	8	41,732
8 1/4	150,138	8 1/4	138,075	8 1/4	126,013	8 1/4	113,950	8 1/4	101,887	8 1/4	89,825	8 1/4	77,762	8 1/4	65,699	8 1/4	53,636	8 1/4	41,481
8 1/2	149,887	8 1/2	137,824	8 1/2	125,761	8 1/2	113,699	8 1/2	101,636	8 1/2	89,573	8 1/2	77,511	8 1/2	65,448	8 1/2	53,385	8 1/2	41,230
8 3/4	149,636	8 3/4	137,573	8 3/4	125,510	8 3/4	113,447	8 3/4	101,385	8 3/4	89,322	8 3/4	77,259	8 3/4	65,196	8 3/4	53,134	8 3/4	40,979
9	149,384	9	137,322	9	125,259	9	113,196	9	101,133	9	89,071	9	77,008	9	64,945	9	52,882	9	40,728
9 1/4	149,133	9 1/4	137,070	9 1/4	125,007	9 1/4	112,945	9 1/4	100,882	9 1/4	88,819	9 1/4	76,757	9 1/4	64,694	9 1/4	52,631	9 1/4	40,477
9 1/2	148,882	9 1/2	136,819	9 1/2	124,756	9 1/2	112,693	9 1/2	100,631	9 1/2	88,568	9 1/2	76,505	9 1/2	64,443	9 1/2	52,380	9 1/2	40,226
9 3/4	148,630	9 3/4	136,568	9 3/4	124,505	9 3/4	112,442	9 3/4	100,379	9 3/4	88,317	9 3/4	76,254	9 3/4	64,191	9 3/4	52,129	9 3/4	39,975
10	148,379	10	136,316	10	124,254	10	112,191	10	100,128	10	88,065	10	76,003	10	63,940	10	51,877	10	39,724
10 1/4	148,128	10 1/4	136,065	10 1/4	124,002	10 1/4	111,940	10 1/4	99,877	10 1/4	87,814	10 1/4	75,751	10 1/4	63,689	10 1/4	51,626	10 1/4	39,473
10 1/2	147,876	10 1/2	135,814	10 1/2	123,751	10 1/2	111,688	10 1/2	99,626	10 1/2	87,563	10 1/2	75,500	10 1/2	63,437	10 1/2	51,375	10 1/2	39,222
10 3/4	147,625	10 3/4	135,562	10 3/4	123,500	10 3/4	111,437	10 3/4	99,374	10 3/4	87,311	10 3/4	75,249	10 3/4	63,186	10 3/4	51,123	10 3/4	38,971
11	147,374	11	135,311	11	123,248	11	111,186	11	99,123	11	87,060	11	74,997	11	62,935	11	50,872	11	38,720
11 1/4	147,122	11 1/4	135,060	11 1/4	122,997	11 1/4	110,934	11 1/4	98,879	11 1/4	86,809	11 1/4	74,746	11 1/4	62,683	11 1/4	50,621	11 1/4	38,469
11 1/2	146,871	11 1/2	134,808	11 1/2	122,746	11 1/2	110,683	11 1/2	98,620	11 1/2	86,558	11 1/2	74,495	11 1/2	62,432	11 1/2	50,369	11 1/2	38,218
11 3/4	146,620	11 3/4	134,557	11 3/4	122,494	11 3/4	110,432	11 3/4	98,369	11 3/4	86,306	11 3/4	74,244	11 3/4	62,181	11 3/4	50,118	11 3/4	37,967

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 2'-0" OFF CENTERLINE AND 18'-2" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: KS
DATE ISSUED: 8/2/06

Don A. Rose

CAPACITIES GIVEN IN WHOLE GALLONS										GAUGE HEIGHT 16'-3 5/8"									
IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	49,867	0	37,804	0	25,742	0	13,679	0	1,733	0		0		0		0		0	
1/4	49,615	1/4	37,553	1/4	25,490	1/4	13,428	1/4	1,532	1/4		1/4		1/4		1/4		1/4	
1/2	49,364	1/2	37,301	1/2	25,239	1/2	13,177	1/2	1,356	1/2		1/2		1/2		1/2		1/2	
3/4	49,113	3/4	37,050	3/4	24,988	3/4	12,925	3/4	1,180	3/4		3/4		3/4		3/4		3/4	
1	48,862	1	36,799	1	24,737	1	12,674	1	1,004	1		1		1		1		1	
1 1/4	48,610	1 1/4	36,547	1 1/4	24,485	1 1/4	12,423	1 1/4	853	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	48,359	1 1/2	36,296	1 1/2	24,234	1 1/2	12,171	1 1/2	727	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	48,108	1 3/4	36,045	1 3/4	23,983	1 3/4	11,920	1 3/4	602	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
2	47,856	2	35,794	2	23,731	2	11,669	2	476	2		2		2		2		2	
1 1/4	47,605	1 1/4	35,542	1 1/4	23,480	1 1/4	11,417	1 1/4	376	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	47,354	1 1/2	35,291	1 1/2	23,229	1 1/2	11,166	1 1/2	300	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	47,102	1 3/4	35,040	1 3/4	22,977	1 3/4	10,915	1 3/4	225	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
3	46,851	3	34,788	3	22,726	3	10,663	3	149	3		3		3		3		3	
1 1/4	46,600	1 1/4	34,537	1 1/4	22,475	1 1/4	10,412	1 1/4	99	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	46,348	1 1/2	34,286	1 1/2	22,223	1 1/2	10,161	1 1/2	74	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	46,097	1 3/4	34,034	1 3/4	21,972	1 3/4	9,910	1 3/4	61	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
4	45,846	4	33,783	4	21,721	4	9,658	4		4		4		4		4		4	
1 1/4	45,595	1 1/4	33,532	1 1/4	21,470	1 1/4	9,407	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	45,343	1 1/2	33,281	1 1/2	21,218	1 1/2	9,156	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	45,092	1 3/4	33,029	1 3/4	20,967	1 3/4	8,904	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
5	44,841	5	32,778	5	20,716	5	8,653	5		5		5		5		5		5	
1 1/4	44,589	1 1/4	32,527	1 1/4	20,464	1 1/4	8,402	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	44,338	1 1/2	32,275	1 1/2	20,213	1 1/2	8,152	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	44,087	1 3/4	32,024	1 3/4	19,962	1 3/4	7,902	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
6	43,835	6	31,773	6	19,710	6	7,652	6		6		6		6		6		6	
1 1/4	43,584	1 1/4	31,521	1 1/4	19,459	1 1/4	7,402	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	43,333	1 1/2	31,270	1 1/2	19,208	1 1/2	7,152	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	43,081	1 3/4	31,019	1 3/4	18,957	1 3/4	6,902	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
7	42,830	7	30,768	7	18,705	7	6,651	7		7		7		7		7		7	
1 1/4	42,579	1 1/4	30,516	1 1/4	18,454	1 1/4	6,401	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	42,328	1 1/2	30,265	1 1/2	18,203	1 1/2	6,151	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	42,076	1 3/4	30,014	1 3/4	17,951	1 3/4	5,901	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
8	41,825	8	29,762	8	17,700	8	5,651	8		8		8		8		8		8	
1 1/4	41,574	1 1/4	29,511	1 1/4	17,449	1 1/4	5,401	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	41,322	1 1/2	29,260	1 1/2	17,197	1 1/2	5,151	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	41,071	1 3/4	29,009	1 3/4	16,946	1 3/4	4,900	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
9	40,820	9	28,757	9	16,695	9	4,650	9		9		9		9		9		9	
1 1/4	40,568	1 1/4	28,506	1 1/4	16,443	1 1/4	4,400	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	40,317	1 1/2	28,255	1 1/2	16,192	1 1/2	4,150	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	40,066	1 3/4	28,003	1 3/4	15,941	1 3/4	3,900	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
10	39,814	10	27,752	10	15,690	10	3,650	10		10		10		10		10		10	
1 1/4	39,563	1 1/4	27,501	1 1/4	15,438	1 1/4	3,400	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	39,312	1 1/2	27,249	1 1/2	15,187	1 1/2	3,150	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	39,061	1 3/4	26,998	1 3/4	14,936	1 3/4	2,899	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
11	38,809	11	26,747	11	14,684	11	2,649	11		11		11		11		11		11	
1 1/4	38,558	1 1/4	26,496	1 1/4	14,433	1 1/4	2,411	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	38,307	1 1/2	26,244	1 1/2	14,182	1 1/2	2,185	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	38,055	1 3/4	25,993	1 3/4	13,930	1 3/4	1,939	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Bill A. Bess

BARGE "UJC 206"

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/8"

M	2 FT.	M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.
0	0	0	88.189	0	81.464	0	74.617	0	67.771	0	60.925	0	54.079	0	47.233	0	40.387	0	33.540
1/4	1/4	1/4	88.089	1/4	81.321	1/4	74.475	1/4	67.629	1/4	60.782	1/4	53.936	1/4	47.090	1/4	40.244	1/4	33.398
1/2	1/2	1/2	87.978	1/2	81.178	1/2	74.332	1/2	67.486	1/2	60.640	1/2	53.794	1/2	46.948	1/2	40.101	1/2	33.255
3/4	3/4	3/4	87.846	3/4	81.036	3/4	74.190	3/4	67.343	3/4	60.497	3/4	53.651	3/4	46.805	3/4	39.959	3/4	33.113
1	1	1	87.718	1	80.893	1	74.047	1	67.201	1	60.355	1	53.508	1	46.662	1	39.816	1	32.970
1/4	1/4	1/4	87.589	1/4	80.750	1/4	73.904	1/4	67.058	1/4	60.212	1/4	53.366	1/4	46.520	1/4	39.673	1/4	32.827
1/2	1/2	1/2	87.454	1/2	80.608	1/2	73.762	1/2	66.916	1/2	60.069	1/2	53.223	1/2	46.377	1/2	39.531	1/2	32.685
3/4	3/4	3/4	87.311	3/4	80.465	3/4	73.619	3/4	66.773	3/4	59.927	3/4	53.081	3/4	46.234	3/4	39.388	3/4	32.542
2	2	2	87.169	2	80.323	2	73.476	2	66.630	2	59.784	2	52.938	2	46.092	2	39.246	2	32.399
1/4	1/4	1/4	87.026	1/4	80.180	1/4	73.334	1/4	66.488	1/4	59.641	1/4	52.795	1/4	45.949	1/4	39.103	1/4	32.257
1/2	1/2	1/2	86.883	1/2	80.037	1/2	73.191	1/2	66.345	1/2	59.499	1/2	52.653	1/2	45.807	1/2	38.960	1/2	32.114
3/4	3/4	3/4	86.741	3/4	79.895	3/4	73.049	3/4	66.202	3/4	59.356	3/4	52.510	3/4	45.664	3/4	38.818	3/4	31.972
3	3	3	86.598	3	79.752	3	72.906	3	66.060	3	59.214	3	52.367	3	45.521	3	38.675	3	31.829
1/4	1/4	1/4	86.456	1/4	79.609	1/4	72.763	1/4	65.917	1/4	59.071	1/4	52.225	1/4	45.379	1/4	38.532	1/4	31.686
1/2	1/2	1/2	86.313	1/2	79.467	1/2	72.621	1/2	65.774	1/2	58.928	1/2	52.082	1/2	45.236	1/2	38.390	1/2	31.544
3/4	3/4	3/4	86.170	3/4	79.324	3/4	72.478	3/4	65.632	3/4	58.786	3/4	51.940	3/4	45.093	3/4	38.247	3/4	31.401
4	4	4	86.028	4	79.182	4	72.335	4	65.489	4	58.643	4	51.797	4	44.951	4	38.105	4	31.258
1/4	1/4	1/4	85.885	1/4	79.039	1/4	72.193	1/4	65.347	1/4	58.500	1/4	51.654	1/4	44.808	1/4	37.962	1/4	31.116
1/2	1/2	1/2	85.742	1/2	78.896	1/2	72.050	1/2	65.204	1/2	58.358	1/2	51.512	1/2	44.665	1/2	37.819	1/2	30.973
3/4	3/4	3/4	85.600	3/4	78.754	3/4	71.908	3/4	65.061	3/4	58.215	3/4	51.369	3/4	44.523	3/4	37.677	3/4	30.831
5	5	5	85.457	5	78.611	5	71.765	5	64.919	5	58.073	5	51.226	5	44.380	5	37.534	5	30.688
1/4	1/4	1/4	85.315	1/4	78.468	1/4	71.622	1/4	64.776	1/4	57.930	1/4	51.084	1/4	44.238	1/4	37.391	1/4	30.545
1/2	1/2	1/2	85.172	1/2	78.326	1/2	71.480	1/2	64.633	1/2	57.787	1/2	50.941	1/2	44.095	1/2	37.249	1/2	30.403
3/4	3/4	3/4	85.029	3/4	78.183	3/4	71.337	3/4	64.491	3/4	57.645	3/4	50.799	3/4	43.952	3/4	37.106	3/4	30.260
6	6	6	84.887	6	78.041	6	71.194	6	64.348	6	57.502	6	50.656	6	43.810	6	36.964	6	30.117
1/4	1/4	1/4	84.744	1/4	77.898	1/4	71.052	1/4	64.206	1/4	57.359	1/4	50.513	1/4	43.667	1/4	36.821	1/4	29.975
1/2	1/2	1/2	84.601	1/2	77.755	1/2	70.909	1/2	64.063	1/2	57.217	1/2	50.371	1/2	43.524	1/2	36.678	1/2	29.832
3/4	3/4	3/4	84.459	3/4	77.613	3/4	70.766	3/4	63.920	3/4	57.074	3/4	50.228	3/4	43.382	3/4	36.536	3/4	29.690
7	7	7	84.316	7	77.470	7	70.624	7	63.778	7	56.932	7	50.085	7	43.239	7	36.393	7	29.547
1/4	1/4	1/4	84.174	1/4	77.327	1/4	70.481	1/4	63.635	1/4	56.789	1/4	49.943	1/4	43.097	1/4	36.250	1/4	29.404
1/2	1/2	1/2	84.031	1/2	77.185	1/2	70.339	1/2	63.492	1/2	56.646	1/2	49.800	1/2	42.954	1/2	36.108	1/2	29.262
3/4	3/4	3/4	83.888	3/4	77.042	3/4	70.196	3/4	63.350	3/4	56.504	3/4	49.657	3/4	42.811	3/4	35.965	3/4	29.119
8	8	8	83.746	8	76.900	8	70.053	8	63.207	8	56.361	8	49.515	8	42.669	8	35.823	8	28.976
1/4	1/4	1/4	83.603	1/4	76.757	1/4	69.911	1/4	63.065	1/4	56.218	1/4	49.372	1/4	42.526	1/4	35.680	1/4	28.834
1/2	1/2	1/2	83.460	1/2	76.614	1/2	69.768	1/2	62.922	1/2	56.076	1/2	49.230	1/2	42.383	1/2	35.537	1/2	28.691
3/4	3/4	3/4	83.318	3/4	76.472	3/4	69.625	3/4	62.779	3/4	55.933	3/4	49.087	3/4	42.241	3/4	35.395	3/4	28.548
9	9	9	83.175	9	76.329	9	69.483	9	62.637	9	55.791	9	48.944	9	42.098	9	35.252	9	28.406
1/4	1/4	1/4	83.033	1/4	76.186	1/4	69.340	1/4	62.494	1/4	55.648	1/4	48.802	1/4	41.956	1/4	35.109	1/4	28.263
1/2	1/2	1/2	82.890	1/2	76.044	1/2	69.198	1/2	62.351	1/2	55.505	1/2	48.659	1/2	41.813	1/2	34.967	1/2	28.121
3/4	3/4	3/4	82.747	3/4	75.901	3/4	69.055	3/4	62.209	3/4	55.363	3/4	48.516	3/4	41.670	3/4	34.824	3/4	27.978
10	10	10	82.605	10	75.758	10	68.912	10	62.066	10	55.220	10	48.374	10	41.528	10	34.682	10	27.835
1/4	1/4	1/4	82.462	1/4	75.616	1/4	68.770	1/4	61.924	1/4	55.077	1/4	48.231	1/4	41.385	1/4	34.539	1/4	27.693
1/2	1/2	1/2	82.319	1/2	75.473	1/2	68.627	1/2	61.781	1/2	54.935	1/2	48.089	1/2	41.242	1/2	34.396	1/2	27.550
3/4	3/4	3/4	82.177	3/4	75.331	3/4	68.484	3/4	61.638	3/4	54.792	3/4	47.946	3/4	41.100	3/4	34.254	3/4	27.407
11	11	11	82.034	11	75.188	11	68.342	11	61.496	11	54.649	11	47.803	11	40.957	11	34.111	11	27.265
1/4	1/4	1/4	81.892	1/4	75.045	1/4	68.199	1/4	61.353	1/4	54.507	1/4	47.661	1/4	40.815	1/4	33.968	1/4	27.122
1/2	1/2	1/2	81.749	1/2	74.903	1/2	68.057	1/2	61.210	1/2	54.364	1/2	47.518	1/2	40.672	1/2	33.826	1/2	26.980
3/4	3/4	3/4	81.606	3/4	74.760	3/4	67.914	3/4	61.068	3/4	54.222	3/4	47.375	3/4	40.529	3/4	33.683	3/4	26.837

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

Paul A. Rose

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 14'-1" OFF CENTERLINE AND 21'-1" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 8/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	26,694	0	19,848	0	13,029	0	6,183	0		0		0		0		0		0	
1/4	26,552	1/4	19,706	1/4	12,897	1/4	6,041	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,409	1/2	19,563	1/2	12,744	1/2	5,898	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,266	3/4	19,420	3/4	12,601	3/4	5,756	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,124	1	19,278	1	12,459	1	5,613	1	1	1	1	1	1	1	1	1	1	1	1
1/4	25,981	1/4	19,135	1/4	12,316	1/4	5,470	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,839	1/2	18,993	1/2	12,174	1/2	5,328	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,696	3/4	18,851	3/4	12,031	3/4	5,185	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	25,553	2	18,710	2	11,889	2	5,042	2	2	2	2	2	2	2	2	2	2	2	2
1/4	25,411	1/4	18,568	1/4	11,746	1/4	4,900	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,268	1/2	18,426	1/2	11,603	1/2	4,758	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,125	3/4	18,284	3/4	11,461	3/4	4,617	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	24,983	3	18,142	3	11,318	3	4,475	3	3	3	3	3	3	3	3	3	3	3	3
1/4	24,840	1/4	18,001	1/4	11,175	1/4	4,334	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,698	1/2	17,859	1/2	11,033	1/2	4,193	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,555	3/4	17,717	3/4	10,890	3/4	4,051	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	24,412	4	17,575	4	10,747	4	3,910	4	4	4	4	4	4	4	4	4	4	4	4
1/4	24,270	1/4	17,433	1/4	10,605	1/4	3,769	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,127	1/2	17,292	1/2	10,462	1/2	3,627	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,984	3/4	17,150	3/4	10,320	3/4	3,486	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	23,842	5	17,008	5	10,177	5	3,345	5	5	5	5	5	5	5	5	5	5	5	5
1/4	23,699	1/4	16,866	1/4	10,034	1/4	3,204	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,556	1/2	16,724	1/2	9,892	1/2	3,062	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,414	3/4	16,583	3/4	9,749	3/4	2,921	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	23,271	6	16,441	6	9,606	6	2,780	6	6	6	6	6	6	6	6	6	6	6	6
1/4	23,129	1/4	16,299	1/4	9,464	1/4	2,638	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,986	1/2	16,157	1/2	9,321	1/2	2,497	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,843	3/4	16,015	3/4	9,179	3/4	2,356	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	22,701	7	15,874	7	9,036	7	2,215	7	7	7	7	7	7	7	7	7	7	7	7
1/4	22,558	1/4	15,732	1/4	8,893	1/4	2,073	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,415	1/2	15,590	1/2	8,751	1/2	1,932	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,273	3/4	15,448	3/4	8,608	3/4	1,791	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	22,130	8	15,306	8	8,465	8	1,649	8	8	8	8	8	8	8	8	8	8	8	8
1/4	21,988	1/4	15,165	1/4	8,323	1/4	1,508	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,845	1/2	15,023	1/2	8,180	1/2	1,373	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,702	3/4	14,881	3/4	8,038	3/4	1,245	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	21,560	9	14,739	9	7,895	9	1,117	9	9	9	9	9	9	9	9	9	9	9	9
1/4	21,417	1/4	14,597	1/4	7,752	1/4	988	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,274	1/2	14,455	1/2	7,610	1/2	874	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,132	3/4	14,313	3/4	7,467	3/4	774	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	20,989	10	14,170	10	7,324	10	674	10	10	10	10	10	10	10	10	10	10	10	10
1/4	20,847	1/4	14,028	1/4	7,182	1/4	575	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,704	1/2	13,885	1/2	7,039	1/2	525	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,561	3/4	13,743	3/4	6,897	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	20,419	11	13,600	11	6,754	11		11	11	11	11	11	11	11	11	11	11	11	11
1/4	20,276	1/4	13,457	1/4	6,611	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,133	1/2	13,315	1/2	6,469	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,991	3/4	13,172	3/4	6,326	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: ks
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Paul A. Rose

CAPACITIES GIVEN IN WHOLE GALLONS											
M	2 FT.	M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.
0	86,211	0	81,562	0	74,728	0	67,893	0	61,059	0	54,225
1/4	86,111	1/4	81,419	1/4	74,595	1/4	67,751	1/4	60,917	1/4	54,083
1/2	86,012	1/2	81,277	1/2	74,443	1/2	67,609	1/2	60,774	1/2	53,940
3/4	87,805	3/4	81,135	3/4	74,300	3/4	67,466	3/4	60,632	3/4	53,798
1	87,784	1	80,992	1	74,158	1	67,324	1	60,490	1	53,655
1/4	87,656	1/4	80,850	1/4	74,016	1/4	67,182	1/4	60,347	1/4	53,513
1/2	87,528	1/2	80,708	1/2	73,873	1/2	67,039	1/2	60,205	1/2	53,371
3/4	87,396	3/4	80,565	3/4	73,731	3/4	66,897	3/4	60,063	3/4	53,228
2	87,257	2	80,423	2	73,589	2	66,754	2	59,920	2	53,086
1/4	87,115	1/4	80,280	1/4	73,446	1/4	66,612	1/4	59,778	1/4	52,944
1/2	86,972	1/2	80,138	1/2	73,304	1/2	66,470	1/2	59,635	1/2	52,801
3/4	86,830	3/4	79,996	3/4	73,161	3/4	66,327	3/4	59,493	3/4	52,659
3	86,687	3	79,853	3	73,019	3	66,185	3	59,351	3	52,516
1/4	86,545	1/4	79,711	1/4	72,877	1/4	66,042	1/4	59,208	1/4	52,374
1/2	86,403	1/2	79,569	1/2	72,734	1/2	65,900	1/2	59,066	1/2	52,232
3/4	86,260	3/4	79,426	3/4	72,592	3/4	65,758	3/4	58,924	3/4	52,089
4	86,118	4	79,284	4	72,450	4	65,615	4	58,781	4	51,947
1/4	85,976	1/4	79,141	1/4	72,307	1/4	65,473	1/4	58,639	1/4	51,805
1/2	85,833	1/2	78,999	1/2	72,165	1/2	65,331	1/2	58,496	1/2	51,662
3/4	85,691	3/4	78,857	3/4	72,022	3/4	65,188	3/4	58,354	3/4	51,520
5	85,548	5	78,714	5	71,880	5	65,046	5	58,212	5	51,377
1/4	85,406	1/4	78,572	1/4	71,738	1/4	64,903	1/4	58,069	1/4	51,235
1/2	85,264	1/2	78,429	1/2	71,595	1/2	64,761	1/2	57,927	1/2	51,093
3/4	85,121	3/4	78,287	3/4	71,453	3/4	64,619	3/4	57,784	3/4	50,950
6	84,979	6	78,145	6	71,311	6	64,476	6	57,642	6	50,808
1/4	84,837	1/4	78,002	1/4	71,168	1/4	64,334	1/4	57,500	1/4	50,666
1/2	84,694	1/2	77,860	1/2	71,026	1/2	64,192	1/2	57,357	1/2	50,523
3/4	84,552	3/4	77,718	3/4	70,883	3/4	64,049	3/4	57,215	3/4	50,381
7	84,409	7	77,575	7	70,741	7	63,907	7	57,073	7	50,238
1/4	84,267	1/4	77,433	1/4	70,599	1/4	63,764	1/4	56,930	1/4	50,096
1/2	84,125	1/2	77,290	1/2	70,456	1/2	63,622	1/2	56,788	1/2	49,954
3/4	83,982	3/4	77,148	3/4	70,314	3/4	63,480	3/4	56,645	3/4	49,811
8	83,840	8	77,006	8	70,171	8	63,337	8	56,503	8	49,669
1/4	83,698	1/4	76,863	1/4	70,029	1/4	63,195	1/4	56,361	1/4	49,526
1/2	83,555	1/2	76,721	1/2	69,887	1/2	63,053	1/2	56,218	1/2	49,384
3/4	83,413	3/4	76,579	3/4	69,744	3/4	62,910	3/4	56,076	3/4	49,242
9	83,270	9	76,436	9	69,602	9	62,768	9	55,934	9	49,099
1/4	83,128	1/4	76,294	1/4	69,460	1/4	62,625	1/4	55,791	1/4	48,957
1/2	82,986	1/2	76,151	1/2	69,317	1/2	62,483	1/2	55,649	1/2	48,815
3/4	82,843	3/4	76,009	3/4	69,175	3/4	62,341	3/4	55,506	3/4	48,672
10	82,701	10	75,867	10	69,032	10	62,198	10	55,364	10	48,530
1/4	82,558	1/4	75,724	1/4	68,890	1/4	62,056	1/4	55,222	1/4	48,387
1/2	82,416	1/2	75,582	1/2	68,748	1/2	61,913	1/2	55,079	1/2	48,245
3/4	82,274	3/4	75,440	3/4	68,605	3/4	61,771	3/4	54,937	3/4	48,103
11	82,131	11	75,297	11	68,463	11	61,629	11	54,795	11	47,960
1/4	81,989	1/4	75,155	1/4	68,321	1/4	61,486	1/4	54,652	1/4	47,818
1/2	81,847	1/2	75,012	1/2	68,178	1/2	61,344	1/2	54,510	1/2	47,676
3/4	81,704	3/4	74,870	3/4	68,035	3/4	61,202	3/4	54,367	3/4	47,533

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.

NOTE: MMC GAUGE POINT LOCATED 8'-10" OFF CENTERLINE AND 2'-1" FORWARD OF AFT BULKHEAD.

NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 6/20/86 BY: DR-RL

DATE COMPUTED: 6/2/86 BY: KS

DATE ISSUED: 8/2/86

Rich A. Bae

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15.11 3/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	26,888	0	20,054	0	13,220	0	6,366	0		0		0		0		0		0	
1/4	26,746	1/4	19,912	1/4	13,078	1/4	6,244	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	26,603	1/2	19,769	1/2	12,935	1/2	6,101	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26,461	3/4	19,627	3/4	12,793	3/4	5,959	3/4		3/4		3/4		3/4		3/4		3/4	
1	26,319	1	19,484	1	12,651	1	5,817	1		1		1		1		1		1	
1/4	26,176	1/4	19,342	1/4	12,508	1/4	5,674	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	26,034	1/2	19,200	1/2	12,366	1/2	5,532	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	25,892	3/4	19,057	3/4	12,224	3/4	5,389	3/4		3/4		3/4		3/4		3/4		3/4	
2	25,749	2	18,915	2	12,081	2	5,247	2		2		2		2		2		2	
1/4	25,607	1/4	18,773	1/4	11,939	1/4	5,105	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25,464	1/2	18,630	1/2	11,796	1/2	4,962	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	25,322	3/4	18,488	3/4	11,654	3/4	4,820	3/4		3/4		3/4		3/4		3/4		3/4	
3	25,180	3	18,345	3	11,512	3	4,679	3		3		3		3		3		3	
1/4	25,037	1/4	18,203	1/4	11,369	1/4	4,538	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24,895	1/2	18,061	1/2	11,227	1/2	4,397	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24,752	3/4	17,918	3/4	11,085	3/4	4,256	3/4		3/4		3/4		3/4		3/4		3/4	
4	24,610	4	17,776	4	10,942	4	4,115	4		4		4		4		4		4	
1/4	24,468	1/4	17,634	1/4	10,800	1/4	3,974	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24,325	1/2	17,491	1/2	10,657	1/2	3,833	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24,183	3/4	17,349	3/4	10,515	3/4	3,692	3/4		3/4		3/4		3/4		3/4		3/4	
5	24,041	5	17,207	5	10,373	5	3,551	5		5		5		5		5		5	
1/4	23,898	1/4	17,064	1/4	10,230	1/4	3,410	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	23,756	1/2	16,922	1/2	10,088	1/2	3,269	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	23,613	3/4	16,779	3/4	9,946	3/4	3,127	3/4		3/4		3/4		3/4		3/4		3/4	
6	23,471	6	16,637	6	9,803	6	2,986	6		6		6		6		6		6	
1/4	23,329	1/4	16,495	1/4	9,661	1/4	2,845	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	23,186	1/2	16,352	1/2	9,518	1/2	2,704	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	23,044	3/4	16,210	3/4	9,376	3/4	2,563	3/4		3/4		3/4		3/4		3/4		3/4	
7	22,902	7	16,068	7	9,234	7	2,422	7		7		7		7		7		7	
1/4	22,759	1/4	15,925	1/4	9,091	1/4	2,281	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	22,617	1/2	15,783	1/2	8,949	1/2	2,140	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22,474	3/4	15,641	3/4	8,807	3/4	1,999	3/4		3/4		3/4		3/4		3/4		3/4	
8	22,332	8	15,498	8	8,664	8	1,858	8		8		8		8		8		8	
1/4	22,190	1/4	15,356	1/4	8,522	1/4	1,717	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	22,047	1/2	15,213	1/2	8,379	1/2	1,576	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,905	3/4	15,071	3/4	8,237	3/4	1,438	3/4		3/4		3/4		3/4		3/4		3/4	
9	21,763	9	14,929	9	8,095	9	1,307	9		9		9		9		9		9	
1/4	21,620	1/4	14,786	1/4	7,952	1/4	1,179	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21,478	1/2	14,644	1/2	7,810	1/2	1,051	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,335	3/4	14,502	3/4	7,668	3/4	930	3/4		3/4		3/4		3/4		3/4		3/4	
10	21,193	10	14,359	10	7,525	10	823	10		10		10		10		10		10	
1/4	21,051	1/4	14,217	1/4	7,383	1/4	723	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20,908	1/2	14,074	1/2	7,240	1/2	623	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	20,766	3/4	13,932	3/4	7,098	3/4	531	3/4		3/4		3/4		3/4		3/4		3/4	
11	20,623	11	13,790	11	6,956	11	453	11		11		11		11		11		11	
1/4	20,481	1/4	13,647	1/4	6,813	1/4	381	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20,339	1/2	13,505	1/2	6,671	1/2	346	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	20,196	3/4	13,363	3/4	6,528	3/4	311	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: ks
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Paul A. Rose

BARGE "C-206"

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 14.5" 10 1/2"											
IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.
0	0	0	87,977	0	81,282	0	74,466	0	67,659	0	60,812	0	53,966	0	47,159	0	40,332	0	33,506	0	26,680	0	19,854
1/4	1/4	1/4	87,877	1/4	81,150	1/4	74,333	1/4	67,497	1/4	60,670	1/4	53,843	1/4	47,017	1/4	40,190	1/4	33,363	1/4	26,537	1/4	19,711
1/2	1/2	1/2	87,778	1/2	81,008	1/2	74,181	1/2	67,355	1/2	60,528	1/2	53,701	1/2	46,874	1/2	40,048	1/2	33,221	1/2	26,395	1/2	19,569
3/4	3/4	3/4	87,650	3/4	80,866	3/4	74,039	3/4	67,212	3/4	60,386	3/4	53,559	3/4	46,732	3/4	40,006	3/4	33,079	3/4	26,253	3/4	19,433
1	1	1	87,522	1	80,733	1	73,897	1	67,070	1	60,243	1	53,417	1	46,590	1	39,763	1	32,937	1	26,106	1	19,302
1/4	1/4	1/4	87,394	1/4	80,581	1/4	73,755	1/4	66,928	1/4	60,101	1/4	53,275	1/4	46,448	1/4	39,621	1/4	32,794	1/4	25,968	1/4	19,169
1/2	1/2	1/2	87,266	1/2	80,439	1/2	73,612	1/2	66,786	1/2	59,959	1/2	53,132	1/2	46,306	1/2	39,479	1/2	32,652	1/2	25,823	1/2	19,040
3/4	3/4	3/4	87,123	3/4	80,297	3/4	73,470	3/4	66,643	3/4	59,817	3/4	52,990	3/4	46,163	3/4	39,337	3/4	32,510	3/4	25,695	3/4	18,915
2	2	2	86,981	2	80,155	2	73,328	2	66,501	2	59,675	2	52,848	2	46,021	2	39,194	2	32,368	2	25,542	2	18,788
1/4	1/4	1/4	86,839	1/4	80,012	1/4	73,186	1/4	66,359	1/4	59,532	1/4	52,706	1/4	45,879	1/4	39,052	1/4	32,226	1/4	25,417	1/4	18,661
1/2	1/2	1/2	86,697	1/2	79,870	1/2	73,043	1/2	66,217	1/2	59,390	1/2	52,563	1/2	45,737	1/2	38,910	1/2	32,083	1/2	25,289	1/2	18,534
3/4	3/4	3/4	86,555	3/4	79,728	3/4	72,901	3/4	66,075	3/4	59,248	3/4	52,421	3/4	45,594	3/4	38,768	3/4	31,941	3/4	25,156	3/4	18,400
3	3	3	86,412	3	79,586	3	72,759	3	65,932	3	59,106	3	52,279	3	45,452	3	38,626	3	31,799	3	25,022	3	18,267
1/4	1/4	1/4	86,270	1/4	79,443	1/4	72,617	1/4	65,790	1/4	58,963	1/4	52,137	1/4	45,310	1/4	38,483	1/4	31,657	1/4	24,830	1/4	18,134
1/2	1/2	1/2	86,128	1/2	79,301	1/2	72,475	1/2	65,648	1/2	58,821	1/2	51,995	1/2	45,168	1/2	38,341	1/2	31,514	1/2	24,697	1/2	18,001
3/4	3/4	3/4	85,986	3/4	79,159	3/4	72,332	3/4	65,506	3/4	58,679	3/4	51,852	3/4	45,026	3/4	38,199	3/4	31,372	3/4	24,564	3/4	17,866
4	4	4	85,843	4	79,017	4	72,190	4	65,363	4	58,537	4	51,710	4	44,883	4	38,057	4	31,230	4	24,430	4	17,729
1/4	1/4	1/4	85,701	1/4	78,875	1/4	72,048	1/4	65,221	1/4	58,395	1/4	51,568	1/4	44,741	1/4	37,914	1/4	31,088	1/4	24,296	1/4	17,595
1/2	1/2	1/2	85,559	1/2	78,732	1/2	71,906	1/2	65,079	1/2	58,252	1/2	51,426	1/2	44,599	1/2	37,772	1/2	30,946	1/2	24,162	1/2	17,461
3/4	3/4	3/4	85,417	3/4	78,590	3/4	71,763	3/4	64,937	3/4	58,110	3/4	51,283	3/4	44,457	3/4	37,630	3/4	30,803	3/4	24,028	3/4	17,327
5	5	5	85,275	5	78,448	5	71,621	5	64,795	5	57,968	5	51,141	5	44,314	5	37,488	5	30,661	5	23,834	5	17,192
1/4	1/4	1/4	85,132	1/4	78,306	1/4	71,479	1/4	64,652	1/4	57,826	1/4	50,999	1/4	44,172	1/4	37,346	1/4	30,519	1/4	23,700	1/4	17,059
1/2	1/2	1/2	84,990	1/2	78,163	1/2	71,337	1/2	64,510	1/2	57,683	1/2	50,857	1/2	44,030	1/2	37,203	1/2	30,377	1/2	23,566	1/2	16,926
3/4	3/4	3/4	84,848	3/4	78,021	3/4	71,195	3/4	64,368	3/4	57,541	3/4	50,714	3/4	43,888	3/4	37,061	3/4	30,234	3/4	23,434	3/4	16,791
6	6	6	84,706	6	77,879	6	71,052	6	64,226	6	57,399	6	50,572	6	43,746	6	36,919	6	30,092	6	23,265	6	16,656
1/4	1/4	1/4	84,563	1/4	77,737	1/4	70,910	1/4	64,083	1/4	57,257	1/4	50,430	1/4	43,603	1/4	36,777	1/4	29,950	1/4	23,131	1/4	16,521
1/2	1/2	1/2	84,421	1/2	77,595	1/2	70,768	1/2	63,941	1/2	57,115	1/2	50,288	1/2	43,461	1/2	36,634	1/2	29,808	1/2	23,000	1/2	16,386
3/4	3/4	3/4	84,279	3/4	77,452	3/4	70,626	3/4	63,799	3/4	56,972	3/4	50,146	3/4	43,319	3/4	36,492	3/4	29,668	3/4	22,865	3/4	16,251
7	7	7	84,137	7	77,310	7	70,483	7	63,657	7	56,830	7	50,003	7	43,177	7	36,350	7	29,523	7	22,722	7	16,116
1/4	1/4	1/4	83,995	1/4	77,168	1/4	70,341	1/4	63,515	1/4	56,688	1/4	49,861	1/4	43,034	1/4	36,208	1/4	29,381	1/4	22,597	1/4	15,981
1/2	1/2	1/2	83,852	1/2	77,026	1/2	70,199	1/2	63,372	1/2	56,546	1/2	49,719	1/2	42,892	1/2	35,965	1/2	29,139	1/2	22,454	1/2	15,846
3/4	3/4	3/4	83,710	3/4	76,883	3/4	70,057	3/4	63,230	3/4	56,403	3/4	49,577	3/4	42,750	3/4	35,828	3/4	29,007	3/4	22,311	3/4	15,701
8	8	8	83,568	8	76,741	8	69,915	8	63,088	8	56,261	8	49,434	8	42,608	8	35,781	8	28,954	8	22,127	8	15,556
1/4	1/4	1/4	83,426	1/4	76,599	1/4	69,772	1/4	62,946	1/4	56,119	1/4	49,292	1/4	42,466	1/4	35,639	1/4	28,812	1/4	21,985	1/4	15,411
1/2	1/2	1/2	83,283	1/2	76,457	1/2	69,630	1/2	62,803	1/2	55,977	1/2	49,150	1/2	42,323	1/2	35,497	1/2	28,670	1/2	21,840	1/2	15,266
3/4	3/4	3/4	83,141	3/4	76,315	3/4	69,488	3/4	62,661	3/4	55,835	3/4	49,008	3/4	42,181	3/4	35,354	3/4	28,528	3/4	21,713	3/4	15,121
9	9	9	82,999	9	76,172	9	69,346	9	62,519	9	55,692	9	48,866	9	42,039	9	35,212	9	28,386	9	21,559	9	14,976
1/4	1/4	1/4	82,857	1/4	76,030	1/4	69,203	1/4	62,377	1/4	55,550	1/4	48,723	1/4	41,897	1/4	35,070	1/4	28,243	1/4	21,416	1/4	14,831
1/2	1/2	1/2	82,715	1/2	75,888	1/2	69,061	1/2	62,235	1/2	55,408	1/2	48,581	1/2	41,754	1/2	34,928	1/2	28,101	1/2	21,274	1/2	14,686
3/4	3/4	3/4	82,572	3/4	75,746	3/4	68,919	3/4	62,092	3/4	55,266	3/4	48,439	3/4	41,612	3/4	34,786	3/4	27,959	3/4	21,141	3/4	14,541
10	10	10	82,430	10	75,603	10	68,777	10	61,950	10	55,123	10	48,297	10	41,470	10	34,643	10	27,817	10	21,000	10	14,406
1/4	1/4	1/4	82,288	1/4	75,461	1/4	68,635	1/4	61,808	1/4	54,981	1/4	48,154	1/4	41,328	1/4	34,501	1/4	27,674	1/4	20,847	1/4	14,271
1/2	1/2	1/2	82,146	1/2	75,319	1/2	68,492	1/2	61,666	1/2	54,839	1/2	48,012	1/2	41,186	1/2	34,359	1/2	27,532	1/2	20,712	1/2	14,126
3/4	3/4	3/4	82,003	3/4	75,177	3/4	68,350	3/4	61,523	3/4	54,697	3/4	47,870	3/4	41,043	3/4	34,217	3/4	27,390	3/4	20,577	3/4	14,001
11	11	11	81,861	11	75,035	11	68,208	11	61,381	11	54,555	11	47,728	11	40,901	11	34,074	11	27,248	11	20,442	11	13,876
1/4	1/4	1/4	81,719	1/4	74,892	1/4	68,066	1/4	61,239	1/4	54,412	1/4	47,586	1/4	40,759	1/4	33,932	1/4	27,106	1/4	20,307	1/4	13,751
1/2	1/2	1/2	81,577	1/2	74,750	1/2	67,923	1/2	61,097	1/2	54,270	1/2	47,443	1/2	40,617	1/2	33,790	1/2	26,963	1/2	20,172	1/2	13,626
3/4	3/4	3/4	81,435	3/4	74,608	3/4	67,781	3/4	60,955	3/4	54,128	3/4	47,291	3/4	40,474	3/4	33,648	3/4	26,821	3/4	20,037	3/4	13,491

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 14'-00" OFF CENTERLINE AND 20'-7" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: ks
DATE ISSUED: 8/2/06

CERTIFIED TANK CALIBRATION, INC.

Paul A. Brown

BARGE "C" 206"

3 PORT

ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 15'-10 1/2"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	26,679	0	19,852	0	13,063	0	6,227	0		0		0		0		0		0	
1/4	26,537	1/4	19,710	1/4	12,921	1/4	6,095	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,394	1/2	19,568	1/2	12,779	1/2	5,952	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,252	3/4	19,427	3/4	12,637	3/4	5,810	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,110	1	19,285	1	12,495	1	5,668	1	1	1	1	1	1	1	1	1	1	1	1
1 1/4	25,968	1 1/4	19,143	1 1/4	12,352	1 1/4	5,526	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	25,826	1 1/2	19,003	1 1/2	12,210	1 1/2	5,384	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
1 3/4	25,683	1 3/4	18,862	1 3/4	12,068	1 3/4	5,241	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
2	25,541	2	18,720	2	11,926	2	5,099	2	2	2	2	2	2	2	2	2	2	2	2
2 1/4	25,399	2 1/4	18,579	2 1/4	11,783	2 1/4	4,957	2 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
2 1/2	25,257	2 1/2	18,438	2 1/2	11,641	2 1/2	4,815	2 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
2 3/4	25,114	2 3/4	18,296	2 3/4	11,499	2 3/4	4,674	2 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
3	24,972	3	18,155	3	11,357	3	4,533	3	3	3	3	3	3	3	3	3	3	3	3
3 1/4	24,830	3 1/4	18,014	3 1/4	11,215	3 1/4	4,392	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4	3 1/4
3 1/2	24,688	3 1/2	17,873	3 1/2	11,072	3 1/2	4,251	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
3 3/4	24,546	3 3/4	17,731	3 3/4	10,930	3 3/4	4,110	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4	3 3/4
4	24,403	4	17,590	4	10,788	4	3,969	4	4	4	4	4	4	4	4	4	4	4	4
4 1/4	24,261	4 1/4	17,449	4 1/4	10,646	4 1/4	3,828	4 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
4 1/2	24,119	4 1/2	17,307	4 1/2	10,503	4 1/2	3,688	4 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
4 3/4	23,977	4 3/4	17,166	4 3/4	10,361	4 3/4	3,547	4 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
5	23,834	5	17,025	5	10,219	5	3,406	5	5	5	5	5	5	5	5	5	5	5	5
5 1/4	23,692	5 1/4	16,884	5 1/4	10,077	5 1/4	3,265	5 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
5 1/2	23,550	5 1/2	16,742	5 1/2	9,935	5 1/2	3,124	5 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
5 3/4	23,408	5 3/4	16,601	5 3/4	9,793	5 3/4	2,983	5 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
6	23,266	6	16,460	6	9,650	6	2,842	6	6	6	6	6	6	6	6	6	6	6	6
6 1/4	23,123	6 1/4	16,318	6 1/4	9,508	6 1/4	2,701	6 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
6 1/2	22,981	6 1/2	16,177	6 1/2	9,366	6 1/2	2,560	6 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
6 3/4	22,839	6 3/4	16,036	6 3/4	9,223	6 3/4	2,420	6 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
7	22,697	7	15,895	7	9,081	7	2,279	7	7	7	7	7	7	7	7	7	7	7	7
7 1/4	22,554	7 1/4	15,753	7 1/4	8,939	7 1/4	2,138	7 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
7 1/2	22,412	7 1/2	15,612	7 1/2	8,797	7 1/2	1,997	7 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
7 3/4	22,270	7 3/4	15,471	7 3/4	8,655	7 3/4	1,856	7 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
8	22,128	8	15,329	8	8,512	8	1,715	8	8	8	8	8	8	8	8	8	8	8	8
8 1/4	21,986	8 1/4	15,188	8 1/4	8,370	8 1/4	1,574	8 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
8 1/2	21,843	8 1/2	15,047	8 1/2	8,228	8 1/2	1,433	8 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
8 3/4	21,701	8 3/4	14,906	8 3/4	8,086	8 3/4	1,305	8 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
9	21,559	9	14,764	9	7,943	9	1,177	9	9	9	9	9	9	9	9	9	9	9	9
9 1/4	21,417	9 1/4	14,623	9 1/4	7,801	9 1/4	1,049	9 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
9 1/2	21,274	9 1/2	14,482	9 1/2	7,659	9 1/2	921	9 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
9 3/4	21,132	9 3/4	14,340	9 3/4	7,517	9 3/4	822	9 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
10	20,990	10	14,199	10	7,375	10	722	10	10	10	10	10	10	10	10	10	10	10	10
10 1/4	20,848	10 1/4	14,058	10 1/4	7,232	10 1/4	623	10 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
10 1/2	20,706	10 1/2	13,917	10 1/2	7,090	10 1/2	523	10 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
10 3/4	20,563	10 3/4	13,774	10 3/4	6,948	10 3/4		10 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4
11	20,421	11	13,632	11	6,806	11		11	11	11	11	11	11	11	11	11	11	11	11
11 1/4	20,279	11 1/4	13,490	11 1/4	6,663	11 1/4		11 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
11 1/2	20,137	11 1/2	13,348	11 1/2	6,521	11 1/2		11 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
11 3/4	19,994	11 3/4	13,206	11 3/4	6,379	11 3/4		11 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4	1 3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: KS
DATE ISSUED: 8/2/06

CERTIFIED TANK CALIBRATION, INC.

Debra A. Rose

BARGE "C" 206"

3 STBD

ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0"

M	2 FT.	M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
88.727	88.727	82.281	82.281	76.428	76.428	68.576	68.576	61.723	61.723	54.871	54.871	48.018	48.018	41.165	41.165	34.313	34.313	27.460	27.460

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 8'-10" OFF CENTERLINE AND 20'-7" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Paul A. Rose

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0"

M	12 FT.	M	13 FT.	M	14 FT.	M	15 FT.	M	16 FT.	M	17 FT.	M	18 FT.	M	19 FT.	M	20 FT.	M	21 FT.
0	27,317	0	20,465	0	13,613	0	6,760	0	347	0		0		0		0		0	
1/4	27,175	1/4	20,322	1/4	13,470	1/4	6,617	1/4	347	1/4		1/4		1/4		1/4		1/4	
1/2	27,032	1/2	20,179	1/2	13,327	1/2	6,475	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26,889	3/4	20,037	3/4	13,184	3/4	6,332	3/4		3/4		3/4		3/4		3/4		3/4	
1	26,746	1	19,894	1	13,042	1	6,189	1		1		1		1		1		1	
1/4	26,604	1/4	19,751	1/4	12,899	1/4	6,046	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	26,461	1/2	19,608	1/2	12,756	1/2	5,904	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	26,318	3/4	19,466	3/4	12,613	3/4	5,761	3/4		3/4		3/4		3/4		3/4		3/4	
2	26,175	2	19,323	2	12,471	2	5,618	2		2		2		2		2		2	
1/4	26,033	1/4	19,180	1/4	12,328	1/4	5,475	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25,890	1/2	19,037	1/2	12,185	1/2	5,333	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	25,747	3/4	18,895	3/4	12,042	3/4	5,190	3/4		3/4		3/4		3/4		3/4		3/4	
3	25,604	3	18,752	3	11,900	3	5,047	3		3		3		3		3		3	
1/4	25,462	1/4	18,609	1/4	11,757	1/4	4,904	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	25,319	1/2	18,466	1/2	11,614	1/2	4,762	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	25,176	3/4	18,324	3/4	11,471	3/4	4,621	3/4		3/4		3/4		3/4		3/4		3/4	
4	25,033	4	18,181	4	11,329	4	4,479	4		4		4		4		4		4	
1/4	24,891	1/4	18,038	1/4	11,186	1/4	4,338	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24,748	1/2	17,895	1/2	11,043	1/2	4,197	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24,605	3/4	17,753	3/4	10,900	3/4	4,055	3/4		3/4		3/4		3/4		3/4		3/4	
5	24,462	5	17,610	5	10,758	5	3,914	5		5		5		5		5		5	
1/4	24,319	1/4	17,467	1/4	10,615	1/4	3,772	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	24,177	1/2	17,324	1/2	10,472	1/2	3,631	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	24,034	3/4	17,182	3/4	10,329	3/4	3,489	3/4		3/4		3/4		3/4		3/4		3/4	
6	23,891	6	17,039	6	10,186	6	3,348	6		6		6		6		6		6	
1/4	23,748	1/4	16,896	1/4	10,044	1/4	3,207	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	23,606	1/2	16,753	1/2	9,901	1/2	3,065	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	23,463	3/4	16,611	3/4	9,758	3/4	2,924	3/4		3/4		3/4		3/4		3/4		3/4	
7	23,320	7	16,468	7	9,615	7	2,782	7		7		7		7		7		7	
1/4	23,177	1/4	16,325	1/4	9,473	1/4	2,641	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	23,035	1/2	16,182	1/2	9,330	1/2	2,499	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22,892	3/4	16,040	3/4	9,187	3/4	2,358	3/4		3/4		3/4		3/4		3/4		3/4	
8	22,749	8	15,897	8	9,044	8	2,217	8		8		8		8		8		8	
1/4	22,606	1/4	15,754	1/4	8,902	1/4	2,075	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	22,464	1/2	15,611	1/2	8,759	1/2	1,934	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	22,321	3/4	15,469	3/4	8,616	3/4	1,792	3/4		3/4		3/4		3/4		3/4		3/4	
9	22,178	9	15,326	9	8,473	9	1,651	9		9		9		9		9		9	
1/4	22,035	1/4	15,183	1/4	8,331	1/4	1,510	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21,893	1/2	15,040	1/2	8,188	1/2	1,375	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,750	3/4	14,898	3/4	8,045	3/4	1,246	3/4		3/4		3/4		3/4		3/4		3/4	
10	21,607	10	14,755	10	7,902	10	1,118	10		10		10		10		10		10	
1/4	21,464	1/4	14,612	1/4	7,760	1/4	989	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21,321	1/2	14,469	1/2	7,617	1/2	875	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,179	3/4	14,327	3/4	7,474	3/4	775	3/4		3/4		3/4		3/4		3/4		3/4	
11	21,036	11	14,184	11	7,331	11	675	11		11		11		11		11		11	
1/4	20,893	1/4	14,041	1/4	7,189	1/4	575	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20,750	1/2	13,898	1/2	7,046	1/2	489	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	20,608	3/4	13,755	3/4	6,903	3/4	418	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: ks
DATE ISSUED: 8/2/06

CERTIFIED TANK CALIBRATION, INC.

Dale A. Brown

TANK NO. 4 ULLAGE TABLE

ULLAGE TABLE

GAUGE HEIGHT 16'-4 1/8"

CAPACITIES GIVEN IN WHOLE OUNCES																			
2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M
0	0	179,907	0	168,295	0	154,447	0	140,600	0	126,752	0	112,905	0	99,057	0	86,210	0	73,362	0
1/4	1/4	179,878	1/4	168,006	1/4	154,159	1/4	140,311	1/4	126,464	1/4	112,616	1/4	98,769	1/4	84,921	1/4	71,074	1/4
1/2	1/2	179,820	1/2	167,718	1/2	153,870	1/2	140,023	1/2	126,175	1/2	112,328	1/2	98,480	1/2	84,633	1/2	70,785	1/2
3/4	3/4	179,733	3/4	167,429	3/4	153,582	3/4	139,734	3/4	125,987	3/4	112,039	3/4	98,192	3/4	84,344	3/4	70,497	3/4
1	1	179,647	1	167,141	1	153,293	1	139,446	1	125,598	1	111,751	1	97,903	1	84,056	1	70,208	1
1/4	1/4	179,560	1/4	166,852	1/4	153,005	1/4	139,157	1/4	125,310	1/4	111,462	1/4	97,615	1/4	83,767	1/4	69,920	1/4
1/2	1/2	179,445	1/2	166,564	1/2	152,716	1/2	138,869	1/2	125,021	1/2	111,174	1/2	97,326	1/2	83,479	1/2	69,631	1/2
3/4	3/4	179,301	3/4	166,275	3/4	152,428	3/4	138,580	3/4	124,733	3/4	110,885	3/4	97,038	3/4	83,190	3/4	69,343	3/4
2	2	179,156	2	165,987	2	152,139	2	138,292	2	124,444	2	110,597	2	96,749	2	82,902	2	69,054	2
1/4	1/4	179,012	1/4	165,698	1/4	151,851	1/4	138,003	1/4	124,156	1/4	110,308	1/4	96,461	1/4	82,613	1/4	68,766	1/4
1/2	1/2	178,839	1/2	165,410	1/2	151,562	1/2	137,715	1/2	123,867	1/2	110,020	1/2	96,172	1/2	82,325	1/2	68,477	1/2
3/4	3/4	178,637	3/4	165,121	3/4	151,274	3/4	137,426	3/4	123,579	3/4	109,731	3/4	95,884	3/4	82,036	3/4	68,189	3/4
3	3	178,435	3	164,833	3	150,985	3	137,138	3	123,290	3	109,443	3	95,595	3	81,748	3	67,900	3
1/4	1/4	178,233	1/4	164,544	1/4	150,697	1/4	136,849	1/4	123,002	1/4	109,154	1/4	95,307	1/4	81,459	1/4	67,612	1/4
1/2	1/2	178,002	1/2	164,256	1/2	150,408	1/2	136,561	1/2	122,713	1/2	108,866	1/2	95,018	1/2	81,171	1/2	67,323	1/2
3/4	3/4	177,743	3/4	163,967	3/4	150,120	3/4	136,272	3/4	122,425	3/4	108,577	3/4	94,730	3/4	80,882	3/4	67,035	3/4
4	4	177,483	4	163,679	4	149,831	4	135,984	4	122,136	4	108,289	4	94,441	4	80,594	4	66,746	4
1/4	1/4	177,224	1/4	163,390	1/4	149,543	1/4	135,695	1/4	121,848	1/4	108,000	1/4	94,153	1/4	80,305	1/4	66,458	1/4
1/2	1/2	176,950	1/2	163,102	1/2	149,254	1/2	135,407	1/2	121,559	1/2	107,712	1/2	93,864	1/2	80,017	1/2	66,169	1/2
3/4	3/4	176,661	3/4	162,813	3/4	148,966	3/4	135,118	3/4	121,271	3/4	107,423	3/4	93,576	3/4	79,728	3/4	65,881	3/4
5	5	176,373	5	162,525	5	148,677	5	134,830	5	120,982	5	107,135	5	93,287	5	79,440	5	65,592	5
1/4	1/4	176,084	1/4	162,237	1/4	148,389	1/4	134,541	1/4	120,694	1/4	106,846	1/4	92,999	1/4	79,151	1/4	65,304	1/4
1/2	1/2	175,796	1/2	161,948	1/2	148,100	1/2	134,253	1/2	120,405	1/2	106,558	1/2	92,710	1/2	78,863	1/2	65,015	1/2
3/4	3/4	175,507	3/4	161,660	3/4	147,812	3/4	133,964	3/4	120,117	3/4	106,269	3/4	92,422	3/4	78,574	3/4	64,727	3/4
6	6	175,219	6	161,371	6	147,523	6	133,676	6	119,828	6	105,981	6	92,133	6	78,286	6	64,438	6
1/4	1/4	174,930	1/4	161,083	1/4	147,235	1/4	133,387	1/4	119,540	1/4	105,692	1/4	91,845	1/4	77,997	1/4	64,150	1/4
1/2	1/2	174,642	1/2	160,794	1/2	146,947	1/2	133,099	1/2	119,251	1/2	105,404	1/2	91,556	1/2	77,709	1/2	63,861	1/2
3/4	3/4	174,353	3/4	160,506	3/4	146,658	3/4	132,810	3/4	118,963	3/4	105,115	3/4	91,268	3/4	77,420	3/4	63,573	3/4
7	7	174,065	7	160,217	7	146,370	7	132,522	7	118,674	7	104,827	7	90,979	7	77,132	7	63,284	7
1/4	1/4	173,776	1/4	159,929	1/4	146,081	1/4	132,233	1/4	118,386	1/4	104,538	1/4	90,691	1/4	76,843	1/4	62,996	1/4
1/2	1/2	173,488	1/2	159,640	1/2	145,793	1/2	131,945	1/2	118,097	1/2	104,250	1/2	90,402	1/2	76,555	1/2	62,707	1/2
3/4	3/4	173,199	3/4	159,352	3/4	145,504	3/4	131,657	3/4	117,809	3/4	103,961	3/4	90,114	3/4	76,266	3/4	62,419	3/4
8	8	172,911	8	159,063	8	145,216	8	131,368	8	117,520	8	103,673	8	89,825	8	75,978	8	62,130	8
1/4	1/4	172,622	1/4	158,775	1/4	144,927	1/4	131,080	1/4	117,232	1/4	103,384	1/4	89,537	1/4	75,689	1/4	61,842	1/4
1/2	1/2	172,334	1/2	158,486	1/2	144,639	1/2	130,791	1/2	116,943	1/2	103,096	1/2	89,248	1/2	75,401	1/2	61,553	1/2
3/4	3/4	172,045	3/4	158,198	3/4	144,350	3/4	130,503	3/4	116,655	3/4	102,807	3/4	88,960	3/4	75,112	3/4	61,265	3/4
9	9	171,757	9	157,909	9	144,062	9	130,214	9	116,367	9	102,519	9	88,671	9	74,824	9	60,976	9
1/4	1/4	171,468	1/4	157,621	1/4	143,773	1/4	129,926	1/4	116,078	1/4	102,230	1/4	88,383	1/4	74,535	1/4	60,688	1/4
1/2	1/2	171,180	1/2	157,332	1/2	143,485	1/2	129,637	1/2	115,790	1/2	101,942	1/2	88,094	1/2	74,247	1/2	60,399	1/2
3/4	3/4	170,891	3/4	157,044	3/4	143,196	3/4	129,349	3/4	115,501	3/4	101,653	3/4	87,806	3/4	73,958	3/4	60,111	3/4
10	10	170,603	10	156,755	10	142,908	10	129,060	10	115,213	10	101,365	10	87,517	10	73,670	10	59,822	10
1/4	1/4	170,314	1/4	156,467	1/4	142,619	1/4	128,772	1/4	114,924	1/4	101,077	1/4	87,229	1/4	73,381	1/4	59,534	1/4
1/2	1/2	170,026	1/2	156,178	1/2	142,331	1/2	128,483	1/2	114,636	1/2	100,788	1/2	86,940	1/2	73,093	1/2	59,245	1/2
3/4	3/4	169,737	3/4	155,890	3/4	142,042	3/4	128,195	3/4	114,347	3/4	100,500	3/4	86,652	3/4	72,804	3/4	58,957	3/4
11	11	169,449	11	155,601	11	141,754	11	127,906	11	114,059	11	100,211	11	86,364	11	72,516	11	58,668	11
1/4	1/4	169,160	1/4	155,313	1/4	141,465	1/4	127,619	1/4	113,770	1/4	99,923	1/4	86,075	1/4	72,227	1/4	58,380	1/4
1/2	1/2	168,872	1/2	155,024	1/2	141,177	1/2	127,329	1/2	113,482	1/2	99,634	1/2	85,787	1/2	71,939	1/2	58,091	1/2
3/4	3/4	168,583	3/4	154,736	3/4	140,888	3/4	127,041	3/4	113,193	3/4	99,346	3/4	85,498	3/4	71,650	3/4	57,803	3/4

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-4 1/8"

	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.
0	57,514	0	43,667	0	29,837	0	15,994	0	2,247	0
1/4	57,226	1/4	43,378	1/4	29,549	1/4	15,706	1/4	1,987	1/4
1/2	56,937	1/2	43,090	1/2	29,261	1/2	15,417	1/2	1,757	1/2
3/4	56,649	3/4	42,801	3/4	28,973	3/4	15,129	3/4	1,555	3/4
1	56,360	1	42,513	1	28,685	1	14,840	1	1,353	1
1/4	56,072	1/4	42,224	1/4	28,397	1/4	14,552	1/4	1,151	1/4
1/2	55,784	1/2	41,936	1/2	28,109	1/2	14,263	1/2	978	1/2
3/4	55,495	3/4	41,647	3/4	27,821	3/4	13,975	3/4	833	3/4
2	55,207	2	41,359	2	27,533	2	13,686	2	689	2
1/4	54,918	1/4	41,070	1/4	27,245	1/4	13,398	1/4	545	1/4
1/2	54,630	1/2	40,782	1/2	26,957	1/2	13,109	1/2	429	1/2
3/4	54,341	3/4	40,494	3/4	26,668	3/4	12,821	3/4	343	3/4
3	54,053	3	40,206	3	26,380	3	12,532	3	256	3
1/4	53,764	1/4	39,918	1/4	26,091	1/4	12,244	1/4	170	1/4
1/2	53,476	1/2	39,630	1/2	25,803	1/2	11,955	1/2	112	1/2
3/4	53,187	3/4	39,342	3/4	25,514	3/4	11,667	3/4	83	3/4
4	52,899	4	39,054	4	25,226	4	11,378	4	54	4
1/4	52,610	1/4	38,766	1/4	24,937	1/4	11,090	1/4	40	1/4
1/2	52,322	1/2	38,478	1/2	24,649	1/2	10,801	1/2	1/2	1/2
3/4	52,033	3/4	38,190	3/4	24,360	3/4	10,513	3/4	3/4	3/4
5	51,745	5	37,902	5	24,072	5	10,224	5	5	5
1/4	51,456	1/4	37,614	1/4	23,783	1/4	9,936	1/4	1/4	1/4
1/2	51,168	1/2	37,326	1/2	23,495	1/2	9,648	1/2	1/2	1/2
3/4	50,879	3/4	37,038	3/4	23,206	3/4	9,361	3/4	3/4	3/4
6	50,591	6	36,750	6	22,918	6	9,073	6	6	6
1/4	50,302	1/4	36,462	1/4	22,629	1/4	8,786	1/4	1/4	1/4
1/2	50,014	1/2	36,174	1/2	22,341	1/2	8,499	1/2	1/2	1/2
3/4	49,725	3/4	35,886	3/4	22,052	3/4	8,211	3/4	3/4	3/4
7	49,437	7	35,598	7	21,764	7	7,924	7	7	7
1/4	49,148	1/4	35,310	1/4	21,475	1/4	7,637	1/4	1/4	1/4
1/2	48,860	1/2	35,022	1/2	21,187	1/2	7,349	1/2	1/2	1/2
3/4	48,571	3/4	34,734	3/4	20,898	3/4	7,062	3/4	3/4	3/4
8	48,283	8	34,446	8	20,610	8	6,775	8	8	8
1/4	47,994	1/4	34,158	1/4	20,321	1/4	6,488	1/4	1/4	1/4
1/2	47,706	1/2	33,870	1/2	20,033	1/2	6,200	1/2	1/2	1/2
3/4	47,417	3/4	33,582	3/4	19,744	3/4	5,913	3/4	3/4	3/4
9	47,129	9	33,294	9	19,456	9	5,626	9	9	9
1/4	46,840	1/4	33,005	1/4	19,168	1/4	5,338	1/4	1/4	1/4
1/2	46,552	1/2	32,717	1/2	18,879	1/2	5,051	1/2	1/2	1/2
3/4	46,263	3/4	32,429	3/4	18,591	3/4	4,764	3/4	3/4	3/4
10	45,975	10	32,141	10	18,302	10	4,476	10	10	10
1/4	45,686	1/4	31,853	1/4	18,014	1/4	4,189	1/4	1/4	1/4
1/2	45,398	1/2	31,565	1/2	17,725	1/2	3,902	1/2	1/2	1/2
3/4	45,109	3/4	31,277	3/4	17,437	3/4	3,614	3/4	3/4	3/4
11	44,821	11	30,989	11	17,148	11	3,327	11	11	11
1/4	44,532	1/4	30,701	1/4	16,860	1/4	3,040	1/4	1/4	1/4
1/2	44,244	1/2	30,413	1/2	16,571	1/2	2,766	1/2	1/2	1/2
3/4	43,955	3/4	30,125	3/4	16,283	3/4	2,507	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: KS
DATE ISSUED: 8/2/06

CERTIFIED TANK CALIBRATION, INC.

Paul A. Brown