



BARGE "CBC 317"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
2 PORT	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
2 STBD	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 4'-00"
 AFT DRAFT = 6'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 258'-06"

December 6, 2013

PRECISION MEASUREMENT
 & ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	616	0	15,606	0	31,365	0	47,032	0	62,776	0	78,535	0	94,294	0	110,052	0	125,811	0	141,569
1/4	811	1/4	15,935	1/4	31,693	1/4	47,358	1/4	63,104	1/4	78,863	1/4	94,622	1/4	110,381	1/4	126,140	1/4	141,897
1/2	1,006	1/2	16,263	1/2	32,021	1/2	47,684	1/2	63,433	1/2	79,191	1/2	94,950	1/2	110,709	1/2	126,468	1/2	142,225
3/4	1,200	3/4	16,591	3/4	32,350	3/4	48,009	3/4	63,761	3/4	79,520	3/4	95,279	3/4	111,037	3/4	126,796	3/4	142,553
1	1,395	1	16,920	1	32,678	1	48,335	1	64,089	1	79,848	1	95,607	1	111,366	1	127,125	1	142,882
1/4	1,672	1/4	17,248	1/4	33,006	1/4	48,662	1/4	64,417	1/4	80,176	1/4	95,935	1/4	111,694	1/4	127,453	1/4	143,210
1/2	1,949	1/2	17,576	1/2	33,335	1/2	48,990	1/2	64,746	1/2	80,505	1/2	96,263	1/2	112,022	1/2	127,781	1/2	143,538
3/4	2,226	3/4	17,904	3/4	33,663	3/4	49,318	3/4	65,074	3/4	80,833	3/4	96,592	3/4	112,351	3/4	128,109	3/4	143,866
2	2,503	2	18,233	2	33,991	2	49,645	2	65,402	2	81,161	2	96,920	2	112,679	2	128,438	2	144,194
1/4	2,825	1/4	18,561	1/4	34,319	1/4	49,973	1/4	65,731	1/4	81,490	1/4	97,248	1/4	113,007	1/4	128,766	1/4	144,523
1/2	3,147	1/2	18,889	1/2	34,648	1/2	50,301	1/2	66,059	1/2	81,818	1/2	97,577	1/2	113,336	1/2	129,094	1/2	144,851
3/4	3,469	3/4	19,218	3/4	34,976	3/4	50,629	3/4	66,387	3/4	82,146	3/4	97,905	3/4	113,664	3/4	129,423	3/4	145,179
3	3,790	3	19,546	3	35,304	3	50,957	3	66,716	3	82,474	3	98,233	3	113,992	3	129,751	3	145,507
1/4	4,118	1/4	19,874	1/4	35,631	1/4	51,285	1/4	67,044	1/4	82,803	1/4	98,562	1/4	114,320	1/4	130,079	1/4	145,836
1/2	4,446	1/2	20,203	1/2	35,957	1/2	51,613	1/2	67,372	1/2	83,131	1/2	98,890	1/2	114,649	1/2	130,408	1/2	146,164
3/4	4,773	3/4	20,531	3/4	36,284	3/4	51,942	3/4	67,701	3/4	83,459	3/4	99,218	3/4	114,977	3/4	130,736	3/4	146,492
4	5,101	4	20,859	4	36,611	4	52,270	4	68,029	4	83,788	4	99,547	4	115,305	4	131,064	4	146,820
1/4	5,429	1/4	21,187	1/4	36,937	1/4	52,598	1/4	68,357	1/4	84,116	1/4	99,875	1/4	115,634	1/4	131,393	1/4	147,149
1/2	5,758	1/2	21,516	1/2	37,263	1/2	52,927	1/2	68,685	1/2	84,444	1/2	100,203	1/2	115,962	1/2	131,721	1/2	147,477
3/4	6,086	3/4	21,844	3/4	37,589	3/4	53,255	3/4	69,014	3/4	84,773	3/4	100,531	3/4	116,290	3/4	132,049	3/4	147,805
5	6,414	5	22,172	5	37,916	5	53,583	5	69,342	5	85,101	5	100,860	5	116,619	5	132,377	5	148,133
1/4	6,742	1/4	22,501	1/4	38,241	1/4	53,912	1/4	69,670	1/4	85,429	1/4	101,188	1/4	116,947	1/4	132,706	1/4	148,461
1/2	7,071	1/2	22,829	1/2	38,567	1/2	54,240	1/2	69,999	1/2	85,758	1/2	101,516	1/2	117,275	1/2	133,034	1/2	148,790
3/4	7,399	3/4	23,157	3/4	38,893	3/4	54,568	3/4	70,327	3/4	86,086	3/4	101,845	3/4	117,604	3/4	133,362	3/4	149,118
6	7,727	6	23,486	6	39,218	6	54,896	6	70,655	6	86,414	6	102,173	6	117,932	6	133,691	6	149,446
1/4	8,055	1/4	23,814	1/4	39,544	1/4	55,225	1/4	70,984	1/4	86,742	1/4	102,501	1/4	118,260	1/4	134,019	1/4	149,774
1/2	8,384	1/2	24,142	1/2	39,870	1/2	55,553	1/2	71,312	1/2	87,071	1/2	102,830	1/2	118,588	1/2	134,347	1/2	150,103
3/4	8,712	3/4	24,470	3/4	40,195	3/4	55,881	3/4	71,640	3/4	87,399	3/4	103,158	3/4	118,917	3/4	134,676	3/4	150,431
7	9,040	7	24,799	7	40,521	7	56,210	7	71,969	7	87,727	7	103,486	7	119,245	7	135,004	7	150,759
1/4	9,369	1/4	25,127	1/4	40,846	1/4	56,538	1/4	72,297	1/4	88,056	1/4	103,815	1/4	119,573	1/4	135,332	1/4	151,087
1/2	9,697	1/2	25,455	1/2	41,172	1/2	56,866	1/2	72,625	1/2	88,384	1/2	104,143	1/2	119,902	1/2	135,660	1/2	151,416
3/4	10,025	3/4	25,784	3/4	41,498	3/4	57,195	3/4	72,953	3/4	88,712	3/4	104,471	3/4	120,230	3/4	135,989	3/4	151,744
8	10,354	8	26,112	8	41,823	8	57,523	8	73,282	8	89,041	8	104,799	8	120,558	8	136,317	8	152,072
1/4	10,682	1/4	26,440	1/4	42,149	1/4	57,851	1/4	73,610	1/4	89,369	1/4	105,128	1/4	120,887	1/4	136,645	1/4	152,400
1/2	11,010	1/2	26,769	1/2	42,474	1/2	58,180	1/2	73,938	1/2	89,697	1/2	105,456	1/2	121,215	1/2	136,973	1/2	152,729
3/4	11,338	3/4	27,097	3/4	42,800	3/4	58,508	3/4	74,267	3/4	90,026	3/4	105,784	3/4	121,543	3/4	137,302	3/4	153,057
9	11,667	9	27,425	9	43,125	9	58,836	9	74,595	9	90,354	9	106,113	9	121,872	9	137,630	9	153,385
1/4	11,995	1/4	27,753	1/4	43,451	1/4	59,164	1/4	74,923	1/4	90,682	1/4	106,441	1/4	122,200	1/4	137,958	1/4	153,713
1/2	12,323	1/2	28,082	1/2	43,777	1/2	59,493	1/2	75,252	1/2	91,010	1/2	106,769	1/2	122,528	1/2	138,286	1/2	154,041
3/4	12,652	3/4	28,410	3/4	44,102	3/4	59,821	3/4	75,580	3/4	91,339	3/4	107,098	3/4	122,857	3/4	138,615	3/4	154,370
10	12,980	10	28,738	10	44,428	10	60,149	10	75,908	10	91,667	10	107,426	10	123,185	10	138,943	10	154,698
1/4	13,308	1/4	29,067	1/4	44,753	1/4	60,478	1/4	76,237	1/4	91,995	1/4	107,754	1/4	123,513	1/4	139,271	1/4	155,026
1/2	13,637	1/2	29,395	1/2	45,079	1/2	60,806	1/2	76,565	1/2	92,324	1/2	108,083	1/2	123,841	1/2	139,599	1/2	155,354
3/4	13,965	3/4	29,723	3/4	45,404	3/4	61,134	3/4	76,893	3/4	92,652	3/4	108,411	3/4	124,170	3/4	139,927	3/4	155,683
11	14,293	11	30,052	11	45,730	11	61,463	11	77,222	11	92,980	11	108,739	11	124,498	11	140,256	11	156,011
1/4	14,621	1/4	30,380	1/4	46,056	1/4	61,791	1/4	77,550	1/4	93,309	1/4	109,068	1/4	124,826	1/4	140,584	1/4	156,339
1/2	14,950	1/2	30,708	1/2	46,381	1/2	62,119	1/2	77,878	1/2	93,637	1/2	109,396	1/2	125,155	1/2	140,912	1/2	156,667
3/4	15,278	3/4	31,036	3/4	46,707	3/4	62,448	3/4	78,206	3/4	93,965	3/4	109,724	3/4	125,483	3/4	141,240	3/4	156,996

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	157,324	0	173,079	0	188,762	0	204,429	0	220,009	0		0		0		0		0	
1/4	157,652	1/4	173,407	1/4	189,088	1/4	204,756	1/4	220,323	1/4		1/4		1/4		1/4		1/4	
1/2	157,980	1/2	173,735	1/2	189,415	1/2	205,082	1/2	220,638	1/2		1/2		1/2		1/2		1/2	
3/4	158,308	3/4	174,064	3/4	189,741	3/4	205,409	3/4	220,952	3/4		3/4		3/4		3/4		3/4	
1	158,637	1	174,392	1	190,068	1	205,735	1	221,267	1		1		1		1		1	
1/4	158,965	1/4	174,720	1/4	190,394	1/4	206,061	1/4	221,541	1/4		1/4		1/4		1/4		1/4	
1/2	159,293	1/2	175,048	1/2	190,720	1/2	206,388	1/2	221,815	1/2		1/2		1/2		1/2		1/2	
3/4	159,621	3/4	175,376	3/4	191,047	3/4	206,714	3/4	222,089	3/4		3/4		3/4		3/4		3/4	
2	159,950	2	175,705	2	191,373	2	207,041	2	222,363	2		2		2		2		2	
1/4	160,278	1/4	176,031	1/4	191,700	1/4	207,367	1/4	222,583	1/4		1/4		1/4		1/4		1/4	
1/2	160,606	1/2	176,358	1/2	192,026	1/2	207,693	1/2	222,804	1/2		1/2		1/2		1/2		1/2	
3/4	160,934	3/4	176,685	3/4	192,352	3/4	208,020	3/4	223,024	3/4		3/4		3/4		3/4		3/4	
3	161,263	3	177,011	3	192,679	3	208,346	3	223,244	3		3		3		3		3	
1/4	161,591	1/4	177,338	1/4	193,005	1/4	208,673	1/4	223,410	1/4		1/4		1/4		1/4		1/4	
1/2	161,919	1/2	177,664	1/2	193,332	1/2	208,999	1/2	223,576	1/2		1/2		1/2		1/2		1/2	
3/4	162,247	3/4	177,990	3/4	193,658	3/4	209,326	3/4		3/4		3/4		3/4		3/4		3/4	
4	162,575	4	178,317	4	193,984	4	209,652	4		4		4		4		4		4	
1/4	162,904	1/4	178,643	1/4	194,311	1/4	209,978	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,232	1/2	178,970	1/2	194,637	1/2	210,305	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,560	3/4	179,296	3/4	194,964	3/4	210,631	3/4		3/4		3/4		3/4		3/4		3/4	
5	163,888	5	179,623	5	195,290	5	210,958	5		5		5		5		5		5	
1/4	164,217	1/4	179,949	1/4	195,616	1/4	211,284	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,545	1/2	180,275	1/2	195,943	1/2	211,610	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,873	3/4	180,602	3/4	196,269	3/4	211,937	3/4		3/4		3/4		3/4		3/4		3/4	
6	165,201	6	180,928	6	196,596	6	212,263	6		6		6		6		6		6	
1/4	165,530	1/4	181,255	1/4	196,922	1/4	212,590	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,858	1/2	181,581	1/2	197,248	1/2	212,916	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,186	3/4	181,907	3/4	197,575	3/4	213,242	3/4		3/4		3/4		3/4		3/4		3/4	
7	166,514	7	182,234	7	197,901	7	213,569	7		7		7		7		7		7	
1/4	166,842	1/4	182,560	1/4	198,228	1/4	213,892	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,171	1/2	182,887	1/2	198,554	1/2	214,215	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,499	3/4	183,213	3/4	198,881	3/4	214,539	3/4		3/4		3/4		3/4		3/4		3/4	
8	167,827	8	183,539	8	199,207	8	214,862	8		8		8		8		8		8	
1/4	168,155	1/4	183,866	1/4	199,533	1/4	215,185	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,484	1/2	184,192	1/2	199,860	1/2	215,507	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,812	3/4	184,519	3/4	200,186	3/4	215,830	3/4		3/4		3/4		3/4		3/4		3/4	
9	169,140	9	184,845	9	200,513	9	216,153	9		9		9		9		9		9	
1/4	169,468	1/4	185,171	1/4	200,839	1/4	216,475	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169,797	1/2	185,498	1/2	201,165	1/2	216,797	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,125	3/4	185,824	3/4	201,492	3/4	217,120	3/4		3/4		3/4		3/4		3/4		3/4	
10	170,453	10	186,151	10	201,818	10	217,442	10		10		10		10		10		10	
1/4	170,781	1/4	186,477	1/4	202,145	1/4	217,763	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,109	1/2	186,803	1/2	202,471	1/2	218,085	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,438	3/4	187,130	3/4	202,797	3/4	218,406	3/4		3/4		3/4		3/4		3/4		3/4	
11	171,766	11	187,456	11	203,124	11	218,728	11		11		11		11		11		11	
1/4	172,094	1/4	187,783	1/4	203,450	1/4	219,048	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,422	1/2	188,109	1/2	203,777	1/2	219,368	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,751	3/4	188,435	3/4	204,103	3/4	219,689	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

1 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	616	0	15,606	0	31,365	0	47,085	0	62,837	0	78,596	0	94,355	0	110,114	0	125,873	0	141,630
1/4	811	1/4	15,935	1/4	31,693	1/4	47,412	1/4	63,165	1/4	78,924	1/4	94,683	1/4	110,442	1/4	126,201	1/4	141,958
1/2	1,006	1/2	16,263	1/2	32,021	1/2	47,740	1/2	63,494	1/2	79,253	1/2	95,012	1/2	110,770	1/2	126,529	1/2	142,286
3/4	1,200	3/4	16,591	3/4	32,350	3/4	48,067	3/4	63,822	3/4	79,581	3/4	95,340	3/4	111,099	3/4	126,858	3/4	142,615
1	1,395	1	16,920	1	32,678	1	48,395	1	64,150	1	79,909	1	95,668	1	111,427	1	127,186	1	142,943
1/4	1,672	1/4	17,248	1/4	33,006	1/4	48,723	1/4	64,479	1/4	80,238	1/4	95,996	1/4	111,755	1/4	127,514	1/4	143,271
1/2	1,949	1/2	17,576	1/2	33,334	1/2	49,051	1/2	64,807	1/2	80,566	1/2	96,325	1/2	112,084	1/2	127,842	1/2	143,599
3/4	2,226	3/4	17,904	3/4	33,662	3/4	49,379	3/4	65,135	3/4	80,894	3/4	96,653	3/4	112,412	3/4	128,171	3/4	143,928
2	2,503	2	18,233	2	33,990	2	49,707	2	65,464	2	81,223	2	96,981	2	112,740	2	128,499	2	144,256
1/4	2,825	1/4	18,561	1/4	34,317	1/4	50,034	1/4	65,792	1/4	81,551	1/4	97,310	1/4	113,069	1/4	128,827	1/4	144,584
1/2	3,147	1/2	18,889	1/2	34,645	1/2	50,362	1/2	66,120	1/2	81,879	1/2	97,638	1/2	113,397	1/2	129,156	1/2	144,912
3/4	3,469	3/4	19,218	3/4	34,973	3/4	50,690	3/4	66,449	3/4	82,207	3/4	97,966	3/4	113,725	3/4	129,484	3/4	145,240
3	3,790	3	19,546	3	35,301	3	51,018	3	66,777	3	82,536	3	98,295	3	114,053	3	129,812	3	145,569
1/4	4,118	1/4	19,874	1/4	35,629	1/4	51,346	1/4	67,105	1/4	82,864	1/4	98,623	1/4	114,382	1/4	130,141	1/4	145,897
1/2	4,446	1/2	20,203	1/2	35,956	1/2	51,675	1/2	67,434	1/2	83,192	1/2	98,951	1/2	114,710	1/2	130,469	1/2	146,225
3/4	4,773	3/4	20,531	3/4	36,284	3/4	52,003	3/4	67,762	3/4	83,521	3/4	99,280	3/4	115,038	3/4	130,797	3/4	146,553
4	5,101	4	20,859	4	36,612	4	52,331	4	68,090	4	83,849	4	99,608	4	115,367	4	131,126	4	146,882
1/4	5,429	1/4	21,187	1/4	36,940	1/4	52,660	1/4	68,418	1/4	84,177	1/4	99,936	1/4	115,695	1/4	131,454	1/4	147,210
1/2	5,758	1/2	21,516	1/2	37,268	1/2	52,988	1/2	68,747	1/2	84,506	1/2	100,264	1/2	116,023	1/2	131,782	1/2	147,538
3/4	6,086	3/4	21,844	3/4	37,596	3/4	53,316	3/4	69,075	3/4	84,834	3/4	100,593	3/4	116,352	3/4	132,110	3/4	147,866
5	6,414	5	22,172	5	37,923	5	53,645	5	69,403	5	85,162	5	100,921	5	116,680	5	132,439	5	148,195
1/4	6,742	1/4	22,501	1/4	38,251	1/4	53,973	1/4	69,732	1/4	85,491	1/4	101,249	1/4	117,008	1/4	132,767	1/4	148,523
1/2	7,071	1/2	22,829	1/2	38,578	1/2	54,301	1/2	70,060	1/2	85,819	1/2	101,578	1/2	117,337	1/2	133,095	1/2	148,851
3/4	7,399	3/4	23,157	3/4	38,905	3/4	54,629	3/4	70,388	3/4	86,147	3/4	101,906	3/4	117,665	3/4	133,424	3/4	149,179
6	7,727	6	23,486	6	39,232	6	54,958	6	70,717	6	86,475	6	102,234	6	117,993	6	133,752	6	149,507
1/4	8,055	1/4	23,814	1/4	39,559	1/4	55,286	1/4	71,045	1/4	86,804	1/4	102,563	1/4	118,321	1/4	134,080	1/4	149,836
1/2	8,384	1/2	24,142	1/2	39,887	1/2	55,614	1/2	71,373	1/2	87,132	1/2	102,891	1/2	118,650	1/2	134,409	1/2	150,164
3/4	8,712	3/4	24,470	3/4	40,214	3/4	55,943	3/4	71,702	3/4	87,460	3/4	103,219	3/4	118,978	3/4	134,737	3/4	150,492
7	9,040	7	24,799	7	40,541	7	56,271	7	72,030	7	87,789	7	103,548	7	119,306	7	135,065	7	150,820
1/4	9,369	1/4	25,127	1/4	40,868	1/4	56,599	1/4	72,358	1/4	88,117	1/4	103,876	1/4	119,635	1/4	135,393	1/4	151,149
1/2	9,697	1/2	25,455	1/2	41,195	1/2	56,928	1/2	72,686	1/2	88,445	1/2	104,204	1/2	119,963	1/2	135,722	1/2	151,477
3/4	10,025	3/4	25,784	3/4	41,522	3/4	57,256	3/4	73,015	3/4	88,774	3/4	104,532	3/4	120,291	3/4	136,050	3/4	151,805
8	10,354	8	26,112	8	41,849	8	57,584	8	73,343	8	89,102	8	104,861	8	120,620	8	136,378	8	152,133
1/4	10,682	1/4	26,440	1/4	42,176	1/4	57,913	1/4	73,671	1/4	89,430	1/4	105,189	1/4	120,948	1/4	136,706	1/4	152,462
1/2	11,010	1/2	26,769	1/2	42,503	1/2	58,241	1/2	74,000	1/2	89,759	1/2	105,517	1/2	121,276	1/2	137,035	1/2	152,790
3/4	11,338	3/4	27,097	3/4	42,831	3/4	58,569	3/4	74,328	3/4	90,087	3/4	105,846	3/4	121,605	3/4	137,363	3/4	153,118
9	11,667	9	27,425	9	43,158	9	58,897	9	74,656	9	90,415	9	106,174	9	121,933	9	137,691	9	153,446
1/4	11,995	1/4	27,753	1/4	43,485	1/4	59,226	1/4	74,985	1/4	90,743	1/4	106,502	1/4	122,261	1/4	138,019	1/4	153,774
1/2	12,323	1/2	28,082	1/2	43,812	1/2	59,554	1/2	75,313	1/2	91,072	1/2	106,831	1/2	122,589	1/2	138,348	1/2	154,103
3/4	12,652	3/4	28,410	3/4	44,139	3/4	59,882	3/4	75,641	3/4	91,400	3/4	107,159	3/4	122,918	3/4	138,676	3/4	154,431
10	12,980	10	28,738	10	44,466	10	60,211	10	75,970	10	91,728	10	107,487	10	123,246	10	139,004	10	154,759
1/4	13,308	1/4	29,067	1/4	44,793	1/4	60,539	1/4	76,298	1/4	92,057	1/4	107,816	1/4	123,574	1/4	139,332	1/4	155,087
1/2	13,637	1/2	29,395	1/2	45,120	1/2	60,867	1/2	76,626	1/2	92,385	1/2	108,144	1/2	123,903	1/2	139,661	1/2	155,416
3/4	13,965	3/4	29,723	3/4	45,447	3/4	61,196	3/4	76,954	3/4	92,713	3/4	108,472	3/4	124,231	3/4	139,989	3/4	155,744
11	14,293	11	30,052	11	45,775	11	61,524	11	77,283	11	93,042	11	108,800	11	124,559	11	140,317	11	156,072
1/4	14,621	1/4	30,380	1/4	46,102	1/4	61,852	1/4	77,611	1/4	93,370	1/4	109,129	1/4	124,888	1/4	140,645	1/4	156,400
1/2	14,950	1/2	30,708	1/2	46,430	1/2	62,181	1/2	77,939	1/2	93,698	1/2	109,457	1/2	125,216	1/2	140,973	1/2	156,729
3/4	15,278	3/4	31,036	3/4	46,757	3/4	62,509	3/4	78,268	3/4	94,027	3/4	109,785	3/4	125,544	3/4	141,302	3/4	157,057

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

1 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	157,385	0	173,140	0	188,823	0	204,491	0	220,070	0		0		0		0		0	
1/4	157,713	1/4	173,468	1/4	189,150	1/4	204,817	1/4	220,385	1/4		1/4		1/4		1/4		1/4	
1/2	158,042	1/2	173,797	1/2	189,476	1/2	205,144	1/2	220,699	1/2		1/2		1/2		1/2		1/2	
3/4	158,370	3/4	174,125	3/4	189,802	3/4	205,470	3/4	221,014	3/4		3/4		3/4		3/4		3/4	
1	158,698	1	174,453	1	190,129	1	205,796	1	221,328	1		1		1		1		1	
1/4	159,026	1/4	174,781	1/4	190,455	1/4	206,123	1/4	221,602	1/4		1/4		1/4		1/4		1/4	
1/2	159,354	1/2	175,110	1/2	190,782	1/2	206,449	1/2	221,876	1/2		1/2		1/2		1/2		1/2	
3/4	159,683	3/4	175,438	3/4	191,108	3/4	206,776	3/4	222,150	3/4		3/4		3/4		3/4		3/4	
2	160,011	2	175,766	2	191,434	2	207,102	2	222,424	2		2		2		2		2	
1/4	160,339	1/4	176,093	1/4	191,761	1/4	207,428	1/4	222,644	1/4		1/4		1/4		1/4		1/4	
1/2	160,667	1/2	176,419	1/2	192,087	1/2	207,755	1/2	222,865	1/2		1/2		1/2		1/2		1/2	
3/4	160,996	3/4	176,746	3/4	192,414	3/4	208,081	3/4	223,085	3/4		3/4		3/4		3/4		3/4	
3	161,324	3	177,073	3	192,740	3	208,408	3	223,306	3		3		3		3		3	
1/4	161,652	1/4	177,399	1/4	193,066	1/4	208,734	1/4	223,471	1/4		1/4		1/4		1/4		1/4	
1/2	161,980	1/2	177,725	1/2	193,393	1/2	209,060	1/2	223,637	1/2		1/2		1/2		1/2		1/2	
3/4	162,309	3/4	178,052	3/4	193,719	3/4	209,387	3/4		3/4		3/4		3/4		3/4		3/4	
4	162,637	4	178,378	4	194,046	4	209,713	4		4		4		4		4		4	
1/4	162,965	1/4	178,705	1/4	194,372	1/4	210,040	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,293	1/2	179,031	1/2	194,699	1/2	210,366	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,621	3/4	179,357	3/4	195,025	3/4	210,692	3/4		3/4		3/4		3/4		3/4		3/4	
5	163,950	5	179,684	5	195,351	5	211,019	5		5		5		5		5		5	
1/4	164,278	1/4	180,010	1/4	195,678	1/4	211,345	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,606	1/2	180,337	1/2	196,004	1/2	211,672	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,934	3/4	180,663	3/4	196,331	3/4	211,998	3/4		3/4		3/4		3/4		3/4		3/4	
6	165,263	6	180,989	6	196,657	6	212,324	6		6		6		6		6		6	
1/4	165,591	1/4	181,316	1/4	196,983	1/4	212,651	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,919	1/2	181,642	1/2	197,310	1/2	212,977	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,247	3/4	181,969	3/4	197,636	3/4	213,304	3/4		3/4		3/4		3/4		3/4		3/4	
7	166,576	7	182,295	7	197,963	7	213,630	7		7		7		7		7		7	
1/4	166,904	1/4	182,621	1/4	198,289	1/4	213,953	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,232	1/2	182,948	1/2	198,615	1/2	214,277	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,560	3/4	183,274	3/4	198,942	3/4	214,600	3/4		3/4		3/4		3/4		3/4		3/4	
8	167,888	8	183,601	8	199,268	8	214,923	8		8		8		8		8		8	
1/4	168,217	1/4	183,927	1/4	199,595	1/4	215,246	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,545	1/2	184,253	1/2	199,921	1/2	215,569	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,873	3/4	184,580	3/4	200,247	3/4	215,891	3/4		3/4		3/4		3/4		3/4		3/4	
9	169,201	9	184,906	9	200,574	9	216,214	9		9		9		9		9		9	
1/4	169,530	1/4	185,233	1/4	200,900	1/4	216,536	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	169,858	1/2	185,559	1/2	201,227	1/2	216,859	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	170,186	3/4	185,886	3/4	201,553	3/4	217,181	3/4		3/4		3/4		3/4		3/4		3/4	
10	170,514	10	186,212	10	201,879	10	217,503	10		10		10		10		10		10	
1/4	170,843	1/4	186,538	1/4	202,206	1/4	217,825	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	171,171	1/2	186,865	1/2	202,532	1/2	218,146	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	171,499	3/4	187,191	3/4	202,859	3/4	218,468	3/4		3/4		3/4		3/4		3/4		3/4	
11	171,827	11	187,518	11	203,185	11	218,789	11		11		11		11		11		11	
1/4	172,155	1/4	187,844	1/4	203,511	1/4	219,109	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	172,484	1/2	188,170	1/2	203,838	1/2	219,430	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	172,812	3/4	188,497	3/4	204,164	3/4	219,750	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	602	0	15,240	0	30,627	0	45,835	0	61,143	0	76,531	0	91,919	0	107,307	0	122,695	0	138,082
1/4	792	1/4	15,560	1/4	30,948	1/4	46,149	1/4	61,464	1/4	76,852	1/4	92,240	1/4	107,628	1/4	123,016	1/4	138,402
1/2	982	1/2	15,881	1/2	31,268	1/2	46,463	1/2	61,784	1/2	77,172	1/2	92,560	1/2	107,948	1/2	123,336	1/2	138,723
3/4	1,173	3/4	16,201	3/4	31,589	3/4	46,777	3/4	62,105	3/4	77,493	3/4	92,881	3/4	108,269	3/4	123,657	3/4	139,043
1	1,363	1	16,522	1	31,909	1	47,091	1	62,426	1	77,814	1	93,202	1	108,590	1	123,978	1	139,364
1/4	1,633	1/4	16,842	1/4	32,230	1/4	47,405	1/4	62,746	1/4	78,134	1/4	93,522	1/4	108,910	1/4	124,298	1/4	139,684
1/2	1,904	1/2	17,163	1/2	32,551	1/2	47,719	1/2	63,067	1/2	78,455	1/2	93,843	1/2	109,231	1/2	124,619	1/2	140,005
3/4	2,174	3/4	17,484	3/4	32,871	3/4	48,034	3/4	63,387	3/4	78,775	3/4	94,163	3/4	109,551	3/4	124,939	3/4	140,325
2	2,445	2	17,804	2	33,192	2	48,348	2	63,708	2	79,096	2	94,484	2	109,872	2	125,260	2	140,646
1/4	2,759	1/4	18,125	1/4	33,512	1/4	48,662	1/4	64,029	1/4	79,416	1/4	94,804	1/4	110,192	1/4	125,580	1/4	140,966
1/2	3,073	1/2	18,445	1/2	33,833	1/2	48,977	1/2	64,349	1/2	79,737	1/2	95,125	1/2	110,513	1/2	125,901	1/2	141,287
3/4	3,387	3/4	18,766	3/4	34,153	3/4	49,291	3/4	64,670	3/4	80,058	3/4	95,446	3/4	110,834	3/4	126,222	3/4	141,607
3	3,702	3	19,086	3	34,474	3	49,605	3	64,990	3	80,378	3	95,766	3	111,154	3	126,542	3	141,928
1/4	4,022	1/4	19,407	1/4	34,795	1/4	49,925	1/4	65,311	1/4	80,699	1/4	96,087	1/4	111,475	1/4	126,863	1/4	142,248
1/2	4,342	1/2	19,728	1/2	35,115	1/2	50,245	1/2	65,631	1/2	81,019	1/2	96,407	1/2	111,795	1/2	127,183	1/2	142,569
3/4	4,662	3/4	20,048	3/4	35,436	3/4	50,565	3/4	65,952	3/4	81,340	3/4	96,728	3/4	112,116	3/4	127,504	3/4	142,889
4	4,982	4	20,369	4	35,756	4	50,885	4	66,273	4	81,661	4	97,049	4	112,437	4	127,825	4	143,210
1/4	5,302	1/4	20,689	1/4	36,077	1/4	51,205	1/4	66,593	1/4	81,981	1/4	97,369	1/4	112,757	1/4	128,145	1/4	143,530
1/2	5,623	1/2	21,010	1/2	36,397	1/2	51,526	1/2	66,914	1/2	82,302	1/2	97,690	1/2	113,078	1/2	128,466	1/2	143,851
3/4	5,943	3/4	21,330	3/4	36,718	3/4	51,846	3/4	67,234	3/4	82,622	3/4	98,010	3/4	113,398	3/4	128,786	3/4	144,171
5	6,264	5	21,651	5	37,039	5	52,167	5	67,555	5	82,943	5	98,331	5	113,719	5	129,107	5	144,492
1/4	6,584	1/4	21,972	1/4	37,353	1/4	52,488	1/4	67,876	1/4	83,263	1/4	98,651	1/4	114,039	1/4	129,427	1/4	144,812
1/2	6,905	1/2	22,292	1/2	37,668	1/2	52,808	1/2	68,196	1/2	83,584	1/2	98,972	1/2	114,360	1/2	129,748	1/2	145,133
3/4	7,225	3/4	22,613	3/4	37,983	3/4	53,129	3/4	68,517	3/4	83,905	3/4	99,293	3/4	114,681	3/4	130,069	3/4	145,453
6	7,546	6	22,933	6	38,298	6	53,449	6	68,837	6	84,225	6	99,613	6	115,001	6	130,389	6	145,774
1/4	7,866	1/4	23,254	1/4	38,612	1/4	53,770	1/4	69,158	1/4	84,546	1/4	99,934	1/4	115,322	1/4	130,710	1/4	146,094
1/2	8,187	1/2	23,574	1/2	38,926	1/2	54,090	1/2	69,478	1/2	84,866	1/2	100,254	1/2	115,642	1/2	131,030	1/2	146,415
3/4	8,508	3/4	23,895	3/4	39,240	3/4	54,411	3/4	69,799	3/4	85,187	3/4	100,575	3/4	115,963	3/4	131,351	3/4	146,735
7	8,828	7	24,216	7	39,554	7	54,732	7	70,120	7	85,508	7	100,896	7	116,284	7	131,672	7	147,056
1/4	9,149	1/4	24,536	1/4	39,868	1/4	55,052	1/4	70,440	1/4	85,828	1/4	101,216	1/4	116,604	1/4	131,992	1/4	147,376
1/2	9,469	1/2	24,857	1/2	40,182	1/2	55,373	1/2	70,761	1/2	86,149	1/2	101,537	1/2	116,925	1/2	132,313	1/2	147,697
3/4	9,790	3/4	25,177	3/4	40,496	3/4	55,693	3/4	71,081	3/4	86,469	3/4	101,857	3/4	117,245	3/4	132,633	3/4	148,017
8	10,110	8	25,498	8	40,810	8	56,014	8	71,402	8	86,790	8	102,178	8	117,566	8	132,954	8	148,338
1/4	10,431	1/4	25,819	1/4	41,124	1/4	56,335	1/4	71,723	1/4	87,110	1/4	102,498	1/4	117,886	1/4	133,274	1/4	148,658
1/2	10,752	1/2	26,139	1/2	41,438	1/2	56,655	1/2	72,043	1/2	87,431	1/2	102,819	1/2	118,207	1/2	133,595	1/2	148,979
3/4	11,072	3/4	26,460	3/4	41,752	3/4	56,976	3/4	72,364	3/4	87,752	3/4	103,140	3/4	118,528	3/4	133,915	3/4	149,299
9	11,393	9	26,780	9	42,066	9	57,296	9	72,684	9	88,072	9	103,460	9	118,848	9	134,236	9	149,620
1/4	11,713	1/4	27,101	1/4	42,380	1/4	57,617	1/4	73,005	1/4	88,393	1/4	103,781	1/4	119,169	1/4	134,556	1/4	149,940
1/2	12,034	1/2	27,421	1/2	42,694	1/2	57,937	1/2	73,325	1/2	88,713	1/2	104,101	1/2	119,489	1/2	134,877	1/2	150,261
3/4	12,354	3/4	27,742	3/4	43,008	3/4	58,258	3/4	73,646	3/4	89,034	3/4	104,422	3/4	119,810	3/4	135,197	3/4	150,581
10	12,675	10	28,063	10	43,322	10	58,579	10	73,967	10	89,355	10	104,743	10	120,131	10	135,518	10	150,902
1/4	12,996	1/4	28,383	1/4	43,636	1/4	58,899	1/4	74,287	1/4	89,675	1/4	105,063	1/4	120,451	1/4	135,838	1/4	151,222
1/2	13,316	1/2	28,704	1/2	43,950	1/2	59,220	1/2	74,608	1/2	89,996	1/2	105,384	1/2	120,772	1/2	136,159	1/2	151,543
3/4	13,637	3/4	29,024	3/4	44,264	3/4	59,540	3/4	74,928	3/4	90,316	3/4	105,704	3/4	121,092	3/4	136,479	3/4	151,863
11	13,957	11	29,345	11	44,578	11	59,861	11	75,249	11	90,637	11	106,025	11	121,413	11	136,800	11	152,184
1/4	14,278	1/4	29,665	1/4	44,892	1/4	60,182	1/4	75,570	1/4	90,957	1/4	106,345	1/4	121,733	1/4	137,120	1/4	152,504
1/2	14,598	1/2	29,986	1/2	45,206	1/2	60,502	1/2	75,890	1/2	91,278	1/2	106,666	1/2	122,054	1/2	137,441	1/2	152,825
3/4	14,919	3/4	30,307	3/4	45,521	3/4	60,823	3/4	76,211	3/4	91,599	3/4	106,987	3/4	122,375	3/4	137,761	3/4	153,145

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	153,466	0	168,850	0	184,162	0	199,459	0	214,668	0		0		0		0		0	
1/4	153,786	1/4	169,171	1/4	184,481	1/4	199,778	1/4	214,975	1/4		1/4		1/4		1/4		1/4	
1/2	154,107	1/2	169,491	1/2	184,800	1/2	200,096	1/2	215,282	1/2		1/2		1/2		1/2		1/2	
3/4	154,427	3/4	169,812	3/4	185,118	3/4	200,415	3/4	215,589	3/4		3/4		3/4		3/4		3/4	
1	154,748	1	170,132	1	185,437	1	200,734	1	215,896	1		1		1		1		1	
1/4	155,068	1/4	170,453	1/4	185,756	1/4	201,052	1/4	216,163	1/4		1/4		1/4		1/4		1/4	
1/2	155,389	1/2	170,773	1/2	186,074	1/2	201,371	1/2	216,431	1/2		1/2		1/2		1/2		1/2	
3/4	155,709	3/4	171,094	3/4	186,393	3/4	201,690	3/4	216,698	3/4		3/4		3/4		3/4		3/4	
2	156,030	2	171,414	2	186,712	2	202,008	2	216,966	2		2		2		2		2	
1/4	156,350	1/4	171,733	1/4	187,030	1/4	202,327	1/4	217,181	1/4		1/4		1/4		1/4		1/4	
1/2	156,671	1/2	172,052	1/2	187,349	1/2	202,646	1/2	217,396	1/2		1/2		1/2		1/2		1/2	
3/4	156,991	3/4	172,371	3/4	187,668	3/4	202,965	3/4	217,611	3/4		3/4		3/4		3/4		3/4	
3	157,312	3	172,690	3	187,987	3	203,283	3	217,826	3		3		3		3		3	
1/4	157,633	1/4	173,009	1/4	188,305	1/4	203,602	1/4	217,988	1/4		1/4		1/4		1/4		1/4	
1/2	157,953	1/2	173,327	1/2	188,624	1/2	203,921	1/2	218,149	1/2		1/2		1/2		1/2		1/2	
3/4	158,274	3/4	173,646	3/4	188,943	3/4	204,239	3/4		3/4		3/4		3/4		3/4		3/4	
4	158,594	4	173,965	4	189,261	4	204,558	4		4		4		4		4		4	
1/4	158,915	1/4	174,283	1/4	189,580	1/4	204,877	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,235	1/2	174,602	1/2	189,899	1/2	205,195	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,556	3/4	174,921	3/4	190,217	3/4	205,514	3/4		3/4		3/4		3/4		3/4		3/4	
5	159,876	5	175,239	5	190,536	5	205,833	5		5		5		5		5		5	
1/4	160,197	1/4	175,558	1/4	190,855	1/4	206,151	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,517	1/2	175,877	1/2	191,173	1/2	206,470	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,838	3/4	176,195	3/4	191,492	3/4	206,789	3/4		3/4		3/4		3/4		3/4		3/4	
6	161,158	6	176,514	6	191,811	6	207,107	6		6		6		6		6		6	
1/4	161,479	1/4	176,833	1/4	192,129	1/4	207,426	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,799	1/2	177,151	1/2	192,448	1/2	207,745	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,120	3/4	177,470	3/4	192,767	3/4	208,063	3/4		3/4		3/4		3/4		3/4		3/4	
7	162,440	7	177,789	7	193,085	7	208,382	7		7		7		7		7		7	
1/4	162,761	1/4	178,107	1/4	193,404	1/4	208,698	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,081	1/2	178,426	1/2	193,723	1/2	209,013	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,402	3/4	178,745	3/4	194,041	3/4	209,329	3/4		3/4		3/4		3/4		3/4		3/4	
8	163,722	8	179,063	8	194,360	8	209,644	8		8		8		8		8		8	
1/4	164,043	1/4	179,382	1/4	194,679	1/4	209,959	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,363	1/2	179,701	1/2	194,997	1/2	210,274	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,684	3/4	180,020	3/4	195,316	3/4	210,589	3/4		3/4		3/4		3/4		3/4		3/4	
9	165,004	9	180,338	9	195,635	9	210,904	9		9		9		9		9		9	
1/4	165,325	1/4	180,657	1/4	195,954	1/4	211,219	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,645	1/2	180,976	1/2	196,272	1/2	211,533	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,966	3/4	181,294	3/4	196,591	3/4	211,848	3/4		3/4		3/4		3/4		3/4		3/4	
10	166,286	10	181,613	10	196,910	10	212,163	10		10		10		10		10		10	
1/4	166,607	1/4	181,932	1/4	197,228	1/4	212,476	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,927	1/2	182,250	1/2	197,547	1/2	212,790	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,248	3/4	182,569	3/4	197,866	3/4	213,104	3/4		3/4		3/4		3/4		3/4		3/4	
11	167,568	11	182,888	11	198,184	11	213,418	11		11		11		11		11		11	
1/4	167,889	1/4	183,206	1/4	198,503	1/4	213,730	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,209	1/2	183,525	1/2	198,822	1/2	214,043	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,530	3/4	183,844	3/4	199,140	3/4	214,356	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

2 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	602	0	15,240	0	30,627	0	45,729	0	61,064	0	76,452	0	91,840	0	107,228	0	122,616	0	138,003
1/4	792	1/4	15,560	1/4	30,948	1/4	46,041	1/4	61,385	1/4	76,773	1/4	92,161	1/4	107,549	1/4	122,937	1/4	138,323
1/2	982	1/2	15,881	1/2	31,268	1/2	46,353	1/2	61,706	1/2	77,094	1/2	92,482	1/2	107,870	1/2	123,258	1/2	138,644
3/4	1,173	3/4	16,201	3/4	31,589	3/4	46,666	3/4	62,026	3/4	77,414	3/4	92,802	3/4	108,190	3/4	123,578	3/4	138,964
1	1,363	1	16,522	1	31,909	1	46,978	1	62,347	1	77,735	1	93,123	1	108,511	1	123,899	1	139,285
1/4	1,633	1/4	16,842	1/4	32,230	1/4	47,296	1/4	62,667	1/4	78,055	1/4	93,443	1/4	108,831	1/4	124,219	1/4	139,605
1/2	1,904	1/2	17,163	1/2	32,551	1/2	47,614	1/2	62,988	1/2	78,376	1/2	93,764	1/2	109,152	1/2	124,540	1/2	139,926
3/4	2,174	3/4	17,484	3/4	32,871	3/4	47,932	3/4	63,308	3/4	78,696	3/4	94,084	3/4	109,472	3/4	124,860	3/4	140,246
2	2,445	2	17,804	2	33,192	2	48,250	2	63,629	2	79,017	2	94,405	2	109,793	2	125,181	2	140,567
1/4	2,759	1/4	18,125	1/4	33,512	1/4	48,568	1/4	63,950	1/4	79,338	1/4	94,726	1/4	110,114	1/4	125,502	1/4	140,887
1/2	3,073	1/2	18,445	1/2	33,833	1/2	48,887	1/2	64,270	1/2	79,658	1/2	95,046	1/2	110,434	1/2	125,822	1/2	141,208
3/4	3,387	3/4	18,766	3/4	34,153	3/4	49,206	3/4	64,591	3/4	79,979	3/4	95,367	3/4	110,755	3/4	126,143	3/4	141,528
3	3,702	3	19,086	3	34,474	3	49,524	3	64,911	3	80,299	3	95,687	3	111,075	3	126,463	3	141,849
1/4	4,022	1/4	19,407	1/4	34,788	1/4	49,845	1/4	65,232	1/4	80,620	1/4	96,008	1/4	111,396	1/4	126,784	1/4	142,169
1/2	4,342	1/2	19,728	1/2	35,102	1/2	50,165	1/2	65,553	1/2	80,941	1/2	96,329	1/2	111,717	1/2	127,105	1/2	142,490
3/4	4,662	3/4	20,048	3/4	35,416	3/4	50,485	3/4	65,873	3/4	81,261	3/4	96,649	3/4	112,037	3/4	127,425	3/4	142,810
4	4,982	4	20,369	4	35,730	4	50,806	4	66,194	4	81,582	4	96,970	4	112,358	4	127,746	4	143,131
1/4	5,302	1/4	20,689	1/4	36,043	1/4	51,126	1/4	66,514	1/4	81,902	1/4	97,290	1/4	112,678	1/4	128,066	1/4	143,451
1/2	5,623	1/2	21,010	1/2	36,356	1/2	51,447	1/2	66,835	1/2	82,223	1/2	97,611	1/2	112,999	1/2	128,387	1/2	143,772
3/4	5,943	3/4	21,330	3/4	36,669	3/4	51,768	3/4	67,155	3/4	82,543	3/4	97,931	3/4	113,319	3/4	128,707	3/4	144,092
5	6,264	5	21,651	5	36,982	5	52,088	5	67,476	5	82,864	5	98,252	5	113,640	5	129,028	5	144,413
1/4	6,584	1/4	21,972	1/4	37,295	1/4	52,409	1/4	67,797	1/4	83,185	1/4	98,573	1/4	113,961	1/4	129,349	1/4	144,733
1/2	6,905	1/2	22,292	1/2	37,607	1/2	52,729	1/2	68,117	1/2	83,505	1/2	98,893	1/2	114,281	1/2	129,669	1/2	145,054
3/4	7,225	3/4	22,613	3/4	37,920	3/4	53,050	3/4	68,438	3/4	83,826	3/4	99,214	3/4	114,602	3/4	129,990	3/4	145,374
6	7,546	6	22,933	6	38,232	6	53,370	6	68,758	6	84,146	6	99,534	6	114,922	6	130,310	6	145,695
1/4	7,866	1/4	23,254	1/4	38,544	1/4	53,691	1/4	69,079	1/4	84,467	1/4	99,855	1/4	115,243	1/4	130,631	1/4	146,015
1/2	8,187	1/2	23,574	1/2	38,857	1/2	54,012	1/2	69,400	1/2	84,788	1/2	100,176	1/2	115,564	1/2	130,952	1/2	146,336
3/4	8,508	3/4	23,895	3/4	39,169	3/4	54,332	3/4	69,720	3/4	85,108	3/4	100,496	3/4	115,884	3/4	131,272	3/4	146,656
7	8,828	7	24,216	7	39,482	7	54,653	7	70,041	7	85,429	7	100,817	7	116,205	7	131,593	7	146,977
1/4	9,149	1/4	24,536	1/4	39,794	1/4	54,973	1/4	70,361	1/4	85,749	1/4	101,137	1/4	116,525	1/4	131,913	1/4	147,297
1/2	9,469	1/2	24,857	1/2	40,106	1/2	55,294	1/2	70,682	1/2	86,070	1/2	101,458	1/2	116,846	1/2	132,234	1/2	147,618
3/4	9,790	3/4	25,177	3/4	40,419	3/4	55,614	3/4	71,002	3/4	86,390	3/4	101,778	3/4	117,166	3/4	132,554	3/4	147,938
8	10,110	8	25,498	8	40,731	8	55,935	8	71,323	8	86,711	8	102,099	8	117,487	8	132,875	8	148,259
1/4	10,431	1/4	25,819	1/4	41,043	1/4	56,256	1/4	71,644	1/4	87,032	1/4	102,420	1/4	117,808	1/4	133,195	1/4	148,580
1/2	10,752	1/2	26,139	1/2	41,356	1/2	56,576	1/2	71,964	1/2	87,352	1/2	102,740	1/2	118,128	1/2	133,516	1/2	148,900
3/4	11,072	3/4	26,460	3/4	41,668	3/4	56,897	3/4	72,285	3/4	87,673	3/4	103,061	3/4	118,449	3/4	133,836	3/4	149,221
9	11,393	9	26,780	9	41,980	9	57,217	9	72,605	9	87,993	9	103,381	9	118,769	9	134,157	9	149,541
1/4	11,713	1/4	27,101	1/4	42,293	1/4	57,538	1/4	72,926	1/4	88,314	1/4	103,702	1/4	119,090	1/4	134,477	1/4	149,862
1/2	12,034	1/2	27,421	1/2	42,605	1/2	57,859	1/2	73,247	1/2	88,635	1/2	104,023	1/2	119,411	1/2	134,798	1/2	150,182
3/4	12,354	3/4	27,742	3/4	42,917	3/4	58,179	3/4	73,567	3/4	88,955	3/4	104,343	3/4	119,731	3/4	135,118	3/4	150,503
10	12,675	10	28,063	10	43,230	10	58,500	10	73,888	10	89,276	10	104,664	10	120,052	10	135,439	10	150,823
1/4	12,996	1/4	28,383	1/4	43,542	1/4	58,820	1/4	74,208	1/4	89,596	1/4	104,984	1/4	120,372	1/4	135,759	1/4	151,144
1/2	13,316	1/2	28,704	1/2	43,855	1/2	59,141	1/2	74,529	1/2	89,917	1/2	105,305	1/2	120,693	1/2	136,080	1/2	151,464
3/4	13,637	3/4	29,024	3/4	44,167	3/4	59,461	3/4	74,849	3/4	90,237	3/4	105,625	3/4	121,013	3/4	136,400	3/4	151,785
11	13,957	11	29,345	11	44,479	11	59,782	11	75,170	11	90,558	11	105,946	11	121,334	11	136,721	11	152,105
1/4	14,278	1/4	29,665	1/4	44,792	1/4	60,103	1/4	75,491	1/4	90,879	1/4	106,267	1/4	121,655	1/4	137,041	1/4	152,426
1/2	14,598	1/2	29,986	1/2	45,104	1/2	60,423	1/2	75,811	1/2	91,199	1/2	106,587	1/2	121,975	1/2	137,362	1/2	152,746
3/4	14,919	3/4	30,307	3/4	45,416	3/4	60,744	3/4	76,132	3/4	91,520	3/4	106,908	3/4	122,296	3/4	137,682	3/4	153,067

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	153,387	0	168,771	0	184,084	0	199,380	0	214,589	0		0		0		0		0	
1/4	153,708	1/4	169,092	1/4	184,402	1/4	199,699	1/4	214,896	1/4		1/4		1/4		1/4		1/4	
1/2	154,028	1/2	169,412	1/2	184,721	1/2	200,018	1/2	215,203	1/2		1/2		1/2		1/2		1/2	
3/4	154,349	3/4	169,733	3/4	185,040	3/4	200,336	3/4	215,510	3/4		3/4		3/4		3/4		3/4	
1	154,669	1	170,053	1	185,358	1	200,655	1	215,817	1		1		1		1		1	
1/4	154,990	1/4	170,374	1/4	185,677	1/4	200,974	1/4	216,084	1/4		1/4		1/4		1/4		1/4	
1/2	155,310	1/2	170,694	1/2	185,996	1/2	201,292	1/2	216,352	1/2		1/2		1/2		1/2		1/2	
3/4	155,631	3/4	171,015	3/4	186,314	3/4	201,611	3/4	216,619	3/4		3/4		3/4		3/4		3/4	
2	155,951	2	171,335	2	186,633	2	201,930	2	216,887	2		2		2		2		2	
1/4	156,272	1/4	171,654	1/4	186,952	1/4	202,248	1/4	217,102	1/4		1/4		1/4		1/4		1/4	
1/2	156,592	1/2	171,973	1/2	187,270	1/2	202,567	1/2	217,317	1/2		1/2		1/2		1/2		1/2	
3/4	156,913	3/4	172,292	3/4	187,589	3/4	202,886	3/4	217,532	3/4		3/4		3/4		3/4		3/4	
3	157,233	3	172,611	3	187,908	3	203,204	3	217,747	3		3		3		3		3	
1/4	157,554	1/4	172,930	1/4	188,226	1/4	203,523	1/4	217,909	1/4		1/4		1/4		1/4		1/4	
1/2	157,874	1/2	173,248	1/2	188,545	1/2	203,842	1/2	218,071	1/2		1/2		1/2		1/2		1/2	
3/4	158,195	3/4	173,567	3/4	188,864	3/4	204,160	3/4		3/4		3/4		3/4		3/4		3/4	
4	158,515	4	173,886	4	189,182	4	204,479	4		4		4		4		4		4	
1/4	158,836	1/4	174,204	1/4	189,501	1/4	204,798	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	159,156	1/2	174,523	1/2	189,820	1/2	205,116	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	159,477	3/4	174,842	3/4	190,138	3/4	205,435	3/4		3/4		3/4		3/4		3/4		3/4	
5	159,797	5	175,160	5	190,457	5	205,754	5		5		5		5		5		5	
1/4	160,118	1/4	175,479	1/4	190,776	1/4	206,072	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,438	1/2	175,798	1/2	191,094	1/2	206,391	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,759	3/4	176,116	3/4	191,413	3/4	206,710	3/4		3/4		3/4		3/4		3/4		3/4	
6	161,079	6	176,435	6	191,732	6	207,029	6		6		6		6		6		6	
1/4	161,400	1/4	176,754	1/4	192,051	1/4	207,347	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,720	1/2	177,073	1/2	192,369	1/2	207,666	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,041	3/4	177,391	3/4	192,688	3/4	207,985	3/4		3/4		3/4		3/4		3/4		3/4	
7	162,361	7	177,710	7	193,007	7	208,303	7		7		7		7		7		7	
1/4	162,682	1/4	178,029	1/4	193,325	1/4	208,619	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,002	1/2	178,347	1/2	193,644	1/2	208,934	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,323	3/4	178,666	3/4	193,963	3/4	209,250	3/4		3/4		3/4		3/4		3/4		3/4	
8	163,643	8	178,985	8	194,281	8	209,566	8		8		8		8		8		8	
1/4	163,964	1/4	179,303	1/4	194,600	1/4	209,881	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,284	1/2	179,622	1/2	194,919	1/2	210,196	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,605	3/4	179,941	3/4	195,237	3/4	210,511	3/4		3/4		3/4		3/4		3/4		3/4	
9	164,925	9	180,259	9	195,556	9	210,826	9		9		9		9		9		9	
1/4	165,246	1/4	180,578	1/4	195,875	1/4	211,140	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,566	1/2	180,897	1/2	196,193	1/2	211,455	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,887	3/4	181,215	3/4	196,512	3/4	211,769	3/4		3/4		3/4		3/4		3/4		3/4	
10	166,207	10	181,534	10	196,831	10	212,084	10		10		10		10		10		10	
1/4	166,528	1/4	181,853	1/4	197,149	1/4	212,397	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,848	1/2	182,171	1/2	197,468	1/2	212,711	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,169	3/4	182,490	3/4	197,787	3/4	213,025	3/4		3/4		3/4		3/4		3/4		3/4	
11	167,489	11	182,809	11	198,105	11	213,339	11		11		11		11		11		11	
1/4	167,810	1/4	183,127	1/4	198,424	1/4	213,652	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	168,130	1/2	183,446	1/2	198,743	1/2	213,964	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	168,451	3/4	183,765	3/4	199,061	3/4	214,277	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	611	0	15,481	0	31,105	0	46,455	0	61,879	0	77,470	0	93,057	0	108,595	0	124,171	0	139,749
1/4	804	1/4	15,807	1/4	31,430	1/4	46,771	1/4	62,204	1/4	77,795	1/4	93,381	1/4	108,920	1/4	124,495	1/4	140,073
1/2	998	1/2	16,132	1/2	31,754	1/2	47,088	1/2	62,529	1/2	78,119	1/2	93,705	1/2	109,244	1/2	124,820	1/2	140,398
3/4	1,191	3/4	16,458	3/4	32,079	3/4	47,404	3/4	62,854	3/4	78,444	3/4	94,028	3/4	109,568	3/4	125,144	3/4	140,722
1	1,384	1	16,784	1	32,404	1	47,720	1	63,179	1	78,769	1	94,352	1	109,893	1	125,469	1	141,047
1/4	1,659	1/4	17,109	1/4	32,728	1/4	48,037	1/4	63,504	1/4	79,094	1/4	94,676	1/4	110,217	1/4	125,794	1/4	141,371
1/2	1,934	1/2	17,435	1/2	33,053	1/2	48,353	1/2	63,828	1/2	79,419	1/2	95,000	1/2	110,541	1/2	126,118	1/2	141,696
3/4	2,209	3/4	17,761	3/4	33,378	3/4	48,670	3/4	64,153	3/4	79,743	3/4	95,323	3/4	110,865	3/4	126,443	3/4	142,021
2	2,483	2	18,086	2	33,702	2	48,986	2	64,478	2	80,068	2	95,647	2	111,190	2	126,767	2	142,345
1/4	2,802	1/4	18,412	1/4	34,027	1/4	49,303	1/4	64,803	1/4	80,393	1/4	95,971	1/4	111,514	1/4	127,092	1/4	142,670
1/2	3,122	1/2	18,738	1/2	34,352	1/2	49,620	1/2	65,128	1/2	80,718	1/2	96,295	1/2	111,838	1/2	127,416	1/2	142,994
3/4	3,441	3/4	19,063	3/4	34,676	3/4	49,936	3/4	65,452	3/4	81,043	3/4	96,618	3/4	112,163	3/4	127,741	3/4	143,319
3	3,760	3	19,389	3	35,001	3	50,253	3	65,777	3	81,368	3	96,942	3	112,487	3	128,065	3	143,643
1/4	4,085	1/4	19,715	1/4	35,326	1/4	50,570	1/4	66,102	1/4	81,692	1/4	97,266	1/4	112,811	1/4	128,390	1/4	143,968
1/2	4,410	1/2	20,040	1/2	35,650	1/2	50,887	1/2	66,427	1/2	82,017	1/2	97,589	1/2	113,136	1/2	128,715	1/2	144,292
3/4	4,735	3/4	20,366	3/4	35,975	3/4	51,204	3/4	66,751	3/4	82,342	3/4	97,913	3/4	113,460	3/4	129,039	3/4	144,617
4	5,060	4	20,692	4	36,300	4	51,521	4	67,076	4	82,667	4	98,237	4	113,785	4	129,364	4	144,941
1/4	5,386	1/4	21,017	1/4	36,624	1/4	51,837	1/4	67,401	1/4	82,992	1/4	98,561	1/4	114,110	1/4	129,688	1/4	145,265
1/2	5,711	1/2	21,343	1/2	36,949	1/2	52,154	1/2	67,725	1/2	83,317	1/2	98,884	1/2	114,434	1/2	130,013	1/2	145,589
3/4	6,037	3/4	21,669	3/4	37,273	3/4	52,471	3/4	68,050	3/4	83,641	3/4	99,208	3/4	114,759	3/4	130,337	3/4	145,913
5	6,363	5	21,994	5	37,598	5	52,788	5	68,375	5	83,966	5	99,532	5	115,083	5	130,662	5	146,237
1/4	6,688	1/4	22,320	1/4	37,915	1/4	53,112	1/4	68,700	1/4	84,291	1/4	99,855	1/4	115,408	1/4	130,986	1/4	146,560
1/2	7,014	1/2	22,646	1/2	38,232	1/2	53,436	1/2	69,024	1/2	84,616	1/2	100,179	1/2	115,732	1/2	131,311	1/2	146,884
3/4	7,340	3/4	22,971	3/4	38,549	3/4	53,760	3/4	69,349	3/4	84,941	3/4	100,503	3/4	116,057	3/4	131,636	3/4	147,208
6	7,665	6	23,297	6	38,866	6	54,084	6	69,674	6	85,265	6	100,827	6	116,381	6	131,960	6	147,531
1/4	7,991	1/4	23,623	1/4	39,182	1/4	54,409	1/4	69,999	1/4	85,590	1/4	101,150	1/4	116,706	1/4	132,285	1/4	147,855
1/2	8,317	1/2	23,948	1/2	39,498	1/2	54,733	1/2	70,324	1/2	85,915	1/2	101,474	1/2	117,031	1/2	132,609	1/2	148,179
3/4	8,642	3/4	24,274	3/4	39,814	3/4	55,058	3/4	70,648	3/4	86,240	3/4	101,798	3/4	117,355	3/4	132,934	3/4	148,503
7	8,968	7	24,600	7	40,131	7	55,383	7	70,973	7	86,565	7	102,121	7	117,680	7	133,258	7	148,826
1/4	9,293	1/4	24,925	1/4	40,447	1/4	55,708	1/4	71,298	1/4	86,890	1/4	102,445	1/4	118,004	1/4	133,583	1/4	149,150
1/2	9,619	1/2	25,251	1/2	40,763	1/2	56,033	1/2	71,623	1/2	87,214	1/2	102,769	1/2	118,329	1/2	133,907	1/2	149,474
3/4	9,945	3/4	25,576	3/4	41,079	3/4	56,357	3/4	71,948	3/4	87,539	3/4	103,093	3/4	118,653	3/4	134,232	3/4	149,798
8	10,270	8	25,902	8	41,395	8	56,682	8	72,273	8	87,864	8	103,416	8	118,978	8	134,556	8	150,121
1/4	10,596	1/4	26,228	1/4	41,712	1/4	57,007	1/4	72,597	1/4	88,189	1/4	103,740	1/4	119,302	1/4	134,881	1/4	150,445
1/2	10,922	1/2	26,553	1/2	42,028	1/2	57,332	1/2	72,922	1/2	88,514	1/2	104,064	1/2	119,627	1/2	135,205	1/2	150,769
3/4	11,247	3/4	26,879	3/4	42,344	3/4	57,657	3/4	73,247	3/4	88,839	3/4	104,387	3/4	119,952	3/4	135,530	3/4	151,092
9	11,573	9	27,205	9	42,660	9	57,982	9	73,572	9	89,163	9	104,711	9	120,276	9	135,855	9	151,416
1/4	11,899	1/4	27,530	1/4	42,977	1/4	58,306	1/4	73,897	1/4	89,488	1/4	105,035	1/4	120,601	1/4	136,179	1/4	151,740
1/2	12,224	1/2	27,856	1/2	43,293	1/2	58,631	1/2	74,222	1/2	89,813	1/2	105,358	1/2	120,925	1/2	136,504	1/2	152,064
3/4	12,550	3/4	28,182	3/4	43,609	3/4	58,956	3/4	74,546	3/4	90,138	3/4	105,682	3/4	121,250	3/4	136,828	3/4	152,387
10	12,876	10	28,507	10	43,925	10	59,281	10	74,871	10	90,463	10	106,005	10	121,574	10	137,153	10	152,711
1/4	13,201	1/4	28,832	1/4	44,241	1/4	59,606	1/4	75,196	1/4	90,787	1/4	106,328	1/4	121,899	1/4	137,477	1/4	153,035
1/2	13,527	1/2	29,157	1/2	44,558	1/2	59,930	1/2	75,521	1/2	91,112	1/2	106,652	1/2	122,223	1/2	137,802	1/2	153,359
3/4	13,853	3/4	29,482	3/4	44,874	3/4	60,255	3/4	75,846	3/4	91,437	3/4	106,975	3/4	122,548	3/4	138,126	3/4	153,682
11	14,178	11	29,807	11	45,190	11	60,580	11	76,170	11	91,762	11	107,299	11	122,873	11	138,451	11	154,006
1/4	14,504	1/4	30,131	1/4	45,506	1/4	60,905	1/4	76,495	1/4	92,086	1/4	107,623	1/4	123,197	1/4	138,775	1/4	154,330
1/2	14,830	1/2	30,456	1/2	45,823	1/2	61,230	1/2	76,820	1/2	92,410	1/2	107,947	1/2	123,522	1/2	139,100	1/2	154,654
3/4	15,155	3/4	30,780	3/4	46,139	3/4	61,555	3/4	77,145	3/4	92,733	3/4	108,271	3/4	123,846	3/4	139,424	3/4	154,978

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	155,301	0	168,241	0	180,209	0	192,166	0	204,051	0		0		0		0		0	
1/4	155,625	1/4	168,491	1/4	180,458	1/4	192,415	1/4	204,289	1/4		1/4		1/4		1/4		1/4	
1/2	155,949	1/2	168,742	1/2	180,708	1/2	192,665	1/2	204,527	1/2		1/2		1/2		1/2		1/2	
3/4	156,273	3/4	168,992	3/4	180,957	3/4	192,914	3/4	204,765	3/4		3/4		3/4		3/4		3/4	
1	156,597	1	169,243	1	181,206	1	193,163	1	205,003	1		1		1		1		1	
1/4	156,920	1/4	169,493	1/4	181,455	1/4	193,412	1/4	205,200	1/4		1/4		1/4		1/4		1/4	
1/2	157,244	1/2	169,743	1/2	181,704	1/2	193,661	1/2	205,398	1/2		1/2		1/2		1/2		1/2	
3/4	157,568	3/4	169,994	3/4	181,953	3/4	193,910	3/4	205,596	3/4		3/4		3/4		3/4		3/4	
2	157,892	2	170,244	2	182,202	2	194,159	2	205,794	2		2		2		2		2	
1/4	158,216	1/4	170,494	1/4	182,451	1/4	194,408	1/4	205,939	1/4		1/4		1/4		1/4		1/4	
1/2	158,539	1/2	170,743	1/2	182,700	1/2	194,657	1/2	206,083	1/2		1/2		1/2		1/2		1/2	
3/4	158,863	3/4	170,992	3/4	182,949	3/4	194,906	3/4	206,228	3/4		3/4		3/4		3/4		3/4	
3	159,187	3	171,242	3	183,199	3	195,156	3	206,373	3		3		3		3		3	
1/4	159,447	1/4	171,491	1/4	183,448	1/4	195,405	1/4	206,463	1/4		1/4		1/4		1/4		1/4	
1/2	159,706	1/2	171,740	1/2	183,697	1/2	195,654	1/2	206,554	1/2		1/2		1/2		1/2		1/2	
3/4	159,966	3/4	171,989	3/4	183,946	3/4	195,903	3/4		3/4		3/4		3/4		3/4		3/4	
4	160,225	4	172,238	4	184,195	4	196,152	4		4		4		4		4		4	
1/4	160,476	1/4	172,487	1/4	184,444	1/4	196,401	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,726	1/2	172,736	1/2	184,693	1/2	196,650	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,977	3/4	172,985	3/4	184,942	3/4	196,899	3/4		3/4		3/4		3/4		3/4		3/4	
5	161,227	5	173,234	5	185,191	5	197,148	5		5		5		5		5		5	
1/4	161,478	1/4	173,483	1/4	185,441	1/4	197,398	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,728	1/2	173,733	1/2	185,690	1/2	197,647	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,979	3/4	173,982	3/4	185,939	3/4	197,896	3/4		3/4		3/4		3/4		3/4		3/4	
6	162,229	6	174,231	6	186,188	6	198,145	6		6		6		6		6		6	
1/4	162,480	1/4	174,480	1/4	186,437	1/4	198,394	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,730	1/2	174,729	1/2	186,686	1/2	198,643	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,981	3/4	174,978	3/4	186,935	3/4	198,892	3/4		3/4		3/4		3/4		3/4		3/4	
7	163,231	7	175,227	7	187,184	7	199,141	7		7		7		7		7		7	
1/4	163,482	1/4	175,476	1/4	187,433	1/4	199,388	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,732	1/2	175,725	1/2	187,682	1/2	199,635	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,983	3/4	175,975	3/4	187,932	3/4	199,881	3/4		3/4		3/4		3/4		3/4		3/4	
8	164,233	8	176,224	8	188,181	8	200,128	8		8		8		8		8		8	
1/4	164,484	1/4	176,473	1/4	188,430	1/4	200,374	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,734	1/2	176,722	1/2	188,679	1/2	200,621	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,984	3/4	176,971	3/4	188,928	3/4	200,867	3/4		3/4		3/4		3/4		3/4		3/4	
9	165,235	9	177,220	9	189,177	9	201,113	9		9		9		9		9		9	
1/4	165,485	1/4	177,469	1/4	189,426	1/4	201,359	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,736	1/2	177,718	1/2	189,675	1/2	201,604	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,986	3/4	177,967	3/4	189,924	3/4	201,850	3/4		3/4		3/4		3/4		3/4		3/4	
10	166,237	10	178,216	10	190,174	10	202,096	10		10		10		10		10		10	
1/4	166,487	1/4	178,466	1/4	190,423	1/4	202,341	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,738	1/2	178,715	1/2	190,672	1/2	202,586	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,988	3/4	178,964	3/4	190,921	3/4	202,831	3/4		3/4		3/4		3/4		3/4		3/4	
11	167,239	11	179,213	11	191,170	11	203,076	11		11		11		11		11		11	
1/4	167,489	1/4	179,462	1/4	191,419	1/4	203,319	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,740	1/2	179,711	1/2	191,668	1/2	203,563	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,990	3/4	179,960	3/4	191,917	3/4	203,807	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

3 STBD

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	611	0	15,481	0	31,105	0	46,262	0	61,554	0	77,144	0	92,732	0	108,270	0	123,845	0	139,423
1/4	804	1/4	15,807	1/4	31,430	1/4	46,571	1/4	61,878	1/4	77,469	1/4	93,055	1/4	108,594	1/4	124,170	1/4	139,748
1/2	998	1/2	16,132	1/2	31,754	1/2	46,880	1/2	62,203	1/2	77,794	1/2	93,379	1/2	108,918	1/2	124,494	1/2	140,072
3/4	1,191	3/4	16,458	3/4	32,079	3/4	47,190	3/4	62,528	3/4	78,118	3/4	93,703	3/4	109,242	3/4	124,819	3/4	140,397
1	1,384	1	16,784	1	32,404	1	47,499	1	62,853	1	78,443	1	94,026	1	109,567	1	125,143	1	140,721
1/4	1,659	1/4	17,109	1/4	32,728	1/4	47,809	1/4	63,178	1/4	78,768	1/4	94,350	1/4	109,891	1/4	125,468	1/4	141,046
1/2	1,934	1/2	17,435	1/2	33,053	1/2	48,119	1/2	63,503	1/2	79,093	1/2	94,674	1/2	110,215	1/2	125,792	1/2	141,370
3/4	2,209	3/4	17,761	3/4	33,378	3/4	48,428	3/4	63,827	3/4	79,418	3/4	94,998	3/4	110,540	3/4	126,117	3/4	141,695
2	2,483	2	18,086	2	33,702	2	48,738	2	64,152	2	79,743	2	95,321	2	110,864	2	126,441	2	142,019
1/4	2,802	1/4	18,412	1/4	34,027	1/4	49,048	1/4	64,477	1/4	80,067	1/4	95,645	1/4	111,188	1/4	126,766	1/4	142,344
1/2	3,122	1/2	18,738	1/2	34,352	1/2	49,359	1/2	64,802	1/2	80,392	1/2	95,969	1/2	111,513	1/2	127,091	1/2	142,668
3/4	3,441	3/4	19,063	3/4	34,676	3/4	49,669	3/4	65,127	3/4	80,717	3/4	96,292	3/4	111,837	3/4	127,415	3/4	142,993
3	3,760	3	19,389	3	35,001	3	49,979	3	65,451	3	81,042	3	96,616	3	112,161	3	127,740	3	143,317
1/4	4,085	1/4	19,715	1/4	35,326	1/4	50,290	1/4	65,776	1/4	81,367	1/4	96,940	1/4	112,486	1/4	128,064	1/4	143,642
1/2	4,410	1/2	20,040	1/2	35,650	1/2	50,601	1/2	66,101	1/2	81,691	1/2	97,264	1/2	112,810	1/2	128,389	1/2	143,966
3/4	4,735	3/4	20,366	3/4	35,975	3/4	50,912	3/4	66,426	3/4	82,016	3/4	97,587	3/4	113,135	3/4	128,713	3/4	144,291
4	5,060	4	20,692	4	36,300	4	51,222	4	66,750	4	82,341	4	97,911	4	113,459	4	129,038	4	144,615
1/4	5,386	1/4	21,017	1/4	36,623	1/4	51,533	1/4	67,075	1/4	82,666	1/4	98,235	1/4	113,784	1/4	129,362	1/4	144,939
1/2	5,711	1/2	21,343	1/2	36,947	1/2	51,844	1/2	67,400	1/2	82,991	1/2	98,558	1/2	114,108	1/2	129,687	1/2	145,263
3/4	6,037	3/4	21,669	3/4	37,271	3/4	52,155	3/4	67,724	3/4	83,316	3/4	98,882	3/4	114,433	3/4	130,012	3/4	145,587
5	6,363	5	21,994	5	37,595	5	52,466	5	68,049	5	83,640	5	99,206	5	114,757	5	130,336	5	145,911
1/4	6,688	1/4	22,320	1/4	37,906	1/4	52,789	1/4	68,374	1/4	83,965	1/4	99,530	1/4	115,082	1/4	130,661	1/4	146,234
1/2	7,014	1/2	22,646	1/2	38,217	1/2	53,112	1/2	68,699	1/2	84,290	1/2	99,853	1/2	115,407	1/2	130,985	1/2	146,558
3/4	7,340	3/4	22,971	3/4	38,528	3/4	53,435	3/4	69,023	3/4	84,615	3/4	100,177	3/4	115,731	3/4	131,310	3/4	146,882
6	7,665	6	23,297	6	38,839	6	53,758	6	69,348	6	84,940	6	100,501	6	116,056	6	131,634	6	147,206
1/4	7,991	1/4	23,623	1/4	39,148	1/4	54,083	1/4	69,673	1/4	85,265	1/4	100,824	1/4	116,380	1/4	131,959	1/4	147,529
1/2	8,317	1/2	23,948	1/2	39,457	1/2	54,408	1/2	69,998	1/2	85,589	1/2	101,148	1/2	116,705	1/2	132,283	1/2	147,853
3/4	8,642	3/4	24,274	3/4	39,766	3/4	54,732	3/4	70,323	3/4	85,914	3/4	101,472	3/4	117,029	3/4	132,608	3/4	148,177
7	8,968	7	24,600	7	40,076	7	55,057	7	70,647	7	86,239	7	101,796	7	117,354	7	132,933	7	148,501
1/4	9,293	1/4	24,925	1/4	40,385	1/4	55,382	1/4	70,972	1/4	86,564	1/4	102,119	1/4	117,678	1/4	133,257	1/4	148,824
1/2	9,619	1/2	25,251	1/2	40,694	1/2	55,707	1/2	71,297	1/2	86,889	1/2	102,443	1/2	118,003	1/2	133,582	1/2	149,148
3/4	9,945	3/4	25,576	3/4	41,004	3/4	56,032	3/4	71,622	3/4	87,213	3/4	102,767	3/4	118,328	3/4	133,906	3/4	149,472
8	10,270	8	25,902	8	41,313	8	56,356	8	71,947	8	87,538	8	103,090	8	118,652	8	134,231	8	149,796
1/4	10,596	1/4	26,228	1/4	41,622	1/4	56,681	1/4	72,272	1/4	87,863	1/4	103,414	1/4	118,977	1/4	134,555	1/4	150,119
1/2	10,922	1/2	26,553	1/2	41,931	1/2	57,006	1/2	72,596	1/2	88,188	1/2	103,738	1/2	119,301	1/2	134,880	1/2	150,443
3/4	11,247	3/4	26,879	3/4	42,241	3/4	57,331	3/4	72,921	3/4	88,513	3/4	104,062	3/4	119,626	3/4	135,204	3/4	150,767
9	11,573	9	27,205	9	42,550	9	57,656	9	73,246	9	88,838	9	104,385	9	119,950	9	135,529	9	151,090
1/4	11,899	1/4	27,530	1/4	42,859	1/4	57,981	1/4	73,571	1/4	89,162	1/4	104,709	1/4	120,275	1/4	135,853	1/4	151,414
1/2	12,224	1/2	27,856	1/2	43,169	1/2	58,305	1/2	73,896	1/2	89,487	1/2	105,032	1/2	120,599	1/2	136,178	1/2	151,738
3/4	12,550	3/4	28,182	3/4	43,478	3/4	58,630	3/4	74,221	3/4	89,812	3/4	105,356	3/4	120,924	3/4	136,502	3/4	152,062
10	12,876	10	28,507	10	43,787	10	58,955	10	74,545	10	90,137	10	105,679	10	121,249	10	136,827	10	152,385
1/4	13,201	1/4	28,832	1/4	44,097	1/4	59,280	1/4	74,870	1/4	90,462	1/4	106,003	1/4	121,573	1/4	137,151	1/4	152,709
1/2	13,527	1/2	29,157	1/2	44,406	1/2	59,605	1/2	75,195	1/2	90,786	1/2	106,326	1/2	121,898	1/2	137,476	1/2	153,033
3/4	13,853	3/4	29,482	3/4	44,715	3/4	59,930	3/4	75,520	3/4	91,111	3/4	106,649	3/4	122,222	3/4	137,800	3/4	153,357
11	14,178	11	29,807	11	45,025	11	60,254	11	75,845	11	91,436	11	106,973	11	122,547	11	138,125	11	153,680
1/4	14,504	1/4	30,131	1/4	45,334	1/4	60,579	1/4	76,169	1/4	91,760	1/4	107,297	1/4	122,871	1/4	138,449	1/4	154,004
1/2	14,830	1/2	30,456	1/2	45,643	1/2	60,904	1/2	76,494	1/2	92,084	1/2	107,621	1/2	123,196	1/2	138,774	1/2	154,328
3/4	15,155	3/4	30,780	3/4	45,952	3/4	61,229	3/4	76,819	3/4	92,408	3/4	107,945	3/4	123,520	3/4	139,099	3/4	154,652

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

3 STBD
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	154,976	0	167,915	0	179,884	0	191,841	0	203,725	0		0		0		0		0	
1/4	155,299	1/4	168,165	1/4	180,133	1/4	192,090	1/4	203,963	1/4		1/4		1/4		1/4		1/4	
1/2	155,623	1/2	168,416	1/2	180,382	1/2	192,339	1/2	204,201	1/2		1/2		1/2		1/2		1/2	
3/4	155,947	3/4	168,666	3/4	180,631	3/4	192,588	3/4	204,439	3/4		3/4		3/4		3/4		3/4	
1	156,271	1	168,917	1	180,880	1	192,837	1	204,677	1		1		1		1		1	
1/4	156,595	1/4	169,167	1/4	181,129	1/4	193,086	1/4	204,875	1/4		1/4		1/4		1/4		1/4	
1/2	156,918	1/2	169,418	1/2	181,378	1/2	193,335	1/2	205,072	1/2		1/2		1/2		1/2		1/2	
3/4	157,242	3/4	169,668	3/4	181,627	3/4	193,584	3/4	205,270	3/4		3/4		3/4		3/4		3/4	
2	157,566	2	169,919	2	181,876	2	193,833	2	205,468	2		2		2		2		2	
1/4	157,890	1/4	170,168	1/4	182,125	1/4	194,082	1/4	205,613	1/4		1/4		1/4		1/4		1/4	
1/2	158,214	1/2	170,417	1/2	182,375	1/2	194,332	1/2	205,758	1/2		1/2		1/2		1/2		1/2	
3/4	158,537	3/4	170,666	3/4	182,624	3/4	194,581	3/4	205,902	3/4		3/4		3/4		3/4		3/4	
3	158,861	3	170,916	3	182,873	3	194,830	3	206,047	3		3		3		3		3	
1/4	159,121	1/4	171,165	1/4	183,122	1/4	195,079	1/4	206,137	1/4		1/4		1/4		1/4		1/4	
1/2	159,380	1/2	171,414	1/2	183,371	1/2	195,328	1/2	206,228	1/2		1/2		1/2		1/2		1/2	
3/4	159,640	3/4	171,663	3/4	183,620	3/4	195,577	3/4		3/4		3/4		3/4		3/4		3/4	
4	159,900	4	171,912	4	183,869	4	195,826	4		4		4		4		4		4	
1/4	160,150	1/4	172,161	1/4	184,118	1/4	196,075	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	160,401	1/2	172,410	1/2	184,367	1/2	196,324	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	160,651	3/4	172,659	3/4	184,617	3/4	196,574	3/4		3/4		3/4		3/4		3/4		3/4	
5	160,902	5	172,909	5	184,866	5	196,823	5		5		5		5		5		5	
1/4	161,152	1/4	173,158	1/4	185,115	1/4	197,072	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	161,403	1/2	173,407	1/2	185,364	1/2	197,321	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	161,653	3/4	173,656	3/4	185,613	3/4	197,570	3/4		3/4		3/4		3/4		3/4		3/4	
6	161,903	6	173,905	6	185,862	6	197,819	6		6		6		6		6		6	
1/4	162,154	1/4	174,154	1/4	186,111	1/4	198,068	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	162,404	1/2	174,403	1/2	186,360	1/2	198,317	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	162,655	3/4	174,652	3/4	186,609	3/4	198,566	3/4		3/4		3/4		3/4		3/4		3/4	
7	162,905	7	174,901	7	186,858	7	198,815	7		7		7		7		7		7	
1/4	163,156	1/4	175,151	1/4	187,108	1/4	199,062	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	163,406	1/2	175,400	1/2	187,357	1/2	199,309	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163,657	3/4	175,649	3/4	187,606	3/4	199,556	3/4		3/4		3/4		3/4		3/4		3/4	
8	163,907	8	175,898	8	187,855	8	199,802	8		8		8		8		8		8	
1/4	164,158	1/4	176,147	1/4	188,104	1/4	200,049	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	164,408	1/2	176,396	1/2	188,353	1/2	200,295	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164,659	3/4	176,645	3/4	188,602	3/4	200,541	3/4		3/4		3/4		3/4		3/4		3/4	
9	164,909	9	176,894	9	188,851	9	200,787	9		9		9		9		9		9	
1/4	165,160	1/4	177,143	1/4	189,100	1/4	201,033	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	165,410	1/2	177,392	1/2	189,350	1/2	201,279	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	165,661	3/4	177,642	3/4	189,599	3/4	201,524	3/4		3/4		3/4		3/4		3/4		3/4	
10	165,911	10	177,891	10	189,848	10	201,770	10		10		10		10		10		10	
1/4	166,162	1/4	178,140	1/4	190,097	1/4	202,015	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	166,412	1/2	178,389	1/2	190,346	1/2	202,260	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	166,662	3/4	178,638	3/4	190,595	3/4	202,505	3/4		3/4		3/4		3/4		3/4		3/4	
11	166,913	11	178,887	11	190,844	11	202,750	11		11		11		11		11		11	
1/4	167,163	1/4	179,136	1/4	191,093	1/4	202,994	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	167,414	1/2	179,385	1/2	191,342	1/2	203,237	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	167,664	3/4	179,634	3/4	191,591	3/4	203,481	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 4'-06"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	100	0	257	0	412	0		0		0		0		0		0	
1/4	1	1/4	103	1/4	260	1/4	415	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1	1/2	106	1/2	263	1/2	417	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2	3/4	109	3/4	267	3/4	420	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3	1	112	1	270	1	423	1		1		1		1		1		1	
1/4	4	1/4	115	1/4	273	1/4	426	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5	1/2	119	1/2	277	1/2	429	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6	3/4	122	3/4	280	3/4	431	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	7	2	125	2	284	2	434	2		2		2		2		2		2	
1/4	9	1/4	128	1/4	287	1/4	437	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	10	1/2	131	1/2	290	1/2	440	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	12	3/4	134	3/4	294	3/4	442	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	13	3	137	3	297	3	445	3		3		3		3		3		3	
1/4	15	1/4	140	1/4	300	1/4	447	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17	1/2	144	1/2	304	1/2	450	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19	3/4	147	3/4	307	3/4	452	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	20	4	150	4	311	4	455	4		4		4		4		4		4	
1/4	22	1/4	153	1/4	314	1/4	457	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24	1/2	156	1/2	317	1/2	460	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26	3/4	160	3/4	320	3/4	462	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	28	5	163	5	324	5	465	5		5		5		5		5		5	
1/4	31	1/4	166	1/4	327	1/4	467	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33	1/2	169	1/2	330	1/2	469	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35	3/4	173	3/4	334	3/4	471	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	37	6	176	6	337	6	474	6		6		6		6		6		6	
1/4	39	1/4	179	1/4	340	1/4	476	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	42	1/2	183	1/2	343	1/2	478	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44	3/4	186	3/4	347	3/4	480	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	46	7	189	7	350	7	482	7		7		7		7		7		7	
1/4	49	1/4	192	1/4	353	1/4	484	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	51	1/2	196	1/2	356	1/2	486	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	54	3/4	199	3/4	360	3/4	488	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	56	8	202	8	363	8	489	8		8		8		8		8		8	
1/4	59	1/4	206	1/4	366	1/4	491	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	62	1/2	209	1/2	369	1/2	493	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	64	3/4	213	3/4	372	3/4	494	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	67	9	216	9	375	9	496	9		9		9		9		9		9	
1/4	69	1/4	219	1/4	379	1/4	497	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72	1/2	223	1/2	382	1/2	499	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75	3/4	226	3/4	385	3/4	500	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	78	10	229	10	388	10	502	10		10		10		10		10		10	
1/4	80	1/4	233	1/4	391	1/4	502	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83	1/2	236	1/2	394	1/2	502	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	86	3/4	240	3/4	397	3/4	502	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	89	11	243	11	400	11	502	11		11		11		11		11		11	
1/4	92	1/4	246	1/4	403	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	95	1/2	250	1/2	406	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	98	3/4	253	3/4	409	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN TO 8" DIAMETER HATCH.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
1 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8
3 STBD	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 4'-00"
AFT DRAFT = 6'-00"
DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS - 00-1/8"
FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 258'-06"

December 6, 2013

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	210,631	0	194,964	0	179,296	0	163,560	0	147,805	0	132,049	0	116,290
1/4		1/4		1/4		1/4	210,305	1/4	194,637	1/4	178,970	1/4	163,232	1/4	147,477	1/4	131,721	1/4	115,962
1/2		1/2		1/2		1/2	209,978	1/2	194,311	1/2	178,643	1/2	162,904	1/2	147,149	1/2	131,393	1/2	115,634
3/4		3/4		3/4		3/4	209,652	3/4	193,984	3/4	178,317	3/4	162,575	3/4	146,820	3/4	131,064	3/4	115,305
1		1		1		1	209,326	1	193,658	1	177,990	1	162,247	1	146,492	1	130,736	1	114,977
1/4		1/4		1/4	223,576	1/4	208,999	1/4	193,332	1/4	177,664	1/4	161,919	1/4	146,164	1/4	130,408	1/4	114,649
1/2		1/2		1/2	223,410	1/2	208,673	1/2	193,005	1/2	177,338	1/2	161,591	1/2	145,836	1/2	130,079	1/2	114,320
3/4		3/4		3/4	223,244	3/4	208,346	3/4	192,679	3/4	177,011	3/4	161,263	3/4	145,507	3/4	129,751	3/4	113,992
2		2		2	223,024	2	208,020	2	192,352	2	176,685	2	160,934	2	145,179	2	129,423	2	113,664
1/4		1/4		1/4	222,804	1/4	207,693	1/4	192,026	1/4	176,358	1/4	160,606	1/4	144,851	1/4	129,094	1/4	113,336
1/2		1/2		1/2	222,583	1/2	207,367	1/2	191,700	1/2	176,031	1/2	160,278	1/2	144,523	1/2	128,766	1/2	113,007
3/4		3/4		3/4	222,363	3/4	207,041	3/4	191,373	3/4	175,705	3/4	159,950	3/4	144,194	3/4	128,438	3/4	112,679
3		3		3	222,089	3	206,714	3	191,047	3	175,376	3	159,621	3	143,866	3	128,109	3	112,351
1/4		1/4		1/4	221,815	1/4	206,388	1/4	190,720	1/4	175,048	1/4	159,293	1/4	143,538	1/4	127,781	1/4	112,022
1/2		1/2		1/2	221,541	1/2	206,061	1/2	190,394	1/2	174,720	1/2	158,965	1/2	143,210	1/2	127,453	1/2	111,694
3/4		3/4		3/4	221,267	3/4	205,735	3/4	190,068	3/4	174,392	3/4	158,637	3/4	142,882	3/4	127,125	3/4	111,366
4		4		4	220,952	4	205,409	4	189,741	4	174,064	4	158,308	4	142,553	4	126,796	4	111,037
1/4		1/4		1/4	220,638	1/4	205,082	1/4	189,415	1/4	173,735	1/4	157,980	1/4	142,225	1/4	126,468	1/4	110,709
1/2		1/2		1/2	220,323	1/2	204,756	1/2	189,088	1/2	173,407	1/2	157,652	1/2	141,897	1/2	126,140	1/2	110,381
3/4		3/4		3/4	220,009	3/4	204,429	3/4	188,762	3/4	173,079	3/4	157,324	3/4	141,569	3/4	125,811	3/4	110,052
5		5		5	219,689	5	204,103	5	188,435	5	172,751	5	156,996	5	141,240	5	125,483	5	109,724
1/4		1/4		1/4	219,368	1/4	203,777	1/4	188,109	1/4	172,422	1/4	156,667	1/4	140,912	1/4	125,155	1/4	109,396
1/2		1/2		1/2	219,048	1/2	203,450	1/2	187,783	1/2	172,094	1/2	156,339	1/2	140,584	1/2	124,826	1/2	109,068
3/4		3/4		3/4	218,728	3/4	203,124	3/4	187,456	3/4	171,766	3/4	156,011	3/4	140,256	3/4	124,498	3/4	108,739
6		6		6	218,406	6	202,797	6	187,130	6	171,438	6	155,683	6	139,927	6	124,170	6	108,411
1/4		1/4		1/4	218,085	1/4	202,471	1/4	186,803	1/4	171,109	1/4	155,354	1/4	139,599	1/4	123,841	1/4	108,083
1/2		1/2		1/2	217,763	1/2	202,145	1/2	186,477	1/2	170,781	1/2	155,026	1/2	139,271	1/2	123,513	1/2	107,754
3/4		3/4		3/4	217,442	3/4	201,818	3/4	186,151	3/4	170,453	3/4	154,698	3/4	138,943	3/4	123,185	3/4	107,426
7		7		7	217,120	7	201,492	7	185,824	7	170,125	7	154,370	7	138,615	7	122,857	7	107,098
1/4		1/4		1/4	216,797	1/4	201,165	1/4	185,498	1/4	169,797	1/4	154,041	1/4	138,286	1/4	122,528	1/4	106,769
1/2		1/2		1/2	216,475	1/2	200,839	1/2	185,171	1/2	169,468	1/2	153,713	1/2	137,958	1/2	122,200	1/2	106,441
3/4		3/4		3/4	216,153	3/4	200,513	3/4	184,845	3/4	169,140	3/4	153,385	3/4	137,630	3/4	121,872	3/4	106,113
8		8		8	215,830	8	200,186	8	184,519	8	168,812	8	153,057	8	137,302	8	121,543	8	105,784
1/4		1/4		1/4	215,507	1/4	199,860	1/4	184,192	1/4	168,484	1/4	152,729	1/4	136,973	1/4	121,215	1/4	105,456
1/2		1/2		1/2	215,185	1/2	199,533	1/2	183,866	1/2	168,155	1/2	152,400	1/2	136,645	1/2	120,887	1/2	105,128
3/4		3/4		3/4	214,862	3/4	199,207	3/4	183,539	3/4	167,827	3/4	152,072	3/4	136,317	3/4	120,558	3/4	104,799
9		9		9	214,539	9	198,881	9	183,213	9	167,499	9	151,744	9	135,989	9	120,230	9	104,471
1/4		1/4		1/4	214,215	1/4	198,554	1/4	182,887	1/4	167,171	1/4	151,416	1/4	135,660	1/4	119,902	1/4	104,143
1/2		1/2		1/2	213,892	1/2	198,228	1/2	182,560	1/2	166,842	1/2	151,087	1/2	135,332	1/2	119,573	1/2	103,815
3/4		3/4		3/4	213,569	3/4	197,901	3/4	182,234	3/4	166,514	3/4	150,759	3/4	135,004	3/4	119,245	3/4	103,486
10		10		10	213,242	10	197,575	10	181,907	10	166,186	10	150,431	10	134,676	10	118,917	10	103,158
1/4		1/4		1/4	212,916	1/4	197,248	1/4	181,581	1/4	165,858	1/4	150,103	1/4	134,347	1/4	118,588	1/4	102,830
1/2		1/2		1/2	212,590	1/2	196,922	1/2	181,255	1/2	165,530	1/2	149,774	1/2	134,019	1/2	118,260	1/2	102,501
3/4		3/4		3/4	212,263	3/4	196,596	3/4	180,928	3/4	165,201	3/4	149,446	3/4	133,691	3/4	117,932	3/4	102,173
11		11		11	211,937	11	196,269	11	180,602	11	164,873	11	149,118	11	133,362	11	117,604	11	101,845
1/4		1/4		1/4	211,610	1/4	195,943	1/4	180,275	1/4	164,545	1/4	148,790	1/4	133,034	1/4	117,275	1/4	101,516
1/2		1/2		1/2	211,284	1/2	195,616	1/2	179,949	1/2	164,217	1/2	148,461	1/2	132,706	1/2	116,947	1/2	101,188
3/4		3/4		3/4	210,958	3/4	195,290	3/4	179,623	3/4	163,888	3/4	148,133	3/4	132,377	3/4	116,619	3/4	100,860

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	100,531	0	84,773	0	69,014	0	53,255	0	37,589	0	21,844	0	6,086	0		0		0	
1/4	100,203	1/4	84,444	1/4	68,685	1/4	52,927	1/4	37,263	1/4	21,516	1/4	5,758	1/4	1/4	1/4		1/4	
1/2	99,875	1/2	84,116	1/2	68,357	1/2	52,598	1/2	36,937	1/2	21,187	1/2	5,429	1/2	1/2	1/2		1/2	
3/4	99,547	3/4	83,788	3/4	68,029	3/4	52,270	3/4	36,611	3/4	20,859	3/4	5,101	3/4	3/4	3/4		3/4	
1	99,218	1	83,459	1	67,701	1	51,942	1	36,284	1	20,531	1	4,773	1		1		1	
1/4	98,890	1/4	83,131	1/4	67,372	1/4	51,613	1/4	35,957	1/4	20,203	1/4	4,446	1/4	1/4	1/4		1/4	
1/2	98,562	1/2	82,803	1/2	67,044	1/2	51,285	1/2	35,631	1/2	19,874	1/2	4,118	1/2	1/2	1/2		1/2	
3/4	98,233	3/4	82,474	3/4	66,716	3/4	50,957	3/4	35,304	3/4	19,546	3/4	3,790	3/4	3/4	3/4		3/4	
2	97,905	2	82,146	2	66,387	2	50,629	2	34,976	2	19,218	2	3,469	2		2		2	
1/4	97,577	1/4	81,818	1/4	66,059	1/4	50,301	1/4	34,648	1/4	18,889	1/4	3,147	1/4	1/4	1/4		1/4	
1/2	97,248	1/2	81,490	1/2	65,731	1/2	49,973	1/2	34,319	1/2	18,561	1/2	2,825	1/2	1/2	1/2		1/2	
3/4	96,920	3/4	81,161	3/4	65,402	3/4	49,645	3/4	33,991	3/4	18,233	3/4	2,503	3/4	3/4	3/4		3/4	
3	96,592	3	80,833	3	65,074	3	49,318	3	33,663	3	17,904	3	2,226	3		3		3	
1/4	96,263	1/4	80,505	1/4	64,746	1/4	48,990	1/4	33,335	1/4	17,576	1/4	1,949	1/4	1/4	1/4		1/4	
1/2	95,935	1/2	80,176	1/2	64,417	1/2	48,662	1/2	33,006	1/2	17,248	1/2	1,672	1/2	1/2	1/2		1/2	
3/4	95,607	3/4	79,848	3/4	64,089	3/4	48,335	3/4	32,678	3/4	16,920	3/4	1,395	3/4	3/4	3/4		3/4	
4	95,279	4	79,520	4	63,761	4	48,009	4	32,350	4	16,591	4	1,200	4		4		4	
1/4	94,950	1/4	79,191	1/4	63,433	1/4	47,684	1/4	32,021	1/4	16,263	1/4	1,006	1/4	1/4	1/4		1/4	
1/2	94,622	1/2	78,863	1/2	63,104	1/2	47,358	1/2	31,693	1/2	15,935	1/2	811	1/2	1/2	1/2		1/2	
3/4	94,294	3/4	78,535	3/4	62,776	3/4	47,032	3/4	31,365	3/4	15,606	3/4	616	3/4	3/4	3/4		3/4	
5	93,965	5	78,206	5	62,448	5	46,707	5	31,036	5	15,278	5		5		5		5	
1/4	93,637	1/4	77,878	1/4	62,119	1/4	46,381	1/4	30,708	1/4	14,950	1/4		1/4	1/4	1/4		1/4	
1/2	93,309	1/2	77,550	1/2	61,791	1/2	46,056	1/2	30,380	1/2	14,621	1/2		1/2	1/2	1/2		1/2	
3/4	92,980	3/4	77,222	3/4	61,463	3/4	45,730	3/4	30,052	3/4	14,293	3/4		3/4	3/4	3/4		3/4	
6	92,652	6	76,893	6	61,134	6	45,404	6	29,723	6	13,965	6		6		6		6	
1/4	92,324	1/4	76,565	1/4	60,806	1/4	45,079	1/4	29,395	1/4	13,637	1/4		1/4	1/4	1/4		1/4	
1/2	91,995	1/2	76,237	1/2	60,478	1/2	44,753	1/2	29,067	1/2	13,308	1/2		1/2	1/2	1/2		1/2	
3/4	91,667	3/4	75,908	3/4	60,149	3/4	44,428	3/4	28,738	3/4	12,980	3/4		3/4	3/4	3/4		3/4	
7	91,339	7	75,580	7	59,821	7	44,102	7	28,410	7	12,652	7		7		7		7	
1/4	91,010	1/4	75,252	1/4	59,493	1/4	43,777	1/4	28,082	1/4	12,323	1/4		1/4	1/4	1/4		1/4	
1/2	90,682	1/2	74,923	1/2	59,164	1/2	43,451	1/2	27,753	1/2	11,995	1/2		1/2	1/2	1/2		1/2	
3/4	90,354	3/4	74,595	3/4	58,836	3/4	43,125	3/4	27,425	3/4	11,667	3/4		3/4	3/4	3/4		3/4	
8	90,026	8	74,267	8	58,508	8	42,800	8	27,097	8	11,338	8		8		8		8	
1/4	89,697	1/4	73,938	1/4	58,180	1/4	42,474	1/4	26,769	1/4	11,010	1/4		1/4	1/4	1/4		1/4	
1/2	89,369	1/2	73,610	1/2	57,851	1/2	42,149	1/2	26,440	1/2	10,682	1/2		1/2	1/2	1/2		1/2	
3/4	89,041	3/4	73,282	3/4	57,523	3/4	41,823	3/4	26,112	3/4	10,354	3/4		3/4	3/4	3/4		3/4	
9	88,712	9	72,953	9	57,195	9	41,498	9	25,784	9	10,025	9		9		9		9	
1/4	88,384	1/4	72,625	1/4	56,866	1/4	41,172	1/4	25,455	1/4	9,697	1/4		1/4	1/4	1/4		1/4	
1/2	88,056	1/2	72,297	1/2	56,538	1/2	40,846	1/2	25,127	1/2	9,369	1/2		1/2	1/2	1/2		1/2	
3/4	87,727	3/4	71,969	3/4	56,210	3/4	40,521	3/4	24,799	3/4	9,040	3/4		3/4	3/4	3/4		3/4	
10	87,399	10	71,640	10	55,881	10	40,195	10	24,470	10	8,712	10		10		10		10	
1/4	87,071	1/4	71,312	1/4	55,553	1/4	39,870	1/4	24,142	1/4	8,384	1/4		1/4	1/4	1/4		1/4	
1/2	86,742	1/2	70,984	1/2	55,225	1/2	39,544	1/2	23,814	1/2	8,055	1/2		1/2	1/2	1/2		1/2	
3/4	86,414	3/4	70,655	3/4	54,896	3/4	39,218	3/4	23,486	3/4	7,727	3/4		3/4	3/4	3/4		3/4	
11	86,086	11	70,327	11	54,568	11	38,893	11	23,157	11	7,399	11		11		11		11	
1/4	85,758	1/4	69,999	1/4	54,240	1/4	38,567	1/4	22,829	1/4	7,071	1/4		1/4	1/4	1/4		1/4	
1/2	85,429	1/2	69,670	1/2	53,912	1/2	38,241	1/2	22,501	1/2	6,742	1/2		1/2	1/2	1/2		1/2	
3/4	85,101	3/4	69,342	3/4	53,583	3/4	37,916	3/4	22,172	3/4	6,414	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	210,040	0	194,372	0	178,705	0	162,965	0	147,210	0	131,454	0	115,695
1/4		1/4		1/4		1/4	209,713	1/4	194,046	1/4	178,378	1/4	162,637	1/4	146,882	1/4	131,126	1/4	115,367
1/2		1/2		1/2		1/2	209,387	1/2	193,719	1/2	178,052	1/2	162,309	1/2	146,553	1/2	130,797	1/2	115,038
3/4		3/4		3/4		3/4	223,637	3/4	209,060	3/4	193,393	3/4	161,980	3/4	146,225	3/4	130,469	3/4	114,710
1		1		1		1	223,471	1	208,734	1	193,066	1	161,652	1	145,897	1	130,141	1	114,382
1/4		1/4		1/4		1/4	223,306	1/4	208,408	1/4	192,740	1/4	161,324	1/4	145,569	1/4	129,812	1/4	114,053
1/2		1/2		1/2		1/2	223,085	1/2	208,081	1/2	192,414	1/2	160,996	1/2	145,240	1/2	129,484	1/2	113,725
3/4		3/4		3/4		3/4	222,865	3/4	207,755	3/4	192,087	3/4	160,667	3/4	144,912	3/4	129,156	3/4	113,397
2		2		2		2	222,644	2	207,428	2	191,761	2	160,339	2	144,584	2	128,827	2	113,069
1/4		1/4		1/4		1/4	222,424	1/4	207,102	1/4	191,434	1/4	160,011	1/4	144,256	1/4	128,499	1/4	112,740
1/2		1/2		1/2		1/2	222,150	1/2	206,776	1/2	191,108	1/2	159,683	1/2	143,928	1/2	128,171	1/2	112,412
3/4		3/4		3/4		3/4	221,876	3/4	206,449	3/4	190,782	3/4	159,354	3/4	143,599	3/4	127,842	3/4	112,084
3		3		3		3	221,602	3	206,123	3	190,455	3	159,026	3	143,271	3	127,514	3	111,755
1/4		1/4		1/4		1/4	221,328	1/4	205,796	1/4	190,129	1/4	158,698	1/4	142,943	1/4	127,186	1/4	111,427
1/2		1/2		1/2		1/2	221,014	1/2	205,470	1/2	189,802	1/2	158,370	1/2	142,615	1/2	126,858	1/2	111,099
3/4		3/4		3/4		3/4	220,699	3/4	205,144	3/4	189,476	3/4	158,042	3/4	142,286	3/4	126,529	3/4	110,770
4		4		4		4	220,385	4	204,817	4	189,150	4	157,713	4	141,958	4	126,201	4	110,442
1/4		1/4		1/4		1/4	220,070	1/4	204,491	1/4	188,823	1/4	157,385	1/4	141,630	1/4	125,873	1/4	110,114
1/2		1/2		1/2		1/2	219,750	1/2	204,164	1/2	188,497	1/2	157,057	1/2	141,302	1/2	125,544	1/2	109,785
3/4		3/4		3/4		3/4	219,430	3/4	203,838	3/4	188,170	3/4	156,729	3/4	140,973	3/4	125,216	3/4	109,457
5		5		5		5	219,109	5	203,511	5	187,844	5	156,400	5	140,645	5	124,888	5	109,129
1/4		1/4		1/4		1/4	218,789	1/4	203,185	1/4	187,518	1/4	156,072	1/4	140,317	1/4	124,559	1/4	108,800
1/2		1/2		1/2		1/2	218,468	1/2	202,859	1/2	187,191	1/2	155,744	1/2	139,989	1/2	124,231	1/2	108,472
3/4		3/4		3/4		3/4	218,146	3/4	202,532	3/4	186,865	3/4	155,416	3/4	139,661	3/4	123,903	3/4	108,144
6		6		6		6	217,825	6	202,206	6	186,538	6	155,087	6	139,332	6	123,574	6	107,816
1/4		1/4		1/4		1/4	217,503	1/4	201,879	1/4	186,212	1/4	154,759	1/4	139,004	1/4	123,246	1/4	107,487
1/2		1/2		1/2		1/2	217,181	1/2	201,553	1/2	185,886	1/2	154,431	1/2	138,676	1/2	122,918	1/2	107,159
3/4		3/4		3/4		3/4	216,859	3/4	201,227	3/4	185,559	3/4	154,103	3/4	138,348	3/4	122,589	3/4	106,831
7		7		7		7	216,536	7	200,900	7	185,233	7	153,774	7	138,019	7	122,261	7	106,502
1/4		1/4		1/4		1/4	216,214	1/4	200,574	1/4	184,906	1/4	153,446	1/4	137,691	1/4	121,933	1/4	106,174
1/2		1/2		1/2		1/2	215,891	1/2	200,247	1/2	184,580	1/2	153,118	1/2	137,363	1/2	121,605	1/2	105,846
3/4		3/4		3/4		3/4	215,569	3/4	199,921	3/4	184,253	3/4	152,790	3/4	137,035	3/4	121,276	3/4	105,517
8		8		8		8	215,246	8	199,595	8	183,927	8	152,462	8	136,706	8	120,948	8	105,189
1/4		1/4		1/4		1/4	214,923	1/4	199,268	1/4	183,601	1/4	152,133	1/4	136,378	1/4	120,620	1/4	104,861
1/2		1/2		1/2		1/2	214,600	1/2	198,942	1/2	183,274	1/2	151,805	1/2	136,050	1/2	120,291	1/2	104,532
3/4		3/4		3/4		3/4	214,277	3/4	198,615	3/4	182,948	3/4	151,477	3/4	135,722	3/4	119,963	3/4	104,204
9		9		9		9	213,953	9	198,289	9	182,621	9	151,149	9	135,393	9	119,635	9	103,876
1/4		1/4		1/4		1/4	213,630	1/4	197,963	1/4	182,295	1/4	150,820	1/4	135,065	1/4	119,306	1/4	103,548
1/2		1/2		1/2		1/2	213,304	1/2	197,636	1/2	181,969	1/2	150,492	1/2	134,737	1/2	118,978	1/2	103,219
3/4		3/4		3/4		3/4	212,977	3/4	197,310	3/4	181,642	3/4	150,164	3/4	134,409	3/4	118,650	3/4	102,891
10		10		10		10	212,651	10	196,983	10	181,316	10	149,836	10	134,080	10	118,321	10	102,563
1/4		1/4		1/4		1/4	212,324	1/4	196,657	1/4	180,989	1/4	149,507	1/4	133,752	1/4	117,993	1/4	102,234
1/2		1/2		1/2		1/2	211,998	1/2	196,331	1/2	180,663	1/2	149,179	1/2	133,424	1/2	117,665	1/2	101,906
3/4		3/4		3/4		3/4	211,672	3/4	196,004	3/4	180,337	3/4	148,851	3/4	133,095	3/4	117,337	3/4	101,578
11		11		11		11	211,345	11	195,678	11	180,010	11	148,523	11	132,767	11	117,008	11	101,249
1/4		1/4		1/4		1/4	211,019	1/4	195,351	1/4	179,684	1/4	148,195	1/4	132,439	1/4	116,680	1/4	100,921
1/2		1/2		1/2		1/2	210,692	1/2	195,025	1/2	179,357	1/2	147,866	1/2	132,110	1/2	116,352	1/2	100,593
3/4		3/4		3/4		3/4	210,366	3/4	194,699	3/4	179,031	3/4	147,538	3/4	131,782	3/4	116,023	3/4	100,264

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	99,936	0	84,177	0	68,418	0	52,660	0	36,940	0	21,187	0	5,429	0		0		0	
1/4	99,608	1/4	83,849	1/4	68,090	1/4	52,331	1/4	36,612	1/4	20,859	1/4	5,101	1/4	1/4	1/4		1/4	
1/2	99,280	1/2	83,521	1/2	67,762	1/2	52,003	1/2	36,284	1/2	20,531	1/2	4,773	1/2	1/2	1/2	1/2	1/2	
3/4	98,951	3/4	83,192	3/4	67,434	3/4	51,675	3/4	35,956	3/4	20,203	3/4	4,446	3/4	3/4	3/4	3/4	3/4	
1	98,623	1	82,864	1	67,105	1	51,346	1	35,629	1	19,874	1	4,118	1		1		1	
1/4	98,295	1/4	82,536	1/4	66,777	1/4	51,018	1/4	35,301	1/4	19,546	1/4	3,790	1/4	1/4	1/4	1/4	1/4	
1/2	97,966	1/2	82,207	1/2	66,449	1/2	50,690	1/2	34,973	1/2	19,218	1/2	3,469	1/2	1/2	1/2	1/2	1/2	
3/4	97,638	3/4	81,879	3/4	66,120	3/4	50,362	3/4	34,645	3/4	18,889	3/4	3,147	3/4	3/4	3/4	3/4	3/4	
2	97,310	2	81,551	2	65,792	2	50,034	2	34,317	2	18,561	2	2,825	2		2		2	
1/4	96,981	1/4	81,223	1/4	65,464	1/4	49,707	1/4	33,990	1/4	18,233	1/4	2,503	1/4	1/4	1/4	1/4	1/4	
1/2	96,653	1/2	80,894	1/2	65,135	1/2	49,379	1/2	33,662	1/2	17,904	1/2	2,226	1/2	1/2	1/2	1/2	1/2	
3/4	96,325	3/4	80,566	3/4	64,807	3/4	49,051	3/4	33,334	3/4	17,576	3/4	1,949	3/4	3/4	3/4	3/4	3/4	
3	95,996	3	80,238	3	64,479	3	48,723	3	33,006	3	17,248	3	1,672	3		3		3	
1/4	95,668	1/4	79,909	1/4	64,150	1/4	48,395	1/4	32,678	1/4	16,920	1/4	1,395	1/4	1/4	1/4	1/4	1/4	
1/2	95,340	1/2	79,581	1/2	63,822	1/2	48,067	1/2	32,350	1/2	16,591	1/2	1,200	1/2	1/2	1/2	1/2	1/2	
3/4	95,012	3/4	79,253	3/4	63,494	3/4	47,740	3/4	32,021	3/4	16,263	3/4	1,006	3/4	3/4	3/4	3/4	3/4	
4	94,683	4	78,924	4	63,165	4	47,412	4	31,693	4	15,935	4	811	4		4		4	
1/4	94,355	1/4	78,596	1/4	62,837	1/4	47,085	1/4	31,365	1/4	15,606	1/4	616	1/4	1/4	1/4	1/4	1/4	
1/2	94,027	1/2	78,268	1/2	62,509	1/2	46,757	1/2	31,036	1/2	15,278	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	93,698	3/4	77,939	3/4	62,181	3/4	46,430	3/4	30,708	3/4	14,950	3/4		3/4	3/4	3/4	3/4	3/4	
5	93,370	5	77,611	5	61,852	5	46,102	5	30,380	5	14,621	5		5		5		5	
1/4	93,042	1/4	77,283	1/4	61,524	1/4	45,775	1/4	30,052	1/4	14,293	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	92,713	1/2	76,954	1/2	61,196	1/2	45,447	1/2	29,723	1/2	13,965	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	92,385	3/4	76,626	3/4	60,867	3/4	45,120	3/4	29,395	3/4	13,637	3/4		3/4	3/4	3/4	3/4	3/4	
6	92,057	6	76,298	6	60,539	6	44,793	6	29,067	6	13,308	6		6		6		6	
1/4	91,728	1/4	75,970	1/4	60,211	1/4	44,466	1/4	28,738	1/4	12,980	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	91,400	1/2	75,641	1/2	59,882	1/2	44,139	1/2	28,410	1/2	12,652	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	91,072	3/4	75,313	3/4	59,554	3/4	43,812	3/4	28,082	3/4	12,323	3/4		3/4	3/4	3/4	3/4	3/4	
7	90,743	7	74,985	7	59,226	7	43,485	7	27,753	7	11,995	7		7		7		7	
1/4	90,415	1/4	74,656	1/4	58,897	1/4	43,158	1/4	27,425	1/4	11,667	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	90,087	1/2	74,328	1/2	58,569	1/2	42,831	1/2	27,097	1/2	11,338	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	89,759	3/4	74,000	3/4	58,241	3/4	42,503	3/4	26,769	3/4	11,010	3/4		3/4	3/4	3/4	3/4	3/4	
8	89,430	8	73,671	8	57,913	8	42,176	8	26,440	8	10,682	8		8		8		8	
1/4	89,102	1/4	73,343	1/4	57,584	1/4	41,849	1/4	26,112	1/4	10,354	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	88,774	1/2	73,015	1/2	57,256	1/2	41,522	1/2	25,784	1/2	10,025	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	88,445	3/4	72,686	3/4	56,928	3/4	41,195	3/4	25,455	3/4	9,697	3/4		3/4	3/4	3/4	3/4	3/4	
9	88,117	9	72,358	9	56,599	9	40,868	9	25,127	9	9,369	9		9		9		9	
1/4	87,789	1/4	72,030	1/4	56,271	1/4	40,541	1/4	24,799	1/4	9,040	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	87,460	1/2	71,702	1/2	55,943	1/2	40,214	1/2	24,470	1/2	8,712	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	87,132	3/4	71,373	3/4	55,614	3/4	39,887	3/4	24,142	3/4	8,384	3/4		3/4	3/4	3/4	3/4	3/4	
10	86,804	10	71,045	10	55,286	10	39,559	10	23,814	10	8,055	10		10		10		10	
1/4	86,475	1/4	70,717	1/4	54,958	1/4	39,232	1/4	23,486	1/4	7,727	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	86,147	1/2	70,388	1/2	54,629	1/2	38,905	1/2	23,157	1/2	7,399	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	85,819	3/4	70,060	3/4	54,301	3/4	38,578	3/4	22,829	3/4	7,071	3/4		3/4	3/4	3/4	3/4	3/4	
11	85,491	11	69,732	11	53,973	11	38,251	11	22,501	11	6,742	11		11		11		11	
1/4	85,162	1/4	69,403	1/4	53,645	1/4	37,923	1/4	22,172	1/4	6,414	1/4		1/4	1/4	1/4	1/4	1/4	
1/2	84,834	1/2	69,075	1/2	53,316	1/2	37,596	1/2	21,844	1/2	6,086	1/2		1/2	1/2	1/2	1/2	1/2	
3/4	84,506	3/4	68,747	3/4	52,988	3/4	37,268	3/4	21,516	3/4	5,758	3/4		3/4	3/4	3/4	3/4	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	204,239	0	188,943	0	173,646	0	158,274	0	142,889	0	127,504	0	112,116
1/4		1/4		1/4	218,149	1/4	203,921	1/4	188,624	1/4	173,327	1/4	157,953	1/4	142,569	1/4	127,183	1/4	111,795
1/2		1/2		1/2	217,988	1/2	203,602	1/2	188,305	1/2	173,009	1/2	157,633	1/2	142,248	1/2	126,863	1/2	111,475
3/4		3/4		3/4	217,826	3/4	203,283	3/4	187,987	3/4	172,690	3/4	157,312	3/4	141,928	3/4	126,542	3/4	111,154
1		1		1	217,611	1	202,965	1	187,668	1	172,371	1	156,991	1	141,607	1	126,222	1	110,834
1/4		1/4		1/4	217,396	1/4	202,646	1/4	187,349	1/4	172,052	1/4	156,671	1/4	141,287	1/4	125,901	1/4	110,513
1/2		1/2		1/2	217,181	1/2	202,327	1/2	187,030	1/2	171,733	1/2	156,350	1/2	140,966	1/2	125,580	1/2	110,192
3/4		3/4		3/4	216,966	3/4	202,008	3/4	186,712	3/4	171,414	3/4	156,030	3/4	140,646	3/4	125,260	3/4	109,872
2		2		2	216,698	2	201,690	2	186,393	2	171,094	2	155,709	2	140,325	2	124,939	2	109,551
1/4		1/4		1/4	216,431	1/4	201,371	1/4	186,074	1/4	170,773	1/4	155,389	1/4	140,005	1/4	124,619	1/4	109,231
1/2		1/2		1/2	216,163	1/2	201,052	1/2	185,756	1/2	170,453	1/2	155,068	1/2	139,684	1/2	124,298	1/2	108,910
3/4		3/4		3/4	215,896	3/4	200,734	3/4	185,437	3/4	170,132	3/4	154,748	3/4	139,364	3/4	123,978	3/4	108,590
3		3		3	215,589	3	200,415	3	185,118	3	169,812	3	154,427	3	139,043	3	123,657	3	108,269
1/4		1/4		1/4	215,282	1/4	200,096	1/4	184,800	1/4	169,491	1/4	154,107	1/4	138,723	1/4	123,336	1/4	107,948
1/2		1/2		1/2	214,975	1/2	199,778	1/2	184,481	1/2	169,171	1/2	153,786	1/2	138,402	1/2	123,016	1/2	107,628
3/4		3/4		3/4	214,668	3/4	199,459	3/4	184,162	3/4	168,850	3/4	153,466	3/4	138,082	3/4	122,695	3/4	107,307
4		4		4	214,356	4	199,140	4	183,844	4	168,530	4	153,145	4	137,761	4	122,375	4	106,987
1/4		1/4		1/4	214,043	1/4	198,822	1/4	183,525	1/4	168,209	1/4	152,825	1/4	137,441	1/4	122,054	1/4	106,666
1/2		1/2		1/2	213,730	1/2	198,503	1/2	183,206	1/2	167,889	1/2	152,504	1/2	137,120	1/2	121,733	1/2	106,345
3/4		3/4		3/4	213,418	3/4	198,184	3/4	182,888	3/4	167,568	3/4	152,184	3/4	136,800	3/4	121,413	3/4	106,025
5		5		5	213,104	5	197,866	5	182,569	5	167,248	5	151,863	5	136,479	5	121,092	5	105,704
1/4		1/4		1/4	212,790	1/4	197,547	1/4	182,250	1/4	166,927	1/4	151,543	1/4	136,159	1/4	120,772	1/4	105,384
1/2		1/2		1/2	212,476	1/2	197,228	1/2	181,932	1/2	166,607	1/2	151,222	1/2	135,838	1/2	120,451	1/2	105,063
3/4		3/4		3/4	212,163	3/4	196,910	3/4	181,613	3/4	166,286	3/4	150,902	3/4	135,518	3/4	120,131	3/4	104,743
6		6		6	211,848	6	196,591	6	181,294	6	165,966	6	150,581	6	135,197	6	119,810	6	104,422
1/4		1/4		1/4	211,533	1/4	196,272	1/4	180,976	1/4	165,645	1/4	150,261	1/4	134,877	1/4	119,489	1/4	104,101
1/2		1/2		1/2	211,219	1/2	195,954	1/2	180,657	1/2	165,325	1/2	149,940	1/2	134,556	1/2	119,169	1/2	103,781
3/4		3/4		3/4	210,904	3/4	195,635	3/4	180,338	3/4	165,004	3/4	149,620	3/4	134,236	3/4	118,848	3/4	103,460
7		7		7	210,589	7	195,316	7	180,020	7	164,684	7	149,299	7	133,915	7	118,528	7	103,140
1/4		1/4		1/4	210,274	1/4	194,997	1/4	179,701	1/4	164,363	1/4	148,979	1/4	133,595	1/4	118,207	1/4	102,819
1/2		1/2		1/2	209,959	1/2	194,679	1/2	179,382	1/2	164,043	1/2	148,658	1/2	133,274	1/2	117,886	1/2	102,498
3/4		3/4		3/4	209,644	3/4	194,360	3/4	179,063	3/4	163,722	3/4	148,338	3/4	132,954	3/4	117,566	3/4	102,178
8		8		8	209,329	8	194,041	8	178,745	8	163,402	8	148,017	8	132,633	8	117,245	8	101,857
1/4		1/4		1/4	209,013	1/4	193,723	1/4	178,426	1/4	163,081	1/4	147,697	1/4	132,313	1/4	116,925	1/4	101,537
1/2		1/2		1/2	208,698	1/2	193,404	1/2	178,107	1/2	162,761	1/2	147,376	1/2	131,992	1/2	116,604	1/2	101,216
3/4		3/4		3/4	208,382	3/4	193,085	3/4	177,789	3/4	162,440	3/4	147,056	3/4	131,672	3/4	116,284	3/4	100,896
9		9		9	208,063	9	192,767	9	177,470	9	162,120	9	146,735	9	131,351	9	115,963	9	100,575
1/4		1/4		1/4	207,745	1/4	192,448	1/4	177,151	1/4	161,799	1/4	146,415	1/4	131,030	1/4	115,642	1/4	100,254
1/2		1/2		1/2	207,426	1/2	192,129	1/2	176,833	1/2	161,479	1/2	146,094	1/2	130,710	1/2	115,322	1/2	99,934
3/4		3/4		3/4	207,107	3/4	191,811	3/4	176,514	3/4	161,158	3/4	145,774	3/4	130,389	3/4	115,001	3/4	99,613
10		10		10	206,789	10	191,492	10	176,195	10	160,838	10	145,453	10	130,069	10	114,681	10	99,293
1/4		1/4		1/4	206,470	1/4	191,173	1/4	175,877	1/4	160,517	1/4	145,133	1/4	129,748	1/4	114,360	1/4	98,972
1/2		1/2		1/2	206,151	1/2	190,855	1/2	175,558	1/2	160,197	1/2	144,812	1/2	129,427	1/2	114,039	1/2	98,651
3/4		3/4		3/4	205,833	3/4	190,536	3/4	175,239	3/4	159,876	3/4	144,492	3/4	129,107	3/4	113,719	3/4	98,331
11		11		11	205,514	11	190,217	11	174,921	11	159,556	11	144,171	11	128,786	11	113,398	11	98,010
1/4		1/4		1/4	205,195	1/4	189,899	1/4	174,602	1/4	159,235	1/4	143,851	1/4	128,466	1/4	113,078	1/4	97,690
1/2		1/2		1/2	204,877	1/2	189,580	1/2	174,283	1/2	158,915	1/2	143,530	1/2	128,145	1/2	112,757	1/2	97,369
3/4		3/4		3/4	204,558	3/4	189,261	3/4	173,965	3/4	158,594	3/4	143,210	3/4	127,825	3/4	112,437	3/4	97,049

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	96,728	0	81,340	0	65,952	0	50,565	0	35,436	0	20,048	0	4,662	0		0		0	
1/4	96,407	1/4	81,019	1/4	65,631	1/4	50,245	1/4	35,115	1/4	19,728	1/4	4,342	1/4	1/4	1/4		1/4	
1/2	96,087	1/2	80,699	1/2	65,311	1/2	49,925	1/2	34,795	1/2	19,407	1/2	4,022	1/2	1/2	1/2		1/2	
3/4	95,766	3/4	80,378	3/4	64,990	3/4	49,605	3/4	34,474	3/4	19,086	3/4	3,702	3/4	3/4	3/4		3/4	
1	95,446	1	80,058	1	64,670	1	49,291	1	34,153	1	18,766	1	3,387	1		1		1	
1/4	95,125	1/4	79,737	1/4	64,349	1/4	48,977	1/4	33,833	1/4	18,445	1/4	3,073	1/4	1/4	1/4		1/4	
1/2	94,804	1/2	79,416	1/2	64,029	1/2	48,662	1/2	33,512	1/2	18,125	1/2	2,759	1/2	1/2	1/2		1/2	
3/4	94,484	3/4	79,096	3/4	63,708	3/4	48,348	3/4	33,192	3/4	17,804	3/4	2,445	3/4	3/4	3/4		3/4	
2	94,163	2	78,775	2	63,387	2	48,034	2	32,871	2	17,484	2	2,174	2		2		2	
1/4	93,843	1/4	78,455	1/4	63,067	1/4	47,719	1/4	32,551	1/4	17,163	1/4	1,904	1/4	1/4	1/4		1/4	
1/2	93,522	1/2	78,134	1/2	62,746	1/2	47,405	1/2	32,230	1/2	16,842	1/2	1,633	1/2	1/2	1/2		1/2	
3/4	93,202	3/4	77,814	3/4	62,426	3/4	47,091	3/4	31,909	3/4	16,522	3/4	1,363	3/4	3/4	3/4		3/4	
3	92,881	3	77,493	3	62,105	3	46,777	3	31,589	3	16,201	3	1,173	3		3		3	
1/4	92,560	1/4	77,172	1/4	61,784	1/4	46,463	1/4	31,268	1/4	15,881	1/4	982	1/4	1/4	1/4		1/4	
1/2	92,240	1/2	76,852	1/2	61,464	1/2	46,149	1/2	30,948	1/2	15,560	1/2	792	1/2	1/2	1/2		1/2	
3/4	91,919	3/4	76,531	3/4	61,143	3/4	45,835	3/4	30,627	3/4	15,240	3/4	602	3/4	3/4	3/4		3/4	
4	91,599	4	76,211	4	60,823	4	45,521	4	30,307	4	14,919	4		4		4		4	
1/4	91,278	1/4	75,890	1/4	60,502	1/4	45,206	1/4	29,986	1/4	14,598	1/4		1/4	1/4	1/4		1/4	
1/2	90,957	1/2	75,570	1/2	60,182	1/2	44,892	1/2	29,665	1/2	14,278	1/2		1/2	1/2	1/2		1/2	
3/4	90,637	3/4	75,249	3/4	59,861	3/4	44,578	3/4	29,345	3/4	13,957	3/4		3/4	3/4	3/4		3/4	
5	90,316	5	74,928	5	59,540	5	44,264	5	29,024	5	13,637	5		5		5		5	
1/4	89,996	1/4	74,608	1/4	59,220	1/4	43,950	1/4	28,704	1/4	13,316	1/4		1/4	1/4	1/4		1/4	
1/2	89,675	1/2	74,287	1/2	58,899	1/2	43,636	1/2	28,383	1/2	12,996	1/2		1/2	1/2	1/2		1/2	
3/4	89,355	3/4	73,967	3/4	58,579	3/4	43,322	3/4	28,063	3/4	12,675	3/4		3/4	3/4	3/4		3/4	
6	89,034	6	73,646	6	58,258	6	43,008	6	27,742	6	12,354	6		6		6		6	
1/4	88,713	1/4	73,325	1/4	57,937	1/4	42,694	1/4	27,421	1/4	12,034	1/4		1/4	1/4	1/4		1/4	
1/2	88,393	1/2	73,005	1/2	57,617	1/2	42,380	1/2	27,101	1/2	11,713	1/2		1/2	1/2	1/2		1/2	
3/4	88,072	3/4	72,684	3/4	57,296	3/4	42,066	3/4	26,780	3/4	11,393	3/4		3/4	3/4	3/4		3/4	
7	87,752	7	72,364	7	56,976	7	41,752	7	26,460	7	11,072	7		7		7		7	
1/4	87,431	1/4	72,043	1/4	56,655	1/4	41,438	1/4	26,139	1/4	10,752	1/4		1/4	1/4	1/4		1/4	
1/2	87,110	1/2	71,723	1/2	56,335	1/2	41,124	1/2	25,819	1/2	10,431	1/2		1/2	1/2	1/2		1/2	
3/4	86,790	3/4	71,402	3/4	56,014	3/4	40,810	3/4	25,498	3/4	10,110	3/4		3/4	3/4	3/4		3/4	
8	86,469	8	71,081	8	55,693	8	40,496	8	25,177	8	9,790	8		8		8		8	
1/4	86,149	1/4	70,761	1/4	55,373	1/4	40,182	1/4	24,857	1/4	9,469	1/4		1/4	1/4	1/4		1/4	
1/2	85,828	1/2	70,440	1/2	55,052	1/2	39,868	1/2	24,536	1/2	9,149	1/2		1/2	1/2	1/2		1/2	
3/4	85,508	3/4	70,120	3/4	54,732	3/4	39,554	3/4	24,216	3/4	8,828	3/4		3/4	3/4	3/4		3/4	
9	85,187	9	69,799	9	54,411	9	39,240	9	23,895	9	8,508	9		9		9		9	
1/4	84,866	1/4	69,478	1/4	54,090	1/4	38,926	1/4	23,574	1/4	8,187	1/4		1/4	1/4	1/4		1/4	
1/2	84,546	1/2	69,158	1/2	53,770	1/2	38,612	1/2	23,254	1/2	7,866	1/2		1/2	1/2	1/2		1/2	
3/4	84,225	3/4	68,837	3/4	53,449	3/4	38,298	3/4	22,933	3/4	7,546	3/4		3/4	3/4	3/4		3/4	
10	83,905	10	68,517	10	53,129	10	37,983	10	22,613	10	7,225	10		10		10		10	
1/4	83,584	1/4	68,196	1/4	52,808	1/4	37,668	1/4	22,292	1/4	6,905	1/4		1/4	1/4	1/4		1/4	
1/2	83,263	1/2	67,876	1/2	52,488	1/2	37,353	1/2	21,972	1/2	6,584	1/2		1/2	1/2	1/2		1/2	
3/4	82,943	3/4	67,555	3/4	52,167	3/4	37,039	3/4	21,651	3/4	6,264	3/4		3/4	3/4	3/4		3/4	
11	82,622	11	67,234	11	51,846	11	36,718	11	21,330	11	5,943	11		11		11		11	
1/4	82,302	1/4	66,914	1/4	51,526	1/4	36,397	1/4	21,010	1/4	5,623	1/4		1/4	1/4	1/4		1/4	
1/2	81,981	1/2	66,593	1/2	51,205	1/2	36,077	1/2	20,689	1/2	5,302	1/2		1/2	1/2	1/2		1/2	
3/4	81,661	3/4	66,273	3/4	50,885	3/4	35,756	3/4	20,369	3/4	4,982	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	204,160	0	188,864	0	173,567	0	158,195	0	142,810	0	127,425	0	112,037
1/4		1/4		1/4		218,071	203,842	1/4	188,545	1/4	173,248	1/4	157,874	1/4	142,490	1/4	127,105	1/4	111,717
1/2		1/2		1/2		217,909	203,523	1/2	188,226	1/2	172,930	1/2	157,554	1/2	142,169	1/2	126,784	1/2	111,396
3/4		3/4		3/4		217,747	203,204	3/4	187,908	3/4	172,611	3/4	157,233	3/4	141,849	3/4	126,463	3/4	111,075
1		1		1		217,532	202,886	1	187,589	1	172,292	1	156,913	1	141,528	1	126,143	1	110,755
1/4		1/4		1/4		217,317	202,567	1/4	187,270	1/4	171,973	1/4	156,592	1/4	141,208	1/4	125,822	1/4	110,434
1/2		1/2		1/2		217,102	202,248	1/2	186,952	1/2	171,654	1/2	156,272	1/2	140,887	1/2	125,502	1/2	110,114
3/4		3/4		3/4		216,887	201,930	3/4	186,633	3/4	171,335	3/4	155,951	3/4	140,567	3/4	125,181	3/4	109,793
2		2		2		216,619	201,611	2	186,314	2	171,015	2	155,631	2	140,246	2	124,860	2	109,472
1/4		1/4		1/4		216,352	201,292	1/4	185,996	1/4	170,694	1/4	155,310	1/4	139,926	1/4	124,540	1/4	109,152
1/2		1/2		1/2		216,084	200,974	1/2	185,677	1/2	170,374	1/2	154,990	1/2	139,605	1/2	124,219	1/2	108,831
3/4		3/4		3/4		215,817	200,655	3/4	185,358	3/4	170,053	3/4	154,669	3/4	139,285	3/4	123,899	3/4	108,511
3		3		3		215,510	200,336	3	185,040	3	169,733	3	154,349	3	138,964	3	123,578	3	108,190
1/4		1/4		1/4		215,203	200,018	1/4	184,721	1/4	169,412	1/4	154,028	1/4	138,644	1/4	123,258	1/4	107,870
1/2		1/2		1/2		214,896	199,699	1/2	184,402	1/2	169,092	1/2	153,708	1/2	138,323	1/2	122,937	1/2	107,549
3/4		3/4		3/4		214,589	199,380	3/4	184,084	3/4	168,771	3/4	153,387	3/4	138,003	3/4	122,616	3/4	107,228
4		4		4		214,277	199,061	4	183,765	4	168,451	4	153,067	4	137,682	4	122,296	4	106,908
1/4		1/4		1/4		213,964	198,743	1/4	183,446	1/4	168,130	1/4	152,746	1/4	137,362	1/4	121,975	1/4	106,587
1/2		1/2		1/2		213,652	198,424	1/2	183,127	1/2	167,810	1/2	152,426	1/2	137,041	1/2	121,655	1/2	106,267
3/4		3/4		3/4		213,339	198,105	3/4	182,809	3/4	167,489	3/4	152,105	3/4	136,721	3/4	121,334	3/4	105,946
5		5		5		213,025	197,787	5	182,490	5	167,169	5	151,785	5	136,400	5	121,013	5	105,625
1/4		1/4		1/4		212,711	197,468	1/4	182,171	1/4	166,848	1/4	151,464	1/4	136,080	1/4	120,693	1/4	105,305
1/2		1/2		1/2		212,397	197,149	1/2	181,853	1/2	166,528	1/2	151,144	1/2	135,759	1/2	120,372	1/2	104,984
3/4		3/4		3/4		212,084	196,831	3/4	181,534	3/4	166,207	3/4	150,823	3/4	135,439	3/4	120,052	3/4	104,664
6		6		6		211,769	196,512	6	181,215	6	165,887	6	150,503	6	135,118	6	119,731	6	104,343
1/4		1/4		1/4		211,455	196,193	1/4	180,897	1/4	165,566	1/4	150,182	1/4	134,798	1/4	119,411	1/4	104,023
1/2		1/2		1/2		211,140	195,875	1/2	180,578	1/2	165,246	1/2	149,862	1/2	134,477	1/2	119,090	1/2	103,702
3/4		3/4		3/4		210,826	195,556	3/4	180,259	3/4	164,925	3/4	149,541	3/4	134,157	3/4	118,769	3/4	103,381
7		7		7		210,511	195,237	7	179,941	7	164,605	7	149,221	7	133,836	7	118,449	7	103,061
1/4		1/4		1/4		210,196	194,919	1/4	179,622	1/4	164,284	1/4	148,900	1/4	133,516	1/4	118,128	1/4	102,740
1/2		1/2		1/2		209,881	194,600	1/2	179,303	1/2	163,964	1/2	148,580	1/2	133,195	1/2	117,808	1/2	102,420
3/4		3/4		3/4		209,566	194,281	3/4	178,985	3/4	163,643	3/4	148,259	3/4	132,875	3/4	117,487	3/4	102,099
8		8		8		209,250	193,963	8	178,666	8	163,323	8	147,938	8	132,554	8	117,166	8	101,778
1/4		1/4		1/4		208,934	193,644	1/4	178,347	1/4	163,002	1/4	147,618	1/4	132,234	1/4	116,846	1/4	101,458
1/2		1/2		1/2		208,619	193,325	1/2	178,029	1/2	162,682	1/2	147,297	1/2	131,913	1/2	116,525	1/2	101,137
3/4		3/4		3/4		208,303	193,007	3/4	177,710	3/4	162,361	3/4	146,977	3/4	131,593	3/4	116,205	3/4	100,817
9		9		9		207,985	192,688	9	177,391	9	162,041	9	146,656	9	131,272	9	115,884	9	100,496
1/4		1/4		1/4		207,666	192,369	1/4	177,073	1/4	161,720	1/4	146,336	1/4	130,952	1/4	115,564	1/4	100,176
1/2		1/2		1/2		207,347	192,051	1/2	176,754	1/2	161,400	1/2	146,015	1/2	130,631	1/2	115,243	1/2	99,855
3/4		3/4		3/4		207,029	191,732	3/4	176,435	3/4	161,079	3/4	145,695	3/4	130,310	3/4	114,922	3/4	99,534
10		10		10		206,710	191,413	10	176,116	10	160,759	10	145,374	10	129,990	10	114,602	10	99,214
1/4		1/4		1/4		206,391	191,094	1/4	175,798	1/4	160,438	1/4	145,054	1/4	129,669	1/4	114,281	1/4	98,893
1/2		1/2		1/2		206,072	190,776	1/2	175,479	1/2	160,118	1/2	144,733	1/2	129,349	1/2	113,961	1/2	98,573
3/4		3/4		3/4		205,754	190,457	3/4	175,160	3/4	159,797	3/4	144,413	3/4	129,028	3/4	113,640	3/4	98,252
11		11		11		205,435	190,138	11	174,842	11	159,477	11	144,092	11	128,707	11	113,319	11	97,931
1/4		1/4		1/4		205,116	189,820	1/4	174,523	1/4	159,156	1/4	143,772	1/4	128,387	1/4	112,999	1/4	97,611
1/2		1/2		1/2		204,798	189,501	1/2	174,204	1/2	158,836	1/2	143,451	1/2	128,066	1/2	112,678	1/2	97,290
3/4		3/4		3/4		204,479	189,182	3/4	173,886	3/4	158,515	3/4	143,131	3/4	127,746	3/4	112,358	3/4	96,970

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	96,649	0	81,261	0	65,873	0	50,485	0	35,416	0	20,048	0	4,662	0		0		0	
1/4	96,329	1/4	80,941	1/4	65,553	1/4	50,165	1/4	35,102	1/4	19,728	1/4	4,342	1/4	1/4		1/4	1/4	
1/2	96,008	1/2	80,620	1/2	65,232	1/2	49,845	1/2	34,788	1/2	19,407	1/2	4,022	1/2	1/2		1/2	1/2	
3/4	95,687	3/4	80,299	3/4	64,911	3/4	49,524	3/4	34,474	3/4	19,086	3/4	3,702	3/4	3/4		3/4	3/4	
1	95,367	1	79,979	1	64,591	1	49,206	1	34,153	1	18,766	1	3,387	1		1		1	
1/4	95,046	1/4	79,658	1/4	64,270	1/4	48,887	1/4	33,833	1/4	18,445	1/4	3,073	1/4	1/4		1/4	1/4	
1/2	94,726	1/2	79,338	1/2	63,950	1/2	48,568	1/2	33,512	1/2	18,125	1/2	2,759	1/2	1/2		1/2	1/2	
3/4	94,405	3/4	79,017	3/4	63,629	3/4	48,250	3/4	33,192	3/4	17,804	3/4	2,445	3/4	3/4		3/4	3/4	
2	94,084	2	78,696	2	63,308	2	47,932	2	32,871	2	17,484	2	2,174	2		2		2	
1/4	93,764	1/4	78,376	1/4	62,988	1/4	47,614	1/4	32,551	1/4	17,163	1/4	1,904	1/4	1/4		1/4	1/4	
1/2	93,443	1/2	78,055	1/2	62,667	1/2	47,296	1/2	32,230	1/2	16,842	1/2	1,633	1/2	1/2		1/2	1/2	
3/4	93,123	3/4	77,735	3/4	62,347	3/4	46,978	3/4	31,909	3/4	16,522	3/4	1,363	3/4	3/4		3/4	3/4	
3	92,802	3	77,414	3	62,026	3	46,666	3	31,589	3	16,201	3	1,173	3		3		3	
1/4	92,482	1/4	77,094	1/4	61,706	1/4	46,353	1/4	31,268	1/4	15,881	1/4	982	1/4	1/4		1/4	1/4	
1/2	92,161	1/2	76,773	1/2	61,385	1/2	46,041	1/2	30,948	1/2	15,560	1/2	792	1/2	1/2		1/2	1/2	
3/4	91,840	3/4	76,452	3/4	61,064	3/4	45,729	3/4	30,627	3/4	15,240	3/4	602	3/4	3/4		3/4	3/4	
4	91,520	4	76,132	4	60,744	4	45,416	4	30,307	4	14,919	4		4		4		4	
1/4	91,199	1/4	75,811	1/4	60,423	1/4	45,104	1/4	29,986	1/4	14,598	1/4		1/4	1/4		1/4	1/4	
1/2	90,879	1/2	75,491	1/2	60,103	1/2	44,792	1/2	29,665	1/2	14,278	1/2		1/2	1/2		1/2	1/2	
3/4	90,558	3/4	75,170	3/4	59,782	3/4	44,479	3/4	29,345	3/4	13,957	3/4		3/4	3/4		3/4	3/4	
5	90,237	5	74,849	5	59,461	5	44,167	5	29,024	5	13,637	5		5		5		5	
1/4	89,917	1/4	74,529	1/4	59,141	1/4	43,855	1/4	28,704	1/4	13,316	1/4		1/4	1/4		1/4	1/4	
1/2	89,596	1/2	74,208	1/2	58,820	1/2	43,542	1/2	28,383	1/2	12,996	1/2		1/2	1/2		1/2	1/2	
3/4	89,276	3/4	73,888	3/4	58,500	3/4	43,230	3/4	28,063	3/4	12,675	3/4		3/4	3/4		3/4	3/4	
6	88,955	6	73,567	6	58,179	6	42,917	6	27,742	6	12,354	6		6		6		6	
1/4	88,635	1/4	73,247	1/4	57,859	1/4	42,605	1/4	27,421	1/4	12,034	1/4		1/4	1/4		1/4	1/4	
1/2	88,314	1/2	72,926	1/2	57,538	1/2	42,293	1/2	27,101	1/2	11,713	1/2		1/2	1/2		1/2	1/2	
3/4	87,993	3/4	72,605	3/4	57,217	3/4	41,980	3/4	26,780	3/4	11,393	3/4		3/4	3/4		3/4	3/4	
7	87,673	7	72,285	7	56,897	7	41,668	7	26,460	7	11,072	7		7		7		7	
1/4	87,352	1/4	71,964	1/4	56,576	1/4	41,356	1/4	26,139	1/4	10,752	1/4		1/4	1/4		1/4	1/4	
1/2	87,032	1/2	71,644	1/2	56,256	1/2	41,043	1/2	25,819	1/2	10,431	1/2		1/2	1/2		1/2	1/2	
3/4	86,711	3/4	71,323	3/4	55,935	3/4	40,731	3/4	25,498	3/4	10,110	3/4		3/4	3/4		3/4	3/4	
8	86,390	8	71,002	8	55,614	8	40,419	8	25,177	8	9,790	8		8		8		8	
1/4	86,070	1/4	70,682	1/4	55,294	1/4	40,106	1/4	24,857	1/4	9,469	1/4		1/4	1/4		1/4	1/4	
1/2	85,749	1/2	70,361	1/2	54,973	1/2	39,794	1/2	24,536	1/2	9,149	1/2		1/2	1/2		1/2	1/2	
3/4	85,429	3/4	70,041	3/4	54,653	3/4	39,482	3/4	24,216	3/4	8,828	3/4		3/4	3/4		3/4	3/4	
9	85,108	9	69,720	9	54,332	9	39,169	9	23,895	9	8,508	9		9		9		9	
1/4	84,788	1/4	69,400	1/4	54,012	1/4	38,857	1/4	23,574	1/4	8,187	1/4		1/4	1/4		1/4	1/4	
1/2	84,467	1/2	69,079	1/2	53,691	1/2	38,544	1/2	23,254	1/2	7,866	1/2		1/2	1/2		1/2	1/2	
3/4	84,146	3/4	68,758	3/4	53,370	3/4	38,232	3/4	22,933	3/4	7,546	3/4		3/4	3/4		3/4	3/4	
10	83,826	10	68,438	10	53,050	10	37,920	10	22,613	10	7,225	10		10		10		10	
1/4	83,505	1/4	68,117	1/4	52,729	1/4	37,607	1/4	22,292	1/4	6,905	1/4		1/4	1/4		1/4	1/4	
1/2	83,185	1/2	67,797	1/2	52,409	1/2	37,295	1/2	21,972	1/2	6,584	1/2		1/2	1/2		1/2	1/2	
3/4	82,864	3/4	67,476	3/4	52,088	3/4	36,982	3/4	21,651	3/4	6,264	3/4		3/4	3/4		3/4	3/4	
11	82,543	11	67,155	11	51,768	11	36,669	11	21,330	11	5,943	11		11		11		11	
1/4	82,223	1/4	66,835	1/4	51,447	1/4	36,356	1/4	21,010	1/4	5,623	1/4		1/4	1/4		1/4	1/4	
1/2	81,902	1/2	66,514	1/2	51,126	1/2	36,043	1/2	20,689	1/2	5,302	1/2		1/2	1/2		1/2	1/2	
3/4	81,582	3/4	66,194	3/4	50,806	3/4	35,730	3/4	20,369	3/4	4,982	3/4		3/4	3/4		3/4	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	195,903	0	183,946	0	171,989	0	159,966	0	144,617	0	129,039	0	113,460
1/4		1/4		1/4	206,554	1/4	195,654	1/4	183,697	1/4	171,740	1/4	159,706	1/4	144,292	1/4	128,715	1/4	113,136
1/2		1/2		1/2	206,463	1/2	195,405	1/2	183,448	1/2	171,491	1/2	159,447	1/2	143,968	1/2	128,390	1/2	112,811
3/4		3/4		3/4	206,373	3/4	195,156	3/4	183,199	3/4	171,242	3/4	159,187	3/4	143,643	3/4	128,065	3/4	112,487
1		1		1	206,228	1	194,906	1	182,949	1	170,992	1	158,863	1	143,319	1	127,741	1	112,163
1/4		1/4		1/4	206,083	1/4	194,657	1/4	182,700	1/4	170,743	1/4	158,539	1/4	142,994	1/4	127,416	1/4	111,838
1/2		1/2		1/2	205,939	1/2	194,408	1/2	182,451	1/2	170,494	1/2	158,216	1/2	142,670	1/2	127,092	1/2	111,514
3/4		3/4		3/4	205,794	3/4	194,159	3/4	182,202	3/4	170,244	3/4	157,892	3/4	142,345	3/4	126,767	3/4	111,190
2		2		2	205,596	2	193,910	2	181,953	2	169,994	2	157,568	2	142,021	2	126,443	2	110,865
1/4		1/4		1/4	205,398	1/4	193,661	1/4	181,704	1/4	169,743	1/4	157,244	1/4	141,696	1/4	126,118	1/4	110,541
1/2		1/2		1/2	205,200	1/2	193,412	1/2	181,455	1/2	169,493	1/2	156,920	1/2	141,371	1/2	125,794	1/2	110,217
3/4		3/4		3/4	205,003	3/4	193,163	3/4	181,206	3/4	169,243	3/4	156,597	3/4	141,047	3/4	125,469	3/4	109,893
3		3		3	204,765	3	192,914	3	180,957	3	168,992	3	156,273	3	140,722	3	125,144	3	109,568
1/4		1/4		1/4	204,527	1/4	192,665	1/4	180,708	1/4	168,742	1/4	155,949	1/4	140,398	1/4	124,820	1/4	109,244
1/2		1/2		1/2	204,289	1/2	192,415	1/2	180,458	1/2	168,491	1/2	155,625	1/2	140,073	1/2	124,495	1/2	108,920
3/4		3/4		3/4	204,051	3/4	192,166	3/4	180,209	3/4	168,241	3/4	155,301	3/4	139,749	3/4	124,171	3/4	108,595
4		4		4	203,807	4	191,917	4	179,960	4	167,990	4	154,978	4	139,424	4	123,846	4	108,271
1/4		1/4		1/4	203,563	1/4	191,668	1/4	179,711	1/4	167,740	1/4	154,654	1/4	139,100	1/4	123,522	1/4	107,947
1/2		1/2		1/2	203,319	1/2	191,419	1/2	179,462	1/2	167,489	1/2	154,330	1/2	138,775	1/2	123,197	1/2	107,623
3/4		3/4		3/4	203,076	3/4	191,170	3/4	179,213	3/4	167,239	3/4	154,006	3/4	138,451	3/4	122,873	3/4	107,299
5		5		5	202,831	5	190,921	5	178,964	5	166,988	5	153,682	5	138,126	5	122,548	5	106,975
1/4		1/4		1/4	202,586	1/4	190,672	1/4	178,715	1/4	166,738	1/4	153,359	1/4	137,802	1/4	122,223	1/4	106,652
1/2		1/2		1/2	202,341	1/2	190,423	1/2	178,466	1/2	166,487	1/2	153,035	1/2	137,477	1/2	121,899	1/2	106,328
3/4		3/4		3/4	202,096	3/4	190,174	3/4	178,216	3/4	166,237	3/4	152,711	3/4	137,153	3/4	121,574	3/4	106,005
6		6		6	201,850	6	189,924	6	177,967	6	165,986	6	152,387	6	136,828	6	121,250	6	105,682
1/4		1/4		1/4	201,604	1/4	189,675	1/4	177,718	1/4	165,736	1/4	152,064	1/4	136,504	1/4	120,925	1/4	105,358
1/2		1/2		1/2	201,359	1/2	189,426	1/2	177,469	1/2	165,485	1/2	151,740	1/2	136,179	1/2	120,601	1/2	105,035
3/4		3/4		3/4	201,113	3/4	189,177	3/4	177,220	3/4	165,235	3/4	151,416	3/4	135,855	3/4	120,276	3/4	104,711
7		7		7	200,867	7	188,928	7	176,971	7	164,984	7	151,092	7	135,530	7	119,952	7	104,387
1/4		1/4		1/4	200,621	1/4	188,679	1/4	176,722	1/4	164,734	1/4	150,769	1/4	135,205	1/4	119,627	1/4	104,064
1/2		1/2		1/2	200,374	1/2	188,430	1/2	176,473	1/2	164,484	1/2	150,445	1/2	134,881	1/2	119,302	1/2	103,740
3/4		3/4		3/4	200,128	3/4	188,181	3/4	176,224	3/4	164,233	3/4	150,121	3/4	134,556	3/4	118,978	3/4	103,416
8		8		8	199,881	8	187,932	8	175,975	8	163,983	8	149,798	8	134,232	8	118,653	8	103,093
1/4		1/4		1/4	199,635	1/4	187,682	1/4	175,725	1/4	163,732	1/4	149,474	1/4	133,907	1/4	118,329	1/4	102,769
1/2		1/2		1/2	199,388	1/2	187,433	1/2	175,476	1/2	163,482	1/2	149,150	1/2	133,583	1/2	118,004	1/2	102,445
3/4		3/4		3/4	199,141	3/4	187,184	3/4	175,227	3/4	163,231	3/4	148,826	3/4	133,258	3/4	117,680	3/4	102,121
9		9		9	198,892	9	186,935	9	174,978	9	162,981	9	148,503	9	132,934	9	117,355	9	101,798
1/4		1/4		1/4	198,643	1/4	186,686	1/4	174,729	1/4	162,730	1/4	148,179	1/4	132,609	1/4	117,031	1/4	101,474
1/2		1/2		1/2	198,394	1/2	186,437	1/2	174,480	1/2	162,480	1/2	147,855	1/2	132,285	1/2	116,706	1/2	101,150
3/4		3/4		3/4	198,145	3/4	186,188	3/4	174,231	3/4	162,229	3/4	147,531	3/4	131,960	3/4	116,381	3/4	100,827
10		10		10	197,896	10	185,939	10	173,982	10	161,979	10	147,208	10	131,636	10	116,057	10	100,503
1/4		1/4		1/4	197,647	1/4	185,690	1/4	173,733	1/4	161,728	1/4	146,884	1/4	131,311	1/4	115,732	1/4	100,179
1/2		1/2		1/2	197,398	1/2	185,441	1/2	173,483	1/2	161,478	1/2	146,560	1/2	130,986	1/2	115,408	1/2	99,855
3/4		3/4		3/4	197,148	3/4	185,191	3/4	173,234	3/4	161,227	3/4	146,237	3/4	130,662	3/4	115,083	3/4	99,532
11		11		11	196,899	11	184,942	11	172,985	11	160,977	11	145,913	11	130,337	11	114,759	11	99,208
1/4		1/4		1/4	196,650	1/4	184,693	1/4	172,736	1/4	160,726	1/4	145,589	1/4	130,013	1/4	114,434	1/4	98,884
1/2		1/2		1/2	196,401	1/2	184,444	1/2	172,487	1/2	160,476	1/2	145,265	1/2	129,688	1/2	114,110	1/2	98,561
3/4		3/4		3/4	196,152	3/4	184,195	3/4	172,238	3/4	160,225	3/4	144,941	3/4	129,364	3/4	113,785	3/4	98,237

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.

GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "CBC 317"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	97,913	0	82,342	0	66,751	0	51,204	0	35,975	0	20,366	0	4,735	0		0		0	
1/4	97,589	1/4	82,017	1/4	66,427	1/4	50,887	1/4	35,650	1/4	20,040	1/4	4,410	1/4	1/4	1/4		1/4	
1/2	97,266	1/2	81,692	1/2	66,102	1/2	50,570	1/2	35,326	1/2	19,715	1/2	4,085	1/2	1/2	1/2		1/2	
3/4	96,942	3/4	81,368	3/4	65,777	3/4	50,253	3/4	35,001	3/4	19,389	3/4	3,760	3/4	3/4	3/4		3/4	
1	96,618	1	81,043	1	65,452	1	49,936	1	34,676	1	19,063	1	3,441	1		1		1	
1/4	96,295	1/4	80,718	1/4	65,128	1/4	49,620	1/4	34,352	1/4	18,738	1/4	3,122	1/4	1/4	1/4		1/4	
1/2	95,971	1/2	80,393	1/2	64,803	1/2	49,303	1/2	34,027	1/2	18,412	1/2	2,802	1/2	1/2	1/2		1/2	
3/4	95,647	3/4	80,068	3/4	64,478	3/4	48,986	3/4	33,702	3/4	18,086	3/4	2,483	3/4	3/4	3/4		3/4	
2	95,323	2	79,743	2	64,153	2	48,670	2	33,378	2	17,761	2	2,209	2		2		2	
1/4	95,000	1/4	79,419	1/4	63,828	1/4	48,353	1/4	33,053	1/4	17,435	1/4	1,934	1/4	1/4	1/4		1/4	
1/2	94,676	1/2	79,094	1/2	63,504	1/2	48,037	1/2	32,728	1/2	17,109	1/2	1,659	1/2	1/2	1/2		1/2	
3/4	94,352	3/4	78,769	3/4	63,179	3/4	47,720	3/4	32,404	3/4	16,784	3/4	1,384	3/4	3/4	3/4		3/4	
3	94,028	3	78,444	3	62,854	3	47,404	3	32,079	3	16,458	3	1,191	3		3		3	
1/4	93,705	1/4	78,119	1/4	62,529	1/4	47,088	1/4	31,754	1/4	16,132	1/4	998	1/4	1/4	1/4		1/4	
1/2	93,381	1/2	77,795	1/2	62,204	1/2	46,771	1/2	31,430	1/2	15,807	1/2	804	1/2	1/2	1/2		1/2	
3/4	93,057	3/4	77,470	3/4	61,879	3/4	46,455	3/4	31,105	3/4	15,481	3/4	611	3/4	3/4	3/4		3/4	
4	92,733	4	77,145	4	61,555	4	46,139	4	30,780	4	15,155	4		4		4		4	
1/4	92,410	1/4	76,820	1/4	61,230	1/4	45,823	1/4	30,456	1/4	14,830	1/4		1/4	1/4	1/4		1/4	
1/2	92,086	1/2	76,495	1/2	60,905	1/2	45,506	1/2	30,131	1/2	14,504	1/2		1/2	1/2	1/2		1/2	
3/4	91,762	3/4	76,170	3/4	60,580	3/4	45,190	3/4	29,807	3/4	14,178	3/4		3/4	3/4	3/4		3/4	
5	91,437	5	75,846	5	60,255	5	44,874	5	29,482	5	13,853	5		5		5		5	
1/4	91,112	1/4	75,521	1/4	59,930	1/4	44,558	1/4	29,157	1/4	13,527	1/4		1/4	1/4	1/4		1/4	
1/2	90,787	1/2	75,196	1/2	59,606	1/2	44,241	1/2	28,832	1/2	13,201	1/2		1/2	1/2	1/2		1/2	
3/4	90,463	3/4	74,871	3/4	59,281	3/4	43,925	3/4	28,507	3/4	12,876	3/4		3/4	3/4	3/4		3/4	
6	90,138	6	74,546	6	58,956	6	43,609	6	28,182	6	12,550	6		6		6		6	
1/4	89,813	1/4	74,222	1/4	58,631	1/4	43,293	1/4	27,856	1/4	12,224	1/4		1/4	1/4	1/4		1/4	
1/2	89,488	1/2	73,897	1/2	58,306	1/2	42,977	1/2	27,530	1/2	11,899	1/2		1/2	1/2	1/2		1/2	
3/4	89,163	3/4	73,572	3/4	57,982	3/4	42,660	3/4	27,205	3/4	11,573	3/4		3/4	3/4	3/4		3/4	
7	88,839	7	73,247	7	57,657	7	42,344	7	26,879	7	11,247	7		7		7		7	
1/4	88,514	1/4	72,922	1/4	57,332	1/4	42,028	1/4	26,553	1/4	10,922	1/4		1/4	1/4	1/4		1/4	
1/2	88,189	1/2	72,597	1/2	57,007	1/2	41,712	1/2	26,228	1/2	10,596	1/2		1/2	1/2	1/2		1/2	
3/4	87,864	3/4	72,273	3/4	56,682	3/4	41,395	3/4	25,902	3/4	10,270	3/4		3/4	3/4	3/4		3/4	
8	87,539	8	71,948	8	56,357	8	41,079	8	25,576	8	9,945	8		8		8		8	
1/4	87,214	1/4	71,623	1/4	56,033	1/4	40,763	1/4	25,251	1/4	9,619	1/4		1/4	1/4	1/4		1/4	
1/2	86,890	1/2	71,298	1/2	55,708	1/2	40,447	1/2	24,925	1/2	9,293	1/2		1/2	1/2	1/2		1/2	
3/4	86,565	3/4	70,973	3/4	55,383	3/4	40,131	3/4	24,600	3/4	8,968	3/4		3/4	3/4	3/4		3/4	
9	86,240	9	70,648	9	55,058	9	39,814	9	24,274	9	8,642	9		9		9		9	
1/4	85,915	1/4	70,324	1/4	54,733	1/4	39,498	1/4	23,948	1/4	8,317	1/4		1/4	1/4	1/4		1/4	
1/2	85,590	1/2	69,999	1/2	54,409	1/2	39,182	1/2	23,623	1/2	7,991	1/2		1/2	1/2	1/2		1/2	
3/4	85,265	3/4	69,674	3/4	54,084	3/4	38,866	3/4	23,297	3/4	7,665	3/4		3/4	3/4	3/4		3/4	
10	84,941	10	69,349	10	53,760	10	38,549	10	22,971	10	7,340	10		10		10		10	
1/4	84,616	1/4	69,024	1/4	53,436	1/4	38,232	1/4	22,646	1/4	7,014	1/4		1/4	1/4	1/4		1/4	
1/2	84,291	1/2	68,700	1/2	53,112	1/2	37,915	1/2	22,320	1/2	6,688	1/2		1/2	1/2	1/2		1/2	
3/4	83,966	3/4	68,375	3/4	52,788	3/4	37,598	3/4	21,994	3/4	6,363	3/4		3/4	3/4	3/4		3/4	
11	83,641	11	68,050	11	52,471	11	37,273	11	21,669	11	6,037	11		11		11		11	
1/4	83,317	1/4	67,725	1/4	52,154	1/4	36,949	1/4	21,343	1/4	5,711	1/4		1/4	1/4	1/4		1/4	
1/2	82,992	1/2	67,401	1/2	51,837	1/2	36,624	1/2	21,017	1/2	5,386	1/2		1/2	1/2	1/2		1/2	
3/4	82,667	3/4	67,076	3/4	51,521	3/4	36,300	3/4	20,692	3/4	5,060	3/4		3/4	3/4	3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	196,075	0	184,118	0	172,161	0	160,150	0	144,939	0	129,362	0	113,784
1/4		1/4		1/4		1/4	195,826	1/4	183,869	1/4	171,912	1/4	159,900	1/4	144,615	1/4	129,038	1/4	113,459
1/2		1/2		1/2		1/2	195,577	1/2	183,620	1/2	171,663	1/2	159,640	1/2	144,291	1/2	128,713	1/2	113,135
3/4		3/4		3/4		3/4	206,228	3/4	195,328	3/4	183,371	3/4	159,380	3/4	143,966	3/4	128,389	3/4	112,810
1		1		1		1	206,137	1	183,122	1	171,165	1	159,121	1	143,642	1	128,064	1	112,486
1/4		1/4		1/4		1/4	206,047	1/4	194,830	1/4	182,873	1/4	170,916	1/4	158,861	1/4	143,317	1/4	127,740
1/2		1/2		1/2		1/2	205,902	1/2	194,581	1/2	182,624	1/2	170,666	1/2	158,537	1/2	142,993	1/2	127,415
3/4		3/4		3/4		3/4	205,758	3/4	194,332	3/4	182,375	3/4	170,417	3/4	158,214	3/4	142,668	3/4	127,091
2		2		2		2	205,613	2	194,082	2	182,125	2	170,168	2	157,890	2	142,344	2	126,766
1/4		1/4		1/4		1/4	205,468	1/4	193,833	1/4	181,876	1/4	169,919	1/4	157,566	1/4	142,019	1/4	126,441
1/2		1/2		1/2		1/2	205,270	1/2	193,584	1/2	181,627	1/2	169,668	1/2	157,242	1/2	141,695	1/2	126,117
3/4		3/4		3/4		3/4	205,072	3/4	193,335	3/4	181,378	3/4	169,418	3/4	156,918	3/4	141,370	3/4	125,792
3		3		3		3	204,875	3	193,086	3	181,129	3	169,167	3	156,595	3	141,046	3	125,468
1/4		1/4		1/4		1/4	204,677	1/4	192,837	1/4	180,880	1/4	168,917	1/4	156,271	1/4	140,721	1/4	125,143
1/2		1/2		1/2		1/2	204,439	1/2	192,588	1/2	180,631	1/2	168,666	1/2	155,947	1/2	140,397	1/2	124,819
3/4		3/4		3/4		3/4	204,201	3/4	192,339	3/4	180,382	3/4	168,416	3/4	155,623	3/4	140,072	3/4	124,494
4		4		4		4	203,963	4	192,090	4	180,133	4	168,165	4	155,299	4	139,748	4	124,170
1/4		1/4		1/4		1/4	203,725	1/4	191,841	1/4	179,884	1/4	167,915	1/4	154,976	1/4	139,423	1/4	123,845
1/2		1/2		1/2		1/2	203,481	1/2	191,591	1/2	179,634	1/2	167,664	1/2	154,652	1/2	139,099	1/2	123,520
3/4		3/4		3/4		3/4	203,237	3/4	191,342	3/4	179,385	3/4	167,414	3/4	154,328	3/4	138,774	3/4	123,196
5		5		5		5	202,994	5	191,093	5	179,136	5	167,163	5	154,004	5	138,449	5	122,871
1/4		1/4		1/4		1/4	202,750	1/4	190,844	1/4	178,887	1/4	166,913	1/4	153,680	1/4	138,125	1/4	122,547
1/2		1/2		1/2		1/2	202,505	1/2	190,595	1/2	178,638	1/2	166,662	1/2	153,357	1/2	137,800	1/2	122,222
3/4		3/4		3/4		3/4	202,260	3/4	190,346	3/4	178,389	3/4	166,412	3/4	153,033	3/4	137,476	3/4	121,898
6		6		6		6	202,015	6	190,097	6	178,140	6	166,162	6	152,709	6	137,151	6	121,573
1/4		1/4		1/4		1/4	201,770	1/4	189,848	1/4	177,891	1/4	165,911	1/4	152,385	1/4	136,827	1/4	121,249
1/2		1/2		1/2		1/2	201,524	1/2	189,599	1/2	177,642	1/2	165,661	1/2	152,062	1/2	136,502	1/2	120,924
3/4		3/4		3/4		3/4	201,279	3/4	189,350	3/4	177,392	3/4	165,410	3/4	151,738	3/4	136,178	3/4	120,599
7		7		7		7	201,033	7	189,100	7	177,143	7	165,160	7	151,414	7	135,853	7	120,275
1/4		1/4		1/4		1/4	200,787	1/4	188,851	1/4	176,894	1/4	164,909	1/4	151,090	1/4	135,529	1/4	119,950
1/2		1/2		1/2		1/2	200,541	1/2	188,602	1/2	176,645	1/2	164,659	1/2	150,767	1/2	135,204	1/2	119,626
3/4		3/4		3/4		3/4	200,295	3/4	188,353	3/4	176,396	3/4	164,408	3/4	150,443	3/4	134,880	3/4	119,301
8		8		8		8	200,049	8	188,104	8	176,147	8	164,158	8	150,119	8	134,555	8	118,977
1/4		1/4		1/4		1/4	199,802	1/4	187,855	1/4	175,898	1/4	163,907	1/4	149,796	1/4	134,231	1/4	118,652
1/2		1/2		1/2		1/2	199,556	1/2	187,606	1/2	175,649	1/2	163,657	1/2	149,472	1/2	133,906	1/2	118,328
3/4		3/4		3/4		3/4	199,309	3/4	187,357	3/4	175,400	3/4	163,406	3/4	149,148	3/4	133,582	3/4	118,003
9		9		9		9	199,062	9	187,108	9	175,151	9	163,156	9	148,824	9	133,257	9	117,678
1/4		1/4		1/4		1/4	198,815	1/4	186,858	1/4	174,901	1/4	162,905	1/4	148,501	1/4	132,933	1/4	117,354
1/2		1/2		1/2		1/2	198,566	1/2	186,609	1/2	174,652	1/2	162,655	1/2	148,177	1/2	132,608	1/2	117,029
3/4		3/4		3/4		3/4	198,317	3/4	186,360	3/4	174,403	3/4	162,404	3/4	147,853	3/4	132,283	3/4	116,705
10		10		10		10	198,068	10	186,111	10	174,154	10	162,154	10	147,529	10	131,959	10	116,380
1/4		1/4		1/4		1/4	197,819	1/4	185,862	1/4	173,905	1/4	161,903	1/4	147,206	1/4	131,634	1/4	116,056
1/2		1/2		1/2		1/2	197,570	1/2	185,613	1/2	173,656	1/2	161,653	1/2	146,882	1/2	131,310	1/2	115,731
3/4		3/4		3/4		3/4	197,321	3/4	185,364	3/4	173,407	3/4	161,403	3/4	146,558	3/4	130,985	3/4	115,407
11		11		11		11	197,072	11	185,115	11	173,158	11	161,152	11	146,234	11	130,661	11	115,082
1/4		1/4		1/4		1/4	196,823	1/4	184,866	1/4	172,909	1/4	160,902	1/4	145,911	1/4	130,336	1/4	114,757
1/2		1/2		1/2		1/2	196,574	1/2	184,617	1/2	172,659	1/2	160,651	1/2	145,587	1/2	130,012	1/2	114,433
3/4		3/4		3/4		3/4	196,324	3/4	184,367	3/4	172,410	3/4	160,401	3/4	145,263	3/4	129,687	3/4	114,108

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO THREADS ON "MMC" VALVE.
GAUGE POINT: (MMC) LOCATED 11'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "CBC 317"

3 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	98,235	0	82,666	0	67,075	0	51,533	0	36,623	0	21,017	0	5,386	0		0		0	
1/4	97,911	1/4	82,341	1/4	66,750	1/4	51,222	1/4	36,300	1/4	20,692	1/4	5,060	1/4	1/4	1/4		1/4	
1/2	97,587	1/2	82,016	1/2	66,426	1/2	50,912	1/2	35,975	1/2	20,366	1/2	4,735	1/2	1/2	1/2	1/2	1/2	1/2
3/4	97,264	3/4	81,691	3/4	66,101	3/4	50,601	3/4	35,650	3/4	20,040	3/4	4,410	3/4	3/4	3/4	3/4	3/4	3/4
1	96,940	1	81,367	1	65,776	1	50,290	1	35,326	1	19,715	1	4,085	1		1		1	
1/4	96,616	1/4	81,042	1/4	65,451	1/4	49,979	1/4	35,001	1/4	19,389	1/4	3,760	1/4	1/4	1/4	1/4	1/4	1/4
1/2	96,292	1/2	80,717	1/2	65,127	1/2	49,669	1/2	34,676	1/2	19,063	1/2	3,441	1/2	1/2	1/2	1/2	1/2	1/2
3/4	95,969	3/4	80,392	3/4	64,802	3/4	49,359	3/4	34,352	3/4	18,738	3/4	3,122	3/4	3/4	3/4	3/4	3/4	3/4
2	95,645	2	80,067	2	64,477	2	49,048	2	34,027	2	18,412	2	2,802	2		2		2	
1/4	95,321	1/4	79,743	1/4	64,152	1/4	48,738	1/4	33,702	1/4	18,086	1/4	2,483	1/4	1/4	1/4	1/4	1/4	1/4
1/2	94,998	1/2	79,418	1/2	63,827	1/2	48,428	1/2	33,378	1/2	17,761	1/2	2,209	1/2	1/2	1/2	1/2	1/2	1/2
3/4	94,674	3/4	79,093	3/4	63,503	3/4	48,119	3/4	33,053	3/4	17,435	3/4	1,934	3/4	3/4	3/4	3/4	3/4	3/4
3	94,350	3	78,768	3	63,178	3	47,809	3	32,728	3	17,109	3	1,659	3		3		3	
1/4	94,026	1/4	78,443	1/4	62,853	1/4	47,499	1/4	32,404	1/4	16,784	1/4	1,384	1/4	1/4	1/4	1/4	1/4	1/4
1/2	93,703	1/2	78,118	1/2	62,528	1/2	47,190	1/2	32,079	1/2	16,458	1/2	1,191	1/2	1/2	1/2	1/2	1/2	1/2
3/4	93,379	3/4	77,794	3/4	62,203	3/4	46,880	3/4	31,754	3/4	16,132	3/4	998	3/4	3/4	3/4	3/4	3/4	3/4
4	93,055	4	77,469	4	61,878	4	46,571	4	31,430	4	15,807	4	804	4		4		4	
1/4	92,732	1/4	77,144	1/4	61,554	1/4	46,262	1/4	31,105	1/4	15,481	1/4	611	1/4	1/4	1/4	1/4	1/4	1/4
1/2	92,408	1/2	76,819	1/2	61,229	1/2	45,952	1/2	30,780	1/2	15,155	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	92,084	3/4	76,494	3/4	60,904	3/4	45,643	3/4	30,456	3/4	14,830	3/4		3/4	3/4	3/4	3/4	3/4	3/4
5	91,760	5	76,169	5	60,579	5	45,334	5	30,131	5	14,504	5		5		5		5	
1/4	91,436	1/4	75,845	1/4	60,254	1/4	45,025	1/4	29,807	1/4	14,178	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	91,111	1/2	75,520	1/2	59,930	1/2	44,715	1/2	29,482	1/2	13,853	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	90,786	3/4	75,195	3/4	59,605	3/4	44,406	3/4	29,157	3/4	13,527	3/4		3/4	3/4	3/4	3/4	3/4	3/4
6	90,462	6	74,870	6	59,280	6	44,097	6	28,832	6	13,201	6		6		6		6	
1/4	90,137	1/4	74,545	1/4	58,955	1/4	43,787	1/4	28,507	1/4	12,876	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	89,812	1/2	74,221	1/2	58,630	1/2	43,478	1/2	28,182	1/2	12,550	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	89,487	3/4	73,896	3/4	58,305	3/4	43,169	3/4	27,856	3/4	12,224	3/4		3/4	3/4	3/4	3/4	3/4	3/4
7	89,162	7	73,571	7	57,981	7	42,859	7	27,530	7	11,899	7		7		7		7	
1/4	88,838	1/4	73,246	1/4	57,656	1/4	42,550	1/4	27,205	1/4	11,573	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	88,513	1/2	72,921	1/2	57,331	1/2	42,241	1/2	26,879	1/2	11,247	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	88,188	3/4	72,596	3/4	57,006	3/4	41,931	3/4	26,553	3/4	10,922	3/4		3/4	3/4	3/4	3/4	3/4	3/4
8	87,863	8	72,272	8	56,681	8	41,622	8	26,228	8	10,596	8		8		8		8	
1/4	87,538	1/4	71,947	1/4	56,356	1/4	41,313	1/4	25,902	1/4	10,270	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	87,213	1/2	71,622	1/2	56,032	1/2	41,004	1/2	25,576	1/2	9,945	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	86,889	3/4	71,297	3/4	55,707	3/4	40,694	3/4	25,251	3/4	9,619	3/4		3/4	3/4	3/4	3/4	3/4	3/4
9	86,564	9	70,972	9	55,382	9	40,385	9	24,925	9	9,293	9		9		9		9	
1/4	86,239	1/4	70,647	1/4	55,057	1/4	40,076	1/4	24,600	1/4	8,968	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	85,914	1/2	70,323	1/2	54,732	1/2	39,766	1/2	24,274	1/2	8,642	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	85,589	3/4	69,998	3/4	54,408	3/4	39,457	3/4	23,948	3/4	8,317	3/4		3/4	3/4	3/4	3/4	3/4	3/4
10	85,265	10	69,673	10	54,083	10	39,148	10	23,623	10	7,991	10		10		10		10	
1/4	84,940	1/4	69,348	1/4	53,758	1/4	38,839	1/4	23,297	1/4	7,665	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	84,615	1/2	69,023	1/2	53,435	1/2	38,528	1/2	22,971	1/2	7,340	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	84,290	3/4	68,699	3/4	53,112	3/4	38,217	3/4	22,646	3/4	7,014	3/4		3/4	3/4	3/4	3/4	3/4	3/4
11	83,965	11	68,374	11	52,789	11	37,906	11	22,320	11	6,688	11		11		11		11	
1/4	83,640	1/4	68,049	1/4	52,466	1/4	37,595	1/4	21,994	1/4	6,363	1/4		1/4	1/4	1/4	1/4	1/4	1/4
1/2	83,316	1/2	67,724	1/2	52,155	1/2	37,271	1/2	21,669	1/2	6,037	1/2		1/2	1/2	1/2	1/2	1/2	1/2
3/4	82,991	3/4	67,400	3/4	51,844	3/4	36,947	3/4	21,343	3/4	5,711	3/4		3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/04/2013 SW
CALCULATED: 12/06/2013 CL
PRINTED: 12/06/2013 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2013

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>