

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE CBC-327
HULL #92-2766

1 PORT

COMPUTED IN U. S. GALLONS

OUTAGE TABLE

GAGE HEIGHT - 15'-3 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	209,435	0	194,655	0	178,786	0	164,901	0	150,016	0	135,131	0	120,245	0	105,357	0	90,469	0	75,581
1/4	209,130	1/4	194,346	1/4	178,476	1/4	164,591	1/4	149,706	1/4	134,821	1/4	119,934	1/4	105,047	1/4	90,159	1/4	75,271
1/2	208,825	1/2	194,038	1/2	178,166	1/2	164,281	1/2	149,396	1/2	134,511	1/2	119,624	1/2	104,736	1/2	89,848	1/2	74,960
3/4	208,518	3/4	193,729	3/4	177,856	3/4	163,971	3/4	149,086	3/4	134,201	3/4	119,314	3/4	104,428	3/4	89,539	3/4	74,651
1	208,211	1	193,420	1	177,546	1	163,661	1	148,778	1	133,891	1	119,004	1	104,116	1	89,228	1	74,342
1 1/4	207,905	1 1/4	193,111	1 1/4	177,236	1 1/4	163,351	1 1/4	148,466	1 1/4	133,581	1 1/4	118,694	1 1/4	103,806	1 1/4	88,918	1 1/4	74,030
1 1/2	207,598	1 1/2	192,802	1 1/2	176,925	1 1/2	163,040	1 1/2	148,156	1 1/2	133,271	1 1/2	118,384	1 1/2	103,496	1 1/2	88,608	1 1/2	73,721
1 3/4	207,290	1 3/4	192,492	1 3/4	176,615	1 3/4	162,730	1 3/4	147,845	1 3/4	132,961	1 3/4	118,073	1 3/4	103,186	1 3/4	88,298	1 3/4	73,412
2	206,981	2	192,181	2	176,305	2	162,420	2	147,535	2	132,650	2	117,763	2	102,876	2	87,988	2	73,093
2 1/4	206,673	2 1/4	191,871	2 1/4	175,995	2 1/4	162,110	2 1/4	147,225	2 1/4	132,340	2 1/4	117,453	2 1/4	102,565	2 1/4	87,678	2 1/4	72,784
2 1/2	206,365	2 1/2	191,561	2 1/2	175,685	2 1/2	161,800	2 1/2	146,915	2 1/2	132,030	2 1/2	117,143	2 1/2	102,255	2 1/2	87,367	2 1/2	72,490
2 3/4	206,057	2 3/4	191,251	2 3/4	175,375	2 3/4	161,490	2 3/4	146,605	2 3/4	131,720	2 3/4	116,833	2 3/4	101,945	2 3/4	87,057	2 3/4	72,196
3	205,749	3	190,941	3	175,065	3	161,180	3	146,295	3	131,410	3	116,523	3	101,635	3	86,747	3	71,902
3 1/4	205,441	3 1/4	190,631	3 1/4	174,754	3 1/4	160,870	3 1/4	145,985	3 1/4	131,100	3 1/4	116,213	3 1/4	101,325	3 1/4	86,437	3 1/4	71,608
3 1/2	205,132	3 1/2	190,321	3 1/2	174,445	3 1/2	160,560	3 1/2	145,675	3 1/2	130,790	3 1/2	115,902	3 1/2	101,015	3 1/2	86,127	3 1/2	71,314
3 3/4	204,824	3 3/4	190,011	3 3/4	174,135	3 3/4	160,250	3 3/4	145,365	3 3/4	130,480	3 3/4	115,592	3 3/4	100,704	3 3/4	85,817	3 3/4	71,020
4	204,516	4	189,701	4	173,824	4	159,939	4	145,055	4	130,170	4	115,282	4	100,394	4	85,506	4	70,726
4 1/4	204,208	4 1/4	189,391	4 1/4	173,514	4 1/4	159,629	4 1/4	144,744	4 1/4	129,859	4 1/4	114,972	4 1/4	100,084	4 1/4	85,196	4 1/4	70,432
4 1/2	203,900	4 1/2	189,080	4 1/2	173,204	4 1/2	159,319	4 1/2	144,434	4 1/2	129,549	4 1/2	114,662	4 1/2	99,774	4 1/2	84,886	4 1/2	70,138
4 3/4	203,592	4 3/4	188,770	4 3/4	172,894	4 3/4	159,009	4 3/4	144,124	4 3/4	129,238	4 3/4	114,352	4 3/4	99,464	4 3/4	84,576	4 3/4	69,844
5	203,283	5	188,460	5	172,584	5	158,699	5	143,814	5	128,929	5	114,041	5	99,154	5	84,266	5	69,550
5 1/4	202,975	5 1/4	188,150	5 1/4	172,274	5 1/4	158,389	5 1/4	143,504	5 1/4	128,619	5 1/4	113,731	5 1/4	98,843	5 1/4	83,956	5 1/4	69,246
5 1/2	202,667	5 1/2	187,840	5 1/2	171,964	5 1/2	158,079	5 1/2	143,194	5 1/2	128,309	5 1/2	113,421	5 1/2	98,533	5 1/2	83,645	5 1/2	68,942
5 3/4	202,359	5 3/4	187,530	5 3/4	171,654	5 3/4	157,769	5 3/4	142,884	5 3/4	127,999	5 3/4	113,111	5 3/4	98,223	5 3/4	83,335	5 3/4	68,638
6	202,051	6	187,220	6	171,344	6	157,459	6	142,574	6	127,689	6	112,801	6	97,913	6	83,023	6	68,334
6 1/4	201,743	6 1/4	186,910	6 1/4	171,033	6 1/4	157,149	6 1/4	142,264	6 1/4	127,379	6 1/4	112,491	6 1/4	97,603	6 1/4	82,715	6 1/4	68,030
6 1/2	201,434	6 1/2	186,600	6 1/2	170,723	6 1/2	156,838	6 1/2	141,954	6 1/2	127,068	6 1/2	112,180	6 1/2	97,293	6 1/2	82,405	6 1/2	67,726
6 3/4	201,126	6 3/4	186,291	6 3/4	170,413	6 3/4	156,528	6 3/4	141,643	6 3/4	126,758	6 3/4	111,870	6 3/4	96,982	6 3/4	82,095	6 3/4	67,432
7	200,818	7	185,981	7	170,103	7	156,218	7	141,333	7	126,448	7	111,560	7	96,672	7	81,784	7	67,138
7 1/4	200,510	7 1/4	185,671	7 1/4	169,793	7 1/4	155,908	7 1/4	141,023	7 1/4	126,138	7 1/4	111,250	7 1/4	96,362	7 1/4	81,474	7 1/4	66,844
7 1/2	200,202	7 1/2	185,362	7 1/2	169,483	7 1/2	155,598	7 1/2	140,713	7 1/2	125,828	7 1/2	110,940	7 1/2	96,052	7 1/2	81,164	7 1/2	66,550
7 3/4	199,893	7 3/4	185,052	7 3/4	169,173	7 3/4	155,288	7 3/4	140,403	7 3/4	125,517	7 3/4	110,630	7 3/4	95,742	7 3/4	80,854	7 3/4	66,256
8	199,585	8	184,742	8	168,863	8	154,978	8	140,093	8	125,207	8	110,319	8	95,432	8	80,544	8	65,962
8 1/4	199,277	8 1/4	184,433	8 1/4	168,553	8 1/4	154,668	8 1/4	139,783	8 1/4	124,897	8 1/4	110,009	8 1/4	95,121	8 1/4	80,234	8 1/4	65,668
8 1/2	198,969	8 1/2	184,123	8 1/2	168,243	8 1/2	154,358	8 1/2	139,473	8 1/2	124,587	8 1/2	109,699	8 1/2	94,811	8 1/2	79,923	8 1/2	65,374
8 3/4	198,661	8 3/4	183,813	8 3/4	167,933	8 3/4	154,048	8 3/4	139,163	8 3/4	124,277	8 3/4	109,389	8 3/4	94,501	8 3/4	79,613	8 3/4	65,080
9	198,353	9	183,504	9	167,622	9	153,737	9	138,852	9	123,966	9	109,079	9	94,191	9	79,303	9	64,786
9 1/4	198,045	9 1/4	183,194	9 1/4	167,312	9 1/4	153,427	9 1/4	138,542	9 1/4	123,656	9 1/4	108,769	9 1/4	93,881	9 1/4	78,993	9 1/4	64,492
9 1/2	197,736	9 1/2	182,884	9 1/2	166,992	9 1/2	153,117	9 1/2	138,232	9 1/2	123,346	9 1/2	108,458	9 1/2	93,571	9 1/2	78,683	9 1/2	64,200
9 3/4	197,428	9 3/4	182,574	9 3/4	166,682	9 3/4	152,807	9 3/4	137,922	9 3/4	123,036	9 3/4	108,148	9 3/4	93,260	9 3/4	78,373	9 3/4	63,906
10	197,120	10	182,265	10	166,372	10	152,497	10	137,612	10	122,726	10	107,838	10	92,950	10	78,063	10	63,612
10 1/4	196,812	10 1/4	181,955	10 1/4	166,062	10 1/4	152,187	10 1/4	137,302	10 1/4	122,416	10 1/4	107,528	10 1/4	92,640	10 1/4	77,752	10 1/4	63,318
10 1/2	196,504	10 1/2	181,646	10 1/2	165,752	10 1/2	151,872	10 1/2	136,992	10 1/2	122,106	10 1/2	107,218	10 1/2	92,330	10 1/2	77,442	10 1/2	63,024
10 3/4	196,196	10 3/4	181,336	10 3/4	165,442	10 3/4	151,567	10 3/4	136,682	10 3/4	121,795	10 3/4	106,908	10 3/4	92,020	10 3/4	77,132	10 3/4	62,730
11	195,887	11	181,026	11	165,132	11	151,257	11	136,372	11	121,485	11	106,597	11	91,710	11	76,822	11	62,436
11 1/4	195,579	11 1/4	180,716	11 1/4	164,822	11 1/4	150,946	11 1/4	136,062	11 1/4	121,175	11 1/4	106,287	11 1/4	91,399	11 1/4	76,512	11 1/4	62,142
11 1/2	195,271	11 1/2	180,406	11 1/2	164,512	11 1/2	150,636	11 1/2	135,751	11 1/2	120,865	11 1/2	105,977	11 1/2	91,089	11 1/2	76,202	11 1/2	61,848
11 3/4	194,963	11 3/4	180,096	11 3/4	164,201	11 3/4	150,326	11 3/4	135,441	11 3/4	120,555	11 3/4	105,667	11 3/4	90,779	11 3/4	75,891	11 3/4	61,554

SHEET 1 OF 10 SHEETS

GAGE LOCATION IS CENTERED PORT TO STARBOARD AND
FORWARD TO AFT.

DATE OF ISSUE - MARCH 9, 1993

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

COMPUTED BY: JMW 03/08/93
CHECKED BY: SJM 03/08/93
STRAPPED BY: P.B.-J.M.-CA 03/04/93

SAYBOLT INC.

John J. Saybolt

1 PORT

GAGE HEIGHT - 15'-3 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4	75.581	1/4	60.693	1/4	45.806	1/4	30.991	1/4	16.532	1/4	3.399
1/2	75.271	1/2	60.383	1/2	45.496	1/2	30.689	1/2	16.231	1/2	3.160
3/4	74.961	3/4	60.073	3/4	45.186	3/4	30.407	3/4	15.929	3/4	2.921
1	74.651	1	59.762	1	44.876	1	30.115	1	15.631	1	2.686
1 1/4	74.341	1 1/4	59.452	1 1/4	44.566	1 1/4	29.823	1 1/4	15.333	1 1/4	2.450
1 1/2	74.030	1 1/2	59.142	1 1/2	44.256	1 1/2	29.531	1 1/2	15.035	1 1/2	2.215
1 3/4	73.720	1 3/4	58.832	1 3/4	43.946	1 3/4	29.239	1 3/4	14.737	1 3/4	1.980
2	73.410	2	58.522	2	43.636	2	28.947	2	14.443	2	1.759
2 1/4	73.100	2 1/4	58.212	2 1/4	43.325	2 1/4	28.655	2 1/4	14.149	2 1/4	1.538
2 1/2	72.790	2 1/2	57.902	2 1/2	43.015	2 1/2	28.363	2 1/2	13.854	2 1/2	1.318
2 3/4	72.480	2 3/4	57.591	2 3/4	42.705	2 3/4	28.070	2 3/4	13.560	2 3/4	1.097
3	72.169	3	57.281	3	42.395	3	27.778	3	13.269	3	932
3 1/4	71.859	3 1/4	56.971	3 1/4	42.085	3 1/4	27.486	3 1/4	12.978	3 1/4	766
3 1/2	71.549	3 1/2	56.661	3 1/2	41.775	3 1/2	27.194	3 1/2	12.687	3 1/2	601
3 3/4	71.239	3 3/4	56.351	3 3/4	41.465	3 3/4	26.902	3 3/4	12.387	3 3/4	436
4	70.929	4	56.041	4	41.154	4	26.610	4	12.109		
4 1/4	70.619	4 1/4	55.731	4 1/4	40.844	4 1/4	26.318	4 1/4	11.822		
4 1/2	70.308	4 1/2	55.421	4 1/2	40.534	4 1/2	26.026	4 1/2	11.534		
4 3/4	69.998	4 3/4	55.110	4 3/4	40.224	4 3/4	25.734	4 3/4	11.247		
5	69.688	5	54.800	5	39.914	5	25.433	5	10.963		
5 1/4	69.378	5 1/4	54.490	5 1/4	39.604	5 1/4	25.132	5 1/4	10.679		
5 1/2	69.068	5 1/2	54.180	5 1/2	39.294	5 1/2	24.832	5 1/2	10.395		
5 3/4	68.758	5 3/4	53.870	5 3/4	38.984	5 3/4	24.531	5 3/4	10.111		
6	68.447	6	53.560	6	38.673	6	24.222	6	9.830		
6 1/4	68.137	6 1/4	53.250	6 1/4	38.363	6 1/4	23.913	6 1/4	9.550		
6 1/2	67.827	6 1/2	52.939	6 1/2	38.053	6 1/2	23.603	6 1/2	9.270		
6 3/4	67.517	6 3/4	52.629	6 3/4	37.743	6 3/4	23.294	6 3/4	8.989		
7	67.207	7	52.319	7	37.433	7	22.985	7	8.713		
7 1/4	66.896	7 1/4	52.009	7 1/4	37.123	7 1/4	22.676	7 1/4	8.436		
7 1/2	66.586	7 1/2	51.699	7 1/2	36.812	7 1/2	22.367	7 1/2	8.160		
7 3/4	66.276	7 3/4	51.389	7 3/4	36.502	7 3/4	22.057	7 3/4	7.884		
8	65.966	8	51.079	8	36.192	8	21.748	8	7.620		
8 1/4	65.656	8 1/4	50.769	8 1/4	35.882	8 1/4	21.439	8 1/4	7.357		
8 1/2	65.345	8 1/2	50.458	8 1/2	35.572	8 1/2	21.130	8 1/2	7.094		
8 3/4	65.035	8 3/4	50.148	8 3/4	35.262	8 3/4	20.821	8 3/4	6.830		
9	64.725	9	49.838	9	34.951	9	20.512	9	6.580		
9 1/4	64.415	9 1/4	49.528	9 1/4	34.641	9 1/4	20.203	9 1/4	6.330		
9 1/2	64.105	9 1/2	49.218	9 1/2	34.331	9 1/2	19.894	9 1/2	6.080		
9 3/4	63.794	9 3/4	48.908	9 3/4	34.021	9 3/4	19.585	9 3/4	5.830		
10	63.484	10	48.598	10	33.711	10	19.278	10	5.584		
10 1/4	63.174	10 1/4	48.287	10 1/4	33.400	10 1/4	18.970	10 1/4	5.338		
10 1/2	62.864	10 1/2	47.977	10 1/2	33.090	10 1/2	18.662	10 1/2	5.092		
10 3/4	62.554	10 3/4	47.667	10 3/4	32.780	10 3/4	18.355	10 3/4	4.846		
11	62.244	11	47.357	11	32.479	11	18.050	11	4.603		
11 1/4	61.933	11 1/4	47.047	11 1/4	32.178	11 1/4	17.745	11 1/4	4.361		
11 1/2	61.623	11 1/2	46.737	11 1/2	31.877	11 1/2	17.440	11 1/2	4.119		
11 3/4	61.313	11 3/4	46.427	11 3/4	31.575	11 3/4	17.135	11 3/4	3.876		
12	61.003	12	46.117	12	31.283	12	16.834	12	3.637		

DATE OF ISSUE - MARCH 9, 1993

COMPUTED BY: JW 03/08/83
CHECKED BY: SJK 03/08/83
STRAPPED BY: PLB-JAB-CA 03/04/83

SAYBOLT INC.

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE CBC-327
HULL #92-2766

1 STARBOARD

COMPUTED IN U. S. GALLONS

OUTAGE TABLE

GAGE HEIGHT - 15'-3 1/2"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
IN	0	1	2	3	4	5	6	7	8	9
1/4	208.856	194.089	178.234	164.363	149.492	134.620	119.747	104.873	89.999	
1/2	208.551	193.781	178.924	164.053	149.182	134.310	119.437	104.563	89.689	
3/4	207.940	193.165	178.305	163.433	148.562	133.690	118.817	103.943	89.069	
1	207.633	192.858	177.995	163.124	148.252	133.381	118.508	103.633	88.759	
1 1/4	207.327	192.547	177.685	162.814	147.942	133.071	118.198	103.323	88.449	
1 1/2	207.021	192.238	177.375	162.504	147.633	132.761	117.888	103.013	88.139	
1 3/4	206.713	191.928	177.066	162.194	147.323	132.451	117.578	102.704	87.829	
2	206.405	191.618	176.756	161.884	147.013	132.142	117.268	102.394	87.519	
2 1/4	206.097	191.309	176.446	161.575	146.703	131.832	116.958	102.084	87.210	
2 1/2	205.789	190.999	176.136	161.265	146.393	131.522	116.648	101.774	86.900	
2 3/4	205.481	190.689	175.826	160.955	146.083	131.212	116.338	101.464	86.590	
3	205.173	190.379	175.516	160.645	145.774	130.902	116.028	101.154	86.280	
3 1/4	204.865	189.969	175.207	160.335	145.464	130.592	115.719	100.844	85.970	
3 1/2	204.557	189.759	174.897	160.025	145.154	130.283	115.409	100.534	85.660	
3 3/4	204.250	189.450	174.587	159.716	144.844	129.973	115.099	100.225	85.350	
4	203.942	189.140	174.277	159.406	144.534	129.663	114.789	99.915	85.040	
4 1/4	203.634	188.830	173.967	159.096	144.225	129.353	114.479	99.605	84.731	
4 1/2	203.326	188.520	173.658	158.786	143.915	129.043	114.169	99.295	84.421	
4 3/4	203.018	188.210	173.348	158.476	143.605	128.733	113.859	98.985	84.111	
5	202.710	187.901	173.038	158.166	143.295	128.424	113.549	98.675	83.801	
5 1/4	202.402	187.591	172.728	157.857	142.985	128.114	113.240	98.365	83.491	
5 1/2	202.094	187.281	172.418	157.547	142.675	127.804	112.930	98.055	83.181	
5 3/4	201.786	186.971	172.108	157.237	142.366	127.494	112.620	97.746	82.871	
6	201.479	186.662	171.799	156.927	142.056	127.184	112.310	97.436	82.561	
6 1/4	201.171	186.352	171.489	156.617	141.746	126.874	112.000	97.126	82.251	
6 1/2	200.863	186.042	171.179	156.306	141.436	126.564	111.690	96.816	81.942	
6 3/4	200.555	185.733	170.869	155.998	141.126	126.255	111.380	96.506	81.632	
7	200.247	185.424	170.559	155.688	140.817	125.945	111.070	96.196	81.322	
7 1/4	199.939	185.114	170.249	155.378	140.507	125.635	110.761	95.886	81.012	
7 1/2	199.631	184.805	169.940	155.068	140.197	125.325	110.451	95.576	80.702	
7 3/4	199.323	184.496	169.630	154.758	139.887	125.015	110.141	95.266	80.392	
8	199.015	184.186	169.320	154.448	139.577	124.705	109.831	94.957	80.082	
8 1/4	198.708	183.877	169.010	154.139	139.267	124.395	109.521	94.647	79.772	
8 1/2	198.400	183.567	168.700	153.829	138.958	124.085	109.211	94.337	79.463	
8 3/4	198.092	183.258	168.391	153.519	138.648	123.775	108.901	94.027	79.153	
9	197.784	182.949	168.081	153.209	138.338	123.466	108.591	93.717	78.843	
9 1/4	197.476	182.639	167.771	152.899	138.028	123.156	108.281	93.407	78.533	
9 1/2	197.168	182.330	167.461	152.590	137.718	122.846	107.972	93.097	78.223	
9 3/4	196.860	182.020	167.151	152.280	137.409	122.536	107.662	92.782	77.913	
10	196.552	181.711	166.841	151.970	137.099	122.226	107.352	92.472	77.603	
10 1/4	196.244	181.402	166.532	151.660	136.789	121.916	107.042	92.162	77.293	
10 1/2	195.937	181.092	166.222	151.350	136.479	121.606	106.732	91.852	76.984	
10 3/4	195.629	180.783	165.912	151.041	136.169	121.296	106.422	91.548	76.674	
11	195.321	180.473	165.602	150.731	135.859	120.986	106.112	91.238	76.364	
11 1/4	195.013	180.164	165.292	150.421	135.550	120.677	105.802	90.928	76.054	
11 1/2	194.705	179.854	164.983	150.111	135.240	120.367	105.493	90.618	75.744	
11 3/4	194.397	179.544	164.673	149.801	134.930	120.057	105.183	90.308	75.434	

SHEET 3 OF 10 SHEETS

GAGE LOCATION IS CENTERED PORT TO STARBOARD AND
FORWARD TO AFT.

DATE OF ISSUE - MARCH 9, 1993

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

COMPUTED BY: JW 03/08/93
CHECKED BY: SJK 03/08/93
STRAPPED BY: PLB-JAB-CA 03/04/93

SAYBOLT INC.

1 STARBOARD

GAGE HEIGHT - 15'-3 1/2"

SAYBOLT INC

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE CBC-327 **HULL #92-2766**

2 PORT

COMPUTED IN U. S. GALLONS

OUTAGE TABLE

GAGE HEIGHT - 15'-3 1/8"

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	225.589	0	208.803	193.921	178.024	162.128	146.232	130.334	114.435	98.535
1/4	225.272	1/4	209.474	193.558	177.661	161.765	145.869	129.971	114.073	98.173
1/2	224.945	1/2	209.143	193.228	177.326	161.430	145.534	129.635	113.772	97.873
3/4	224.617	3/4	208.813	192.897	176.991	161.094	145.198	129.290	113.431	97.523
1	224.289	1	208.483	192.566	176.656	160.758	144.861	128.947	113.087	97.173
1 1/4	223.961	1 1/4	208.152	192.235	176.321	160.422	144.526	128.602	112.742	96.823
1 1/2	223.632	1 1/2	207.821	191.904	175.987	160.087	144.191	128.257	112.397	96.473
1 3/4	223.302	1 3/4	207.490	191.572	175.652	159.752	143.856	127.912	112.052	96.123
2	222.973	2	207.159	191.241	175.317	159.417	143.521	127.567	111.707	95.773
2 1/4	222.644	2 1/4	206.828	190.910	174.982	159.082	143.186	127.222	111.362	95.423
2 1/2	222.315	2 1/2	206.496	190.579	174.647	158.747	142.851	126.877	111.017	95.073
2 3/4	221.985	2 3/4	206.165	190.248	174.312	158.412	142.516	126.532	110.672	94.723
3	221.656	3	205.833	189.917	173.977	158.077	142.181	126.187	110.327	94.373
3 1/4	221.327	3 1/4	205.503	189.586	173.642	157.742	141.846	125.842	109.982	94.023
3 1/2	220.998	3 1/2	205.172	189.255	173.307	157.407	141.511	125.497	109.637	93.673
3 3/4	220.668	3 3/4	204.841	188.924	172.972	157.072	141.176	125.152	109.292	93.323
4	220.339	4	204.509	188.593	172.637	156.737	140.841	124.807	108.947	92.973
4 1/4	220.010	4 1/4	204.178	188.262	172.302	156.402	140.506	124.462	108.602	92.623
4 1/2	219.681	4 1/2	203.847	187.931	171.967	156.067	140.171	124.117	108.257	92.273
4 3/4	219.351	4 3/4	203.516	187.600	171.632	155.732	139.836	123.772	107.912	91.923
5	219.022	5	203.185	187.269	171.297	155.397	139.501	123.427	107.567	91.573
5 1/4	218.693	5 1/4	202.854	186.938	170.962	155.062	139.166	123.082	107.222	91.223
5 1/2	218.364	5 1/2	202.523	186.607	170.627	154.727	138.831	122.737	106.877	90.873
5 3/4	218.034	5 3/4	202.192	186.276	170.292	154.392	138.496	122.392	106.532	90.523
6	217.705	6	201.861	185.945	169.957	154.057	138.161	122.047	106.187	90.173
6 1/4	217.376	6 1/4	201.530	185.614	169.622	153.722	137.826	121.702	105.842	89.823
6 1/2	217.047	6 1/2	201.199	185.283	169.287	153.387	137.491	121.357	105.497	89.473
6 3/4	216.717	6 3/4	200.868	184.952	168.952	153.052	137.156	121.012	105.152	89.123
7	216.388	7	200.538	184.621	168.617	152.717	136.821	120.667	104.807	88.773
7 1/4	216.059	7 1/4	200.207	184.290	168.282	152.382	136.486	120.322	104.462	88.423
7 1/2	215.730	7 1/2	199.876	183.959	167.947	152.047	136.151	119.977	104.117	88.073
7 3/4	215.400	7 3/4	199.546	183.628	167.612	151.712	135.816	119.632	103.772	87.723
8	215.071	8	199.215	183.297	167.277	151.377	135.481	119.287	103.427	87.373
8 1/4	214.742	8 1/4	198.884	182.966	166.942	151.042	135.146	118.942	103.082	87.023
8 1/2	214.413	8 1/2	198.553	182.635	166.607	150.707	134.811	118.597	102.737	86.673
8 3/4	214.084	8 3/4	198.223	182.304	166.272	150.372	134.476	118.252	102.392	86.323
9	213.754	9	197.892	181.973	165.937	150.037	134.141	117.907	102.047	85.973
9 1/4	213.425	9 1/4	197.561	181.642	165.602	149.702	133.806	117.562	101.702	85.623
9 1/2	213.096	9 1/2	197.230	181.311	165.267	149.367	133.471	117.217	101.357	85.273
9 3/4	212.767	9 3/4	196.899	180.980	164.932	149.032	133.136	116.872	101.012	84.923
10	212.437	10	196.568	180.649	164.597	148.697	132.801	116.527	100.667	84.573
10 1/4	212.108	10 1/4	196.238	180.318	164.262	148.362	132.466	116.182	100.322	84.223
10 1/2	211.779	10 1/2	195.907	180.000	163.927	148.027	132.131	115.837	99.977	83.873
10 3/4	211.450	10 3/4	195.576	179.669	163.592	147.692	131.796	115.492	99.632	83.523
11	211.120	11	195.245	179.338	163.257	147.357	131.461	115.147	99.287	83.173
11 1/4	210.791	11 1/4	194.914	179.007	162.922	147.022	131.126	114.802	98.942	82.823
11 1/2	210.462	11 1/2	194.583	178.676	162.587	146.687	130.791	114.457	98.597	82.473
11 3/4	210.133	11 3/4	194.252	178.345	162.252	146.352	130.456	114.112	98.252	82.123

SHEET 5 OF 10 SHEETS

GAGE LOCATION IS CENTERED PORT TO STARBOARD AND
FORWARD TO AFT.

DATE OF ISSUE - MARCH 9, 1993

COMPUTED BY: JW 03/08/93
CHECKED BY: SLK 03/08/93
STRAPPED BY: P.B.-JAB-CA 03/04/93

SAYBOLT INC.

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES FOR ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

2 Point

GAGE HEIGHT - 15'-3 1/8"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN.	0	IN.	0	IN.	0	IN.	0	IN.	0	IN.	0
0	82.636	0	66.750	0	50.958	0	35.159	0	19.611	0	4.045
1/4	82.305	1/4	66.422	1/4	50.627	1/4	34.846	1/4	19.279	1/4	3.732
1/2	81.974	1/2	66.093	1/2	50.296	1/2	34.532	1/2	18.948	1/2	3.420
3/4	81.643	3/4	65.764	3/4	49.964	3/4	34.219	3/4	18.617	3/4	3.107
1	81.311	1	65.435	1	49.633	1	33.906	1	18.286	1	2.794
1/4	80.980	1/4	65.107	1/4	49.302	1/4	33.593	1/4	17.955	1/4	2.491
1/2	80.649	1/2	64.778	1/2	48.971	1/2	33.280	1/2	17.624	1/2	2.196
3/4	80.318	3/4	64.449	3/4	48.640	3/4	32.967	3/4	17.293	3/4	1.902
2	79.986	2	64.120	2	48.308	2	32.654	2	16.961	2	1.607
1/4	79.655	1/4	63.792	1/4	47.977	1/4	32.340	1/4	16.630	1/4	1.350
1/2	79.324	1/2	63.463	1/2	47.646	1/2	32.027	1/2	16.299	1/2	1.129
3/4	78.993	3/4	63.134	3/4	47.315	3/4	31.714	3/4	15.968	3/4	908
2	78.661	2	62.806	2	46.984	2	31.401	2	15.637	2	888
1/4	78.330	1/4	62.477	1/4	46.652	1/4	31.088	1/4	15.306	1/4	577
1/2	77.999	1/2	62.148	1/2	46.321	1/2	30.775	1/2	14.975		
3/4	77.668	3/4	61.819	3/4	45.990	3/4	30.462	3/4	14.643		
2	77.337	2	61.491	2	45.659	2	30.148	2	14.312		
1/4	77.005	1/4	61.162	1/4	45.328	1/4	29.831	1/4	13.981		
1/2	76.674	1/2	60.833	1/2	44.996	1/2	29.509	1/2	13.650		
3/4	76.343	3/4	60.505	3/4	44.665	3/4	29.188	3/4	13.319		
2	76.012	2	60.176	2	44.334	2	28.866	2	12.988		
1/4	75.680	1/4	59.847	1/4	44.003	1/4	28.540	1/4	12.657		
1/2	75.349	1/2	59.518	1/2	43.672	1/2	28.210	1/2	12.326		
3/4	75.018	3/4	59.180	3/4	43.340	3/4	27.879	3/4	11.994		
2	74.687	2	58.851	2	43.009	2	27.549	2	11.663		
1/4	74.355	1/4	58.532	1/4	42.678	1/4	27.219	1/4	11.332		
1/2	74.024	1/2	58.203	1/2	42.347	1/2	26.888	1/2	11.001		
3/4	73.693	3/4	57.875	3/4	42.015	3/4	26.558	3/4	10.670		
2	73.361	2	57.546	2	41.684	2	26.228	2	10.339		
1/4	73.030	1/4	57.217	1/4	41.353	1/4	25.898	1/4	10.012		
1/2	72.699	1/2	56.889	1/2	41.022	1/2	25.567	1/2	9.680		
3/4	72.368	3/4	56.560	3/4	40.690	3/4	25.237	3/4	9.368		
2	72.036	2	56.231	2	40.359	2	24.907	2	9.046		
1/4	71.705	1/4	55.902	1/4	40.028	1/4	24.576	1/4	8.729		
1/2	71.374	1/2	55.574	1/2	39.697	1/2	24.245	1/2	8.416		
3/4	71.043	3/4	55.245	3/4	39.365	3/4	23.915	3/4	8.103		
2	70.711	2	54.916	2	39.034	2	23.584	2	7.791		
1/4	70.380	1/4	54.588	1/4	38.703	1/4	23.253	1/4	7.478		
1/2	70.049	1/2	54.259	1/2	38.372	1/2	22.922	1/2	7.166		
3/4	69.718	3/4	53.930	3/4	38.040	3/4	22.591	3/4	6.854		
2	69.386	2	53.601	2	37.709	2	22.260	2	6.542		
1/4	69.056	1/4	53.272	1/4	37.382	1/4	21.929	1/4	6.230		
1/2	68.726	1/2	52.942	1/2	37.060	1/2	21.597	1/2	5.918		
3/4	68.396	3/4	52.612	3/4	36.738	3/4	21.266	3/4	5.605		
2	68.066	2	52.282	2	36.416	2	20.935	2	5.293		
1/4	67.736	1/4	51.892	1/4	36.098	1/4	20.604	1/4	4.981		
1/2	67.408	1/2	51.620	1/2	35.785	1/2	20.273	1/2	4.669		
3/4	67.079	3/4	51.289	3/4	35.472	3/4	19.942	3/4	4.357		

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE CBC-327
HULL #92-2766

2 STARBOARD

COMPUTED IN U. S. GALLONS

OUTAGE TABLE

GAGE HEIGHT - 15'-3 1/4"

IN.	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
1/2	226.377	210.540	194.614	178.675	162.735	146.795	130.853	114.910	98.968	
1/4	226.050	210.210	194.282	178.342	162.403	146.463	130.521	114.578	98.636	
1/2	225.721	209.878	193.950	178.010	162.071	146.131	130.189	114.246	98.303	
3/4	225.393	209.547	193.618	177.678	161.738	145.799	129.857	113.914	97.971	
1	225.064	209.216	193.286	177.346	161.406	145.467	129.525	113.582	97.639	
1/4	224.736	208.885	192.954	177.014	161.074	145.134	129.193	113.250	97.307	
1/2	224.405	208.553	192.622	176.682	160.742	144.802	128.860	112.918	96.975	
3/4	224.075	208.221	192.290	176.350	160.410	144.470	128.528	112.585	96.643	
2	223.745	207.889	191.958	176.018	160.078	144.138	128.196	112.253	96.311	
1/4	223.415	207.557	191.626	175.686	159.746	143.806	127.864	111.921	95.978	
1/2	223.085	207.225	191.294	175.354	159.414	143.474	127.532	111.589	95.646	
3/4	222.755	206.893	190.962	175.022	159.082	143.142	127.200	111.257	95.314	
1	222.425	206.561	190.629	174.690	158.750	142.810	126.868	110.925	94.982	
1/4	222.094	206.228	190.297	174.358	158.418	142.478	126.535	110.593	94.650	
1/2	221.764	205.896	189.965	174.025	158.086	142.146	126.203	110.260	94.318	
3/4	221.434	205.564	189.633	173.693	157.753	141.814	125.871	109.928	93.986	
2	221.104	205.232	189.301	173.361	157.421	141.482	125.539	109.596	93.653	
1/4	220.774	204.900	188.969	173.029	157.089	141.149	125.207	109.264	93.321	
1/2	220.444	204.568	188.637	172.697	156.757	140.817	124.875	108.932	92.989	
3/4	220.114	204.236	188.305	172.365	156.425	140.485	124.543	108.600	92.657	
1	219.783	203.904	187.973	172.033	156.093	140.153	124.210	108.268	92.325	
1/4	219.453	203.572	187.641	171.701	155.761	139.821	123.878	107.935	91.993	
1/2	219.123	203.240	187.309	171.369	155.429	139.489	123.546	107.603	91.661	
3/4	218.793	202.908	186.977	171.037	155.097	139.157	123.214	107.271	91.328	
2	218.463	202.576	186.645	170.705	154.765	138.825	122.882	106.939	90.996	
1/4	218.133	202.244	186.312	170.373	154.433	138.492	122.550	106.607	90.664	
1/2	217.803	201.913	185.980	170.040	154.101	138.160	122.218	106.275	90.332	
3/4	217.473	201.581	185.648	169.708	153.769	137.828	121.885	105.943	90.000	
1	217.142	201.249	185.316	169.376	153.436	137.496	121.553	105.611	89.668	
1/4	216.812	200.918	184.984	169.044	153.104	137.164	121.221	105.278	89.336	
1/2	216.482	200.586	184.652	168.712	152.772	136.832	120.889	104.946	89.003	
3/4	216.152	200.255	184.320	168.380	152.440	136.500	120.557	104.614	88.671	
2	215.822	199.923	183.988	168.048	152.108	136.167	120.225	104.282	88.339	
1/4	215.492	199.591	183.656	167.716	151.776	135.835	119.893	103.950	88.007	
1/2	215.162	199.260	183.324	167.384	151.444	135.503	119.560	103.618	87.675	
3/4	214.831	198.928	182.992	167.052	151.112	135.171	119.228	103.286	87.343	
1	214.501	198.596	182.660	166.720	150.780	134.839	118.896	102.953	87.011	
1/4	214.171	198.265	182.327	166.388	150.448	134.507	118.564	102.621	86.678	
1/2	213.841	197.933	181.995	166.056	150.116	134.175	118.232	102.289	86.346	
3/4	213.511	197.601	181.663	165.723	149.784	133.842	117.900	101.957	86.014	
2	213.181	197.270	181.331	165.391	149.451	133.510	117.568	101.625	85.682	
1/4	212.851	196.938	180.999	165.059	149.119	133.178	117.235	101.293	85.350	
1/2	212.520	196.606	180.667	164.727	148.787	132.846	116.903	100.961	85.018	
3/4	212.190	196.274	180.335	164.395	148.455	132.514	116.571	100.628	84.686	
1	211.860	195.943	180.003	164.063	148.123	132.182	116.239	100.296	84.354	
1/4	211.530	195.611	179.671	163.731	147.791	131.850	115.907	99.964	84.021	
1/2	211.200	195.279	179.339	163.399	147.459	131.517	115.575	99.632	83.689	
3/4	210.870	194.947	179.007	163.067	147.127	131.185	115.243	99.300	83.357	

SHEET 7 OF 10 SHEETS

GAGE LOCATION IS CENTERED PORT TO STARBOARD AND
FORWARD TO AFT.

DATE OF ISSUE - MARCH 9, 1993

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

COMPUTED BY: JW
CHECKED BY: SKK
STRAPPED BY: PLB-JAB-CA 03/04/93

SAYBOLT INC.

2 STARBOARD

GAGE HEIGHT - 15'-3 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
0	83.025	0	67.094	0	51.260	0	35.409	0	19.829	0	4.212
1/4	82.693	1/4	66.764	1/4	50.928	1/4	35.095	1/4	19.497	1/4	3.889
1/2	82.361	1/2	66.435	1/2	50.596	1/2	34.781	1/2	19.165	1/2	3.585
3/4	82.029	3/4	66.105	3/4	50.264	3/4	34.467	3/4	18.832	3/4	3.272
1	81.696	1	65.776	1	49.932	1	34.153	1	18.500	1	2.959
1/4	81.364	1/4	65.446	1/4	49.600	1/4	33.839	1/4	18.168	1/4	2.645
1/2	81.032	1/2	65.116	1/2	49.268	1/2	33.525	1/2	17.836	1/2	2.350
3/4	80.700	3/4	64.787	3/4	48.935	3/4	33.211	3/4	17.504	3/4	2.055
2	80.368	2	64.457	2	48.603	2	32.897	2	17.172	2	1.780
1/4	80.036	1/4	64.128	1/4	48.271	1/4	32.584	1/4	16.840	1/4	1.464
1/2	79.704	1/2	63.798	1/2	47.939	1/2	32.270	1/2	16.508	1/2	1.243
3/4	79.371	3/4	63.468	3/4	47.607	3/4	31.956	3/4	16.176	3/4	1.022
3	79.039	3	63.139	3	47.275	3	31.642	3	15.844	3	800
1/4	78.707	1/4	62.809	1/4	46.943	1/4	31.328	1/4	15.512	1/4	579
1/2	78.375	1/2	62.480	1/2	46.611	1/2	31.014	1/2	15.180		
3/4	78.043	3/4	62.150	3/4	46.279	3/4	30.700	3/4	14.848		
4	77.711	4	61.820	4	45.946	4	30.386	4	14.516		
1/4	77.379	1/4	61.491	1/4	45.614	1/4	30.072	1/4	14.184		
1/2	77.046	1/2	61.161	1/2	45.282	1/2	29.750	1/2	13.852		
3/4	76.714	3/4	60.831	3/4	44.950	3/4	29.427	3/4	13.520		
5	76.382	5	60.502	5	44.618	5	29.104	5	13.188		
1/4	76.050	1/4	60.172	1/4	44.286	1/4	28.782	1/4	12.856		
1/2	75.718	1/2	59.843	1/2	43.954	1/2	28.451	1/2	12.524		
3/4	75.386	3/4	59.513	3/4	43.622	3/4	28.120	3/4	12.192		
6	75.053	6	59.183	6	43.290	6	27.788	6	11.860		
1/4	74.721	1/4	58.854	1/4	42.957	1/4	27.457	1/4	11.527		
1/2	74.389	1/2	58.524	1/2	42.625	1/2	27.126	1/2	11.195		
3/4	74.057	3/4	58.195	3/4	42.293	3/4	26.795	3/4	10.863		
7	73.725	7	57.865	7	41.961	7	26.464	7	10.531		
1/4	73.393	1/4	57.535	1/4	41.629	1/4	26.132	1/4	10.199		
1/2	73.060	1/2	57.206	1/2	41.297	1/2	25.801	1/2	9.876		
3/4	72.728	3/4	56.876	3/4	40.965	3/4	25.470	3/4	9.553		
8	72.396	8	56.547	8	40.632	8	25.139	8	9.231		
1/4	72.064	1/4	56.217	1/4	40.300	1/4	24.808	1/4	8.908		
1/2	71.732	1/2	55.887	1/2	39.968	1/2	24.476	1/2	8.594		
3/4	71.400	3/4	55.558	3/4	39.636	3/4	24.144	3/4	8.281		
9	71.067	9	55.228	9	39.304	9	23.813	9	7.967		
1/4	70.735	1/4	54.898	1/4	38.972	1/4	23.481	1/4	7.654		
1/2	70.403	1/2	54.569	1/2	38.639	1/2	23.149	1/2	7.341		
3/4	70.071	3/4	54.239	3/4	38.307	3/4	22.817	3/4	7.028		
10	69.739	10	53.910	10	37.975	10	22.485	10	6.715		
1/4	69.407	1/4	53.580	1/4	37.643	1/4	22.153	1/4	6.402		
1/2	69.076	1/2	53.249	1/2	37.320	1/2	21.821	1/2	6.089		
3/4	68.745	3/4	52.918	3/4	36.997	3/4	21.489	3/4	5.776		
11	68.414	11	52.587	11	36.674	11	21.157	11	5.463		
1/4	68.083	1/4	52.257	1/4	36.351	1/4	20.825	1/4	5.151		
1/2	67.753	1/2	51.924	1/2	36.027	1/2	20.493	1/2	4.838		
3/4	67.422	3/4	51.592	3/4	35.723	3/4	20.161	3/4	4.525		

GAGE LOCATION IS CENTERED PORT TO STARBOARD AND FORWARD TO AFT.

COMPUTED BY: JW 03/08/83
CHECKED BY: SJK 03/08/83
STRAPPED BY: PLB-JAB-CA 03/04/83

SAYBOLT INC.

SAYBOLT INC.
East Coast Headquarters
400 Swenson Drive
Kenilworth, N. J. 07033

BARGE CBC-327
HULL #92-2766

3 CENTER

COMPUTED IN U. S. GALLONS

OUTAGE TABLE

GAGE HEIGHT - 15'-8 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	349.862	0	333.124	0	316.286	0	299.389	0	282.496	0	265.613	0	248.734	0	231.865	0	215.007	0	198.162
1/4	349.517	1/4	332.774	1/4	315.914	1/4	299.037	1/4	282.144	1/4	265.262	1/4	248.383	1/4	231.514	1/4	214.656	1/4	197.811
1/2	349.170	1/2	332.424	1/2	315.562	1/2	298.685	1/2	281.792	1/2	264.912	1/2	248.033	1/2	231.164	1/2	214.306	1/2	197.464
3/4	348.822	3/4	332.074	3/4	315.210	3/4	298.333	3/4	281.440	3/4	264.561	3/4	247.682	3/4	230.814	3/4	213.956	3/4	197.122
1	348.475	1	331.724	1	314.858	1	297.982	1	281.088	1	264.211	1	247.332	1	230.464	1	213.606	1	196.780
1/4	348.128	1/4	331.374	1/4	314.506	1/4	297.630	1/4	280.736	1/4	263.861	1/4	246.982	1/4	230.114	1/4	213.256	1/4	196.432
1/2	347.780	1/2	331.024	1/2	314.154	1/2	297.278	1/2	280.384	1/2	263.510	1/2	246.632	1/2	229.764	1/2	212.906	1/2	196.084
3/4	347.433	3/4	330.675	3/4	313.802	3/4	296.926	3/4	280.032	3/4	263.160	3/4	246.284	3/4	229.408	3/4	212.556	3/4	195.736
2	347.085	2	330.325	2	313.450	2	296.574	2	279.680	2	262.809	2	245.932	2	229.056	2	212.208	2	195.388
1/4	346.738	1/4	329.975	1/4	313.098	1/4	296.222	1/4	279.328	1/4	262.459	1/4	245.580	1/4	228.704	1/4	211.856	1/4	195.040
1/2	346.391	1/2	329.625	1/2	312.746	1/2	295.870	1/2	278.976	1/2	262.109	1/2	245.230	1/2	228.352	1/2	211.508	1/2	194.692
3/4	346.043	3/4	329.275	3/4	312.394	3/4	295.518	3/4	278.624	3/4	261.758	3/4	244.879	3/4	227.996	3/4	211.160	3/4	194.344
3	345.696	3	328.925	3	312.042	3	295.166	3	278.272	3	261.408	3	244.531	3	227.648	3	210.812	3	194.000
1/4	345.349	1/4	328.575	1/4	311.691	1/4	294.814	1/4	277.920	1/4	261.057	1/4	244.182	1/4	227.300	1/4	210.464	1/4	193.652
1/2	345.001	1/2	328.228	1/2	311.339	1/2	294.462	1/2	277.568	1/2	260.707	1/2	243.834	1/2	226.952	1/2	210.116	1/2	193.304
3/4	344.654	3/4	327.876	3/4	310.988	3/4	294.110	3/4	277.216	3/4	260.357	3/4	243.486	3/4	226.604	3/4	209.768	3/4	192.956
4	344.306	4	327.526	4	310.637	4	293.758	4	276.864	4	260.006	4	243.138	4	226.256	4	209.420	4	192.608
1/4	343.959	1/4	327.175	1/4	310.286	1/4	293.406	1/4	276.512	1/4	259.656	1/4	242.788	1/4	225.908	1/4	209.072	1/4	192.260
1/2	343.612	1/2	326.823	1/2	309.935	1/2	293.054	1/2	276.161	1/2	259.305	1/2	242.439	1/2	225.560	1/2	208.724	1/2	191.912
3/4	343.264	3/4	326.472	3/4	309.584	3/4	292.702	3/4	275.809	3/4	258.955	3/4	242.090	3/4	225.212	3/4	208.376	3/4	191.564
5	342.917	5	326.120	5	309.233	5	292.350	5	275.457	5	258.604	5	241.742	5	224.864	5	208.028	5	191.216
1/4	342.569	1/4	325.768	1/4	308.882	1/4	291.998	1/4	275.105	1/4	258.254	1/4	241.395	1/4	224.516	1/4	207.680	1/4	190.868
1/2	342.219	1/2	325.416	1/2	308.530	1/2	291.646	1/2	274.753	1/2	257.904	1/2	241.047	1/2	224.168	1/2	207.332	1/2	190.520
3/4	341.870	3/4	325.065	3/4	308.179	3/4	291.294	3/4	274.401	3/4	257.552	3/4	240.700	3/4	223.820	3/4	206.984	3/4	190.172
6	341.520	6	324.713	6	307.828	6	290.942	6	274.049	6	257.203	6	240.357	6	223.468	6	206.636	6	189.824
1/4	341.171	1/4	324.361	1/4	307.477	1/4	290.591	1/4	273.697	1/4	256.852	1/4	240.006	1/4	223.116	1/4	206.288	1/4	189.476
1/2	340.821	1/2	324.009	1/2	307.126	1/2	290.239	1/2	273.345	1/2	256.502	1/2	239.656	1/2	222.764	1/2	205.940	1/2	189.128
3/4	340.471	3/4	323.657	3/4	306.775	3/4	289.887	3/4	272.993	3/4	256.150	3/4	239.308	3/4	222.412	3/4	205.592	3/4	188.780
7	340.121	7	323.305	7	306.424	7	289.535	7	272.641	7	255.801	7	238.960	7	222.068	7	205.244	7	188.432
1/4	339.771	1/4	322.953	1/4	306.073	1/4	289.183	1/4	272.289	1/4	255.451	1/4	238.608	1/4	221.720	1/4	204.896	1/4	188.084
1/2	339.421	1/2	322.601	1/2	305.722	1/2	288.831	1/2	271.937	1/2	255.100	1/2	238.256	1/2	221.368	1/2	204.548	1/2	187.736
3/4	339.071	3/4	322.249	3/4	305.371	3/4	288.479	3/4	271.585	3/4	254.750	3/4	237.904	3/4	221.020	3/4	204.200	3/4	187.388
8	338.722	8	321.897	8	305.020	8	288.127	8	271.233	8	254.400	8	237.552	8	220.672	8	203.852	8	187.040
1/4	338.372	1/4	321.545	1/4	304.668	1/4	287.775	1/4	270.881	1/4	254.049	1/4	237.200	1/4	220.324	1/4	203.504	1/4	186.692
1/2	338.022	1/2	321.193	1/2	304.316	1/2	287.423	1/2	270.529	1/2	253.699	1/2	236.852	1/2	219.976	1/2	203.156	1/2	186.344
3/4	337.672	3/4	320.841	3/4	303.964	3/4	287.071	3/4	270.177	3/4	253.348	3/4	236.500	3/4	219.628	3/4	202.808	3/4	186.000
9	337.322	9	320.489	9	303.613	9	286.719	9	269.825	9	252.998	9	236.152	9	219.280	9	202.460	9	185.652
1/4	336.972	1/4	320.137	1/4	303.261	1/4	286.367	1/4	269.473	1/4	252.647	1/4	235.804	1/4	218.932	1/4	202.112	1/4	185.304
1/2	336.622	1/2	319.785	1/2	302.909	1/2	286.015	1/2	269.121	1/2	252.297	1/2	235.456	1/2	218.584	1/2	201.764	1/2	184.956
3/4	336.272	3/4	319.433	3/4	302.557	3/4	285.663	3/4	268.770	3/4	251.946	3/4	235.108	3/4	218.236	3/4	201.416	3/4	184.608
10	335.923	10	319.081	10	302.205	10	285.311	10	268.418	10	251.596	10	234.764	10	217.888	10	201.068	10	184.260
1/4	335.573	1/4	318.729	1/4	301.853	1/4	284.959	1/4	268.066	1/4	251.245	1/4	234.416	1/4	217.540	1/4	200.720	1/4	183.912
1/2	335.223	1/2	318.377	1/2	301.501	1/2	284.607	1/2	267.716	1/2	250.895	1/2	234.068	1/2	217.192	1/2	200.372	1/2	183.564
3/4	334.873	3/4	318.025	3/4	301.149	3/4	284.255	3/4	267.365	3/4	250.543	3/4	233.720	3/4	216.844	3/4	200.024	3/4	183.216
11	334.523	11	317.674	11	300.797	11	283.903	11	267.014	11	250.194	11	233.372	11	216.496	11	199.676	11	182.868
1/4	334.173	1/4	317.322	1/4	300.445	1/4	283.552	1/4	266.663	1/4	249.843	1/4	233.024	1/4	216.148	1/4	199.328	1/4	182.520
1/2	333.823	1/2	316.970	1/2	300.093	1/2	283.200	1/2	266.313	1/2	249.491	1/2	232.676	1/2	215.800	1/2	198.980	1/2	182.172
3/4	333.474	3/4	316.618	3/4	299.741	3/4	282.848	3/4	265.963	3/4	249.141	3/4	232.328	3/4	215.452	3/4	198.632	3/4	181.824

SHEET 9 OF 10 SHEETS

GAGE LOCATION IS 1'-3" FROM CENTERLINE BULKHEAD
AND CENTERED FORWARD TO AFT.

DATE OF ISSUE - MARCH 9, 1993

THIS CHART IS CERTIFIED FOR THIS TANK ONLY. NO CHANGES OF ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY.

COMPUTED BY: JLV 03/08/93
CHECKED BY: SKK 03/08/93
STRAPPED BY: PJB-JAB-CA 03/04/93
SAYBOLT INC.

3 CENTER

GAGE HEIGHT - 15'-8 1/8"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.	
IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.	IN.
162.422	0	132.792	0	103.159	0	74.346	0	45.578	0	16.035	
161.806	1/4	132.175	1/4	102.550	1/4	73.730	1/4	44.961	1/4	15.450	
161.190	1/2	131.558	1/2	101.949	1/2	73.115	1/2	44.344	1/2	14.868	
160.575	3/4	130.940	3/4	101.349	3/4	72.499	3/4	43.727	3/4	14.286	
159.959	1	130.323	1	100.748	1	71.884	1	43.109	1	13.704	
159.343	1/4	129.706	1/4	100.149	1/4	71.268	1/4	42.492	1/4	13.123	
158.727	1/2	129.088	1/2	99.551	1/2	70.653	1/2	41.874	1/2	12.541	
158.112	3/4	128.471	3/4	98.954	3/4	70.027	3/4	41.256	3/4	11.959	
157.496	2	127.853	2	98.356	2	69.422	2	40.639	2	11.378	
156.879	1/4	127.236	1/4	97.759	1/4	68.820	1/4	40.021	1/4	10.796	
156.262	1/2	126.619	1/2	97.161	1/2	68.232	1/2	39.404	1/2	10.215	
155.644	3/4	126.001	3/4	96.564	3/4	67.644	3/4	38.786	3/4	9.633	
155.027	1	125.384	1	95.966	1	67.056	1	38.168	1	9.052	
154.409	1/4	124.767	1/4	95.369	1/4	66.470	1/4	37.551	1/4	8.470	
153.791	1/2	124.149	1/2	94.771	1/2	65.887	1/2	36.933	1/2	7.888	
153.174	3/4	123.532	3/4	94.174	3/4	65.305	3/4	36.315	3/4	7.307	
152.556	1	122.915	1	93.576	1	64.722	1	35.698	1	6.725	
151.938	1/4	122.297	1/4	92.978	1/4	64.139	1/4	35.080	1/4	6.143	
151.320	1/2	121.680	1/2	92.381	1/2	63.556	1/2	34.462	1/2	5.560	
150.702	3/4	121.063	3/4	91.783	3/4	62.974	3/4	33.845	3/4	4.977	
150.084	1	120.445	1	91.186	1	62.391	1	33.227	1	4.394	
149.467	1/4	119.828	1/4	90.588	1/4	61.808	1/4	32.610	1/4	3.840	
148.849	1/2	119.210	1/2	89.991	1/2	61.225	1/2	31.992	1/2	3.315	
148.231	3/4	118.593	3/4	89.393	3/4	60.642	3/4	31.374	3/4	2.789	
147.613	1	117.976	1	88.796	1	60.060	1	30.757	1	2.263	
146.995	1/4	117.358	1/4	88.198	1/4	59.477	1/4	30.139	1/4	1.830	
146.378	1/2	116.741	1/2	87.601	1/2	58.894	1/2	29.521	1/2	1.488	
145.760	3/4	116.124	3/4	87.004	3/4	58.311	3/4	28.904	3/4	1.147	
145.142	1	115.506	1	86.408	1	57.728	1	28.286	1	805	
144.524	1/4	114.889	1/4	85.811	1/4	57.146	1/4	27.669	1/4	587	
143.906	1/2	114.272	1/2	85.214	1/2	56.563	1/2	27.051	1/2	431	
143.288	3/4	113.654	3/4	84.617	3/4	55.980	3/4	26.433	3/4	295	
142.671	1	113.037	1	84.020	1	55.397	1	25.816	1	160	
142.053	1/4	112.420	1/4	83.423	1/4	54.801	1/4	25.198	1/4	92	
141.436	1/2	111.802	1/2	82.827	1/2	54.190	1/2	24.580			
140.818	3/4	111.185	3/4	82.230	3/4	53.579	3/4	23.963			
140.201	1	110.567	1	81.634	1	52.968	1	23.345			
139.583	1/4	109.950	1/4	81.037	1/4	52.356	1/4	22.728			
138.966	1/2	109.333	1/2	80.440	1/2	51.739	1/2	22.110			
138.349	3/4	108.715	3/4	79.844	3/4	51.123	3/4	21.492			
137.731	1	108.098	1	79.247	1	50.507	1	20.875			
137.114	1/4	107.481	1/4	78.643	1/4	49.891	1/4	20.257			
136.496	1/2	106.863	1/2	78.030	1/2	49.274	1/2	19.639			
135.879	3/4	106.246	3/4	77.418	3/4	48.658	3/4	19.022			
135.262	1	105.629	1	76.806	1	48.042	1	18.404			
134.644	1/4	105.011	1/4	76.192	1/4	47.426	1/4	17.801			
134.027	1/2	104.394	1/2	75.576	1/2	46.810	1/2	17.212			
133.410	3/4	103.777	3/4	74.961	3/4	46.194	3/4	16.624			

GAGE LOCATION IS 1'-3" FROM CENTERLINE BULKHEAD AND CENTERED FORWARD TO AFT.

THIS CHART IS CERTIFIED FOR THIS TANK ONLY NO CHANGES OF ANY
KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF THE COMPANY

COMPLETED BY: JW 03/08/03
CHECKED BY: SJW 03/08/03
STRAPPED BY: PLB-JAB-CA 03/04/03

SAVBOLT INC.

SAYBOLT INC