



BARGE "CBC-334"

CANAL BARGE COMPANY

HULL NO. 4334

CORRECTION TABLE FOR TRIM AFT.			
FOR INNAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 5/8"	(-) 0' - 3 5/8"	(+) 0' - 3 5/8"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 1/2"	(-) 0' - 5 1/2"	(+) 0' - 5 1/2"
3'-6"	(-) 0' - 6 1/2"	(-) 0' - 6 1/2"	(+) 0' - 6 1/2"
4'-0"	(-) 0' - 7 3/8"	(-) 0' - 7 3/8"	(+) 0' - 7 3/8"
4'-6"	(-) 0' - 8 1/4"	(-) 0' - 8 1/4"	(+) 0' - 8 1/4"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 5/24/99 BY: 

INSPECTORATE AMERICA CORPORATION



ISO 9002 ACCREDITED

BARGE "CBC-334"
CANAL BARGE COMPANY
INNAGE TABLE

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4334

TANK NO.

1 PORT OR STAR

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		
M	0	M	1	M	2	M	3	M	4	M	5	M	6	M	7	M	8	M	9	M	10	M	11	M	12	M	13	M	14	
0	69	0	14.464	0	31.384	0	48.336	0	65.320	0	82.318	0	99.315	0	116.313	0	133.311	0	150.309	0	167.306	0	184.304	0	201.343	0	218.341	0	235.339	0
1	113	1	14.814	1	31.738	1	48.679	1	65.674	1	82.672	1	99.669	1	116.667	1	133.665	1	150.663	1	167.660	1	184.658	1	201.697	1	218.695	1	235.693	1
2	157	2	15.173	2	32.092	2	49.032	2	66.028	2	83.026	2	100.024	2	117.021	2	134.019	2	151.017	2	168.015	2	185.012	2	202.051	2	219.049	2	236.047	2
3	201	3	15.527	3	32.446	3	49.384	3	66.382	3	83.380	3	100.378	3	117.375	3	134.373	3	151.371	3	168.369	3	185.366	3	202.405	3	219.403	3	236.401	3
4	245	4	15.881	4	32.800	4	49.738	4	66.736	4	83.734	4	100.732	4	117.729	4	134.727	4	151.725	4	168.723	4	185.721	4	202.760	4	219.758	4	236.756	4
5	289	5	16.235	5	33.155	5	50.093	5	67.090	5	84.088	5	101.086	5	118.084	5	135.081	5	152.079	5	169.077	5	186.075	5	203.114	5	220.112	5	237.110	5
6	333	6	16.589	6	33.509	6	50.447	6	67.444	6	84.442	6	101.440	6	118.438	6	135.435	6	152.433	6	169.431	6	186.429	6	203.468	6	220.466	6	237.464	6
7	377	7	16.943	7	33.863	7	50.801	7	67.799	7	84.796	7	101.794	7	118.792	7	135.789	7	152.787	7	169.785	7	186.783	7	203.822	7	220.820	7	237.818	7
8	421	8	17.297	8	34.217	8	51.155	8	68.153	8	85.150	8	102.148	8	119.146	8	136.144	8	153.142	8	170.139	8	187.137	8	204.176	8	221.174	8	238.172	8
9	465	9	17.652	9	34.571	9	51.509	9	68.507	9	85.505	9	102.502	9	119.500	9	136.498	9	153.496	9	170.493	9	187.491	9	204.530	9	221.528	9	238.526	9
10	509	10	18.006	10	34.925	10	51.863	10	68.861	10	85.859	10	102.856	10	119.854	10	136.852	10	153.850	10	170.848	10	187.846	10	204.885	10	221.883	10	238.881	10
11	553	11	18.360	11	35.279	11	52.217	11	69.215	11	86.213	11	103.211	11	120.208	11	137.206	11	154.204	11	171.202	11	188.200	11	205.239	11	222.237	11	239.235	11
12	597	12	18.714	12	35.632	12	52.571	12	69.569	12	86.567	12	103.565	12	120.562	12	137.560	12	154.558	12	171.556	12	188.554	12	205.593	12	222.591	12	239.589	12
13	641	13	19.068	13	35.985	13	52.926	13	69.923	13	86.921	13	103.919	13	120.917	13	137.914	13	154.912	13	171.910	13	188.908	13	205.947	13	222.945	13	240.000	13
14	685	14	19.422	14	36.337	14	53.280	14	70.277	14	87.275	14	104.273	14	121.271	14	138.268	14	155.266	14	172.264	14	189.262	14	206.301	14	223.299	14	240.352	14
15	729	15	19.776	15	36.690	15	53.634	15	70.632	15	87.630	15	104.627	15	121.625	15	138.623	15	155.620	15	172.618	15	189.616	15	206.651	15	223.649	15	240.693	15
16	773	16	20.124	16	37.042	16	53.988	16	70.986	16	87.983	16	104.981	16	121.979	16	139.077	16	155.974	16	172.972	16	189.970	16	206.990	16	223.988	16	241.030	16
17	817	17	20.471	17	37.395	17	54.342	17	71.340	17	88.338	17	105.335	17	122.333	17	139.331	17	156.329	17	173.326	17	190.324	17	207.363	17	224.361	17	241.403	17
18	861	18	20.819	18	37.748	18	54.696	18	71.694	18	88.692	18	105.689	18	122.687	18	139.685	18	156.683	18	173.680	18	190.678	18	207.702	18	224.700	18	241.745	18
19	905	19	21.167	19	38.100	19	55.050	19	72.048	19	89.046	19	106.044	19	123.035	19	140.033	19	157.031	19	174.029	19	191.027	19	208.066	19	225.064	19	242.187	19
20	949	20	21.514	20	38.453	20	55.404	20	72.402	20	89.400	20	106.398	20	123.385	20	140.383	20	157.381	20	174.380	20	191.378	20	208.415	20	225.413	20	242.530	20
21	993	21	21.862	21	38.806	21	55.758	21	72.756	21	89.754	21	106.752	21	123.730	21	140.727	21	157.725	21	174.723	21	191.721	21	208.750	21	225.748	21	242.877	21
22	1037	22	22.209	22	39.158	22	56.113	22	73.110	22	90.108	22	107.106	22	124.074	22	141.071	22	158.069	22	175.067	22	192.065	22	209.094	22	226.092	22	243.224	22
23	1081	23	22.557	23	39.511	23	56.467	23	73.465	23	90.462	23	107.460	23	124.428	23	141.426	23	158.423	23	175.421	23	192.419	23	209.443	23	226.441	23	243.571	23
24	1125	24	22.905	24	39.863	24	56.821	24	73.819	24	90.816	24	107.814	24	124.781	24	141.780	24	158.776	24	175.769	24	192.767	24	209.787	24	226.785	24	243.918	24
25	1169	25	23.252	25	40.216	25	57.175	25	74.173	25	91.171	25	108.168	25	125.130	25	142.129	25	159.122	25	176.120	25	193.118	25	210.147	25	227.145	25	244.265	25
26	1213	26	23.600	26	40.569	26	57.529	26	74.527	26	91.525	26	108.522	26	125.484	26	142.482	26	159.476	26	176.473	26	193.471	26	210.490	26	227.488	26	244.612	26
27	1257	27	23.947	27	40.921	27	57.883	27	74.881	27	91.879	27	108.877	27	125.837	27	142.835	27	159.829	27	176.826	27	193.819	27	210.833	27	227.831	27	244.959	27
28	1301	28	24.292	28	41.274	28	58.237	28	75.235	28	92.233	28	109.231	28	126.190	28	143.190	28	160.182	28	177.180	28	194.178	28	211.176	28	228.174	28	245.306	28
29	1345	29	24.639	29	41.627	29	58.591	29	75.589	29	92.587	29	109.585	29	126.543	29	143.540	29	160.537	29	177.527	29	194.525	29	211.523	29	228.521	29	245.653	29
30	1389	30	24.986	30	41.979	30	58.946	30	75.943	30	92.941	30	109.939	30	126.897	30	143.894	30	160.891	30	177.875	30	194.873	30	211.871	30	228.869	30	245.999	30
31	1433	31	25.334	31	42.332	31	59.300	31	76.297	31	93.295	31	110.293	31	127.251	31	144.249	31	161.246	31	178.220	31	195.218	31	212.216	31	229.214	31	246.346	31
32	1477	32	25.681	32	42.684	32	59.654	32	76.652	32	93.649	32	110.647	32	127.605	32	144.603	32	161.600	32	178.568	32	195.566	32	212.564	32	229.562	32	246.693	32
33	1521	33	26.028	33	43.037	33	60.008	33	77.006	33	94.003	33	111.001	33	127.959	33	144.957	33	161.955	33	178.912	33	195.910	33	212.918	33	229.916	33	247.040	33
34	1565	34	26.376	34	43.390	34	60.362	34	77.360	34	94.358	34	111.355	34	128.313	34	145.311	34	162.309	34	179.266	34	196.264	34	213.262	34	230.260	34	247.387	34
35	1609	35	26.724	35	43.742	35	60.716	35	77.714	35	94.712	35	111.709	35	128.667	35	145.665	35	162.663	35	179.619	35	196.617	35	213.615	35	230.607	35	247.734	35
36	1653	36	27.072	36	44.095	36	61.070	36	78.068	36	95.066	36	112.064	36	129.021	36	146.019	36	163.017	36	180.000	36	197.002	36	214.000	36	230.954	36	248.081	36
37	1697	37	27.420	37	44.448	37	61.424	37	78.422	37	95.414	37	112.418	37	129.375	37	146.373	37	163.371	37	180.352	37	197.350	37	214.348	37	231.299	37	248.428	37
38	1741	38	27.768	38	44.800	38	61.779	38	78.776	38	95.762	38	112.772	38	129.729	38	146.727	38	163.725	38	180.700	38	197.698	38	214.696	38	231.647	38	248.775	38
39	1785	39	28.116	39	45.153	39	62.133	39	79.130	39	96.110	39	113.126	39	130.083	39	147.081	39	164.080	39	181.048	39	198.056	39	215.044	39	232.000	39	249.122	39
40	1829	40	28.464	40	45.505	40	62.487	40	79.485	40	96.458																			



BARGE "CBC-334"
CANAL BARGE COMPANY
INMAGE TABLE

TANK NO.
2 PORT OR STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

FILE NO. 4334

TABLE NO. 2024-03-01-0001														TABLE NO. 2024-03-01-0002														TABLE NO. 2024-03-01-0003													
0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.													
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N												
0	68	0	14,382	0	31,205	0	48,053	0	64,950	0	81,852	0	98,765	0	115,657	0	132,556	0	149,461	0	166,363	0	183,266	0	200,169	0	217,071	0	233,973												
1	112	14,734	14,734	14	31,557	14	48,403	14	65,302	14	82,205	14	99,107	14	116,008	14	132,911	14	149,813	14	166,716	14	183,618	14	200,521	14	217,423	14	234,325												
2	156	15,086	12,909	12	48,754	12	65,657	12	82,559	12	99,462	12	116,365	12	133,268	12	150,171	12	167,073	12	183,976	12	200,878	12	217,781	12	234,683	12	251,585												
3	200	15,438	34	32,261	34	49,104	34	65,970	34	82,873	34	99,776	34	116,679	34	133,582	34	150,485	34	167,387	34	184,290	34	201,192	34	218,095	34	234,997	34	251,900											
4	332	1	15,790	1	32,613	1	49,457	1	66,359	1	83,261	1	100,163	1	117,065	1	133,968	1	150,870	1	167,772	1	184,675	1	201,577	1	218,480	1	235,382												
5	464	14	16,143	14	32,966	14	49,809	14	66,711	14	83,613	14	100,515	14	117,417	14	134,320	14	151,222	14	168,124	14	185,026	14	201,928	14	218,831	14	235,733												
6	596	12	16,495	12	33,318	12	50,161	12	67,063	12	83,965	12	100,867	12	117,770	12	134,672	12	151,574	12	168,476	12	185,378	12	202,280	12	219,183	12	236,085												
7	728	34	16,847	34	33,670	34	50,513	34	67,415	34	84,317	34	101,220	34	118,122	34	135,024	34	151,926	34	168,828	34	185,731	34	202,633	34	219,535	34	236,437												
8	942	2	17,159	2	34,022	2	50,865	2	67,767	2	84,669	2	101,572	2	118,474	2	135,376	2	152,278	2	169,180	2	186,083	2	202,985	2	219,887	2	236,790												
9	1,135	17	17,561	17	34,374	17	51,177	17	68,079	17	84,982	17	101,924	17	118,826	17	135,728	17	152,630	17	169,533	17	186,435	17	203,337	17	220,240	17	237,142												
10	1,369	17	17,903	17	34,726	17	51,569	17	68,472	17	85,374	17	102,276	17	119,178	17	136,080	17	152,982	17	169,885	17	186,787	17	203,689	17	220,591	17	237,494												
11	1,582	34	18,255	34	35,078	34	51,922	34	68,824	34	85,726	34	102,628	34	119,530	34	136,432	34	153,335	34	170,237	34	187,139	34	204,041	34	220,943	34	237,845												
12	1,864	1	18,607	1	35,429	1	52,274	1	69,176	1	86,078	1	102,980	1	119,882	1	136,785	1	153,687	1	170,588	1	187,490	1	204,393	1	221,295	1	238,197												
13	2,185	14	18,960	14	35,780	14	52,626	14	69,528	14																															

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 15'-1 1/2" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

STAR REFERENCE GAUGE HEIGHT : 15' 1/4" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION



ISO 9002 ACCREDITED

BARGE "CBC-334" **CANAL BARGE COMPANY** INNAGE TABLE

TANK NO.
3 PORT OR STAR

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4334

0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57	57	57	57	57	57	57	57
58	58	58	58	58	58	58	58	58	58	58	58	58	58	58
59	59	59	59	59	59	59	59	59	59	59	59	59	59	59
60	60	60	60	60	60	60	60	60	60	60	60	60	60	60
61	61	61	61	61	61	61	61	61	61	61	61	61	61	61
62	62	62	62	62	62	62	62	62	62	62	62	62	62	62
63	63	63	63	63	63	63	63	63	63	63	63	63	63	63
64	64	64	64	64	64	64	64	64	64	64	64	64	64	64
65	65	65	65	65	65	65	65	65	65	65	65	65	65	65
66	66	66	66	66	66	66	66	66	66	66	66	66	66	66
67	67	67	67	67	67	67	67	67	67	67	67	67	67	67
68	68	68	68	68	68	68	68	68	68	68	68	68	68	68
69	69	69	69	69	69	69	69	69	69	69	69	69	69	69
70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
71	71	71	71	71	71	71	71	71	71	71	71	71	71	71
72	72	72	72	72	72	72	72	72	72	72	72	72	72	72
73	73	73	73	73	73	73	73	73	73	73	73	73	73	73
74	74	74	74	74	74	74	74	74	74	74	74	74	74	74
75	75	75	75	75	75	75	75	75	75	75	75	75	75	75
76	76	76	76	76	76	76	76	76	76	76	76	76	76	76
77	77	77	77	77	77	77	77	77	77	77	77	77	77	77
78	78	78	78	78	78	78	78	78	78	78	78	78	78	78
79	79	79	79	79	79	79	79	79	79	79	79	79	79	79
80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
81	81	81	81	81	81	81	81	81	81	81	81	81	81	81
82	82	82	82	82	82	82	82	82	82	82	82	82	82	82
83	83	83	83	83	83	83	83	83	83	83	83	83	83	83
84	84	84	84	84	84	84	84	84	84	84	84	84	84	84
85	85	85	85	85	85	85	85	85	85	85	85	85	85	85
86	86	86	86	86	86	86	86	86	86	86	86	86	86	86
87	87	87	87	87	87	87	87	87	87	87	87	87	87	87
88	88	88	88	88	88	88	88	88	88	88	88	88	88	88
89	89	89	89	89	89	89	89	89	89	89	89	89	89	89
90	90	90	90	90	90	90	90	90	90	90	90	90	90	90
91	91	91	91	91	91	91	91	91	91	91	91	91	91	91
92	92	92	92	92	92	92	92	92	92	92	92	92	92	92
93	93	93	93	93	93	93	93	93	93	93	93	93	93	93
94	94	94	94	94	94	94	94	94	94	94	94	94	94	94
95	95	95	95	95	95	95	95	95	95	95	95	95	95	95
96	96	96	96	96	96	96	96	96	96	96	96	96	96	96
97	97	97	97	97	97	97	97	97	97	97	97	97	97	97
98	98	98	98	98	98	98	98	98	98	98	98	98	98	98
99	99	99	99	99	99	99	99	99	99	99	99	99	99	99
100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-1" RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK

STAR REFERENCE GAUGE HEIGHT: 15'-1 1/4" RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-334"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
1 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4334

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-1 1/4" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

INSPECTORATE
ISO 9002 ACCREDITED

BARGE "CBC-334"
 CANAL BARGE COMPANY
 OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

FILE NO. 4334

0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2		3		4		5		6		7		8		9		10		11		12		13		14		15	
0		1		2																											

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15-1 1/2" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

John

INSPECTORATE
ISO 9002 ACCREDITED

BARGE "CBC-334"
CANAL BARGE COMPANY
OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 433-

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15-1 1/4" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

[Signature]

BARGE "CBC-334"
CANAL BARGE COMPANY
OUTAGE TABLE

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

TANK NO.
3 PORT
HULL NO. 433

[illegible]

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-1" (RIM OF 8" DIAMETER HATCH
LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

INSPECTORATE AMERICA CORPORATION

BARGE "CBC-334"
CANAL BARGE COMPANY
OUTAGE TABLE

MULL NO. 433

[illegible]

REFERENCE GAUGE HEIGHT: 15-1 1/4" (RIM OF 8" DIAMETER HATCH LOCATED ON EXPANSION TRUNK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

R. M. M.