

INSPECTORATE AMERICA CORPORATION

BARGE "CBC-340"

CANAL BARGE COMPANY

HULL NO. 4693

CORRECTION TABLE FOR TRIM AFT.			
FOR INNAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 3/4"	(-) 0' - 3 3/4"	(+) 0' - 3 3/4"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 5/8"	(-) 0' - 5 5/8"	(+) 0' - 5 5/8"
3'-6"	(-) 0' - 6 1/2"	(-) 0' - 6 1/2"	(+) 0' - 6 1/2"
4'-0"	(-) 0' - 7 1/2"	(-) 0' - 7 1/2"	(+) 0' - 7 1/2"
4'-6"	(-) 0' - 8 3/8"	(-) 0' - 8 3/8"	(+) 0' - 8 3/8"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 4/12/09

BY: 

INSPECTORATE AMERICA CORPORATION



BARGE "CBC 340"

FUEL TANK

INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	3,456	0	6,912	0	10,368	0		0		0		0		0		0	
1/4	72	1/4	3,528	1/4	6,984	1/4	10,440	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	3,600	1/2	7,056	1/2	10,512	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	3,672	3/4	7,128	3/4	10,584	3/4		3/4		3/4		3/4		3/4		3/4	
1	288	1	3,744	1	7,200	1	10,656	1		1		1		1		1		1	
1/4	360	1/4	3,816	1/4	7,272	1/4	10,728	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	432	1/2	3,888	1/2	7,344	1/2	10,800	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	504	3/4	3,960	3/4	7,416	3/4	10,872	3/4		3/4		3/4		3/4		3/4		3/4	
2	576	2	4,032	2	7,488	2	10,944	2		2		2		2		2		2	
1/4	648	1/4	4,104	1/4	7,560	1/4	11,016	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	720	1/2	4,176	1/2	7,632	1/2	11,088	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	792	3/4	4,248	3/4	7,704	3/4	11,160	3/4		3/4		3/4		3/4		3/4		3/4	
3	864	3	4,320	3	7,776	3	11,232	3		3		3		3		3		3	
1/4	936	1/4	4,392	1/4	7,848	1/4	11,304	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,008	1/2	4,464	1/2	7,920	1/2	11,376	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,080	3/4	4,536	3/4	7,992	3/4	11,448	3/4		3/4		3/4		3/4		3/4		3/4	
4	1,152	4	4,608	4	8,064	4	11,520	4		4		4		4		4		4	
1/4	1,224	1/4	4,680	1/4	8,136	1/4	11,592	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,296	1/2	4,752	1/2	8,208	1/2	11,664	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,368	3/4	4,824	3/4	8,280	3/4	11,736	3/4		3/4		3/4		3/4		3/4		3/4	
5	1,440	5	4,896	5	8,352	5	11,808	5		5		5		5		5		5	
1/4	1,512	1/4	4,968	1/4	8,424	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,584	1/2	5,040	1/2	8,496	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,656	3/4	5,112	3/4	8,568	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	1,728	6	5,184	6	8,640	6		6		6		6		6		6		6	
1/4	1,800	1/4	5,256	1/4	8,712	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	1,872	1/2	5,328	1/2	8,784	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	1,944	3/4	5,400	3/4	8,856	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	2,016	7	5,472	7	8,928	7		7		7		7		7		7		7	
1/4	2,088	1/4	5,544	1/4	9,000	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,160	1/2	5,616	1/2	9,072	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,232	3/4	5,688	3/4	9,144	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	2,304	8	5,760	8	9,216	8		8		8		8		8		8		8	
1/4	2,376	1/4	5,832	1/4	9,288	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,448	1/2	5,904	1/2	9,360	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,520	3/4	5,976	3/4	9,432	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	2,592	9	6,048	9	9,504	9		9		9		9		9		9		9	
1/4	2,664	1/4	6,120	1/4	9,576	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,736	1/2	6,192	1/2	9,648	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,808	3/4	6,264	3/4	9,720	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	2,880	10	6,336	10	9,792	10		10		10		10		10		10		10	
1/4	2,952	1/4	6,408	1/4	9,864	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,024	1/2	6,480	1/2	9,936	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,096	3/4	6,552	3/4	10,008	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	3,168	11	6,624	11	10,080	11		11		11		11		11		11		11	
1/4	3,240	1/4	6,696	1/4	10,152	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,312	1/2	6,768	1/2	10,224	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,384	3/4	6,840	3/4	10,296	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK

STRAPPED: 08/08/2018 SUBMITTED

CALCULATED: 08/08/2018 CL

PRINTED: 08/08/2018 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2018

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>