



BARGE "CBC-341"

CANAL BARGE COMPANY

HULL NO. 4694

CORRECTION TABLE FOR TRIM AFT.			
FOR INNGAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 3/4"	(-) 0' - 3 3/4"	(+) 0' - 3 3/4"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 5/8"	(-) 0' - 5 5/8"	(+) 0' - 5 5/8"
3'-6"	(-) 0' - 6 1/2"	(-) 0' - 6 1/2"	(+) 0' - 6 1/2"
4'-0"	(-) 0' - 7 1/2"	(-) 0' - 7 1/2"	(+) 0' - 7 1/2"
4'-6"	(-) 0' - 8 3/8"	(-) 0' - 8 3/8"	(+) 0' - 8 3/8"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 11/19/09 BY: 
INSPECTORATE AMERICA CORPORATION

FORM "TRIM-3" REV. #1 5/93



BARGE "CBC-341" CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.
1 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

RANGE SHOULD BE ON EVEN-LEVEL REEL WHEN GAUGES ARE TAKEN																												FILE NO. 353	
N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	106	0	13,746	0	29,438	0	45,151	0	60,930	0	76,712	0	92,494	0	108,277	0	124,059	0	139,841	0	155,624	0	171,406	0	187,114	0		0	
1/4	147	1/4	14,074	1/4	29,787	1/4	45,478	1/4	61,268	1/4	77,041	1/4	92,823	1/4	108,605	1/4	124,388	1/4	140,170	1/4	155,953	1/4	171,735	1/4	187,388	1/4		1/4	
1/2	188	1/2	14,403	1/2	30,095	1/2	45,805	1/2	61,587	1/2	77,370	1/2	93,152	1/2	108,934	1/2	124,717	1/2	140,499	1/2	156,281	1/2	172,064	1/2	187,861	1/2		1/2	
3/4	311	3/4	14,731	3/4	30,424	3/4	46,134	3/4	61,916	3/4	77,698	3/4	93,481	3/4	109,263	3/4	125,045	3/4	140,828	3/4	156,610	3/4	172,392	3/4	187,935	3/4		3/4	
1	435	1	15,060	1	30,752	1	46,482	1	62,245	1	78,027	1	93,810	1	109,592	1	125,374	1	141,157	1	156,939	1	172,721	1	188,209	1		1	
1/4	558	1/4	15,388	1/4	31,081	1/4	46,791	1/4	62,574	1/4	78,356	1/4	94,138	1/4	109,921	1/4	125,703	1/4	141,485	1/4	157,268	1/4	173,050	1/4	188,446	1/4		1/4	
1/2	681	1/2	15,716	1/2	31,409	1/2	47,120	1/2	62,902	1/2	78,685	1/2	94,467	1/2	110,249	1/2	126,032	1/2	141,814	1/2	157,597	1/2	173,379	1/2	188,583	1/2		1/2	
3/4	804	3/4	16,045	3/4	31,737	3/4	47,449	3/4	63,231	3/4	79,014	3/4	94,796	3/4	110,578	3/4	126,361	3/4	142,143	3/4	157,925	3/4	173,708	3/4	188,920	3/4		3/4	
2	1,079	2	16,373	2	32,066	2	47,776	2	63,560	2	79,342	2	95,125	2	110,907	2	126,689	2	142,472	2	158,254	2	174,038	2	189,167	2		2	
1/4	1,278	1/4	16,702	1/4	32,394	1/4	48,106	1/4	63,889	1/4	79,671	1/4	95,454	1/4	111,236	1/4	127,018	1/4	142,801	1/4	158,583	1/4	174,366	1/4	189,358	1/4		1/4	
1/2	1,478	1/2	17,030	1/2	32,723	1/2	48,435	1/2	64,218	1/2	80,000	1/2	95,782	1/2	111,565	1/2	127,347	1/2	143,129	1/2	158,912	1/2	174,694	1/2	189,559	1/2		1/2	
3/4	1,759	3/4	17,359	3/4	33,050	3/4	48,764	3/4	64,546	3/4	80,329	3/4	96,111	3/4	111,893	3/4	127,676	3/4	143,458	3/4	159,241	3/4	175,023	3/4	189,759	3/4		3/4	
3	2,040	3	17,687	3	33,377	3	49,093	3	64,875	3	80,658	3	96,440	3	112,222	3	128,006	3	143,787	3	159,569	3	175,352	3	189,960	3		3	
1/4	2,322	1/4	18,016	1/4	33,704	1/4	49,422	1/4	65,204	1/4	80,986	1/4	96,768	1/4	112,551	1/4	128,333	1/4	144,116	1/4	159,898	1/4	175,680	1/4	190,124	1/4		1/4	
1/2	2,603	1/2	18,344	1/2	34,031	1/2	49,750	1/2	65,533	1/2	81,315	1/2	97,098	1/2	112,880	1/2	128,662	1/2	144,445	1/2	160,227	1/2	176,009	1/2	190,288	1/2		1/2	
3/4	2,925	3/4	18,668	3/4	34,358	3/4	50,078	3/4	65,862	3/4	81,644	3/4	97,425	3/4	113,209	3/4	128,991	3/4	144,773	3/4	160,556	3/4	176,338	3/4	190,463	3/4		3/4	
4	3,248	4	18,998	4	34,686	4	50,408	4	66,190	4	81,973	4	97,755	4	113,537	4	129,320	4	145,102	4	160,884	4	176,667	4	190,617	4		4	
1/4	3,570	1/4	19,311	1/4	35,012	1/4	50,737	1/4	66,519	1/4	82,302	1/4	98,084	1/4	113,866	1/4	129,649	1/4	145,431	1/4	161,213	1/4	176,998	1/4	190,744	1/4		1/4	
1/2	3,893	1/2	19,633	1/2	35,339	1/2	51,066	1/2	66,848	1/2	82,630	1/2	98,413	1/2	114,195	1/2	129,977	1/2	145,760	1/2	161,542	1/2	177,324	1/2	190,872	1/2		1/2	
3/4	4,221	3/4	19,958	3/4	35,668	3/4	51,394	3/4	67,177	3/4	82,959	3/4	98,742	3/4	114,524	3/4	130,306	3/4	146,089	3/4	161,871	3/4	177,653	3/4	191,000	3/4		3/4	
5	4,549	5	20,278	5	35,993	5	51,723	5	67,500	5	83,288	5	99,070	5	114,853	5	130,635	5	146,417	5	162,200	5	177,982	5	191,127	5		5	
1/4	4,878	1/4	20,601	1/4	36,320	1/4	52,052	1/4	67,834	1/4	83,617	1/4	99,399	1/4	115,181	1/4	130,964	1/4	146,746	1/4	162,529	1/4	178,311	1/4	191,219	1/4		1/4	
1/2	5,206	1/2	20,923	1/2	36,647	1/2	52,381	1/2	68,163	1/2	83,946	1/2	99,728	1/2	115,510	1/2	131,293	1/2	147,075	1/2	162,857	1/2	178,640	1/2	191,310	1/2		1/2	
3/4	5,535	3/4	21,245	3/4	36,974	3/4	52,710	3/4	68,492	3/4	84,274	3/4	100,057	3/4	115,838	3/4	131,621	3/4	147,404	3/4	163,186	3/4	178,968	3/4	191,401	3/4		3/4	
6	5,863	6	21,568	6	37,301	6	53,038	6	68,821	6	84,603	6	100,385	6	116,188	6	131,950	6	147,733	6	163,516	6	179,297	6	191,492	6		6	
1/4	6,192	1/4	21,890	1/4	37,629	1/4	53,367	1/4	69,160	1/4	84,932	1/4	100,714	1/4	116,497	1/4	132,279	1/4	148,061	1/4	163,844	1/4	179,626	1/4	191,547	1/4		1/4	
1/2	6,520	1/2	22,213	1/2	37,956	1/2	53,696	1/2	69,478	1/2	85,261	1/2	101,043	1/2	116,825	1/2	132,608	1/2	148,390	1/2	164,173	1/2	179,956	1/2	191,602	1/2		1/2	
3/4	6,849	3/4	22,541	3/4	38,283	3/4	54,025	3/4	69,807	3/4	85,590	3/4	101,372	3/4	117,154	3/4	132,937	3/4	148,719	3/4	164,501	3/4	180,284	3/4	191,656	3/4		3/4	
7	7,177	7	22,870	7	38,610	7	54,354	7	70,136	7	85,918	7	101,701	7	117,483	7	133,265	7	149,048	7	164,830	7	180,612	7	191,711	7		7	
1/4	7,505	1/4	23,198	1/4	38,937	1/4	54,682	1/4	70,465	1/4	86,247	1/4	102,029	1/4	117,812	1/4	133,594	1/4	149,377	1/4	165,159	1/4	180,941	1/4	191,729	1/4		1/4	
1/2	7,834	1/2	23,528	1/2	39,264	1/2	55,011	1/2	70,794	1/2	86,576	1/2	102,358	1/2	118,141	1/2	133,923	1/2	149,705	1/2	165,488	1/2	181,270	1/2	191,747	1/2		1/2	
3/4	8,162	3/4	23,855	3/4	39,591	3/4	55,340	3/4	71,122	3/4	86,905	3/4	102,687	3/4	118,469	3/4	134,252	3/4	150,034	3/4	165,816	3/4	181,599	3/4	191,765	3/4		3/4	
8	8,491	8	24,183	8	39,918	8	55,689	8	71,451	8	87,234	8	103,018	8	118,798	8	134,581	8	150,363	8	166,145	8	181,928	8	191,784	8		8	
1/4	8,819	1/4	24,512	1/4	40,245	1/4	55,998	1/4	71,780	1/4	87,562	1/4	103,345	1/4	119,127	1/4	134,909	1/4	150,692	1/4	166,474	1/4	182,266	1/4	191,802	1/4		1/4	
1/2	9,148	1/2	24,840	1/2	40,572	1/2	56,326	1/2	72,109	1/2	87,891	1/2	103,673	1/2	119,456	1/2	135,238	1/2	151,021	1/2	166,803	1/2	182,585	1/2	191,802	1/2		1/2	
3/4	9,476	3/4	25,169	3/4	40,899	3/4	56,655	3/4	72,438	3/4	88,220	3/4	104,002	3/4	119,785	3/4	135,567	3/4	151,349	3/4	167,132	3/4	182,914	3/4	191,802	3/4		3/4	
9	9,804	9	25,497	9	41,226	9	56,984	9	72,766	9	88,549	9	104,331	9	120,113	9	135,898	9	151,678	9	167,460	9	183,243	9	191,802	9		9	
1/4	10,133	1/4	25,826	1/4	41,553	1/4	57,313	1/4	73,096	1/4	88,878	1/4	104,660	1/4	120,442	1/4	136,225	1/4	152,007	1/4	167,789	1/4	183,572	1/4	191,802	1/4		1/4	
1/2	10,461	1/2	26,154	1/2	41,880	1/2	57,642	1/2	73,424	1/2	89,206	1/2	104,989	1/2	120,771	1/2	136,553	1/2	152,336	1/2	168,118	1/2	183,900	1/2	191,802	1/2		1/2	
3/4	10,790	3/4	26,482	3/4	42,207	3/4	57,970	3/4	73,753	3/4	89,535	3/4	105,317	3/4	121,100	3/4	1363												



BARGE "CBC-341" **CANAL BARGE COMPANY** INNAGE TABLE

TANK NO.
2 PORT OR STAR.

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN																														HULL NO. 4694									
N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.										
0	104	0	13,415	0	28,728	0	44,084	0	59,454	0	74,847	0	90,240	0	105,633	0	121,026	0	136,419	0	151,813	0	167,206	0	182,597	0	197,989	0	213,382										
1/4	144	1/4	13,735	1/4	29,049	1/4	44,383	1/4	59,776	1/4	75,168	1/4	90,561	1/4	105,954	1/4	121,347	1/4	136,740	1/4	152,133	1/4	167,526	1/4	182,917	1/4	198,309	1/4	213,702										
1/2	184	1/2	14,058	1/2	29,370	1/2	44,702	1/2	60,095	1/2	75,488	1/2	90,881	1/2	106,275	1/2	121,668	1/2	137,061	1/2	152,454	1/2	167,847	1/2	183,238	1/2	198,630	1/2	214,022										
3/4	305	3/4	14,376	3/4	29,690	3/4	45,023	3/4	60,416	3/4	75,809	3/4	91,202	3/4	106,595	3/4	121,988	3/4	137,382	3/4	152,775	3/4	168,168	3/4	183,559	3/4	198,951	3/4	214,343										
1	425	1	14,697	1	30,011	1	45,343	1	60,737	1	76,130	1	91,523	1	106,916	1	122,309	1	137,702	1	153,095	1	168,488	1	183,879	1	199,271	1	214,663										
1 1/4	545	1 1/4	15,017	1 1/4	30,331	1 1/4	45,664	1 1/4	61,057	1 1/4	76,450	1 1/4	91,844	1 1/4	107,237	1 1/4	122,630	1 1/4	138,023	1 1/4	153,416	1 1/4	168,809	1 1/4	184,201	1 1/4	199,593	1 1/4	214,985										
1 1/2	665	1 1/2	15,338	1 1/2	30,652	1 1/2	45,985	1 1/2	61,378	1 1/2	76,771	1 1/2	92,164	1 1/2	107,557	1 1/2	122,950	1 1/2	138,344	1 1/2	153,737	1 1/2	169,130	1 1/2	184,522	1 1/2	199,914	1 1/2	215,306										
1 3/4	785	1 3/4	15,658	1 3/4	30,972	1 3/4	46,306	1 3/4	61,699	1 3/4	77,092	1 3/4	92,485	1 3/4	107,878	1 3/4	123,271	1 3/4	138,664	1 3/4	154,057	1 3/4	169,450	1 3/4	184,842	1 3/4	200,234	1 3/4	215,626										
2	1,084	2	16,079	2	31,293	2	46,628	2	62,019	2	77,412	2	92,805	2	108,198	2	123,592	2	138,985	2	154,378	2	169,771	2	185,163	2	200,555	2	215,947										
2 1/4	1,248	2 1/4	16,300	2 1/4	31,514	2 1/4	46,847	2 1/4	62,240	2 1/4	77,633	2 1/4	93,026	2 1/4	108,419	2 1/4	123,813	2 1/4	139,206	2 1/4	154,599	2 1/4	170,002	2 1/4	185,394	2 1/4	200,786	2 1/4	216,178										
2 1/2	1,442	2 1/2	16,520	2 1/2	31,734	2 1/2	47,068	2 1/2	62,461	2 1/2	77,854	2 1/2	93,247	2 1/2	108,640	2 1/2	124,033	2 1/2	139,426	2 1/2	154,819	2 1/2	170,212	2 1/2	185,604	2 1/2	201,006	2 1/2	216,398										
2 3/4	1,717	2 3/4	16,841	2 3/4	32,253	2 3/4	47,588	2 3/4	62,981	2 3/4	78,375	2 3/4	93,768	2 3/4	109,161	2 3/4	124,554	2 3/4	139,947	2 3/4	155,340	2 3/4	170,733	2 3/4	186,125	2 3/4	201,517	2 3/4	216,909										
3	1,981	3	17,261	3	32,573	3	47,909	3	63,302	3	78,695	3	94,088	3	109,481	3	124,875	3	140,268	3	155,661	3	171,054	3	186,446	3	201,838	3	217,230										
3 1/4	2,266	3 1/4	17,582	3 1/4	32,892	3 1/4	48,230	3 1/4	63,623	3 1/4	79,016	3 1/4	94,409	3 1/4	109,802	3 1/4	125,196	3 1/4	140,588	3 1/4	155,982	3 1/4	171,375	3 1/4	186,767	3 1/4	202,159	3 1/4	217,551										
3 1/2	2,540	3 1/2	17,902	3 1/2	33,211	3 1/2	48,550	3 1/2	63,944	3 1/2	79,337	3 1/2	94,700	3 1/2	110,123	3 1/2	125,516	3 1/2	140,906	3 1/2	156,302	3 1/2	171,696	3 1/2	187,088	3 1/2	202,480	3 1/2	217,872										
3 3/4	2,855	3 3/4	18,217	3 3/4	33,530	3 3/4	48,871	3 3/4	64,264	3 3/4	79,657	3 3/4	95,050	3 3/4	110,444	3 3/4	125,837	3 3/4	141,230	3 3/4	156,623	3 3/4	172,016	3 3/4	187,408	3 3/4	202,800	3 3/4	218,192										
4	3,169	4	18,531	4	33,849	4	49,192	4	64,586	4	79,978	4	95,371	4	110,764	4	126,157	4	141,550	4	156,944	4	172,337	4	187,730	4	203,122	4	218,514										
4 1/4	3,484	4 1/4	18,846	4 1/4	34,169	4 1/4	49,512	4 1/4	64,908	4 1/4	80,299	4 1/4	95,692	4 1/4	111,086	4 1/4	126,478	4 1/4	141,871	4 1/4	157,264	4 1/4	172,657	4 1/4	188,050	4 1/4	203,442	4 1/4	218,834										
4 1/2	3,798	4 1/2	19,160	4 1/2	34,488	4 1/2	49,833	4 1/2	65,226	4 1/2	80,619	4 1/2	96,013	4 1/2	111,408	4 1/2	126,799	4 1/2	142,192	4 1/2	157,586	4 1/2	172,978	4 1/2	188,371	4 1/2	203,763	4 1/2	219,155										
4 3/4	4,119	4 3/4	19,476	4 3/4	34,807	4 3/4	50,154	4 3/4	65,547	4 3/4	80,940	4 3/4	96,333	4 3/4	111,726	4 3/4	127,119	4 3/4	142,513	4 3/4	157,906	4 3/4	173,299	4 3/4	188,692	4 3/4	204,084	4 3/4	219,447										
5	4,439	5	19,789	5	35,125	5	50,475	5	65,868	5	81,251	5	96,644	5	112,047	5	127,440	5	142,833	5	158,226	5	173,619	5	189,012	5	204,404	5	219,796										
5 1/4	4,760	5 1/4	20,104	5 1/4	35,446	5 1/4	50,796	5 1/4	66,188	5 1/4	81,581	5 1/4	96,976	5 1/4	112,368	5 1/4	127,761	5 1/4	143,154	5 1/4	158,547	5 1/4	173,940	5 1/4	189,332	5 1/4	204,724	5 1/4	220,116										
5 1/2	5,080	5 1/2	20,419	5 1/2	35,765	5 1/2	51,116	5 1/2	66,509	5 1/2	81,902	5 1/2	97,295	5 1/2	112,688	5 1/2	128,082	5 1/2	143,478	5 1/2	158,888	5 1/2	174,281	5 1/2	189,673	5 1/2	205,065	5 1/2	220,457										
5 3/4	5,401	5 3/4	20,733	5 3/4	36,084	5 3/4	51,437	5 3/4	66,830	5 3/4	82,223	5 3/4	97,616	5 3/4	113,009	5 3/4	128,402	5 3/4	143,795	5 3/4	159,188	5 3/4	174,582	5 3/4	189,969	5 3/4	205,357	5 3/4	220,769										
6	5,722	6	21,048	6	36,403	6	51,757	6	67,160	6	82,544	6	97,937	6	113,330	6	128,723	6	144,116	6	159,509	6	174,902	6	190,294	6	205,686	6	221,078										
6 1/4	6,042	6 1/4	21,362	6 1/4	36,722	6 1/4	52,078	6 1/4	67,471	6 1/4	82,864	6 1/4	98,257	6 1/4	113,650	6 1/4	129,044	6 1/4	144,437	6 1/4	159,830	6 1/4	175,223	6 1/4	190,615	6 1/4	206,007	6 1/4	221,399										
6 1/2	6,363	6 1/2	21,677	6 1/2	37,041	6 1/2	52,399	6 1/2	67,792	6 1/2	83,185	6 1/2	98,578	6 1/2	113,971	6 1/2	129,364	6 1/2	144,757	6 1/2	160,150	6 1/2	175,544	6 1/2	190,936	6 1/2	206,328	6 1/2	221,711										
6 3/4	6,683	6 3/4	21,997	6 3/4	37,361	6 3/4	52,719	6 3/4	68,112	6 3/4	83,506	6 3/4	98,969	6 3/4	114,282	6 3/4	129,655	6 3/4	145,078	6 3/4	160,471	6 3/4	175,864	6 3/4	191,250	6 3/4	206,642	6 3/4	222,023										
7	7,004	7	22,318	7	37,680	7	53,040	7	68,433	7	83,826	7	99,219	7	114,613	7	130,006	7	145,399	7	160,792	7	176,186	7	191,579	7	206,971	7	222,363										
7 1/4	7,324	7 1/4	22,638	7 1/4	37,999	7 1/4	53,361	7 1/4	68,754	7 1/4	84,147	7 1/4	99,540	7 1/4	114,933	7 1/4	130,326	7 1/4	145,719	7 1/4	161,113	7 1/4	176,506	7 1/4	191,898	7 1/4	207,290	7 1/4	222,685										
7 1/2	7,645	7 1/2	22,959	7 1/2	38,318	7 1/2	53,681	7 1/2	69,075	7 1/2	84,468	7 1/2	99,861	7 1/2	115,254	7 1/2	130,647	7 1/2	146,040	7 1/2	161,433	7 1/2	176,826	7 1/2	192,218	7 1/2	207,610	7 1/2	223,002										
7 3/4	7,965	7 3/4	23,279	7 3/4	38,637	7 3/4	54,002	7 3/4	69,395	7 3/4	84,788	7 3/4	100,181	7 3/4	115,575	7 3/4	130,968	7 3/4	146,361	7 3/4	161,754	7 3/4	177,147	7 3/4	192,539	7 3/4	207,931	7 3/4	223,314										
8	8,286	8	23,600	8	38,957	8	54,323	8	69,716	8	85,109	8	100,502	8	115,896	8	131,288	8	146,682	8	162,076	8	177,468	8	192,860	8	208,252	8	223,644										
8 1/4	8,608	8 1/4	23,921	8 1/4	39,276	8 1/4	54,644	8 1/4	70,037	8 1/4	85,430	8 1/4	100,823	8 1/4	116,218	8 1/4	131,609	8 1/4	147,002	8 1/4	162,395	8 1/4	177,788	8 1/4	193,180	8 1/4	208,572	8 1/4	224,006										
8 1/2	8,927	8 1/2	24,241	8 1/2	39,596	8 1/2	54,964	8 1/2	70,357	8 1/2	85,750	8 1/2	101,144	8 1/2	116,537	8 1/2	131,930	8 1/2	147,323	8 1/2	162,718	8 1/2	178,109	8 1/2	193,501	8 1/2	208,893	8 1/2	224,288										
8 3/4																																							



INSPECTORATE

ISO 9002 ACCREDITED

BARGE "CBC-341" **CANAL BARGE COMPANY**

INNAGE TABLE

TANK NO.
3 PORT OR STAR.

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4894

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	105	0	13,654	0	28,243	0	44,853	0	60,448	0	76,043	0	91,639	0	107,234	0	122,829	0	138,424	0	153,983	0	164,834	0	174,189	0	174,189	0	174,189
1/4	148	1/4	13,980	1/4	29,670	1/4	45,178	1/4	60,773	1/4	76,368	1/4	91,964	1/4	107,559	1/4	123,154	1/4	138,749	1/4	154,278	1/4	164,834	1/4	174,189	1/4	174,189	1/4	174,189
1/2	186	1/2	14,306	1/2	29,998	1/2	46,603	1/2	61,098	1/2	76,693	1/2	92,289	1/2	107,884	1/2	123,479	1/2	139,074	1/2	154,573	1/2	165,034	1/2	174,189	1/2	174,189	1/2	174,189
3/4	308	3/4	14,633	3/4	30,222	3/4	45,828	3/4	61,423	3/4	77,018	3/4	92,613	3/4	108,209	3/4	123,804	3/4	139,399	3/4	154,867	3/4	165,234	3/4	174,189	3/4	174,189	3/4	174,189
1	431	1	14,959	1	30,549	1	46,153	1	61,748	1	77,343	1	92,938	1	108,534	1	124,129	1	139,724	1	155,162	1	165,434	1	174,189	1	174,189	1	174,189
1 1/4	563	1 1/4	15,285	1 1/4	30,875	1 1/4	46,478	1 1/4	62,073	1 1/4	77,668	1 1/4	93,263	1 1/4	108,858	1 1/4	124,454	1 1/4	140,049	1 1/4	155,436	1 1/4	165,834	1 1/4	174,189	1 1/4	174,189	1 1/4	174,189
1 1/2	675	1 1/2	15,611	1 1/2	31,201	1 1/2	46,802	1 1/2	62,398	1 1/2	77,993	1 1/2	93,588	1 1/2	109,183	1 1/2	124,779	1 1/2	140,374	1 1/2	155,709	1 1/2	166,104	1 1/2	174,189	1 1/2	174,189	1 1/2	174,189
3/4	873	3/4	15,938	3/4	31,527	3/4	47,127	3/4	62,723	3/4	78,318	3/4	93,913	3/4	109,509	3/4	125,104	3/4	140,699	3/4	155,983	3/4	166,334	3/4	174,189	3/4	174,189	3/4	174,189
2	1,070	2	16,264	2	31,854	2	47,452	2	63,047	2	78,643	2	94,238	2	109,833	2	125,428	2	141,024	2	156,267	2	166,234	2	174,189	2	174,189	2	174,189
2 1/4	1,268	2 1/4	16,590	2 1/4	32,180	2 1/4	47,777	2 1/4	63,372	2 1/4	78,968	2 1/4	94,563	2 1/4	110,158	2 1/4	125,753	2 1/4	141,349	2 1/4	156,599	2 1/4	166,534	2 1/4	174,189	2 1/4	174,189	2 1/4	174,189
2 1/2	1,466	2 1/2	16,917	2 1/2	32,506	2 1/2	48,102	2 1/2	63,697	2 1/2	79,293	2 1/2	94,888	2 1/2	110,483	2 1/2	126,078	2 1/2	141,673	2 1/2	156,762	2 1/2	166,833	2 1/2	174,189	2 1/2	174,189	2 1/2	174,189
3/4	1,745	3/4	17,243	3/4	32,831	3/4	48,427	3/4	64,022	3/4	79,617	3/4	95,213	3/4	110,808	3/4	126,403	3/4	141,998	3/4	157,014	3/4	167,034	3/4	174,189	3/4	174,189	3/4	174,189
3	2,025	3	17,569	3	33,166	3	48,752	3	64,347	3	79,942	3	95,538	3	111,133	3	126,728	3	142,323	3	157,257	3	167,333	3	174,189	3	174,189	3	174,189
3 1/4	2,304	3 1/4	17,895	3 1/4	33,481	3 1/4	49,077	3 1/4	64,672	3 1/4	80,267	3 1/4	95,862	3 1/4	111,458	3 1/4	127,053	3 1/4	142,648	3 1/4	157,498	3 1/4	167,533	3 1/4	174,189	3 1/4	174,189	3 1/4	174,189
3 1/2	2,584	3 1/2	18,222	3 1/2	33,806	3 1/2	49,402	3 1/2	64,997	3 1/2	80,592	3 1/2	96,187	3 1/2	111,783	3 1/2	127,378	3 1/2	142,973	3 1/2	157,730	3 1/2	167,833	3 1/2	174,189	3 1/2	174,189	3 1/2	174,189
3/4	2,904	3/4	18,542	3/4	34,131	3/4	49,727	3/4	65,322	3/4	80,917	3/4	96,512	3/4	112,108	3/4	127,703	3/4	143,298	3/4	157,962	3/4	167,933	3/4	174,189	3/4	174,189	3/4	174,189
4	3,224	4	18,862	4	34,456	4	50,051	4	65,647	4	81,242	4	96,837	4	112,432	4	128,028	4	143,623	4	158,193	4	167,833	4	174,189	4	174,189	4	174,189
4 1/4	3,644	4 1/4	19,183	4 1/4	34,781	4 1/4	50,376	4 1/4	65,972	4 1/4	81,567	4 1/4	97,162	4 1/4	112,757	4 1/4	128,353	4 1/4	143,948	4 1/4	158,404	4 1/4	168,033	4 1/4	174,189	4 1/4	174,189	4 1/4	174,189
4 1/2	3,885	4 1/2	19,503	4 1/2	35,106	4 1/2	50,701	4 1/2	66,296	4 1/2	81,892	4 1/2	97,487	4 1/2	113,082	4 1/2	128,677	4 1/2	144,273	4 1/2	158,514	4 1/2	168,233	4 1/2	174,189	4 1/2	174,189	4 1/2	174,189
3/4	4,191	3/4	19,823	3/4	35,431	3/4	51,026	3/4	66,621	3/4	82,217	3/4	97,812	3/4	113,407	3/4	129,002	3/4	144,598	3/4	158,824	3/4	168,433	3/4	174,189	3/4	174,189	3/4	174,189
5	4,617	5	20,143	5	35,755	5	51,351	5	66,946	5	82,642	5	98,137	5	113,732	5	129,327	5	144,923	5	159,035	5	168,633	5	174,189	5	174,189	5	174,189
5 1/4	4,844	5 1/4	20,464	5 1/4	36,080	5 1/4	51,676	5 1/4	67,271	5 1/4	82,866	5 1/4	98,462	5 1/4	114,057	5 1/4	129,652	5 1/4	145,247	5 1/4	159,235	5 1/4	168,833	5 1/4	174,189	5 1/4	174,189	5 1/4	174,189
5 1/2	5,170	5 1/2	20,784	5 1/2	36,405	5 1/2	52,001	5 1/2	67,586	5 1/2	83,191	5 1/2	98,787	5 1/2	114,382	5 1/2	129,977	5 1/2	145,572	5 1/2	159,435	5 1/2	169,033	5 1/2	174,189	5 1/2	174,189	5 1/2	174,189
3/4	5,498	3/4	21,104	3/4	36,730	3/4	52,326	3/4	67,921	3/4	83,616	3/4	99,111	3/4	114,707	3/4	130,302	3/4	145,897	3/4	159,636	3/4	169,233	3/4	174,189	3/4	174,189	3/4	174,189
6	5,822	6	21,424	6	37,056	6	52,651	6	68,246	6	83,841	6	99,436	6	115,032	6	130,627	6	146,222	6	159,835	6	169,433	6	174,189	6	174,189	6	174,189
6 1/4	6,149	6 1/4	21,745	6 1/4	37,380	6 1/4	52,976	6 1/4	68,571	6 1/4	84,186	6 1/4	99,761	6 1/4	115,367	6 1/4	130,952	6 1/4	146,547	6 1/4	160,035	6 1/4	169,633	6 1/4	174,189	6 1/4	174,189	6 1/4	174,189
6 1/2	6,476	6 1/2	22,065	6 1/2	37,705	6 1/2	53,300	6 1/2	68,898	6 1/2	84,481	6 1/2	100,088	6 1/2	115,681	6 1/2	131,277	6 1/2	146,872	6 1/2	160,235	6 1/2	169,833	6 1/2	174,189	6 1/2	174,189	6 1/2	174,189
3/4	6,801	3/4	22,391	3/4	38,030	3/4	53,626	3/4	69,221	3/4	84,816	3/4	100,411	3/4	115,969	3/4	131,502	3/4	147,197	3/4	160,435	3/4	170,033	3/4	174,189	3/4	174,189	3/4	174,189
7	7,128	7	22,717	7	38,355	7	53,950	7	69,545	7	85,141	7	100,736	7	116,331	7	131,926	7	147,522	7	160,635	7	170,233	7	174,189	7	174,189	7	174,189
7 1/4	7,454	7 1/4	23,044	7 1/4	38,680	7 1/4	54,276	7 1/4	69,870	7 1/4	85,466	7 1/4	101,081	7 1/4	116,656	7 1/4	132,251	7 1/4	147,847	7 1/4	160,835	7 1/4	170,433	7 1/4	174,189	7 1/4	174,189	7 1/4	174,189
7 1/2	7,780	7 1/2	23,370	7 1/2	39,005	7 1/2	54,600	7 1/2	70,195	7 1/2	85,791	7 1/2	101,388	7 1/2	116,981	7 1/2	132,576	7 1/2	148,172	7 1/2	161,035	7 1/2	170,633	7 1/2	174,189	7 1/2	174,189	7 1/2	174,189
3/4	8,107	3/4	23,696	3/4	39,329	3/4	54,926	3/4	70,520	3/4	86,115	3/4	101,711	3/4	117,306	3/4	132,901	3/4	148,496	3/4	161,234	3/4	170,833	3/4	174,189	3/4	174,189	3/4	174,189
8	8,433	8	24,023	8	39,654	8	55,260	8	70,845	8	86,440	8	102,036	8	117,631	8	133,226	8	148,821	8	161,434	8	171,033	8	174,189	8	174,189	8	174,189
8 1/4	8,759	8 1/4	24,349	8 1/4	39,979	8 1/4	55,576	8 1/4	71,170	8 1/4	86,765	8 1/4	102,380	8 1/4	117,956	8 1/4	133,581	8 1/4	149,146	8 1/4	161,634	8 1/4	171,233	8 1/4	174,189	8 1/4	174,189	8 1/4	174,189
8 1/2	9,085	8 1/2	24,675	8 1/2	40,304	8 1/2	55,900	8 1/2	71,495	8 1/2	87,090	8 1/2	102,685	8 1/2	118,281	8 1/2	133,878	8 1/2	149,471	8 1/2	161,834	8 1/2	171,433	8 1/2	174,189	8 1/2	174,189	8 1/2	174,189
3/4	9,412	3/4	25,001	3/4	40,629	3/4	56,226	3/4	71,820	3/4	87,415	3/4	103,010	3/4	118,606	3/4	134,201	3/4	149,796	3/4	162,034	3/4	171,633	3/4	174,189	3/4	174,189	3/4	174,189
9	9,738	9	25,328	9	40,954	9	56,549																						

TANK NO.
1 PORT OR STAR

HULL NO. 4694

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/19/09

REFERENCE GAUGE HEIGHT: 15'-1 3/4" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE

ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.



INSPECTORATE AMERICA CORPORATION

BARGE "CBC-341"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
2 PORT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/19/09

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-2 1/2" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" **CANAL BARGE COMPANY** **OUTAGE TABLE**

TANK NO.
2 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	0	0	184,717	0	170,092	0	154,699	0	138,308	0	123,913	0	108,519	0	93,126
1/4	1/4	1/4	1/4	184,521	1/4	168,771	1/4	154,378	1/4	138,986	1/4	123,592	1/4	108,199	1/4	92,606
1/2	1/2	1/2	1/2	184,290	1/2	168,451	1/2	154,067	1/2	138,684	1/2	123,271	1/2	107,878	1/2	92,488
3/4	3/4	3/4	3/4	184,058	3/4	168,130	3/4	153,737	3/4	138,344	3/4	122,950	3/4	107,557	3/4	92,164
1	1	1	1	183,827	1	168,809	1	153,416	1	138,023	1	122,630	1	107,237	1	91,844
1/4	1/4	1/4	1/4	183,595	1/4	168,488	1/4	153,095	1/4	137,702	1/4	122,309	1/4	106,916	1/4	91,523
1/2	1/2	1/2	1/2	183,328	1/2	168,169	1/2	152,776	1/2	137,382	1/2	121,988	1/2	106,598	1/2	91,202
3/4	3/4	3/4	3/4	183,061	3/4	167,847	3/4	152,454	3/4	137,061	3/4	121,668	3/4	106,275	3/4	90,881
2	2	2	2	182,794	2	167,526	2	152,133	2	136,740	2	121,347	2	105,954	2	90,541
1/4	1/4	1/4	1/4	182,527	1/4	167,206	1/4	151,813	1/4	136,419	1/4	121,026	1/4	105,631	1/4	90,240
1/2	1/2	1/2	1/2	182,224	1/2	166,886	1/2	151,492	1/2	136,099	1/2	120,704	1/2	105,319	1/2	89,919
3/4	3/4	3/4	3/4	181,922	3/4	166,564	3/4	151,171	3/4	135,778	3/4	120,385	3/4	104,992	3/4	89,599
3	3	3	3	181,619	3	166,244	3	150,861	3	135,467	3	120,064	3	104,671	3	89,278
1/4	1/4	1/4	1/4	181,316	1/4	165,923	1/4	150,530	1/4	135,137	1/4	119,744	1/4	104,350	1/4	88,957
1/2	1/2	1/2	1/2	180,985	1/2	165,582	1/2	150,209	1/2	134,816	1/2	119,423	1/2	104,030	1/2	88,637
3/4	3/4	3/4	3/4	180,675	3/4	165,262	3/4	149,888	3/4	134,495	3/4	119,102	3/4	103,709	3/4	88,316
4	4	4	4	180,354	4	164,961	4	149,568	4	134,175	4	118,782	4	103,388	4	87,986
1/4	1/4	1/4	1/4	180,033	1/4	164,640	1/4	149,247	1/4	133,864	1/4	118,461	1/4	103,068	1/4	87,676
1/2	1/2	1/2	1/2	179,713	1/2	164,319	1/2	148,926	1/2	133,533	1/2	118,140	1/2	102,747	1/2	87,354
3/4	3/4	3/4	3/4	179,392	3/4	163,999	3/4	148,605	3/4	133,213	3/4	117,819	3/4	102,426	3/4	87,033
5	5	5	5	179,071	5	163,678	5	148,286	5	132,892	5	117,499	5	102,106	5	86,713
1/4	1/4	1/4	1/4	178,751	1/4	163,357	1/4	147,964	1/4	132,571	1/4	117,178	1/4	101,785	1/4	86,392
1/2	1/2	1/2	1/2	178,430	1/2	163,037	1/2	147,644	1/2	132,250	1/2	116,857	1/2	101,464	1/2	86,071
3/4	3/4	3/4	3/4	178,109	3/4	162,718	3/4	147,323	3/4	131,930	3/4	116,537	3/4	101,144	3/4	85,750
6	6	6	6	177,788	6	162,396	6	147,002	6	131,609	6	116,216	6	100,823	6	85,430
1/4	1/4	1/4	1/4	177,468	1/4	162,076	1/4	146,682	1/4	131,289	1/4	115,895	1/4	100,502	1/4	85,109
1/2	1/2	1/2	1/2	177,147	1/2	161,754	1/2	146,361	1/2	130,968	1/2	115,576	1/2	100,181	1/2	84,788
3/4	3/4	3/4	3/4	176,826	3/4	161,433	3/4	146,040	3/4	130,647	3/4	115,254	3/4	99,861	3/4	84,468
7	7	7	7	176,503	7	161,113	7	145,719	7	130,326	7	114,933	7	99,540	7	84,147
1/4	1/4	1/4	1/4	176,184	1/4	160,792	1/4	145,399	1/4	130,008	1/4	114,613	1/4	99,219	1/4	83,826
1/2	1/2	1/2	1/2	175,861	1/2	160,471	1/2	145,078	1/2	129,686	1/2	114,292	1/2	98,899	1/2	83,506
3/4	3/4	3/4	3/4	175,544	3/4	160,151	3/4	144,757	3/4	129,364	3/4	113,971	3/4	98,578	3/4	83,185
8	8	8	8	175,223	8	159,830	8	144,437	8	129,044	8	113,650	8	98,257	8	82,864
1/4	1/4	1/4	1/4	174,900	1/4	159,509	1/4	144,116	1/4	128,723	1/4	113,330	1/4	97,937	1/4	82,544
1/2	1/2	1/2	1/2	174,582	1/2	159,188	1/2	143,795	1/2	128,402	1/2	113,009	1/2	97,618	1/2	82,223
3/4	3/4	3/4	3/4	174,261	3/4	158,868	3/4	143,475	3/4	128,082	3/4	112,688	3/4	97,298	3/4	81,902
9	9	9	9	173,940	9	158,547	9	143,154	9	127,761	9	112,368	9	96,976	9	81,581
1/4	1/4	1/4	1/4	173,619	1/4	158,226	1/4	142,833	1/4	127,440	1/4	112,047	1/4	96,654	1/4	81,261
1/2	1/2	1/2	1/2	173,299	1/2	157,906	1/2	142,513	1/2	127,119	1/2	111,726	1/2	96,333	1/2	80,940
3/4	3/4	3/4	3/4	172,978	3/4	157,586	3/4	142,192	3/4	126,799	3/4	111,406	3/4	96,013	3/4	80,619
10	10	10	10	172,657	10	157,264	10	141,871	10	126,478	10	111,085	10	95,692	10	80,299
1/4	1/4	1/4	1/4	172,337	1/4	156,944	1/4	141,550	1/4	126,157	1/4	110,764	1/4	95,371	1/4	79,978
1/2	1/2	1/2	1/2	172,016	1/2	156,623	1/2	141,230	1/2	125,837	1/2	110,444	1/2	95,050	1/2	79,657
3/4	3/4	3/4	3/4	171,695	3/4	156,302	3/4	140,909	3/4	125,516	3/4	110,123	3/4	94,730	3/4	79,337
11	11	11	11	171,375	11	155,982	11	140,588	11	125,195	11	109,802	11	94,409	11	79,016
1/4	1/4	1/4	1/4	171,054	1/4	155,661	1/4	140,268	1/4	124,876	1/4	109,481	1/4	94,088	1/4	78,695
1/2	1/2	1/2	1/2	170,733	1/2	155,340	1/2	139,947	1/2	124,554	1/2	109,161	1/2	93,768	1/2	78,376
3/4	3/4	3/4	3/4	170,413	3/4	155,019	3/4	139,626	3/4	124,233	3/4	108,840	3/4	93,447	3/4	78,054

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/19/09

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-2 1/4" (TO RIM OF 2" DIAMETER HATCH
 LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.


 INSPECTORATE AMERICA CORPORATION

TANK NO.
3 PORT

HULL NO. 4694

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

[illegible]

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 11/18/08

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-2 1/4" (TO RIM OF 2" DIAMETER HATCH
LOCATED ON EXPANSION DOME)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE


INSPECTORATE AMERICA CORPORATION



ARGE "CBC-341" **CANAL BARGE COMPANY** OUTAGE TABLE

TANK NO.
3 STAR

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
13	13	13	13	13	13	13	13	13	13	13	13	13	13	13	13
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN US GALLONS

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-2" (TO RIM OF 2" DIAMETER HATCH
 LOCATED ON EXPANSION DOME)

STRAPPED: 11/19/09

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
 IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
 ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341"
CANAL BARGE COMPANY
 INNAGE TABLE

FUEL OIL TANK

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN


HULL NO. 4694

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.	N	13 FT.	N	14 FT.
0	0	0	3,483	0	6,926	0	10,390	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	72	1/4	3,635	1/4	6,999	1/4	10,462	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	144	1/2	3,607	1/2	7,071	1/2	10,534	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	216	3/4	3,680	3/4	7,143	3/4	10,606	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	289	1	3,752	1	7,215	1	10,678	1		1		1		1		1		1		1		1		1		1		1	
1 1/4	361	1 1/4	3,824	1 1/4	7,287	1 1/4	10,750	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	433	1 1/2	3,898	1 1/2	7,359	1 1/2	10,822	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	505	3 1/4	3,968	3 1/4	7,431	3 1/4	10,895	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
2	577	2	4,040	2	7,504	2	10,967	2		2		2		2		2		2		2		2		2		2		2	
1 1/4	649	1 1/4	4,113	1 1/4	7,578	1 1/4	11,039	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	721	1 1/2	4,185	1 1/2	7,648	1 1/2	11,111	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	794	3 1/4	4,257	3 1/4	7,720	3 1/4	11,183	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3	866	3	4,329	3	7,792	3	11,255	3		3		3		3		3		3		3		3		3		3		3	
1 1/4	938	1 1/4	4,401	1 1/4	7,864	1 1/4	11,327	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,010	1 1/2	4,473	1 1/2	7,938	1 1/2	11,400	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,082	3 1/4	4,545	3 1/4	8,009	3 1/4	11,472	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
4	1,154	4	4,618	4	8,081	4	11,544	4		4		4		4		4		4		4		4		4		4		4	
1 1/4	1,227	1 1/4	4,690	1 1/4	8,153	1 1/4	11,616	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,299	1 1/2	4,762	1 1/2	8,225	1 1/2	11,688	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,371	3 1/4	4,834	3 1/4	8,297	3 1/4	11,760	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
5	1,443	5	4,906	5	8,369	5	11,833	5		5		5		5		5		5		5		5		5		5		5	
1 1/4	1,515	1 1/4	4,978	1 1/4	8,442	1 1/4	11,905	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,587	1 1/2	5,050	1 1/2	8,514	1 1/2	11,977	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,659	3 1/4	5,123	3 1/4	8,586	3 1/4	12,049	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
6	1,732	6	5,195	6	8,658	6	12,121	6		6		6		6		6		6		6		6		6		6		6	
1 1/4	1,804	1 1/4	5,267	1 1/4	8,730	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,876	1 1/2	5,339	1 1/2	8,802	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	1,948	3 1/4	5,411	3 1/4	8,874	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
7	2,020	7	5,483	7	8,947	7		7		7		7		7		7		7		7		7		7		7		7	
1 1/4	2,092	1 1/4	5,556	1 1/4	9,019	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,164	1 1/2	5,628	1 1/2	9,091	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,237	3 1/4	5,700	3 1/4	9,163	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
8	2,309	8	5,772	8	9,235	8		8		8		8		8		8		8		8		8		8		8		8	
1 1/4	2,381	1 1/4	5,844	1 1/4	9,307	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,453	1 1/2	5,916	1 1/2	9,379	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,525	3 1/4	5,988	3 1/4	9,452	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
9	2,597	9	6,061	9	9,524	9		9		9		9		9		9		9		9		9		9		9		9	
1 1/4	2,670	1 1/4	6,133	1 1/4	9,596	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,742	1 1/2	6,205	1 1/2	9,668	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	2,814	3 1/4	6,277	3 1/4	9,740	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
10	2,886	10	6,349	10	9,812	10		10		10		10		10		10		10		10		10		10		10		10	
1 1/4	2,958	1 1/4	6,421	1 1/4	9,884	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,030	1 1/2	6,493	1 1/2	9,957	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,102	3 1/4	6,568	3 1/4	10,029	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
11	3,176	11	6,638	11	10,101	11		11		11		11		11		11		11		11		11		11		11		11	
1 1/4	3,247	1 1/4	6,710	1 1/4	10,173	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,319	1 1/2	6,782	1 1/2	10,245	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3 1/4	3,391	3 1/4	6,854	3 1/4	10,317	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	

CAPACITIES GIVEN IN US GALLONS

REFERENCE GAUGE HEIGHT : 4'-0 3/4" (RIM OF 2" DIAMETER STAND PIPE
NEAR CENTER OF TANK)

STRAPPED: 11/19/08

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

 INSPECTORATE AMERICA CORPORATION



BARGE "CBC-341" CANAL BARGE COMPANY

OUTAGE TABLE

FUEL OIL TANK

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

HULL NO. 4694

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	0	16,606	0	7,143	0	3,680	0	216	0	0	0	0	0	0	0
1/4	1/4	10,534	1/4	7,071	1/4	3,607	1/4	144	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	10,462	1/2	6,999	1/2	3,535	1/2	72	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,390	3/4	6,926	3/4	3,463	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	10,317	1	6,854	1	3,381	1		1	1	1	1	1	1	1
1/4	1/4	10,245	1/4	6,782	1/4	3,319	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	10,173	1/2	6,710	1/2	3,247	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,101	3/4	6,638	3/4	3,175	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	10,029	2	6,566	2	3,102	2		2	2	2	2	2	2	2
1/4	1/4	9,957	1/4	6,493	1/4	3,030	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,884	1/2	6,421	1/2	2,958	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,812	3/4	6,349	3/4	2,886	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	9,740	3	6,277	3	2,814	3		3	3	3	3	3	3	3
1/4	1/4	9,668	1/4	6,205	1/4	2,742	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,596	1/2	6,133	1/2	2,670	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,524	3/4	6,061	3/4	2,597	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	9,452	4	5,988	4	2,525	4		4	4	4	4	4	4	4
1/4	1/4	9,379	1/4	5,916	1/4	2,453	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,307	1/2	5,844	1/2	2,381	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	9,235	3/4	5,772	3/4	2,309	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	9,163	5	5,700	5	2,237	5		5	5	5	5	5	5	5
1/4	1/4	9,091	1/4	5,628	1/4	2,164	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	9,019	1/2	5,556	1/2	2,092	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,947	3/4	5,483	3/4	2,020	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	8,874	6	5,411	6	1,948	6		6	6	6	6	6	6	6
1/4	1/4	8,802	1/4	5,339	1/4	1,876	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	8,730	1/2	5,267	1/2	1,804	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	8,658	3/4	5,195	3/4	1,732	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	8,586	7	5,123	7	1,659	7		7	7	7	7	7	7	7
1/4	1/4	11,977	1/4	8,514	1/4	1,587	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	11,905	1/2	8,442	1/2	1,515	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	11,833	3/4	8,369	3/4	1,443	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	11,760	8	8,297	8	1,371	8		8	8	8	8	8	8	8
1/4	1/4	11,688	1/4	8,225	1/4	1,299	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	11,616	1/2	8,153	1/2	1,227	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	11,544	3/4	8,081	3/4	1,154	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	11,472	9	8,009	9	1,082	9		9	9	9	9	9	9	9
1/4	1/4	11,400	1/4	7,936	1/4	1,010	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	11,327	1/2	7,864	1/2	938	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	11,255	3/4	7,792	3/4	866	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	11,183	10	7,720	10	794	10		10	10	10	10	10	10	10
1/4	1/4	11,111	1/4	7,648	1/4	721	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	11,039	1/2	7,576	1/2	649	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,967	3/4	7,504	3/4	577	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	10,895	11	7,431	11	505	11		11	11	11	11	11	11	11
1/4	1/4	10,822	1/4	7,359	1/4	433	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	10,750	1/2	7,287	1/2	361	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	10,678	3/4	7,215	3/4	289	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN US GALLONS

REFERENCE GAUGE HEIGHT : 4'-0 3/4" (RIM OF 2" DIAMETER STAND PIPE
NEAR CENTER OF TANK)

STRAPPED: 11/19/09

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION