

Certification Date: 05 Feb 2021 Expiration Date: 05 Feb 2026

Certificate of Inspection

				Call Sign	Service
BC 1388		126596		ELFRI)	Tank Barge
alling Port	1000000		us Material Horsepower	Propulsion	
NEW ORLEA			Steel		
UNITED STA	ATES			ALL TOTAL	DWT Length
Place Built		Del	livery Date Keel Laid Date Gross R-735	p.735	R-200 0
GALVESTO	N, TX	1	1Feb2016 09Oct2015	F	10
			11 0020		
UNITED ST	TATES				
			Operator	-DOE COMPANY	
Owner	COMPANIA	INC	CANAL B	ARGE COMPANY GINEERS ROAD	
CANAL BA	ARGE COMPANY	INC	DELLEC	HASSE, L	
1801 ENG	INEERS ROAD HASSE, LA 7003	t	UNITED	SIAIES	
UNITED S	TATES		wing licensed and unlicensed Poermen, 0 HSC Type Rating, and	1. Included in 1	which there must be
DIVITED			in licensed and unlicensed Pr	ersonnel. Included in	
This moce	al must be manne	d with the follow	men 0 HSC Type Rating, and	0 GMD33 Opa	
O Certified	d Lifeboatmen, 0	Certified Tanke		0 Ollers	
		O Licensed Mate	n Circl Assistant Com		
0 Master		0 First Class Pile	n Second Assistant Enginee	rs	
0 Chief		0 Radio Officers	a Third Assistant Engineers		
0 Secon	nd Mates	o Able Seamen	when O Licensed Engineers		Others Total
0 Third	Mates	0 Ordinary Sea	nen o Qualified Member Engine	er addition	on to crew, and no Others.
0 Mast	er First Close Pilots	0 Deckhands	Other Persons in cre	w, 0 Persons in	
0 Mate	First Class	ay carry 0 Pass	engers, o o		
In additi	s allowed: 0		a rection'		on to crew, and no Others. Total
Persons	S allowed And	Conditions Of	Operation.	e	er Marks and
Route	s allowed: 0	od Sounds	plus Limited Con	1991 miles from sho	re between s.
	I C MAVOI W.		- Phan two	13-1	usen 46 CFR 31.10-21(a
	weather	only, coastw	, in the second	on interval in acc	ordance with the vessel must be
	in Interida.		ash water service examination of m	onths in any 12 mon	nizant OCMI must be
La	alle, Florida		COM MAN MARK CHAM	rality, and	
La	belle, Florida	granted a fr	n salt water as CFR 31,10-21	100	nereamlined
La	vessel has been	granted a fr is operated 1	n salt water als as per 46 CFR 31.10-21	nistrict	s Tank Barge Streamlined
Also, Carrab	vessel has been If this vessel acted using salt	is operated in water intervents change in	n salt water 46 CFR 31,10-21 yals as per 46 CFR 31,10-21 h status occurs.		
Also, Carrab	vessel has been If this vessel acted using salt	is operated in water intervents change in	n salt water 46 CFR 31,10-21 yals as per 46 CFR 31,10-21 h status occurs.		
Also, Carrab	vessel has been If this vessel acted using salt	is operated in water intervents change in	n salt water 46 CFR 31,10-21 yals as per 46 CFR 31,10-21 h status occurs.		
Also, Carrab	vessel has been If this vessel acted using salt	is operated in water intervents change in	n salt water 46 CFR 31,10-21 yals as per 46 CFR 31,10-21 h status occurs.		
Also, Carrab This (2). inspe	vessel has been If this vessel icted using salt ing as soon as t tank barge is I	granted is operated is operated in water intervential change in participating	in salt water vals as per 46 CFR 31.10-21 an status occurs. in the Eighth and Ninth Co TONAL CERTIFICATE INFO		
Also, Carrab This (2). inspe	vessel has been If this vessel icted using salt ing as soon as t tank barge is I	granted is operated is operated in water intervential change in participating	in salt water vals as per 46 CFR 31.10-21 an status occurs. in the Eighth and Ninth Co TONAL CERTIFICATE INFO		
Also, Carrab This (2). inspe	vessel has been If this vessel icted using salt ing as soon as t tank barge is I	granted is operated is operated in water intervential change in participating	in salt water vals as per 46 CFR 31.10-21 an status occurs. in the Eighth and Ninth Co TONAL CERTIFICATE INFO	ston, TX, UNITED ST spects, is in conformity This Amended cert	ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate issued of RT COMMANDER, by direction
Also, Carrab This (2). inspe	vessel has been If this vessel icted using salt ing as soon as t tank barge is I	granted is operated is operated is water intervents change in participating E FOR ADDIT or Certification houston-Galvestod regulations provided in the control of the contr	in salt water and salt water als as per 46 CFR 31.10-21 in status occurs. In the Eighth and Ninth Common salt water and salt	ston, TX, UNITED ST spects, is in conformity This Amended cert	ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate isovedby RT COMMANDER, by direction
Also, Carrab This Y (2). inspe	vessel has been If this vessel icted using salt ing as soon as t tank barge is I SEE NEXT PAGI This Inspection for ection, Sector Ho and the rules an	granted is operated is operated in water interventis change in participating E FOR ADDIT or Certification houston-Galvestod regulations proposed in a large in the control of the control	in salt water as per 46 CFR 31.10-21 as as per 46 CFR 31.10-21 as a per		ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate issued of RT COMMANDER, by direction
Also. Carrab This (2). inspe writi This With Inspelaws	vessel has been If this vessel icted using salt ing as soon as t tank barge is I SEE NEXT PAGI A this Inspection for ection, Sector Ho a and the rules an	granted is operated is operated it water intervents change in participating E FOR ADDIT or Certification huston-Galvestod regulations proposed in the participation of the partic	in salt water as a per 46 CFR 31.10-21 as as per 46 CFR 31.10-21 as a p	ormation*** Iston, TX, UNITED ST Spects, is in conformity This Amended cert J. H. HA Officer in Charge, Manne Int	ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate issued of RT COMMANDER, by direction Sector New Orleans
Also. Carrab This (2). inspe writi This With Inspelaws	vessel has been If this vessel icted using salt ing as soon as t tank barge is I SEE NEXT PAGI A this Inspection for ection, Sector Ho a and the rules an	granted is operated is operated in water intervention change in participating E FOR ADDIT or Certification houston-Galvestod regulations proposed in the control of the con	in the Eighth and Ninth Control of Control o	ston, TX, UNITED ST spects, is in conformity This Amended cert	ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate isovedby RT COMMANDER, by direction
Also, Carrab This (2). inspe writi This With Inspelaws	vessel has been If this vessel icted using salt ing as soon as t tank barge is I SEE NEXT PAGI A this Inspection for ection, Sector Ho a and the rules an	granted is operated is operated in water intervention change in participating E FOR ADDIT or Certification houston-Galvestod regulations proposed in the control of the con	in the Eighth and Ninth Control of Control o	ormation*** Iston, TX, UNITED ST Spects, is in conformity This Amended cert J. H. HA Officer in Charge, Manne Int	ATES, the Officer in Charge, Mari with the applicable vessel inspect ificate issued of RT COMMANDER, by direction Sector New Orleans



Certification Date: 05 Feb 2021 Expiration Date: 05 Feb 2026

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

12 21 2 We do		Offi	cial Number	IMO Nur	ber	Call Sign	Service	
CBC 1388	9.7	12	65962				Tank E	Barge
Hailing Port								
NEW ORL	EANS, LA		Hull Material Steel	Hors	epowar	Propulsion		
UNITED S	TATES							
Place Built			Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GALVEST	ON, TX		11Feb2016	09Oct2015	R-735	R-735	211	R-200.0
UNITED S	TATES		111 602010	000012010	· ·	E		1-0
Owner CANAL BA	RGE COMPAN'	Y INC		Operato CAN		COMPANY		
1801 ENG	NEERS ROAD ASSE, LA 70037			1801 BELI	ENGINEER	RS ROAD E, LA 70037		
This vessel 0 Certified	must be manned Lifeboatmen, 0 C	d with the follow Certified Tanker	ring licensed men, 0 HSC	and unlicensed	d Personnel	. Included in w	hich there m	ust be
0 Masters		0 Licensed Mates		Engineers		ilers		
0 Chief Ma	ates	0 First Class Pilot	o First A	Assistant Enginee	rs			
0 Second I	11414-1	0 Radio Officers	0 Secon	nd Assistant Engir	neers			
0 Third Ma		0 Able Seamen		Assistant Enginee	ers			
		0 Ordinary Seame	n 0 Licens	sed Engineers				
		0 Deckhands	and the second s	ied Member Engir				
Persons alle	this vessel may o owed: 0	carry 0 Passen	gers, 0 Other	Persons in cre	ew, 0 Perso	ns in addition to	crew, and r	o Others. Total
Route Per	mitted And Cor	ditions Of Op	eration:					
Lakes	, Bays, and s air weather onl , Florida.					from shore be	tween St. N	arks and
Lakes Also, in f Cerrabelle This wesse (2). If th inspected	air weather onl	ly, coastwise, ited a fresh we berated in saler intervals	not more t	than twelve (ce examination te than 6 mon ER 31.15-21/a	12: miles n interval	in accordance	e with 46 C	FR 31.10-21(a)
Lakes Also, in f Carrabella This vesse (2). If th inspected writing as This tank	air weather onl , Florida. l has been gram is vessel is op using salt wate soon as this o	ty, coastwise, nted a fresh to perated in sal er intervals a change in stat tipating in th	Nater service to water more service se	than twelve (the examination te than 6 mon FR 31.10-21/a and Ninth Coas	n interval the in any (1), and	in accordanc 12 month per the cognicant	e with 46 C iod, the ve OCMI must	FR 31.10-21(a) ssel must be be notified in
Lakes Also, in f Carrabella This vesse (2). If th inspected writing as This tank ***SEE NE	air weather onl, Florida. I has been gramis vessel is on using salt water soon as this obarge is partice.	ty, coastwise, ated a fresh intervals a change in state sipating in the R ADDITIONAL	not more to water service to water more as per 45 CEUS occurs. The Eighth are CERTIFIC	than twelve (ce examination ce than 6 mon FR 31.10-21(a and Winth Coas ATE INFORM	n interval ths in any (41), and t Guard Di	in accordance 12 month per the cognitant strict's Tank	e With 46 C iod, the ve OCMI must Barge Stre	FR 31.10-21(a) ssel must be be notified in amlined
Lakes Also, in f Carrabella This wesse (2). If th inspected writing as This tank ***SEE NE With this Ins Inspection, S	air weather onl, Florida. I has been grammade is vessel is on using salt water soon as this of barge is particular parti	ted a fresh in berated in saler intervals a change in state sipating in the R ADDITIONAL fication having Balveston certification	not more to water service to water more as per 45 CEUS occurs. The Eighth are CERTIFIC peen completed the vessel as the completed the vessel as the complete and the complete as the complete	chan twelve (ce examination re than 6 mon re 31.10-21(a and Winth Coas ATE INFORM ted at Houstor el. in all respec	n interval ths in any fill, and t Guard Di MATION***	in accordance 12 month per the cognitant strict's Tank	e with 46 0 iod, the ve OCMI must	FR 31.10-21(a) ssel must be be notified in amlined Charge Marine
Lakes Also, in f Carrabella This vesse (2). If th inspected writing as This tank ***SEE NE With this Ins Inspection, S	air weather only, Florida. I has been grafis vessel is opusing sait water soon as this obarge is particular p	ted a fresh in berated in saler intervals a change in state sipating in the R ADDITIONAL fication having Balveston certification	not more to water service to water more as per 46 CE cus occurs. The Eighth are CERTIFIC peen completed the vessed thereunder	chan twelve (ce examination re than 6 mon FR 31.10-21(a and Winth Coas ATE INFORM ted at Houstor el, in all respect	n interval the in any [[1], and t Guard Di- MATION*** I, TX, UNITE is, is in conf	in accordance 12 month per the cognitant strict's Tank ED STATES, the ormity with the	e with 46 C iod, the ve OCMI must Barge Stre	FR 31.10-21(a) ssel must be be notified in amlined Charge Marine
This vesse (2). If the inspected writing as This tank ***SEE NE With this Inspection, Slaws and the Date	air weather only, Florida. I has been grantis vessel is opusing salt water soon as this obarge is particular	ted a fresh is perated in saler intervals a change in state sipating in the R ADDITIONAL fication having Balveston certifications prescribe todic/Re-Inspections	not more to water service to water more as per 45 CERTIFIC Deen complement of the vessed thereunder tion Signatur	chan twelve (chan twelve (chan twelve (chan for month)) and Ninth Coas ATE INFORM ted at Houstonel, in all respect.	n interval ths in any fill, and t Guard Di MATION*** I, TX, UNITE ts, is in conf	in accordance 12 month per the cognitant strict's Tank	e with 46 0 iod, the ve OCMI must Barge Streene Officer in applicable ve	FR 31.10-21(a) ssel must be be notified in amlined Charge, Marine essel inspection
Lakes Also, in f Carrabella This vesse (2). If th inspected writing as This tank ***SEE NE With this Ins Inspection, S laws and the	air weather only, Florida. I has been grants vessel is on using salt water soon as this of barge is particular particula	ted a fresh is perated in saler intervals a change in state sipating in the R ADDITIONAL fication having Balveston certifications prescribe todic/Re-Inspections	not more to water service to water more as per 45 CEUS occurs. The Eighth are CERTIFIC peen completed the vessed thereunder tion	chan twelve on the control of the co	n interval ths in any fill, and t Guard Di MATION*** I, TX, UNITE ts, is in conf	in accordance 12 month per the cognitant strict's Tank ED STATES, the formity with the discription in the Inspection	e with 46 0 iod, the ve OCMI must Barge Streene Officer in applicable ve	FR 31.10-21(a) ssel must be be notified in amlined Charge, Marine essel inspection



Certification Date: 05 Feb 2021 Expiration Date: 05 Feb 2026

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

Vessel Name	Official Number	IMO Num	per	Call Sign	Service	
CBC 1388	1265962				Tank	Barge
Hailing Port NEW ORLEANS, LA	Hull Material	Horse	power	Propulsion		
UNITED STATES						
Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GALVESTON, TX	11Feb2016	09Oct2015	R-735	R-735		R-200 0
UNITED STATES			l-	l-		1-0
Owner CANAL BARGE COMPANY INC 1801 ENGINEERS ROAD BELLE CHASSE, LA 70037 UNITED STATES		1801 BELI	AL BARGE ENGINEE	E, LA 70037		
This vessel must be manned with the 0 Certified Lifeboatmen, 0 Certified	e following licensed Tankermen, 0 HSC	and unlicensed Type Rating, a	d Personne and 0 GMD	l. Included in w SS Operators.	hich there r	must be

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals as per 46 CFR 31.10-21(a)(1), and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Α	nnual/Perio	dic/Re-Inspe	ction	This Amended certificate issued by
Date	Zone	A/P/R	Signature	J. H. HART COMMANDER, by direction
				Officer in Charge, Marine Inspection
				Sector New Orleans
				Inspection Zone



Certification Date: 05 Feb 2021 05 Feb 2026 **Expiration Date:**

Certificate of Inspection

Vessel Name: CBC 1388

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

28Feb2026

11Feb2016

Internal Structure

28Feb2026

01Feb2021

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade A and Lower and Specified Hazardous Cargoes.

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

No

11337

Barrel

Yes

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	577	14.07
2 P/S	670	14.07
3 P/S	599	14.07

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1433	9ft 0in	14.07	Rivers
1	1433	9ft 0in	13.32	Lakes, Bays, and Sounds
II	1523	9ft 5in	13.32	Lakes, Bays, and Sounds
II	1541	9ft 6in	14.07	Rivers
III	1649	10ft 0in	13.32	Rivers
Ш	1757	10ft 6in	11.58	Rivers

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1504248 dated 08OCT15, may be carried and then only in the tanks indicated.

In accordance with 46 CFR, Part 39, excluding part 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letters Serial # C1-1501887 dated 30APR15, and Serial C1-1504248# dated 08OCT15, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

As per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR, Part150, are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR, Part 150, in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's Cargo Authority.

When the vessel is carrying cargoes containing greater than 0.5% benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR Part 197, Subpart C are applicable.

^{*}Vapor Control Authorization*



Certification Date: 05 Feb 2021 Expiration Date: 05 Feb 2026

Certificate of Inspection

Vessel Name: CBC 1388

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 14.07 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed.

Per 46 CFR 151.10-15 (c) (2) the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

Cargo tank maximum design working pressure: 3.50 psig

--- Inspection Status ---

Cargo Tanks

	Internal Exa	m		External Ex	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	4	11Feb2016	11Feb2026	ů.	1.5	ν.
2 P/S	-	11Feb2016	11Feb2026	7		-0.
3 P/S	6	11Feb2016	11Feb2026	13	C+	-
			Hydro Test			
Tank Id	Safety Valve	es	Previous	Last	Next	
1 P/S	4		4	12.		
2 P/S	-		+	-	3	
3 P/S	1.40		2	14	_	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Number of Fireman Outfits - 0

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END

C1-1504248

Dated:

08-Oct-15



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Shipyard: Southwest Shipyard

. Hull #: 9755

46 CFR 151 Tank G	roup (Chara	cterist	ics													
Tank Group Information	Cargo l	dentificati	ion		Cargo	1	Tanks		Carg Trans	-	Environ Control		Fire	Special Require	ments		
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A 1C, 2C, 3C	14.07	Atmos.	Amb.	1	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	40-1(f)(1), .50-60, .50-70(a), .50- 70(b), .50-73,	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is sultable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio			Condi	tions of Carriage						
							Vapor R			7
Name	Chem	Compat Group No	Sub Chapter	Grade	Hui! Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes	***************************************									
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	11	A	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	E		Α	Yes	11	· No	, G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	111	Α	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	0	Ε	111	Α	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	АМН	6	0	NA	III	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	11	Α	No	N/A	No	G
Benzene	BNZ	. 32	0	С	III	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	III	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	.50-80, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	· G
Butyraldehyde (all isomers)	BAE	. 19	0	С	111	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D.	11	Α	No	N/A	No	G
Carbon tetrachloride	СВТ	36	0	NA	Ш	Α	No	N/A	No	G
Caustic potash solution	CPS	5 ²	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 ²	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	III	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	. 1	.50-73	G
Creosote	CCV	V 21 ²	0	E	111	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX	21	0	E	III	Α	Yes	1	.55-1(f)	G
Crotonaldehyde	CTA	19 ²	0	С	II	Α.	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	3 19 ²	0	С	111	Α	Yes	1	No	G
Cyclohexanone	CCF	1 18	0	D	Ш	Α	Yes	3 1	.56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	(18 ²	0	E	111	Α	Yes	3 1	.56-1 (b)	G
Cyclohexylamine	CHA	7	. 0	D	111	Α	Yes	3 1	.56-1(a), (b), (c), (g)	G
Cyclopentadiene, Styrene, Benzene mixture	CSE	3 30	0	D	111	Α	Yes	3 1	.50-60, .56-1(b)	G

This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Page 2 of 8

Shipyard: Southwest Shipyard

Cargo Identificatio	n							Condi	tions of Carriage	
				· .			Vapor F	Recovery		T
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	- III	A	Yes	. 3	.56-1(a), (b)	G
1,1-Dichloroethane	DCH	36	0	С	111	A	Yes	11	No	G
2,2'-Dichloroethyl ether	DEE	41	0	D	- 11	Α.	Yes	1	.55-1(f)	G
Dichloromethane	DCM	36	0	NA	III	A	Yes	5	No	G
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Ε	III	Α_	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	Α	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	111	A	No	N/A	.56-1(a), (b), (c), (g)	G
1,1-Dichloropropane	DPB	36	0	C	111	A	Yes	3	No	G
1,2-Dichloropropane	DPP	36	0	С	- 111	A	Yes	3	No	G
1,3-Dichloropropane	DPC	36	o	С	111	A	Yes		No	G
1,3-Dichloropropene	. DPU	15	0	D	H	A	Yes		No	G
Dichloropropene, Dichloropropane mixtures	DMX		0	Ċ		ΑΑ	Yes		No	G
Diethanolamine ·	DEA	8	0	E	lil	Α	Yes		.55-1(c)	G
Diethylamine	DEN		0	С	111	A	Yes		.55-1(c)	G
Diethylenetriamine	DET	7 2	0	E		Α	Yes	1	.55-1(c)	G
Diisobutylamine	DBU	7	0	D	HJ.	Α	Yes	3	.55-1(c)	G
Diisopropanolamine	DIP	. 8	_ 0	E	111	Α	Yes	1	.55-1(c)	G
Diisopropylamine	DIA	7	0	С	- 11	Α	Yes	3	.55-1(c)	G
N,N-Dimethylacetamide	DAC	10	0	E	Ш	Α	Yes	3	.56-1(b)	G
Dimethylethanolamine	DMB	8	0	D	III	A	Yes	1	.56-1(b), (c)	G
Dimethylformamide	DMF	10	0	D	Ш	Α	Yes	1	.55-1(e)	G
Di-n-propylamine	DNA	. 7	0	С	H	A	Yes	3	.55-1(c)	G
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	Α.	No	N/A	.56-1(b)	G
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A	No	G
EE Glycol Ether Mixture	EEG	40	0	D	III	Α	No	N/A	No .	G
Ethanolamine	MEA	8	0	E	111	Α	Yes	1	.55-1(c)	G
Ethyl acrylate	EAC	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Ethylamine solution (72% or less)	EAN	7	0	Α	11	Α	No	N/A	.55-1(b)	G
N-Ethylbutylamine	EBA	7	0	D	Ш	Α	Yes	3	.55-1(b)	G
N-Ethylcyclohexylamine	ECC	7	0	D	111	Α	Yes	1	.55-1(b)	G
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	s 1	No	G
Ethylenediamine	EDA	7 2	0	D	111	Α	Yes	s 1	.55-1(c)	G
Ethylene dichloride	EDC	36 ²	0	С	101	A	Yes	s 1.	· No	G
Ethylene glycol hexyl ether .	EGH	H 40	0	Ε	111	Α	No	N//	₩	G
Ethylene glycol monoalkyl ethers	EGO	2 40	0	D/E	HI	Α	Yes	s 1	No .	G
Ethylene glycol propyl ether	EGF	40	0	Е	III	Α	Yes	s 1	No	G
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	Yes	s 2	.50-70(a), .50-81(a), (b)	G
Ethyl methacrylate	ETN	1 14	0	D/E	: 10	Α	Yes	s 2	.50-70(a)	G
2-Ethyl-3-propylacrolein	. EPA		0	E	III		Yes	s . 1	No	G
Formaldehyde solution (37% to 50%)	FMS		0	D/E		Α	Yes	s 1	.55-1(h)	G
Furfural	FFA		0	D	111	Α	Yes	s 1	.55-1(h)	G
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/	A No	G
Hexamethylenediamine solution	HM		0	E	Ш		Yes		.55-1(c)	G
Hexamethyleneimine	НМ		0	С	II	Α	Ye		.58-1(b), (c)	G
Hydrocarbon 5-9	HFN		0	С	III		Yes		.50-70(a), .50-81(a), (b)	G
Isoprene	IPR	30	0	Α	111	Α	No	N/	Δ .50-70(a), .50-61(a), (b)	G



Serial #: C

08-Oct-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Page 3 of 8

Shipyard: Southwest Shipyard

Cargo Identification	1						(Condi	tions of Carriage	rriage	
	Chem	Compat	Sub		Hulf	Tank	Vapor F App'd	Recovery VCS	Special Requirements in 46 CFR	Insp.	
Name	Code	Group No		Grade	Туре	Group	(Y or N)	Category		Period	
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	111	.А	No	N/A	.50-73, .56-1(a), (c), (g)	G	
Mesityl oxide	MSO	18 ²	0	D	- 111	Α	Yes	1	No	G	
Methyl acrylate	MAM	14	0	С	- 111	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
Methylcyclopentadiene dimer	MCK	30	0	С	. 111	Α	Yes	1	No	G	
Methyl diethanolamine	MDE	8	0	E	111	Α	Yes	1	.56-1(b), (c)	G	
2-Methyl-5-ethylpyridine	MEP	9	0	E		Α	Yes	1	.55-1(e)	G	
Methyl methacrylate	MMM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
2-Methylpyridine	MPR	9	0	D	111	Α	Yes	3	.55-1(c)	G	
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
Morpholine	MPL	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G	
Nitroethane .	NTE	42	0	D	11	Α	No	N/A	.50-81, .56-1(b)	G	
1- or 2-Nitropropane	NPM	42	0	D	Ш	Α	Yes	1	.50-81	G	
1,3-Pentadiene	PDE	30	0	Α	III	Α	No	N/A	.50-70(a), .50-81	G	
Perchloroethylene	PER	36	0	NA	III	Α	No	N/A	No ·	G	
Polyethylene polyamines	PEB	7 2	0	E	111	Α	Yes	1	.55-1(e)	G	
iso-Propanolamine	MPA	8	0	E	III	Α	Yes	1	.55-1(c)	G	
Propanolamine (iso-, n-)	PAX	8	0	E	III	Α	Yes	1	.56-1(b), (c)	G	
iso-Propylamine	IPP	7	0	Α	II	Α	Yes	5	.55-1(c)	G	
Pyridine	PRD	9	0	С	111	Α	Yes	1	.55-1(e)	G	
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0		III	Α	No	N/A	.50-73, .55-1(j)	G	
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G	
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	III	Α	No	N/A	.50-73	G	
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (b)	G	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	2 0	NA	111	Α	Yes	1	.50-73, .55-1(b)	G	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1,2	2 0	NA	111	Α	No	N/A	50-73, .55-1(b)	G	
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1.2	2 0	NA	П	Α	No	N/A	.50-73, .55-1(b)	G	
Styrene (crude)	STX	30	0	D	111	Α	Yes	2	No	G	
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G	
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	Α	No	N/A	No	G	
Tetraethylenepentamine	TTP	7	0	E	Ш	Α	Yes	1_	.55-1(c)	G	
Tetrahydrofuran	THF	41	0	С	Ш	Α	,Yes	3 1	.50-70(b)	G	
Toluenediamine	TDA	9	0	E	II	Α	No	N/A	.50-73, .56-1(a), (b), (c), (g)	G	
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	3 1	No	G	
1,1,2-Trichloroethane	TCM	36	0	NA	III	Α	Yes	1	.50-73, .56-1(a)	G	
Trichloroethylene	TCL	36 ²	.0	NA	111	Α	Yes	1	No	G	
1,2,3-Trichloropropane	TCN	36	0	E	- II	Α	Yes	3	.50-73, .56-1(a)	G	
Triethanolamine	TEA	8 ²	0	E	III	Α	Yes	3 1	:55-1(b)	G	
Triethylamine	TEN	7	0	С	- 11	Α	Yes	***************************************	.55-1(e)	G	
Triethylenetetramine	TET	7 2	0	E	111		Yes		.55-1(b)	G	
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	111		No	N/A	.56-1(a), (b), (c)	G	
Trisodium phosphate solution	TSP		0	NA	10		No		.50-73, .56-1(a), (c).	G	
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS		0	NA	111		No			G	
Vanillin black liquor (free alkali content, 3% or more).	VBL		0	NA	111		No	N/A	.50-73, .56-1(a), (c), (g)	G	
Vinyl acetate	VAM		0	С	III		Yes		.50-70(a), .50-81(a), (b)	G	
Vinyl neodecarrate	VND		0	E	III		No		.50-70(a), .50-81(a), (b)	G	
						,,	140	1 4//			



Serial #: C1-1504248

Dated: 08-Oct-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Page 4 of 8

Shipyard: Southwest Shipyard

Cargo Identification								Conditions of Carriage					
								Recovery					
Name	Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Subchapter D Cargoes Authorized for Vapor Contro	ol												
Acetone	ACT	18 ²	D	С		Α	Yes	1					
Acetophenone	ACP	18	D	E		Α	Yes	1					
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1					
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1					
Amyl alcohol (iso-, ri-, sec-, primary)	AAI	20	D	D		Α	Yes	. 1					
Benzyl alcohol	BAL	21	D	E		Α	Yes	1					
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		A	Yes	1					
Butyl acetate (all isomers)	BAX	34	D	D		_A	Yes	11					
Butyl alcohol (iso-)	IAL	20 ²	D	. D		Α	Yes	1					
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1					
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1					
Butyl alcohol (tert-)	BAT	20 ²	D	С		Α	Yes	1					
Butyl benzyl phthalate	BPH	34	D	Е		Α	Yes	1					
Butyl toluene	BUE	32	D	D		Α	Yes	1					
Caprolactam solutions	CLS	22	D	E		Α	Yes	1					
Cyclohexane	CHX	31	Ď	С		Α	Yes	1					
Cyclohexanol .	CHN	20	D	E		Α	Yes	1					
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2					
p-Cymene	CMP	32	D	D		Α	Yes	1					
iso-Decaldehyde	IDA	19	D	Е		Α	Yes.	1					
n-Decaldehyde	DAL	19	D	E		Α	Yes	1					
Decene	DCE	30	D	D		Α	Yes	1					
Decyl alcohol (all isomers)	DAX	20 ²	D	E		Α	Yes	1					
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1					
Diacetone alcohol	DAA	20 ²	D	D		Α	Yes	1					
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1					
Diethylbenzene	DEB	32	D	D		Α	Yes	1					
Diethylene glycol	DEG	40 ²	D	E		Α	Yes	· 1					
Diisobutylene	DBL	30	D	С		Α	Yes	1					
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1					
Diisopropylbenzene (all isomers)	DIX	32	D	E		Α	Yes	1					
Dimethyl phthalate	DTL	34	D	E		Α	Yes	1					
Dioctyl phthalate	DOP	· 34	D	E		Α	Yes	1					
Dipentene	DPN	30	D	D		Α	Yes	1					
Diphenyl	DIL	32	D	D/E		Α	Yes	1					
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E		Α	Yes	1					
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1					
Dipropylene glycol	DPG	40	D	E		Α	Yes	1					
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1					
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1					
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1					
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		Α	Yes	1					
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1					
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1					
Ethyl acetate	ETA	34	D	С		Α	Yes	1	-				



C1-1504248

08-Oct-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Page 5 of 8

Shipyard: Southwest Shipyard

Cargo Identification								Conditions of Carriage					
	T						Vapor F	Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1					
Ethyl alcohol	EAL	20 ²	D ·	С		Α	Yes	1					
Ethylbenzene	ETB	32	D	С		Α	Yes	1 .					
Ethyl butanol	EBT	20	D	D		Α	Yes	1					
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes	1	<u>.</u>				
Ethyl butyrate	EBR	34	D	D		Α	Yes	11					
Ethyl cyclohexane	ECY	31	D	D		Α	Yes	1					
Ethylene glycol	EGL	20 ²	_ D	Ε		A	Yes	11					
Ethylene glycol butyl ether acetate	EMA	34	D	E		Α	Yes	1					
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1					
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	· 1					
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1		-			
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1					
Ethyl propionate	EPR	34	D	С		Α	Yes	1					
Ethyl toluene	ETE	32	D	D		Α	Yes	1					
Formamide	FAM	10	D	E		Α	Yes	1	•				
Furfuryl alcohol	FAL	20 ²	D	Ε		Α	Yes	1					
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1					
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1					
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1					
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1					
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1					
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	11					
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	11					
Glycerine	GCR	20 ²	D	E		Α	Yes	1					
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1					
Heptanoic acid	HEP	4	D	E		Α	Yes	11					
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1					
Heptene (all isomers)	HPX	30	D	_C		Α	Yes	2	7.0				
Heptyl acetate	HPE	34	D	E		Α	Yes	1					
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1					
Hexanoic acid	HXO	4	D	E		A	Yes	1	nter L.				
Hexanol	HXN	20	D	D		Α	Yes	1					
Hexene (all isomers)	HEX	30	D	_C		Α	Yes	2					
Hexylene glycol	HXG	20	D	E		Α	Yes	1					
Isophorone	IPH	18 ²	D	E		Α	Yes	1					
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1					
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1					
Kerosene	KRS	33	D	D		Α	Yes	1					
Methyl acetate ·	MTT	34	D	D		Α	Yes	1					
Methyl alcohol	MAL	20 2	D	С		Α	Yes	11					
Methylamyl acetate	MAC	34	D	D.		Α	Yes	1					
Methylamyl alcohol	MAA	20	D	D		Α	Yes						
Methyl amyl ketone	MAK		D	D		A	Yes	11					
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1					
Methyl butyl ketone	MBK		D	С		Α	Yes						
Methyl butyrate	MBU	34	D	С		Α	Yes	1					



Serial #: C1-1504248 Dated: 08-Oct-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388 Official #: 1265962

Page 6 of 8

Shipyard: Southwest Shipyard

Cargo Identification								Conditions of Carriage						
	Ch	Correct	O. I		Lu	Tent		Recovery	Special Pennison and in 46 CCD	T				
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period				
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	11	The state of the s					
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1						
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	11						
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1						
Mineral spirits	MNS	33	D	D		Α	Yes	1						
Myrcene	MRE	30	D	D		Α	Yes	1						
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1						
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1						
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1						
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	11						
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1						
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1						
Nonene (all isomers)	NON	30	D	D		Α	Yes	2						
Nonyl alcohol (all isomers)	NNS	20 2	D	E		Α	Yes	1						
Nonyl phenol	NNP	21	D	E		Α	Yes	1						
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1						
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1						
Octanoic acid (all isomers)	OAY	4	D	E		Α	Yes	1						
Octanol (all isomers)	OCX	20 2	D	E		Α	Yes	1						
Octene (all isomers)	ОТХ	30	D	С		Α	Yes	2						
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1						
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1						
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1						
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1						
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1						
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	1	,					
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1						
Oil, misc: Gas, high pour	OGP	33	D	E		Α	Yes	1						
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1						
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1						
Oil, misc: Turbine	ОТВ	33	D	E		A	Yes	1		-				
Pentene (all isomers)	PTX	30	D	A		Α	Yes	5	7-1					
n-Pentyl propionate	PPE	34.	D	D		Α	Yes	1						
alpha-Pinene	PIO	30	D	D		A	Yes	1						
beta-Pinene	PIP	30		D		Α	Yes	1	·					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40				A	Yes	1						
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34		 E		A	Yes	1						
	PLB	30	D			A	Yes							
Polybutene Polybutene	PGC						Yes							
Polypropylene glycol	IAC	34		C		A	Yes							
iso-Propyl acetate	PAT	34	D	c		A	Yes							
iso-Propyl alcohol	IPA	20 ²				A	Yes							
	PAL	20 2	D				Yes							
n-Propyl alcohol Propylbenzene (all isomers)	PBY		D			A	Yes							
	IPX	31	D	D		A	Yes							
iso-Propylcyclohexane	PPG		D	E		A	Yes							
Propylene glycol	PGN		, D			A	Yes							
Propylene glycol methyl ether acetate	PTT	30	D				Yes							
Propylene tetramer	PII	30	U	U		Α	res	1						



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388

Official #: 1265962

Page 7 of 8

. Shipyard: Southwest Shipyard

Cargo Identification							Conditions of Carriage					
		1	i			1	Vapor Recovery					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Sulfolane	SFL	39	D	E		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	E		Α	Yes	1				
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1				
Toluene	TOL	32	D	С		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1				
Tnethylbenzene	TEB	32	D	E		A	Yes	1	,			
Triethylene glycol	TEG	40	D	E		Α	Yes	1				
Triethyl phosphate	TPS	34	D	Ε		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1	,			
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1				



Serial #: C1-1504248



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1388

Official #: 1265962

Page 8 of 8

Shipyard: Southwest Shi

Hull #: 9755

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1

Note 2

Subchanter Subchapter O

Grade A, B, C

NA Hull Type

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid

No flammability/combustibility grade has been assigned yet,as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

Tank Group Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

VCS Category:

Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems