

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Mar 2023 Expiration Date: 03 Mar 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

Vessel Name	Official Nu	ımber	IMO Numi	per	Call Sign	Service		
CBC 1399	12767	89				Tank E	Barge	
Hailing Port		Iull Material	Hara		DI-I			
NEW ORLEANS, LA		Steel	Horse	power	Propulsion			
UNITED STATES		olcei						
Place Built	Deliv	ery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length	_
GALVESTON, TX	021	Mar2018	26Feb2018	R-735	R-735		R-200 0	
UNITED STATES	021	VIGI 2010	201 002010	I-	1-		I-0	
Owner CANAL BARGE COMPAN	IY INC			AL BARGE	COMPANY IN	С		
1801 ENGINEER ROAD BELLE CHASSE, LA 7003	37			ENGINEEI E CHASSI	R ROAD E, LA 70037			
UNITED STATES				ED STATE				
This vessel must be manne 0 Certified Lifeboatmen, 0	ed with the following Certified Tankermer	licensed n, 0 HSC	and unlicensed Type Rating, a	d Personnel and 0 GMD	. Included in w SS Operators.	hich there m	ust be	
0 Masters	0 Licensed Mates	0 Chief	Engineers	0 0	ilers			
0 Chief Mates	0 First Class Pilots	0 First A	Assistant Engineer	°S				
0 Second Mates	0 Radio Officers	0 Secor	nd Assistant Engin	eers				
0 Third Mates	0 Able Seamen	0 Third	Assistant Enginee	ers				
0 Master First Class Pilot	0 Ordinary Seamen	0 Licens	sed Engineers					
0 Mate First Class Pilots	0 Deckhands	0 Qualif	ied Member Engir	neer				
In addition, this vessel may	carry 0 Passengers	, 0 Other	Persons in cre	w. 0 Perso	ns in addition to	crew, and r	o Others Tot	al

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI New Orleans.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Baton Rouge, LA, UNITED STATES, the Officer in Charge, Marine Inspection, New Orleans, LA certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspec	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	This certificate issued by: M. J. NOVAK LCDR, USCG, by direction
				Officer in Charge, Marine Inspection
				New Orleans, LA
		1		Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Mar 2023 **Expiration Date:** 03 Mar 2028

Certificate of Inspection

Vessel Name: CBC 1399

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

31Mar2028

02Mar2018

Internal Structure

31Mar2028

Α

03Mar2023

02Mar2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade "A" and Lower and Specified Hazardous Cargoes

Total Capacity

Units

Highest Grade Type Part151 Regulated

Part153 Regulated Part154 Regulated

11338

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1C	581	14.07
2C	675	14.07
3C	604	14.07

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1447	9ft 0in	14.07	Rivers
II	1555	9ft 6in	14.07	Rivers
III	1663	10ft 0in	13.32	Rivers
III	1771	10ft 6in	11.58	Rivers
II	1537	9ft 5in	13.32	LBS
1	1447	9ft 0in	13.32	LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA) serial no. C1-1703744 dated 04 OCT 2017 may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 14.07 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed below.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 03 Mar 2023 Expiration Date: 03 Mar 2028

Certificate of Inspection

Vessel Name: CBC 1399

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter C1-1700672 dated February 28, 2017, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column of the vessel's CAA. The VCS system has been approved with a pressure side 1.5 psig P/V valve with Coast Guard Approval 162.017/144/3. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.5 psi.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	ı		External Exa	m	
Tank ld	Previous	Last	Next	Previous	Last	Next
1C	ž.	02Mar2018	31Mar2028		~	2
2C	•	02Mar2018	31Mar2028	4	4	1.2
3C	-	02Mar2018	31Mar2028	di .	×	-
\			Hydro Test			
Tank Id	Safety Valves	3	Previous	Last	Next	
1C	-		A		. 0	
2C	-				•	
3C	-		-	4	2	

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Shipyard: Southwest Shipyard

Hull #: 9777

46 CFR 151 Tank Group Characteristics

Tank Group Information	Cargo I	dentificati	on		Cargo	Tanks				Environmental Control		Fire	Special Requirements				
Tnk Grp Tanks in Group	Density	Press.	Temp,	Hull Typ	Seq	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1C,#2C,#3C	14.07	Atmos.	Elev	t	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	40-1(f)(1), 50-60, 50-70(a), 50-73,	55-1(b), (c), (e), (f), (g), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g), 58-1(a), (e),	NR	No

- Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.
 - 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
 - 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	Conditions of Carriage									
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	ecovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
		NO	0,10,101		1,700	3334	11.57.14	outogory	To Toolora and Maris of	1 61100
Authorized Subchapter O Cargoes										
Acetic acid	AAC	4 2	0	D	101	Α	Yes	1	50-73, 55-1(g)	G
Acetic anhydride	ACA	11	0	D	111	Α	Yes	1	50-73, 55-1(g)	G
Acetonitrile	ATN	37	0	С	300	Α	Yes	3	No	G
Acrylic acid	ACR	4 2	0	D	Ш	Α	Yes	2	50-70(a), 50-73, 50-81, 58-1(a)	G
Acrylonitrile	ACN	15 ²	0	С	Ш	Α	Yes	4	50-70(a), 55-1(a)	G
Adiponitrile	ADN	37	0	E	11	Α	Yes	1	No	G
Alkylbenzenesulfonic acid (greater than 4%)	ABS	0 1,2	2 0	E	111	Α	No	N/A	50-73, 58-1(e)	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	50-81, 50-86	G
Aluminum sulfate solution	ASX	43 ²	0:	NA	III	Α	No	N/A	58-1(e)	G
Aminoethylethanolamine	AEE	8	0	E	III	Α	Yes	1	,55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 ²	0	NA	Ш	Α	No	N/A	50-73, 56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	П	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	IH	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 ²	0	С	Ш	Α	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	Ш	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	,55-1(h)	G
Camphor oil (light)	CPO	18	0	D	11	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A	No	G
Caustic potash solution	CPS	5 ²	0	NA	III	Α	No	N/A	50-73, 55-1(j)	G
Caustic soda solution	CSS	5 ²	0	NA	111	A	No	N/A	50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD		0	E	UH	Α	No	N/A		G
Chlorobenzene	CRB	36	0	D	111	A	Yes	1	No	G
Chloroform	CRF	36	0	NA	11)	A	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	A	Yes	1	50-73	G
Coal tar pitch (molten)	CTP	33	0	E	III	A	No	N/A	.50-73	G
Creosote	CCW		0	Ē	111	A	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	111	A	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	111	A	No	N/A	50-73, 55-1(b)	G
Cresylic acid tar	CRX	21	0	E	101	A	Yes	1	55-1(f)	G



04-Oct-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 2 of 9

Shipyard: Southwest Shipyard

Cargo Identification	Cargo Identification								Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period				
Crotonaldehyde	СТА	19 ²	0	С	II	Α	Yes	4	,55-1(h)	G				
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	III	Α	Yes		No	G				
Cyclohexanone	CCH	18	0	D	Hi	Α	Yes	1	,56-1(a), (b)	G				
Cyclohexanone, Cyclohexanol mixture	CYX	18 2	0	E	 III	A	Yes		,56-1 (b)	G				
Cyclohexylamine	CHA	7	0	D	(11	A	Yes		,56-1(a), (b), (c), (g)	G				
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	A	Yes	4	50-60, 56-1(b)	G				
iso-Decyl acrylate	IAI	14	0	E	III	A	Yes		.50-70(a), 50-81(a), (b), 55-1(c)	G				
Dichlorobenzene (all isomers)	DBX	36	0	E	101	A	Yes	3	.56-1(a), (b)	G				
1,1-Dichloroethane	DCH	36	0	C	10	A	Yes	3 1	No No	G				
2,2'-Dichloroethyl ether	DEE	41	0	D	B	A	Yes	1	.55-1(f)	G				
Dichloromethane	DCM								No No	G				
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution			0	NA	111	A	Yes	5						
	DDE	43	0	E	111	A	No	N/A	.56-1(a), (b), (c), (g)	G				
2.4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1		A	111	A	No	N/A	.56-1(a), (b), (c), (g)	G				
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	411	Α	No	N/A	,56-1(a), (b), (c), (g)	G				
1,1-Dichloropropane	DPB	36	0	С	111	Α	Yes	3	No	G				
1,2-Dichloropropane	DPP	36	0	С	111	Α	Yes	3	No	G				
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G				
1,3-Dichloropropene	DPU	15	0	D	H	Α	Yes	4	No	G				
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	И	Α	Yes	1	No	G				
Diethanolamine	DEA	8	0	Е	111	Α	Yes	1	55-1(c)	G				
Diethylamine	DEN	7	0	С	111	Α	Yes	3	.55-1(c)	G				
Diethylenetriamine	DET	7 2	0	Е	III	Α	Yes	1	55-1(c)	G				
Diisobutylamine	DBU	7	0	D	111	Α	Yes	3	.55-1(c)	G				
Diisopropanolamine	DIP	8	0	Ę	111	Α	Yes	1	55-1(c)	G				
Diisopropylamine	DIA	7	0	С	II	Α	Yes	3	.55-1(c)	G				
N,N-Dimethylacetamide	DAC	10	0	Е	111	Α	Yes	3	.56-1(b)	G				
Dimethylethanolamine	DMB	8	0	D	III	Α	Yes	1	.56-1(b), (c)	G				
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	55-1(e)	G				
Di-n-propylamine	DNA	7	0	С	II.	A	Yes	3	,55-1(c)	G				
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	III	Α	No	N/A	,56-1(b)	G				
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	Н	A	No	N/A	No	G				
EE Glycol Ether Mixture	EEG	40	0	D	iii	A	No	N/A	No	G				
Ethanolamine	MEA	8	0	E	111	A	Yes	1	,55-1(c)	G				
Ethyl acrylate	EAC	14	0	C	III	A	Yes	2	50-70(a), 50-81(a), (b)	G				
Ethylamine solution (72% or less)	EAN	7	0	A	11	A	No	N/A	55-1(b)	G				
N-Ethylbutylamine		-		_										
N-Ethylcyclohexylamine	ECC	7	0	D	300	A	Yes	3	55-1(b)	G				
Ethylene cyanohydrin			0		101	A	Yes	1	.55-1(b) No	G				
Ethylenediamine	ETC	20	0	E	30	A	Yes	1						
	EDA	7 2	0	D	III	A	Yes		,55-1(c)	G				
Ethylene dichloride	EDC	36 ²	0	C	111	A	Yes	1	No	G				
Ethylene glycol hexyl ether	EGH	40	0	E	111	Α	No	N/A	No	G				
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	III	Α	Yes	1	No	G				
Ethylene glycol propyl ether	EGP	40	0	E	Ш	Α	Yes	1	No	G				
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G				
Ethyl methacrylate	ETM	14	0	D/E	HI	Α	Yes	2	50-70(a)	G				
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	311	Α	Yes	_1	No	G				
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	Α	Yes	1	.55-1(h)	G				



04-Oct-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 3 of 9

Shipyard: Southwest Shipyard

Cargo Identification								Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period				
Furfural	FFA	19	0	D	III	A	Yes	1	55-1(h)	G				
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/A	No	G				
Glyoxylic Acid Solution (50% or less)	GAC	4	0	E	111	Α	No	N/A		G				
Hexamethylenediamine solution	НМС	7	0	E	III	A	Yes	1	.55-1(c)	G				
Hexamethyleneimine	НМІ	7	0	С	- 11	Α	Yes	1	.56-1(b), (c)	G				
Hydrocarbon 5-9	HFN	31	0	С	81	Α	Yes	1	50-70(a), 50-81(a), (b)	G				
Isoprene	IPR	30	0	A	III	A	No	N/A	50-70(a), 50-81(a), (b)	G				
Isoprene, Pentadiene mixture	IPN	30	0	В	III	A	No	N/A		G				
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	III	A	No	N/A		G				
Mesityl oxide	MSO	18 ²	0	D	111	Α	Yes	1	No	G				
Methyl acrylate	MAM	14	0	С	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G				
Methylcyclopentadiene dimer	MCK	30	0	C	111	A	Yes	1	No	G				
Methyl diethanolamine	MDE	8	0	E	ill	A	Yes	1	.56-1(b), (c)	G				
2-Methyl-5-ethylpyridine	MEP	9	0	E	111	A	Yes	1	.55-1(e)	G				
Methyl methacrylate	MMN		0	C	101	A	Yes	2	50-70(a), 50-81(a), (b)	G				
2-Methylpyridine	MPR	9	0	D	300	A	Yes	3	55-1(c)	G				
alpha-Methylstyrene	MSR	30	0	D	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G				
Morpholine	MPL	7 2	0	D	111				.55-1(c)	G				
Naphthalene (molten)	NTM	32	0	C		A	Yes	1	No	G				
Nitroethane	NTE	42			- 111	Α .	Yes	1	,50-81, 56-1(b)	G				
1- or 2-Nitropropane	NPM	42	0	D	11	A	No	N/A	.50-81					
1,3-Pentadiene	PDE		0	D	101	A .	Yes	1		G				
Perchloroethylene		30	0	A	III	A	No	N/A	50-70(a), 50-81	G				
•	PER	36	0	NA	1111	A	No	N/A	No	G				
Phthalic anhydride (molten)	PAN	11	0	E	111	A	Yes	1_	No	G				
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes	1	.55-1(e)	G				
iso-Propanolamine	MPA	8	0	E	III	Α	Yes	1	,55-1(c)	G				
Propanolamine (iso-, n-)	PAX	8	0	Е	III	Α	Yes	1	56-1(b), (c)	G				
Propionic acid	PNA	4	0	D	- 111	Α	Yes	1	50-73, 55-1(g)	G				
iso-Propylamine	IPP	7	0	Α	l)	Α	Yes	5	55-1(c)	G				
Pyridine	PRD	9	0	С	Ш	Α	Yes	1	55-1(e)	G				
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0		3111	Α	No	N/A	50-73, .55-1(j)	G				
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G				
Sodium chlorate solution (50% or less)	SDD	0 1	2 0	NA	Ш	Α	No	N/A	50-73	G				
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	IH	A	No	N/A	50-73, 56-1(a), (b)	G				
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1		NA	Ш	Α	Yes	1	50-73, 55-1(b)	G				
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1	² O	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G				
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1	2 0	NA	H	Α	No	N/A	.50-73, .55-1(b)	G				
Sodium thiocyanate solution (56% or less)	STS	0 1	2 03	NA	III	Α	No	N/A	.58-1(a)	G				
Styrene (crude)	STX	30	0	D	III	Α	Yes	2	No	6				
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	50-70(a), 50-81(a), (b)	G				
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	Α	No	N/A	No	G				
Tetraethylenepentamine	TTP	7	0	Ę	H	Α	Yes	1	55-1(c)	G				
Tetrahydrofuran	THF	41	0	С	Ш	Α	Yes	1	.50-70(b)	G				
Toluenediamine	TDA	9	0	Е	Н	Α	No	N/A	50-73, 56-1(a), (b), (c), (g)	G				
1,2,4-Trichlorobenzene	TCB	36	0	E	Ш	Α	Yes	1	No	G				
1,1,2-Trichloroethane	TCM	36	0	NA	Ш	Α	Yes	1	.50-73, .56-1(a)	G				



04-Oct-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 4 of 9

Shipyard: Southwest Shipyard

Cargo Identification	Conditions of Carriage									
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Perio
Trichloroethylene	TCL	36 ²	0	NA	Ш	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	Yes	3	50-73, 56-1(a)	G
Triethanolamine	TEA	8 2	0	E	Ш	Α	Yes	1	55-1(b)	G
Triethylamine	TEN	7	0	С	П	Α	Yes	3	55-1(e)	G
Triethylenetetramine	TET	7 2	0	Е	Ш	Α	Yes	1	.55-1(b)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c)	G
Trisodium phosphate solution	TSP	5	0	NA	ш	Α	No	N/A	50-73, 56-1(a), (c)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	Α	No	N/A	56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	A	No	N/A		G
Vinyl paddecents	VAM		0	С	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate Vinyltoluene	VND	13	0	E D	111	A	No	N/A	50-70(a), 50-81(a), (b) 50-70(a), 50-81, 56-1(a), (b), (c), (G G
vinytolidene	VIVI	13	0	D	III	Α	Yes	2	50-70(a), 50-61, 50-1(a), (b), (c), (G
Subchapter D Cargoes Authorized for Vapor Contro	ol									
Acetone	ACT	18 ²	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	Ε		Α	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1		
Benzyl alcohol										
·	BAL	21	D -	E		Α .	Yes	ୀ 🎚		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	10		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 ²	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 2		С		Α	Yes	4		
Butyl alcohol (tert-)	BAT	20 2		С		A	Yes	1		
Butyl benzyl phthalate	BPH									
		34	D	E		Α .	Yes	-1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	Е		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	্ৰ		
Cyclohexanol	CHN	20	D	Ε		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE		D	D		A		1		
Decyl alcohol (all isomers)	DAX			E			Yes			
n-Decylbenzene, see Alkyl(C9+)benzenes						A	Yes	. 1		
	DBZ		D	E		Α .	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		A	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		_ A	Yes	1		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 5 of 9

Shipyard: Southwest Shipyard

Cargo Identification	Cargo Identification								Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period				
Diethylbenzene	DEB	32	D	D		А	Yes	1						
Diethylene glycol	DEG	40 2	. D	E		Α	Yes	1						
Diisobutylene	DBL	30	D	С		Α	Yes	1						
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1						
Diisopropylbenzene (all isomers)	DIX	32	D	Ε		Α	Yes	1						
Dimethyl phthalate	DTL	34	D	Е		Α	Yes	1						
Dioctyl phthalate	DOP	34	D	Е		Α	Yes	1						
Dipentene	DPN	30	D	D		Α	Yes	1						
Diphenyl	DIL	32	D	D/E		Α	Yes	1						
Diphenyl, Diphenyl ether mixtures	DDO	33	D	E	_	Α	Yes	1						
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1						
Dipropylene glycol	DPG	40	D	E		Α	Yes	1						
Distillates: Flashed feed stocks	DFF	33	D	Е		Α	Yes	1						
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1						
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1						
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1						
2-Ethoxyethyl acetate	EEA	34	D	D		A	Yes	1						
Ethoxy triglycol (crude)	ETG	40	D	E		A	Yes	1						
Ethyl acetate	ETA	34	D	С		A	Yes	1						
Ethyl acetoacetate	EAA	34	D	E		A	Yes	1						
Ethyl alcohol	EAL	20 2		С		A	Yes	1						
Ethylbenzene	ETB	32	D	С		A	Yes	1						
Ethyl butanol	EBT	20	D	D		A	Yes	1						
Ethyl tert-butyl ether	EBE	41	D	С		A	Yes	1						
Ethyl butyrate	EBR	34	D	D		A	Yes	1						
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1						
Ethylene glycol	EGL	20 2		E		A	Yes	1						
Ethylene glycol butyl ether acetate	EMA	34	D	E		A	Yes	1						
Ethylene glycol diacetate	EGY	34	D	E		A	Yes	1						
Ethylene glycol phenyl ether	EPE	40	D	E		A	Yes	1						
Ethyl-3-ethoxypropionate	EEP	34	D	D		A	Yes	1						
2-Ethylhexanol	EHX	20	D	E		A	Yes	1						
Ethyl propionate	EPR	34	D	С		A	Yes	1						
Ethyl toluene	ETE	32	D	D		A	Yes	1						
Formamide	FAM	10	D	E		A	Yes	1						
Furfuryl alcohol	FAL	20 2		E		A	Yes	1						
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1						
Gasoline blending stocks: Reformates	GRF	33	D	A/C		A	Yes	1						
Gasolines: Automotive (containing not over 4,23 grams lead per gallon)	GAT	33	D	С		A	Yes	1						
Gasolines: Aviation (containing not over 4.86 grams of lead per gallor) GAV	33	D	С		Α	Yes	1						



04-Oct-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 6 of 9

Shipyard: Southwest Shipyard

Cargo Identifica	Conditions of Carriage									
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	- 33	D	A/C		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		
Glycerine	GCR	20 2	2 D	E		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1		
Heptanoic acid	HEP	4	D	E		Α	Yes	1		
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1		
Heptene (all isomers)	HPX	30	D	С		Α	Yes			
Heptyl acetate	HPE	34	D	E		Α	Yes			
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	. D	B/C		Α	Yes			
Hexanoic acid	НХО	4	D	Е		Α	Yes			
Hexanol	HXN	20	D	D		Α	Yes	-0.0		
Hexene (all isomers)	HEX	30	D	С		Α	Yes			
Hexylene glycol	HXG	20	D	E		Α	Yes	1		
Isophorone	IPH	18 2		E		A	Yes	31		
Jet fuel: JP-4	JPF	33	D	E		A	Yes			
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1		
Kerosene	KRS	33	D	D		A	Yes	1		
Methyl acetate	MTT	34	D	D		A	Yes			
Methyl alcohol	MAL	20 2		С		A	Yes	1		
Methylamyl acetate	MAC	34	D	D		A	Yes	1		
Methylamyl alcohol	MAA	20	D	D		A	Yes	1		
Methyl amyl ketone	MAK	18	D	D		A	Yes	1		
Methyl tert-butyl ether	MBE	41 2		С		A	Yes	3		
Methyl butyl ketone	MBK	18	D	С		A	Yes	3		
Methyl butyrate	MBU	34	D	C		A	Yes	4		
Methyl ethyl ketone	MEK	18 ²		С		A	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		A		1		
Methyl isobutyl ketone	MIK	18 ²		С		A	Yes	1		
Methyl naphthalene (molten)	MNA	32	D	E			Yes			
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D			A	Yes			
Naphtha: Heavy	NAG	33	D	D #		Α Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes			
Naphtha: Solvent	NSV	33	D	# D		Α	Yes			
Naphtha: Stoddard solvent						A	Yes	= 1 =		
Naphtha: Varnish makers and painters (75%)	NSS	33	D	D		A	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NVM	33	D	С		A	Yes	1		
Nonene (all isomers)	NAX	31	D	D		Α .	Yes	1		
·	NON	30	D	D		A	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	- 1		



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 7 of 9

Shipyard: Southwest Shipyard

Cargo Identification						Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period	
Nonyl phenol	NNP	21	D	Е		Α	Yes	1			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1			
Octanoic acid (all isomers)	OAY	4	D	Е		Α	Yes	1			
Octanol (all isomers)	OCX	20 2	. D	Е		А	Yes	1			
Octene (all isomers)	OTX	30	D	С		Α	Yes	2			
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	81			
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1			
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1			
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1			
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1			
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	1			
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1			
Oil, misc: Gas, high pour	OGP	33	D	E		Α	Yes	1			
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1			
Oil, misc: Residual	ORL	33	D	E		Α	Yes	1			
Oil, misc: Turbine	ОТВ	33	D	Е		A	Yes	1			
Pentane (all isomers)	PTY	31	D	A		A	Yes	5			
Pentene (all isomers)	PTX	30	D	A		A	Yes	5			
n-Pentyl propionate	PPE	34	D	D		A	Yes	1			
alpha-Pinene	PIO	30	D	D		A	Yes	1			
beta-Pinene	PIP	30	D	D		A	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		A	Yes	1			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		A	Yes	1			
Polybutene	PLB	30	D	E		A	Yes	1			
Polypropylene glycol	PGC	40	D	E		A	Yes	1			
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1			
n-Propyl acetate	PAT	34	D	С		A	Yes	1			
iso-Propyl alcohol	IPA	20 2		С		Α	Yes	1			
n-Propyl alcohol	PAL	20 ²		С		A	Yes	1			
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1			
iso-Propylcyclohexane	IPX	31	D	D		A	Yes	1			
Propylene glycol	PPG	20 2		E		A	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1			
Propylene tetramer	PTT	30	D	D		A	Yes	1			
Sulfolane	SFL	39	D	E		A	Yes	1			
Tetraethylene glycol	TTG	40	D	E		A	Yes	1			
Tetrahydronaphthalene	THN	32	D	E		A	Yes	1			
Toluene	TOL	32	D	C		A	Yes	1			
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		A	Yes	1			
The state of the s		٠,		_			, 03				



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399
Official #: 1276789

Page 8 of 9

Shipyard: Southwest Shipyard

Cargo Identification					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp Period
Triethylbenzene	TEB	32	D	Е		Α	Yes	1		
Triethylene glycol	TEG	40	D	Е		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	4		



Department of Homeland Security **United States Coast Guard**

Serial #: C1-1703744 Dated:

04-Oct-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1399 Official #: 1276789

Page 9 of 9

Shipyard: Southwest Shi

Hull #: 9777

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

The propper shipping name as listed in 46 CFR Table 30 25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1

Subchapter D

Subchapter O

Because of the very high reactivity or unusual configuration carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility lat. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Note 2

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart,

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified Those flammable and combustible liquids listed in 46 CFR Table 30.25-1

Those hazardous cargoes listed in 46 CFR Table 151 05 and 46 CFR Part 153 Table 2
Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

Grade

Subchapter

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not varified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C Note 4

Flammable liquid cargoes, as defined in 46 CFR 30-10 22

Combustible liquid cargoes, as defined in 46 CFR 30-1015

The flarmability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available

Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151 10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo See 46 CFR 151.10-1(b)(1)
Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3)

Designed to carry products of sufficeint hazard to require a moderate degree of control See 46 CFR 151.10-1(b)(4)

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group Vapor Recovery

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes. The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category:

The specified cargo's provisional classification for vapor control systems

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9 s requirement is in addition to the requirements of Category 1

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5

none

The cargo has not been evaluated/classified for use in vapor control systems