

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Jun 2023 Expiration Date: 15 Jun 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number		IMO Numb	er	Call Sign	Service	
CBC 1402	1284530					Tank	Barge
						rank	Daige
Hailing Port							
PITTSBURGH, PA	Hull Mate	terial	Horse	power	Propulsion		
, it toborton, i A	Steel						
UNITED STATES							
Place Built							
GALVESTON, TX	Delivery Date	te K	Geel Laid Date	Gross Tons	Net Tons	DWT	Length
GALVESTON, TA	21Jun20	018 0	5Mar2018	R-735	R-735		R-200.0
UNITED STATES				l-	l-		I-0
Owner			Operator				
CAMPBELL TRANSPORT					COMPANY IN	С	
Foxpointe Centre Building 201 South Johnson Road				ENGINEE			
HOUSTON, PA 15342-13			BELL	E CHASSE ED STATE	E, LA 70037		
UNITED STATES	01		ONIT	EDSIAIE	3		
This vessel must be manne	ed with the following licen	sed ar	nd unlicensed	Personnel	Included in w	hich thoro n	nust ho
0 Certified Lifeboatmen, 0	Certified Tankermen, 0 F	HSC Ty	ype Rating, a	nd 0 GMD	SS Operators.	ilion there ii	ilust be
0 Masters		Chief En			ilers		
0 Chief Mates	0 First Class Pilots 0 F	First Ass	istant Engineer	S			
0 Second Mates	0 Radio Officers 0 S	Second A	Assistant Engin	eers			
0 Third Mates	0 Able Seamen 0 T	Third Ass	sistant Enginee	rs			
Master First Class Pilot	0 Ordinary Seamen 0 L	_icensed	l Engineers				
0 Mate First Class Pilots			Member Engin				
In addition, this vessel may Persons allowed: 0	carry 0 Passengers, 0 O	other P	ersons in cre	w, 0 Perso	ns in addition to	crew, and	no Others. Total
Route Permitted And Co	onditions Of Operation:						
Lakes, Bays, and							
Also, in fair weather or	nly, limited coastwise	e, not	more than t	welve (12) miles from	shore betw	geen St. Marks and

Also, in fair weather only, limited coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard Districts' Tank Barge Streamlined

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Baton Rouge, LA, UNITED STATES, the Officer in Charge, Marine Inspection, New Orleans, LA certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by: Mild J. Wh
Date	Zone	A/P/R	Signature	M. J. NOVAK LCDR, USCG, by direction
				Officer in Charge, Marine Inspection
				New Orleans, LA
				Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Jun 2023 **Expiration Date:** 15 Jun 2028

Certificate of Inspection

Vessel Name: CBC 1402

Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to OCMI Sector New

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Jun2028

18Jun2018

Internal Structure

30Jun2028

15Jun2023

18Jun2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

Grade "A" and lower and Specified Hazardous Cargoes

Total Capacity

Units

Part151 Regulated Highest Grade Type

Part153 Regulated Part154 Regulated

11689

Barrels

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1C	579	13.33
2C	730	13.33
3C	657	13.33

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
1	1580	9ft 0in	13.33	Rivers
1	1580	9ft 0in	12.41	LBS
11	1689	9ft 6in	12.49	Rivers
11	1689	9ft 6in	10.99	LBS
III	1799	10ft 0in	11.66	Rivers
111	1871	10ft 4in	9.16	Rivers

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA) serial no. C1-1800956 dated March 15, 2018 may be carried, and then only in the tanks indicated. When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

Per 46 CFR 150.130, the Person In Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's CAA.

The maximum design density of cargo which may be filled to the tank top is 9.16 lbs/gal. Cargoes with higher densities, up to 13.33 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2) the max tank weights reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge(s) should always be loaded uniformly.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 15 Jun 2023 Expiration Date: 15 Jun 2028

Certificate of Inspection

Vessel Name: CBC 1402

Vapor Control Authorization

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by MSC Letter C1-1800528 dated February 13,2018, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column of the vessel's CAA. The VCS system has been approved with a pressure side 1.5 psig P/V valve with Coast Guard Approval 162.017/144/3. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3.50

--- Inspection Status ---

Cargo Tanks

	Internal Exam	n		External Exa	m	
Tank Id	Previous	Last	Next	Previous	Last	Next
1C		18Jun2018	18Jun2028	a	3	22
2C	#FE	18Jun2018	18Jun2028	¥	(<u>=</u>)	ii ii
3C	=0	18Jun2018	18Jun2028	5	9 4 1	*
			Hydro Test			
Tank Id	Safety Valves	S	Previous	Last	Next	
1C	-		=>	<u>.</u>	(-)	
2C	-		(49)	ŝ	<i>₹</i>)	
3C	-		= 0			

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



Dated: 15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Shipyard: Southwest Shipyard

Hull #: 9782

46 CFR 151 Tank	Group	Chara	cteris	tics													
Tank Group Information	Cargo	Identifica	tion		Cargo		Tanks		Carg		Enviror	nmental	Fire	Special Require	ements		
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea	Турө	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec	Temp Cont
A #1, #2, #3	13.3	Atmos.	Amb.	I	1ii 2ii	Integral Gravity	PV	Closed	П	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73,	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b),	NR	No

- Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.
 - 2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.
 - 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	lecovery VCS Category	Special Requirements in 46 CFR 151 General and Mat's of	Insp. Period
Authorized Subchapter O Cargoes									-	
Sodium acetate solution	SAN	34	D/O 3	#		Α	No	N/A		
Acetonitrile	ATN	37	0	C	111	A	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	11	A	Yes	4	50-70(a), 55-1(e)	G
Adiponitrile	ADN	37	0	E	11	A	Yes	1	No	G
Alkyl (C7-C9) nitrates	AKN	34 2	0	NA	III	A	No	N/A		G
Aminoethyl ethanolamine	AEE	8	0	E	101	A	Yes	1	55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	III	A	No	N/A	50-73, 56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	11	A	No	N/A	No	G
Benzene	BNZ	32	0	C	111	A	Yes	1	50-60	6
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 ²	0	С	111	A	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	A	Yes	1	50-60, 56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	III	A	Yes	2	50-70(a), 50-81(a), (b)	G
Butyl methacrylate	ВМН	14	0	D	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	III	A	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G
Carbon tetrachloride	СВТ	36	0	NA	III	A	No	N/A	No	G
Caustic potash solution	CPS	5 ²	0	NA	HI	A	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 ²	0	NA	III	A	No	N/A	50-73, 55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	II	A	No	N/A	50-73	G
Chlorobenzene	CRB	36	0	D	HI	A	Yes	1	No	G
Chloroform	CRF	36	0	NA	III	A	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	A	Yes	1	50-73	G
Creosote	CCW	21 ²	0	E	III	A	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	E	III	A	Yes	1	No	G
Cresylate spent caustic	csc	5	0	NA	III	A	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX	21	0	E	HI	A	Yes	1	.55-1(f)	G
Crotonaldehyde	СТА	19 ²	0	С	II	A	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	III	A	Yes	1	No	G
Cyclohexanone	ССН	18	0	D	III	Α	Yes	1	56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	111	A	Yes	1	.56-1 (b)	G



Serial #: C1-1800956 Dated:

15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 2 of 9

Shipyard: Southwest Shipyard

Cargo Identificatio	n					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapler	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp Period		
Cyclohexylamine	СНА	7	0	D	III	А	Yes	1	,56-1(a), (b), (c), (g)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	.50-60, .56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	Е	III	Α	Yes	2	50-70(a), 50-81(a), (b), 55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	Е	III	Α	Yes	3	.56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	C	III	Α	Yes	1	No	G		
2,2'-Dichloroethyl ether	DEE	41	0	D	Ш	Α	Yes	1	55-1(f)	G		
Dichloromethane	DCM	36	0	NA	111	Α	Yes	5	No	G		
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	E	III	Α	No	N/A	56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1.	2 0	Α	III	A	No	N/A	56-1(a), (b), (c), (g)	G		
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 ²	0	E	111	A	No	N/A	56-1(a), (b), (c), (g)	G		
1,1-Dichloropropane	DPB	36	0	С	III	A	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	C	111	A	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	C	111	A	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	11	A	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	11	A			No			
Diethanolamine	DEA	8	0	E			Yes	1		G		
Diethylamine	DEN	7	0		111	A	Yes	1	55-1(c)	G		
Diethylenetriamine				С	111	A	Yes	3	55-1(c)	G		
Disobutylamine	DET	7 2	0	E	III	A	Yes	1	.55-1(c)	G		
Diisopropanolamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G		
	DIP	8	0	E	111	Α	Yes	1	.55-1(c)	G		
Diisopropylamine	DIA	7	0	С	Ш	Α	Yes	3	,55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	E	111	Α	Yes	3	.56-1(b)	G		
Dimethylethanolamine	DMB	8	0	D	111	Α	Yes	1	.56-1(b), (c)	G		
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	.55-1(e)	G		
Di-n-propylamine	DNA	7	0	С	П	Α	Yes	3	.55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	Е	H	Α	No	N/A	56-1(b)	G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	Ш	Α	No	N/A	No	G		
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A	No	G		
Ethanolamine	MEA	8	0	Ε	III	Α	Yes	1	55-1(c)	G		
Ethyl acrylate	EAC	14	0	С	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethylamine solutions (72% or less)	EAN	7	0	Α	IJ	Α	No	N/A	.55-1(b)	G		
N-Ethylbutylamine	EBA	7	0	D	111	Α	Yes	3	.55-1(b)	G		
N-Ethylcyclohexylamine	ECC	7	0	D	Ш	Α	Yes	1	55-1(b)	G		
Ethylene cyanohydrin	ETC	20	0	Е	Ш	Α	Yes	1	No	G		
Ethylenediamine	EDA	7 2	0	D	III	Α	Yes	1	.55-1(c)	G		
Ethylene dichloride	EDC	36 ²	0	С	111	Α	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	0	E	Ш	Α	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	Ш	Α	Yes	1	No	G		
Ethylene glycol propyl ether	EGP	40	0	E	III	Α	Yeş	1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G		
Ethyl methacrylate	ETM	14	0	D/E	III	A	Yes	2	50-70(a)	G		
0.50	EPA	19 ²	0	E	111	A	Yes	1	No	G		
2-Ethyl-3-propylacrolein			_	-	***		100			_		
2-Ethyl-3-propylacrolein Formaldehyde solution (37% to 50%)		19 2	0	D/F	III	Δ	Yae	1	55-1(h)	G		
	FMS FFA	19 ²	0	D/E D	III	A	Yes Yes	1	55-1(h)	G		



15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 3 of 9

Shipyard: Southwest Shipyard

Cargo Identification								Condi	tions of Carriage	
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Hexamethylenediamine solution	HMC	7	0	E	Ш	Α	Yes	1	55-1(o)	G
Hexamethyleneimine	HMI	7	0	С	П	Α	Yes	1	.56-1(b), (c)	G
Hydrocarbon 5-9	HFN	31	0	С	m	Α	Yes	1	50-70(a), 50-81(a), (b)	G
Isoprene	IPR	30	0	Α	- 111	Α	No	N/A	50-70(a), 50-81(a), (b)	G
Isoprene, Pentadiene mixture	IPN	30	0	В	Ш	Α	No	N/A	50-70(a), 55-1(c)	G
Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)	KPL	5	0	NA	Ш	Α	No	N/A	50-73, 56-1(a), (c), (g)	G
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	Е	III	Α	Yes	1	56-1(b), (c)	G
2-Methyl-5-ethyl pyridine	MEP	9	0	Е	III	Α	Yes	1	55-1(e)	G
Methyl methacrylate	MMM	14	0	С	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	111	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	III	A	Yes	2	50-70(a), 50-81(a), (b)	G
Morpholine	MPL	7 2		D	III	A	Yes	1	55-1(c)	G
Nitroethane	NTE	42	0	D	II	A	No	N/A	50-81, 56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	A	Yes	1	50-81	G
1,3-Pentadiene	PDE	30	0	A	111	A	No	N/A	50-70(a), 50-81	G
Polyethylene polyamines	PEB	7 2		E	iii	A	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	Ш	A	Yes	1	.55-1(c)	G
Propanolamine (iso-, n-)	PAX	8	0	E	m	A	Yes	1	56-1(b), (c)	G
Isopropylamine	IPP	7	0	A	11	A	Yes	5	55-1(c)	G
Pyridine	PRD	9	0	C		A	Yes	1	55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0		111	A	No	N/A	.50-73, .55-1(j)	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	A	No	N/A	50-73, 56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1		NA	III	A	No	N/A	50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	III	A	No	N/A	50-73, 56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1		NA	III	A		1	50-73, 55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0 1		NA	111	A	Yes No	N/A	50-73, 55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1	2 0	NA	- 11	A	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)	STX	30	0	D	111	A	Yes	2	No	G
Styrene monomer	STY	30	0	D	- '''	A	Yes	2	50-70(a), 50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	111	A	No	N/A	No	G
Tetraethylene pentamine	TTP	7	0	E	111	A	Yes	1	55-1(c)	G
Tetrahydrofuran	THE	41	0	C	111	A	Yes	1	50-70(b)	G
1,2,4-Trichlorobenzene	тсв	36	0	E	III	A	Yes	1	No No	G
1,1,2-Trichloroethane	TCM	36	0	NA	III	A		1	50-73, 56-1(a)	G
Trichloroethylene	TCL	36 ²		NA	III	A	Yes		No No	G
1,2,3-Trichloropropane	TCN	36	0	E	 	A	Yes	3	50-73, 56-1(a)	G
Triethanolamine	TEA	8 2		E			Yes		55-1(b)	G
Triethylamine	TEN	7	0	C		A	Yes	1	.55-1(e)	G
Triethylenetetramine	TET	7 2			11	A	Yes	3	.55-1(b)	
Triphenylborane (10% or less), caustic soda solution				E		A	Yes	1		G
Caustic sods solution	TPB	5	0	NA	Ш	Α	No	N/A	56-1(a), (b), (c)	G



Certificate of Inspection Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 4 of 9

Shipyard: Southwest Shipyard

Serial #: C1-1800956

15-Mar-18

Dated:

Cargo Identificatio	n						(Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
				ų.						
Trisodium phosphate solution	TSP	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	Α	No	N/A	.56-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	Α	No	N/A	50-73, 56-1(a), (c), (g)	G
Vinyl acetate	VAM	13	0	С	H	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Vinyl neodecanoate	VND	13	0	E	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G
Vinyltoluene	VNT	13	0	D	111	Α	Yes	2	50-70(a), 50-81, 56-1(a), (b), (c), (G
Subchapter D Cargoes Authorized for Vapor Contr	ol									
Acetone	ACT	18 2	. D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		Α	Yes	1		
Alcohol (C6-C17) (secondary) poly(3-6) ethoxylates	AEA	20	D	Е		Α	Yes	1		
Alcohol (C6-C17) (secondary) poly(7-12) ethoxylates	AEB	20	D	E		A	Yes	i		
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1		
Benzyl acetate	BZE	34	D	E		A				
Benzyl alcohol							Yes	1		
	BAL	21	D	E		Α	Yes	1		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFY	20	D	E		Α	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl benzyl phthalate	BPH	34	D	E		А	Yes	1		
Butyl toluene	BUE	32	D	D		Α	Yes	1		
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cycloheptane	CYE	31	D	С		Α	Yes	1		
Cyclohexane	CHX	31	D	С		A	Yes	1		
Cyclohexanol	CHN	20	D	E		A	Yes	1		
Cyclohexyl acetate	CYC	34	D	D		A		1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E			Yes			
Cyclopentane	CYP		D	B		Α	Yes	2		
p-Cymene		31				A	Yes	1		
iso-Decaldehyde	CMP	32	D	D		Α.	Yes	1		
n-Decaldehyde	IDA	19	D	E		Α .	Yes	1		
Decanoic acid	DAL	19	D	E		A	Yes	1		
	DCO	4	D	#		Α	Yes	1		
Decene Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20 2		Ę		A	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20 2	D	D		Α	Yes	1		
Dibutyl phthalate	DPA	34	D	E		Α	Yes	1		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol										



Serial #: C1-1800956 Dated:

15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 5 of 9

Shipyard: Southwest Shipyard

	Cargo Ider	tification						Conditions of Carriage				
Nar	me	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery App'd VCS (Y or N) Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Perio		
Diisobutylene		DBI	30	D			٨	Von 1				

iisobutylene	DBL	30	D	С	Α	Yes	1	
sobutyl ketone	DIK	18	D	D	Α	Yes	1	
opropylbenzene (all isomers)	DIX	32	D	E	Α	Yes	1	
ethyl phthalate	DTL	34	D	Е	Α	Yes	1	
tyl phthalate	DOP	34	D	E	Α	Yes	1	
entene	DPN	30	D	D	Α	Yes	1	
enyl	DIL	32	D	D/E	Α	Yes	1	
enyl, Diphenyl ether mixtures	DDO	33	D	E	Α	Yes	1	
enyl ether	DPE	41	D	{E}	Α	Yes	1	
opylene glycol	DPG	40	D	E	Α	Yes	1	
lates: Flashed feed stocks	DFF	33	D	Е	Α	Yes	1	
llates: Straight run	DSR	33	D	E	Α	Yes	1	
ecene (all isomers)	DOZ	30	D	D	Α	Yes		
lecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E	A	Yes	1	
hoxyethyl acetate	EEA	34	D	D	A	Yes	ï	
xy triglycol (crude)	ETG	40	D	E	A	Yes	1	
acetate	ETA	34	D	С	A	Yes	1	
acetoacetate	EAA	34	D	E	A	Yes	1	
alcohol	EAL	20 2	D	С	A	Yes	1	
enzene	ETB	32	D	С	A			
putanol	EBT	20	D	D		Yes	1	
ert-butyl ether	EBE	41	D	С	A	Yes	1	
putyrate	EBR	34	D		A	Yes	1	
cyclohexane	ECY			D	Α .	Yes	1	
ene glycol		31	D	D	A	Yes	1	
ene glycol butyl ether acetate	EGL	20 2	D	E	Α .	Yes	1 .	
ene glycol diacetate	EMA	34	D	E	Α .	Yes	1	
lene glycol phenyl ether	EGY	34	D	E	Α	Yes	1	
-3-ethoxypropionate	EPE	40	D	E	Α	Yes	1	
	EEP	34	D	D	Α	Yes	1	
hylhexanol	EHX	20	D	E	Α	Yes	1	
propionate	EPR	34	D	С	Α	Yes	1	
I toluene	ETE	32	D	D	Α	Yes	1	
namide	FAM	10	D	E	Α	Yes	1	
uryl alcohol	FAL	20 2	D	E	Α	Yes	1	
line blending stocks: Alkylates	GAK	33	D	A/C	Α	Yes	1	
oline blending stocks: Reformates	GRF	33	D	A/C	Α	Yes	1	
olines: Automotive (containing not over 4.23 grams lead per	GAT	33	D	С	Α	Yes	1	
lines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С	Α	Yes	1	



Dated: 15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 6 of 9

Shipyard: Southwest Shipyard

Cargo Identification								Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period			
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1					
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1					
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1					
Glycerine	GCR	20 2	2 D	E		Α	Yes	1					
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1					
n-Heptanoic acid	HEN	4	D	Е		Α	Yes	1					
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1					
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2					
Heptyl acetate	HPE	34	D	Ę		Α	Yes	1					
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	? D	B/C		Α	Yes	1					
Hexanoic acid	НХО	4	D	Е		Ä	Yes	1					
Hexanol	HXN	20	D	D		Α	Yes	1					
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2					
Hexylene glycol	HXG	20	D	E		A	Yes	1					
Isophorone	IPH	18 2		Е		A	Yes	1					
Jet fuel: JP-4	JPF	33	D	E		A	Yes	1					
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		A	Yes	1					
Kerosene	KRS	33	D	D		A	Yes	1					
Methyl acetate	MTT	34	D	D		A		1					
Methyl alcohol	MAL	20 2		С			Yes						
Methylamyl acetate	MAC	34	D	D		Α	Yes	1					
Methylamyl alcohol	MAA	20	D	D	-	A	Yes	11					
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1		_			
Methyl tert-butyl ether	MBE	41 2		C		A	Yes	1					
Methyl butyl ketone	MBK	18	D			A	Yes	1					
Methyl butyrate	MBU			С		A	Yes	1					
Methyl ethyl ketone	MEK	34 18 ²	D	С		A	Yes	1					
Methyl heptyl ketone				С		A	Yes						
Methyl isobutyl ketone	MHK	18	D	D		Α	Yes	1					
Methyl naphthalene (molten)	MIK	18 2		С		A	Yes	1					
Mineral spirits	MNA	32	D	Ē		A	Yes	1					
Myrcene	MNS	33	D	D		Α	Yes	1					
Naphtha: Heavy	MRE	30	D	D		Α	Yes	1					
Naphtha: Petroleum	NAG	33	D	#		Α	Yes	1					
	PTN	33	D	#		Α	Yes	1					
Naphtha: Solvent Naphtha: Stoddard solvent	NSV	33	D	D		Α	Yes	1					
	NSS	33	D	D		Α	Yes	1					
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	11					
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1					



15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 7 of 9

Shipyard: Southwest Shipyard

Cargo Identification						Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period	
Nonene (all isomers)	NON	30	D	D		А	Yes	2			
Nonyl alcohol (all isomers)	NNS	20 2	2 D	Е		Α	Yes	1			
Nonyl phenol	NNP	21	D	E		Α	Yes	1			
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1			
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1			
Octanoic acid (all isomers)	OAY	4	D	Е		Α	Yes	1			
Octanol (all isomers)	OCX	20 2	2 D	E		Α	Yes	1			
Octene (all isomers)	OTX	30	D	С		Α	Yes	2			
Oil, fuel: No. 2	OTW	33	D	D/E		A	Yes	1			
Oil, fuel: No. 2-D	OTD	33	D	D		A	Yes	1			
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes	1			
Oil, fuel: No. 5	OFV	33	D	D/E		A	Yes	1			
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	7			
Oil, misc: Crude	OIL	33	D	A/D		A	Yes	1			
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1			
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1			
Oil, misc: Lubricating	OLB	33	D	E		A	Yes	1			
Oil, misc: Residual	ORL	33	D	E		A	Yes	1			
Oil, misc: Turbine	ОТВ	33	D	E		A	Yes	1	17		
Pentane (all isomers)	PTY	31	D	A		A	Yes	5			
Pentene (all isomers)	PTX	30	D	A		A	Yes	5			
n-Pentyl propionate	PPE	34	D	D		A	Yes	1			
alpha-Pinene	PIO	30	D	D		A	Yes	1			
beta-Pinene	PIP	30	D	D		A	Yes	1			
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether	PAG	40	D	E		A	Yes	1			
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	PAF	34	D	 E		A	Yes	1			
Polybutene	PLB	30	D	E		A	Yes	1			
Polypropylene glycol	PGC	, 40	D	E		A	Yes	1			
Isopropyl acetate	IAC	34	D	С		A	Yes	1			
n-Propyl acetate	PAT	34	D	С		A	Yes	1			
Isopropyl alcohol	IPA	20 2		С		A	Yes	1			
n-Propyl alcohol	PAL	20 2		С		A					
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1			
Isopropylcyclohexane	IPX	31	D	D		A	Yes	1			
Propylene glycol	PPG	20 2		E		A	Yes	1			
Propylene glycol methyl ether acetate	PGN	34	D	D		A	Yes	1			
Propylene tetramer	PTT	30	D	D		A	Yes	1			
Sulfolane	SFL	39	D	E	_	A	Yes	1			



15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402 Official #: 1284530

Page 8 of 9

Shipyard: Southwest Shipyard

Cargo Identification						Conditions of Carriage				
	Cham	Compat						Special Requirements in 46 CFR		
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd VCS (Y or N) Category	151 General and Mat'ls of Construction	Insp. Period	

Tetraethylene glycol	TTG	40	D	E	Α	Yes	1
Tetrahydronaphthalene	THN	32	D	E	Α	Yes	1
Toluene	TOL	32	D	С	Α	Yes	1
Tricresyl phosphate (containing less than 1% ortho isomer)	TCP	34	D	E	Α	Yes	1
Triethylbenzene	TEB	32	D	E	Α	Yes	1
Triethylene glycol	TEG	40	D	E	Α	Yes	1
Triethyl phosphate	TPS	34	D	E	Α	Yes	1
Trimethylbenzene (all isomers)	TRE	32	D	{D}	Α	Yes	1
Trixylyl phosphate	TRP	34	D	E	Α	Yes	1
1-Undecene	UDC	30	D	D/E	A	Yes	1
1-Undecyl alcohol	UND	20	D	E	A	Yes	1
Kylenes (ortho-, meta-, para-)	XLX	32	D	D	Α	Yes	1



Department of Homeland Security **United States Coast Guard**

Serial #: C1-1800956 Dated:

15-Mar-18

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 1402

Official #: 1284530

Page 9 of 9

Shipyard: Southwest Shi

Hull #: 9782

Explanation of terms & symbols used in the Table:

Cargo Identification

Name Chem Code

Compatability Group No.

Note 1 Note 2

Subchanter Subchapter D Subchapter O

Note 3

Grade

Note 4

NA

Hull Type NA

Conditions of Carriage

Tank Group

Vapor Recovery Approved (Y or N)

Conditions of Carriage Tank Group Vapor Recovery

Approved (Y or N)

VCS Category: Calegory 1

Category 3

Category 2

Category 4 Calegory 5

Category 6

Calegory 7 none

The propper shipping name as listed in 46 CFR Table 30,25-1, 46 CFR Table 151,05, and 46 CFR Part 153 Table 2,

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables Land II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

Those flammable and combustible fleuids listed in 46 CFR Table 30.25.1.
Those hazardous cargoes listed in 46 CFR Table 30.25.1.
Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each fiammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

at grade of cargo.

Flammable liquid cargoes, as defined in 46 CFR 30-10,22.

Combustible liquid cargoes, as defined in 46 CFR 30-10,15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo. Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5, (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5,

The cargo has not been evaluated/classified for use in vapor control systems.