

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Feb 2023 **Expiration Date:** 13 Feb 2028

Certificate of Inspection

1				ad amended, reg	guiation V/14, for a SAF	E MAMMING DOC	UMENT	
Vessel Name	Official Nu	mber	IMO Numb	er	Call Sign	Service		
CBC 378	12436	54			out oign	-	2	
						Tank E	sarge	
Hailing Port								
	Hi	ull Material	Horse	nower	Propulsion			
NEW ORLEANS, LA	S	teel			Порскою			
UNITED STATES		1001						
	2							
Place Bullt								
AMELIA, LA	Delive	ry Date	Keel Lald Date	Gross Tons	Net Tons	DWT	Length	
	20M	lar2013	19Dec2012	R-1619	R-1619		R-297.5	
UNITED STATES				ŀ	l-		I-0	
Owner			Operator					-
CANAL BARGE COMPAN 1801ENGINEERS RD	NY INC				COMPANY IN	С		
BELLE CHASE, LA 70037	7			Eng <mark>ineers</mark> l Chasse, L <i>A</i>				
UNITED STATES				ED STATE				
This vessel must be manned. Certified Lifeboatmen.	ed with the following	licensed	and unlicensed	Personnel	. Included in w	hich there m	ust be	
0 Certified Lifeboatmen, 0 0 Masters	Certified Tarikermen	, U HSC	Type Rating, a	nd 0 GMDS	SS Operators.			
0 Chief Mates	0 Licensed Mates		Engineers	0 Oi	ilers			
0 Second Mates	First Class Pilots Radio Officers		Assistant Engineer					
0 Third Mates	0 Able Seamen		nd Assistant Engineer Assistant Engineer					
0 Master First Class Pilot	0 Ordinary Seamen		sed Engineers	5				
0 Mate First Class Pilots	0 Deckhands		ied Member Engin	eer				
In addition, this vessel may Persons allowed: 0	carry 0 Passengers,	0 Other	Persons in cre	w, 0 Persoi	ns in addition to	crew, and r	no Others. Total	
Route Permitted And Co	onditions Of Operati	on:						
Lakes, Bays, and			Coastwise					
Also, in fair weather or	nly, not more than	twelve	(12) miles fr	om shore	hetween St M	arke and C	arrabollo	

Florida.

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth-Ninth Coast Guard District's Tank Barge Streamlined Inspection

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Port Arthur, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Marine Safety Unit Port Arthur certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by:
Date	Zone	A/P/R	Signature	This certificate issued by: K. A. Hantal, CDR, USCG, By direction
				Officer in Charge, Marine Inspection Marine Safety Unit Port Arthur
				Inspection Zone



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Feb 2023 Expiration Date: 13 Feb 2028

Certificate of Inspection

Vessel Name: CBC 378

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to New Orleans OCMI.

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	28Feb2033	13Feb2023	20Mar2013
Internal Structure	28Feb2028	13Feb2023	16Mar2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity Units Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29627 Barrels A Yes No No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1P	821	12.50
2P	817	12.50
3P	684	12.50
18	821	12.50
28	817	12.50
38	684	12.50

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III	4422	11ft Oin	12.50	
11	3763	9ft 8in	12.50	The Best of

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1701073, dated 27-Mar-17, may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% Benzene, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied.

VAPOR CONTROL AUTHORIZATION

In accordance with 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial #C1-1205080, dated 19-Dec-12, and extended by serial #C1-1701073 dated 27-Mar-17, and has been found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 13 Feb 2023
Expiration Date: 13 Feb 2028

Certificate of Inspection

Vessel Name: CBC 378

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

STABILITY AND TRIM

The maximum design density of cargo which may be filled to the tank top is 8.74lbs/gal. Cargoes with higher densities, up to 12.5 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Per 46 CFR 151.10-15(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter O cargoes at shallower drafts, the barge should always be loaded uniformly.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	1		External Exa	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1P	20Mar2013	13Feb2023	28Feb2033	-	-	(-
2P	20Mar2013	13Feb2023	28Feb2033			
3P	20Mar2013	13Feb2023	28Feb2033	(#):	2	
18	20Mar2013	13Feb2023	28Feb2033	4		1.71
28	20Mar2013	13Feb2023	28Feb2033		-	-
38	20Mar2013	13Feb2023	28Feb2033			-
			Hydro Test			
Tank Id	Safety Valves	5	Previous	Last	Next	
1P			¥		-	
2P	<u>u</u>			-		
3P	=					
18			g	-		
28	2		-			
38	4		2	-	2	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



C1-1701073 Dated:

27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Official #: 1243654

Shipyard: CONRAD INDUSTRIES,

INC.

Hull #: C-1012

46	CFR	151	Tank	Group	Characteristics

Tank Group Information	Cargo I	dentificati	on		Cargo		Tanks			Cargo Environmental Special Requirements Transfer Control Fire		ments					
Tnk Grp Tanks in Group	Density	Press	Temp	Hull Typ	Seq	_	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1 P/S, #2 P/S, #3 P/S	12,5	Atmos.	Amb.	II	1 2	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-5(d), 50-60, .50-70(a), 50- 70(b), 50-73, 50-	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (d), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

- 2. Under Environmental Control, Handling Space, NR means that the tank group is suilable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied
- 3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identificatio	Conditions of Carriage									
		Vapor R	ecovery		7					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Calegory	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp Period
Authorized Subchapter O Cargoes										
Glyphosate solution (not containing surfactant)	GIO	7	D/O 3	E		Α	No	N/A		
Sodium acetate solution	SAN	34	D/O 3	#		Α	No	N/A		
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 ²	0	С	П	Α	Yes	4	50-70(a), 55-1(e)	G
Adiponitrile	ADN	37	0	E	П	Α	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Ш	Α	No	N/A	50-81, 50-86	G
Aminoethylethanolamine	AEE	8	0	E	III	А	Yes	1	55-1(b)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	П	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	Ш	Α	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 ²	0	С	III	Α	Yes	1	50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	50-60, 56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	Α	Yes	1	50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	55-1(h)	G
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G
Chemical Oil (refined, containing phenolics)	COD	21	0	E	- 11	Α	No	N/A	50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	Ш	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	1	50-73	G
Creosote	CCW	21 2	0	E	11)	Α	Yes	1	No	0
Cresols (all isomers)	CRS	21	0	E	111	Α	Yes	1	No	G
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	50-73, 55-1(b)	G
Cresylic acid tar	CRX	21	0	Е	11)	Α	Yes	1	55-1(l)	G
Crotonaldehyde	CTA	19 ²	0	С	П	Α	Yes	4	55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	111	Α	Yes	1	No	G
Cyclohexanone	ССН	18	0	D	III	Α	Yes	1	56-1(a), (b)	G
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	Ш	Α	Yes	1	-56-1 (b)	G
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	50-60, 56-1(b)	G
iso-Decyl acrylate	IAI	14	0	Е	111	Α	Yes	2	50-70(a), 50-81(a), (b), 55-1(c)	G
Dichlorobenzene (all isomers)	DBX	36	0	E	Ш	Α	Yes	3	56-1(a), (b)	G



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Shipyard: CONRAD

INDUSTRIES, INC.

Hull #: C-1012

Official #: 1243654

Page 2 of 8

Cargo Identification								Conditions of Carriage						
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Re App'd (Y or N)	covery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Perio				
1,1-Dichloroethane	DCH	36	0	С	Ш	Α	Yes	1	No	G				
2,2'-Dichloroethyl ether	DEE	41	0	D	- 11	Α	Yes	1	55-1(f)	G				
Dichloromethane	DCM	36	0	NA	Ш	Α	Yes	5	No	G				
1,1-Dichloropropane	DPB	36	0	С	Ш	Α	Yes	3	No	G				
1,2-Dichloropropane	DPP	36	0	С	111	Α	Yes	3	No	G				
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G				
1,3-Dichloropropene	DPU	15	0	D	- II	Α	Yes	4	No	G				
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	П	Α	Yes	1	No	G				
Diethanolamine	DEA	8	0	E	III	Α	Yes	1	55-1(c)	G				
Diethylamine	DEN	7	0	С	III	Α	Yes	3	.55-1(c)	G				
Diethylenetriamine	DET	7 2	0	E	Ш	Α	Yes	1	.55-1(c)	G				
Diisobutylamine	DBU	7	0	D	III	Α	Yes	3	55-1(c)	G				
Diisopropanolamine	DIP	8	0	E	Ш	Α	Yes	1	55-1(c)	G				
Diisopropylamine	DIA	7	0	С	-11	Α	Yes	3	55-1(c)	G				
N,N-Dimethylacetamide	DAC	10	0	E	III	Α	Yes	3	.56-1(b)	G				
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	55-1(e)	G				
Di-n-propylamine	DNA	7	0	С	II	Α	Yes	3	55-1(c)	G				
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	- 111	Α	No	N/A	56-1(b)	G				
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A		G				
EE Glycol Ether Mixture	EEG	40	0	D	III	A	No	N/A		G				
Ethanolamine	MEA	8	0	E	III	A	Yes	1	55-1(c)	G				
Ethyl acrylate	EAC	14	0	C	III	A	Yes	2	50-70(a), 50-81(a), (b)	G				
Ethylamine solution (72% or less)	EAN	7	0	A	II.	A	Yes	6	55-1(b)	G				
N-Ethylbutylamine	EBA	7	0	D	111	A	Yes	3	55-1(b)	G				
N-Ethylcyclohexylamine	ECC	7	0	D	111	A	Yes	1	55-1(b)	G				
Ethylene cyanohydrin	ETC	20	0	E	111	A	Yes	1	No	G				
Ethylenediamine	EDA	7 2		D	111	A	Yes	1	55-1(c)	G				
Ethylene dichloride	EDC	36 ²		C	- 111	A	Yes	1	No	G				
	EGH	40	0	E		A				G				
Ethylene glycol hexyl ether	EGC	40	0	D/E	III		No	N/A	No	G				
Ethylene glycol monoalkyl ethers					III	A	Yes	1	No	G				
Ethylene glycol propyl ether	EGP	40	0	E	- 111	A	Yes	1						
2-Ethylhexyl acrylate	EAI	14	0	E	111	A	Yes	2	50-70(a), 50-81(a), (b)	G				
-unyi memaciyiate	ETM	14	0	D/E	III	Α	Yes	2	50-70(a)	G				
2-Ethyl-3-propylacrolein	EPA	19 ²		Ε	III	A	Yes	1	No	G				
Formaldehyde solution (37% to 50%)	FMS	19 ²		D/E	Ш	Α	Yes	1	.55-1(h)	G				
Furfural	FFA	19	0	D	- 111	Α	Yes	1	.55-1(h)	G				
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	Α	No	N/A		G				
Hexamethylenediamine solution	HMC	7	0	Е	III	Α	Yes	1	55-1(c)	G				
Hydrocarbon 5-9	HFN	31	0	С	III	Α	Yes	1	50-70(a), 50-81(a), (b)	G				
soprene	IPR	30	0	Α	III	Α	Yes	7	50-70(a), 50-81(a), (b)	G				
soprene, Pentadiene mixture	IPN	30	0	В	III	Α	No	N/A	50-70(a), 55-1(c)	G				
Mesityl oxide	MSO	18 ²	0	D	Ш	Α	Yes	1	No	G				
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G				
Methylcyclopentadiene dimer	MCK	30	0	С	_111	Α	Yes	1	No	G				
2-Methyl-5-ethylpyridine	MEP	9	0	Е	III	Α	Yes	1	55-1(e)	G				
Methyl methacrylate	MMM	14	0	С	III	Α	Yes	2	50-70(a), 50-81(a), (b)	G				
2-Methylpyridine	MPR	9	0	D	Ш	Α	Yes	3	55-1(c)	G				
alpha-Methylstyrene	MSR	30	0	D	Ш	Α	Yes	2	50-70(a), 50-81(a), (b)	G				



Serial #: C1-1701073

Dated: 27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Official #: 1243654

Page 3 of 8

Shipyard: CONRAD INDUSTRIES, INC.

Cargo Identification			Condi	tions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Morpholine	MPL	7 2	0	D	III	Α	Yes	1	,55-1(c)	G
Nitroethane	NTE	42	0	D	II	Α	No	N/A	50-81, 56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	Ш	Α	Yes	1	50-81	G
1,3-Pentadiene	PDE	30	0	Α	Ш	Α	Yes	7	_50-70(a), _50-81	G
Polyethylene polyamines	PEB	7 2	0	Е	Ш	Α	Yes	1	,55-1(e)	G
iso-Propanolamine	MPA	. 8	0	E	Ш	Α	Yes	1	55-1(c)	G
iso-Propylamine	1PP	7	0	Α	П	Α	Yes	5	,55-1(c)	G
Pyridine	PRD	9	0	С	Ш	Α	Yes	1	.55-1(e)	G
Sodium chlorate solution (50% or less)	SDD	0 1,	2 0	NA	Ш	Α	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,	2 0	NA	III	Α	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm) $$	SSI	0 1,	2 0	NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,:	2 0	NA	П	Α	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)	STX	30	0	D	H	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Tetraethylenepentamine	TTP	7	0	Е	Ш	Α	Yes	1	,55-1(c)	G
Tetrahydrofuran	THF	41	0	С	Ш	Α	Yes	1	,50-70(b)	G
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	1	No	G
1,1,2-Trichloroethane	TCM	36	0	NA	III	Α	Yes	1	,50-73, 56-1(a)	G
Trichloroethylene	TCL	36 ²	0	NA	Ш	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	Е	П	Α	Yes	3	50-73, 56-1(a)	G
Triethanolamine	TEA	8 2	0	Е	III	Α	Yes	1	,55-1(b)	G
Triethylamine	TEN	7	0	С	II	Α	Yes	3	.55-1(e)	G
Triethylenetetramine	TET	7 2	0	E	III	Α	Yes	1	.55-1(b)	G
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	Ш	Α	No	N/A	.56-1(b)	G
Vinyl acetate	VAM	13	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Vinyl neodecanate	VND	13	0	E	111	Α	No	N/A	50-70(a), 50-81(a), (b)	G
Subchapter D Cargoes Authorized for Vapor Contr	oi									
Acetone	ACT	18 2	D	С		Α	Yes	1		
Acetophenone	ACP	18	D	E		A	Yes	1		
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	Е		Α	Yes	1		
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1		
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1		
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1		
Benzyl alcohoł	BAL	21	D	Ε		Α	Yes	1_		
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		А	Yes	1		
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1		
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1		
Butyl alcohol (n-)	BAN	20 2	D	D		Α	Yes	1		
Butyl alcohol (sec-)	BAS	20 ²	D	С		Α	Yes	1		
Butyl alcohol (tert-)	BAT	20 ²	D	С		Α	Yes	1		
Butyl benzyl phthalate	ВРН	34	D	Е		Α	Yes	1		

27-Mar-17



Certificate of Inspection

Cargo Authority Attachment

Page 4 of 8

Vessel Name: CBC 378

Official #: 1243654

Shipyard: CONRAD INDUSTRIES, INC.

Cargo Identificatio	Cargo Identification								Conditions of Carriage					
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd	Recovery VCS	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period				
Butyl toluene	BUE	32	D	D		Α	Yes	1						
Caprolactam solutions	CLS	22	D	E		Α	Yes	1						
Cyclohexane	CHX	31	D	С		Α	Yes	1						
Cyclohexanol	CHN	20	D	E		Α	Yes	1						
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2						
p-Cymene	CMP	32	D	D		Α	Yes	1						
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1						
n-Decaldehyde	DAL	19	D	E		Α	Yes	1						
Decene	DÇE	30	D	D		Α	Yes	1						
Decyl alcohol (all isomers)	DAX	20	2 D	E		Α	Yes	1						
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1						
Diacetone alcohol	DAA	20	2 D	D		Α	Yes	1						
ortho-Dibutyl phthalate	DPA	34	D	Е		Α	Yes	1						
Diethylbenzene	DEB	32	D	D		Α	Yes	1						
Diethylene glycol	DEG	40	2 D	Е		Α	Yes	1						
Diisobutylene	DBL	30	D	С		Α	Yes	1						
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1						
Diisopropylbenzene (all isomers)	DIX	32	D	Е		Α	Yes	1						
Dimethyl phthalate	DTL	34	D	Е		Α	Yes	1						
Dioctyl phthalate	DOP	34	D	Е		Α	Yes	1						
Dipentene	DPN	30	D	D		Α	Yes	1						
Diphenyl	DIL	32	D	D/E		Α	Yes	1						
Diphenyl, Diphenyl ether mixtures	DDC	33	D	Е		Α	Yes	1						
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1						
Dipropylene glycol	DPG	40	D	Е		Α	Yes	1						
Distillates: Flashed feed stocks	DFF	33	D	Е		Α	Yes	1						
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1						
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	- 1						
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	Е		Α	Yes	1						
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1						
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	1						
Ethyl acetate	ETA	34	D	С		Α	Yes	1						
Ethyl acetoacetate	EAA	34	D	E		А	Yes							
Ethyl alcohol	EAL	20		С		Α	Yes							
Ethylbenzene	ETB		D	С		Α	Yes							
Ethyl butanol	EBT		D	D		A								
Ethyl tert-butyl ether	EBE		D	С		Α			ol .					
Ethyl butyrate	EBR		D	D		A				_				
Ethyl cyclohexane	ECY		D	D		A	Yes							
Ethylene glycol	EGL			E		A								
, ,						/1	100							



Serial #: C1-1701073 Dated:

27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Official #: 1243654

Page 5 of 8

Shipyard: CONRAD INDUSTRIES, INC.

Cargo Identification								Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor I App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period			
Ethylene glycol butyl ether acetate	EMA	34	D	Ε		Α	Yes	1					
Ethylene glycol diacetate	EGY	34	D	E		Α	Yes	1					
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1					
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1					
2-Ethylhexanol	EHX	20	D	E		Α	Yes	1					
Ethyl propionate	EPR	34	D	С		А	Yes	1					
Ethyl toluene	ETE	32	D	D		Α	Yes	1					
Formamide	FAM	10	D	E		А	Yes	1					
Furfuryl alcohol	FAL	20	2 D	E		А	Yes	1					
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1					
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1					
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1	⊛				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) GAV	33	D	С		Α	Yes	1					
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1					
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1					
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1					
Glycerine	GCR	20	2 D	Е		Α	Yes	1					
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		Α	Yes	1					
Heptanoic acid	HEP	4	D	E		Α	Yes						
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1					
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2					
Heptyl acetate	HPE	34	D	Е		Α	Yes						
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31	2 D	B/C		Α	Yes						
Hexanoic acid	НХО	4	D	Е		Α	Yes	1					
Hexanol	HXN		D	D		Α	Yes	1					
Hexene (all isomers)	HEX	30	D	С		A	Yes	2	•				
Hexylene glycol	HXG		D	E		Α	Yes	1					
Isophorone	IPH	18		E		A	Yes	1),*				
Jet fuel: JP-4	JPF	33	D	E		A	Yes						
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1					
Kerosene	KRS	33	D	D		A	Yes	1					
Methyl acetate	MTT	34	D	D		A	Yes						
Methyl alcohol	MAL			С		A	Yes						
Methylamyl acetate	MAC		D	D		A	Yes						
Methylamyl alcohol	MAA		D	D		A	Yes						
Methyl amyl ketone	MAK		D	D		A	Yes						
Methyl tert-butyl ether	MBE			С		A	Yes						
Methyl butyl ketone	MBK		D	C		A	Yes						
Methyl butyrate	MBU	41.	D	С		A	Yes						
Methyl ethyl ketone	MEK			С									
	IVIEN	10		U		A	Yes	1					

Serial #: C1-1701073 Dated:

27-Mar-17



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Official #: 1243654 Page 6 of 8 Shipyard: CONRAD

INDUSTRIES, INC.

Cargo Identification							Conditions of Carriage					
Name	Chem Code	Compal Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period		
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1				
Methyl isobutyl ketone	MIK	18 2	. D	С		Α	Yes	1				
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1				
Mineral spirits	MNS	33	D	D		Α	Yes	1				
Myrcene	MRE	30	D	D		Α	Yes	1				
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1				
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		A	Yes	1				
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1				
Nonene (all isomers)	NON	30	D	D		Α	Yes	2				
Nonyl alcohol (all isomers)	NNS	20	2 D	Е		Α	Yes	1				
Nonyl phenol	NNP	21	D	Е		А	Yes	1				
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1				
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1				
Octanoic acid (all isomers)	OAY	4	D	Е		А	Yes	1				
Octanol (all isomers)	OCX	20	2 D	Е		Α	Yes					
Octene (all isomers)	ОТХ	30	D	С		А	Yes					
Oil, fuel: No. 2	OTW	33	D	D/E		А	Yes					
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes					
Oil, fuel: No. 4	OFR	33	D	D/E		Α	Yes					
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes					
Oil, fuel: No. 6	osx	33	D	Е		Α	Yes					
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes					
Oil, misc: Diesel	ODS	33	D	D/E		А	Yes					
Oil, misc: Gas, high pour	OGF	33	D	E		Α	Yes					
Oil, misc: Lubricating	OLB	33	D	Е		А	Yes					
Oil, misc: Residual	ORL	33	D	Е		Α	Yes					
Oil, misc: Turbine	ОТВ	33	D	Е		Α	Yes					
Pentane (all isomers)	PTY	31	D	Α		Α	Yes					
Pentene (all isomers)	PTX		D	Α		A	Yes					
n-Pentyl propionate	PPE		D	D		A	Yes					
alpha-Pinene	PIO	30	D	D		A	Yes					
beta-Pinene	PIP	30	D	D		A	Yes					
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG		D	E		A	Yes		A			
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF		D	E		A	Yes					
Polybutene	PLB	30	D	E		A	Yes					
Polypropylene glycol	PGC		D	E		A	Yes					
iso-Propyl acetate	IAC	34	D									
190-1 TOPYI AUGUALE	IAC	34	ט	С		Α	Yes	1				



27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378

Official #: 1243654

Page 7 of 8

Shipyard: CONRAD

INDUSTRIES, INC.

Cargo Identification						Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period		
n-Propyl acetate	PAT	34	D	С		Α	Yes	1				
iso-Propyl alcohol	IPA	20	2 D	С		Α	Yes	1				
n-Propyl alcohol	PAL	20 2	2 D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				
iso-Propylcyclohexane	IPX	31	D	D		Α	Yes	1				
Propylene glycol	PPG	20	2 D	Е		Α	Yes	1				
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1				
Propylene tetramer	PTT	30	D	D		Α	Yes	1				
Sulfolane	SFL	39	D	Е		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	Е		Α	Yes	1				
Tetrahydronaphthalene	THN	32	D	Е		Α	Yes	1				
Toluene	TOL	32	D	С		Α	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1				
Triethylbenzene	TEB	32	D	E		Α	Yes	1				
Triethylene glycol	TEG	40	D	Е		А	Yes	1				
Triethyl phosphate	TPS	34	D	E		Α	Yes	1				
Trimethylbenzene (all isomers)	TRE	32	D	{D}		А	Yes	1				
Trixylenyl phosphate	TRP	34	D	Е		Α	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes	1				
1-Undecyl alcohol	ÜND	20	D	E		Α	Yes	1				
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes					



27-Mar-17



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 378 Official #: 1243654

Page 8 of 8

Shipvard: CONRAD IND

Hull #: C-1012

Explanation of terms & symbols used in the Table:

(202) 372-1425

Cargo Identification

Chem Code none

Compatability Group No.

Note 1 Note 2

Subchapter

Subchapter D Subchapter O

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart,

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2.

A, B, C

D. F. Note 4

NA Hull Type

Grade

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of Flammable liquid cargoes, as defined in 46 CFR 30-10 22

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II, In accordance with 46 CFR 150,130, the Person-in-Charge of

the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the assigned reactive group number. Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility lart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo. Those subchapter O cargoes which are not classified as a flammable or combustible liquid

The propper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual, Certain mixtures of cargoes may not have a CHRIS Code assigned.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151,10-1(b)(4). Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Calegory 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39,20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Calegory 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems