

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Apr 2023 27 Apr 2028 **Expiration Date:**

Certificate of Inspection
attional voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as

Vessel Name	Official No	umber	IMO Num	per	Call Sign	Service	
CBC 380	12436	62				Tank Ba	arge
Hailing Port							
NEW ORLEANS, LA		Hull Material Steel	Horse	power	Propulsion		
UNITED STATES							
Place Built	Deliv	ery Date	Keel Laid Date	Gross Tons	Mat Tana	DWT	
Orange, TX		-		R-1619	Net Tons R-1619	DWT	Length R-297 5
UNITED STATES	011	Mar2013	23Nov2012	I-	I-		1-0
0							
CANAL BARGE COMPA 1801 ENGINEERS ROAL BELLE CHASSE, LA 700 UNITED STATES)		1801 BELL		, LA 70037	С	
This vessel must be man 0 Certified Lifeboatmen, (ned with the following Certified Tankermer	licensed n, 0 HSC	and unlicensed Type Rating, a	Personnel	Included in wi	hich there mus	st be
0 Masters	0 Licensed Mates		Engineers	0 Oi			
0 Chief Mates	0 First Class Pilots		ssistant Engineer				
0 Second Mates	0 Radio Officers		d Assistant Engin				
0 Third Mates	0 Able Seamen		Assistant Enginee				
0 Master First Class Pilot	0 Ordinary Seamen		ed Engineers				
0 Mate First Class Pilots	0 Deckhands	0 Qualifi	ied Member Engir	eer			
In addition, this vessel ma Persons allowed: 0	y carry 0 Passengers				ns in addition to	crew, and no	Others. Total
Route Permitted And C	onditions Of Operat	ion:					
Lakes, Bays, and							
Also, in fair weather Carrabelle, Florida.	only, coastwise, no	ot more t	han twelve (12) miles :	from shore be	tween St. Ma	rks and
This vessel has been g 21(b); if this vessel vessel must be inspect change in status occur.	is operated in salt ed using salt water	: water m	ore than six	(6) months	in any twolve	a (12) month	paried the
This tank barge is par	cicipating in the E	Sighth-Ni	nth Coast Gu	ard Distri	ct's Tank Bar	ge Streamlin	ed Inspection
***SEE NEXT PAGE F							
With this Inspection for Ce Inspection, Sector Housto laws and the rules and reg	n-Galveston certified	the vesse	el, in all respect	, TX, UNITE s, is in conf	D STATES, thormity with the	ne Officer in C applicable ves	harge, Marine
	eriodic/Re-Inspection			is certificate	issued by	1.11.11	10sam
Date Zone		Signatur			W. Morgans Cl	DR, USCG, B	y Direction
			Offic	er in Charge, Mar	· ·	ston-Galvestor	1
			Insp	ection Zone			



United States of America Department of Homeland Security **United States Coast Guard**

Certification Date: 27 Apr 2023 Expiration Date: 27 Apr 2028

Certificate of Inspection

Vessel Name: CBC 380

Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan. Inspection issues concerning this barge should be directed to New Orleans OCMI.

---Hull Exams---

Exam Type

Next Exam

Last Exam

Prior Exam

DryDock

30Apr2033

04Apr2023

01Mar2013

Internal Structure

31Mar2028

31Mar2023

05Mar2018

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

GRADE "A" AND LOWER AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated Part154 Regulated

29627

Barrel

Yes

No

Nο

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1 P/S	821	12.5
2 P/S	817	12.5
3 P/S	684	12.5

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
П	3763	9ft 8in	12.5	LBS
111	4422	11ft 0in	12.5	LBS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial C1-1701073, dated March 27th, 2017, may be carried, and then only in the tanks indicated.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP NO" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

In accordance with 46 CFR 39, excluding 46 CFR 39.4000, this vessel's vapor control system has been inspected to the plans approved by Marine Safety Center letter Serial # C1-1205189 dated January 4, 2013 and the list of authorized cargoes on the CAA, Serial # C1-1701073 dated March 27, 2017, and found acceptable for collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column.

In accordance with 46 CFR Part 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved by Marine Safety Center letter Serial # C1-1503374 dated July 31, 2015, for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 27 Apr 2023 Expiration Date: 27 Apr 2028

Certificate of Inspection

Vessel Name: CBC 380

Cargo Tanks						
	Internal Exam	1		External Ex	am	
Tank Id	Previous	Last	Next	Previous	Last	Next
1 P/S	01Mar2013	31Mar2023	31Mar2033	*	4	-
2 P/S	01Mar2013	31Mar2023	31Mar2033	2	Q	-
3 P/S	01Mar2013	31Mar2023	31Mar2033		18	_
			Hydro Test			
Tank Id	Safety Valves	5	Previous	Last	Next	
1 P/S	(C)		Q.	-		
2 P/S	2		÷	2	2	
3 P/S	-		4		2	

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type

2 40-B

END



nited States Coast Guard

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380
Official #: 1243662

Shipyard: Conrad Orange Shipyard

Hull #: H-451

Serial #:

Dated:

C1-1701073

27-Mar-17

Tank Group Information	Cargo I	dentificati	on		Cargo		Tanks		Carg Tran		Enviror Control		Fire	Special Require	ments		
Tnk Grp Tanks in Group	Densily	Press.	Temp.	Hull Typ	Seg Tank	_	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont
A #1 P/S, #2 P/S, #3 P/S	12.5	Atmos.	Amb.	II	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-5(d), "50-60, "50-70(a), "50- 70(b), .50-73, "50-	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (d), (f), (g),	NR	No

Notes: 1, Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio	n						Conditions of Carriage					
		Compat					Vapor R			T		
Name	Chem Code	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes												
Glyphosate solution (not containing surfactant)	GIO	7	D/O 3	Е		Α	No	N/A				
Sodium acetate solution	SAN	34	. D/O 3	#		Α	No	N/A				
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	П	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	Е	П	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 ²	0	NA	Ш	Α	No	N/A	50-81, 50-86	G		
Aminoethylethanolamine	AEE	8	0	E	Ш	Α	Yes	1	55-1(b)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	П	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	. III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 ²	0	С	10	Α	Yes	1	50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 2	0	С	Ш	Α	Yes	1	,50-60, ,56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	111	Α	Yes	1	50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	411	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
Butyl methacrylate	вмн	14	0	D	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	Ш	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	П	Α	No	N/A	50-73	G		
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	.111	А	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G		
Creosote	ĊCW	21 ²	0	Е	Ш	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	Е	Ш	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	Ш	Α	No	N/A	50-73, 55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	Ш	Α	Yes	1	55-1(f)	G		
Crotonaldehyde	CTA	19 ²	0	С	Ш	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	Ш	Α	Yes	1	No	G		
Cyclohexanone	ССН	18	0	D	IIL	Α	Yes	1	56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	Ε	Ш	Α	Yes	1	.56-1 (b)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	111	Α	Yes	1	50-60, 56-1(b)	G		
iso-Decyl acrylate	IAI	14	0	E	111	Α	Yes	2	50-70(a), 50-81(a), (b), 55-1(c)	G		
Dichlorobenzene (all isomers)	DBX	36	0	E	III	Α	Yes	3	56-1(a), (b)	G		
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G		

^{2.} Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space, NA means that the vessel does not have a cargo control space, and this requirement is not applied.

^{3.} Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location,



Serial #: C1-1701073 27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380

Official #: 1243662

Page 2 of 8

Shipyard: Conrad Orange Shipyard

Hull #: H-451

Cargo Identifica	tion					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Perio		
2,2'-Dichloroethyl ether	DEE	41	0	D	II	Α	Yes	1	.55-1(f)	G		
Dichloromethane	DCM	36	0	NA	III	Α	Yes	5	No	G		
1,1-Dichloropropane	DPB	36	0	С	Ш	Α	Yes	3	No	G		
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G		
1,3-Dichloropropane	DPC	36	0	С	Ш	Α	Yes	3	No	G		
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G		
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	П	Α	Yes	1	No	G		
Diethanolamine	DEA	8	0	Ε	Ш	Α	Yes	1	55-1(c)	G		
Diethylamine	DEN	7	0	С	III	Α	Yes	3	55-1(c)	G		
Diethylenetriamine	DET	7 2	9	Е	III	Α	Yes	1	55-1(c)	G		
Diisobutylamine	DBU	7	0	D	111	Α	Yes	3	55-1(c)	G		
Diisopropanolamine	DIP	8	0	Е	Ш	Α	Yes	1	55-1(c)	G		
Dilsopropylamine	DIA	7	0	С	11	Α	Yes	3	55-1(c)	G		
N,N-Dimethylacetamide	DAC	10	0	E	111	Α	Yes	3	56-1(b)	G		
Dimethylformamide	DMF	10	0	D	Ш	Α	Yes	1	55-1(e)	G		
Di-n-propylamine	DNA	7	0	С	II	Α	Yes	3	55-1(c)	G		
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	Е	Ш	Α	No	N/A	56-1(b)	G		
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	П	Α	No	N/A	No	G		
EE Glycol Ether Mixture	EEG	40	0	D	Ш	Α	No	N/A	No	G		
Ethanolamine	MEA	8	0	Е	111	Α	Yes	1	55-1(c)	G		
Ethyl acrylate	EAC	14	0	С	111	Α	Yes	2	50-70(a), 50-81(a), (b)	G		
Ethylamine solution (72% or less)	EAN	7	0	Α	- 11	Α	Yes	6	55-1(b)	G		
N-Ethylbutylamine	EBA	7	0	D	Ш	Α	Yes	3	.55-1(b)	G		
N-Ethylcyclohexylamine	ECC	7	0	D	Ш	Α	Yes	1	55-1(b)	G		
Ethylene cyanohydrin	ETC	20	0	Е	Ш	Α	Yes	1	No	G		
Ethylenediamine	EDA	7 2	2 0	D	Ш	Α	Yes	1	55-1(c)	G		
Ethylene dichloride	EDC			С	111	Α	Yes	1	No	G		
Ethylene glycol hexyl ether	EGH	40	0	E	Ш	Α	No	N/A	No	G		
Ethylene glycol monoalkyl ethers	EGC		0	D/E	M	Α	Yes	1	No	G		
Ethylene glycol propyl ether	EGP		0	E	III	A	Yes	1	No	G		
2-Ethylhexyl acrylate	EAI	14	0	E	III	A	Yes	2	50-70(a), 50-81(a), (b)	G		
Ethyl methacrylate	ETM		0	D/E	III	A	Yes	2	50-70(a)	G		
2-Ethyl-3-propylacrolein	EPA			E	III	A	Yes	1	No	G		
Formaldehyde solution (37% to 50%)	FMS			D/E	111	A	Yes	1	55-1(h)	G		
Furfural	FFA	19	0	D	III	A	Yes	1	55-1(h)	G		
Glutaraldehyde solution (50% or less)	GTA		0	NA	111	A	No	N/A		G		
Hexamethylenediamine solution	HMC		0	_				1	55-1(c)	G		
Hydrocarbon 5-9	HFN		0	C	III	A	Yes	1	50-70(a), 50-81(a), (b)	G		
Isopréne	IPR	30	0	A	III			7	50-70(a), 50-81(a), (b)	G		
Isoprene, Pentadiene mixture	IPN	30				A	Yes			G		
Mesityl oxide	MSC		2 0	B D	- (()	A	No	N/A	No	G		
					111	A	Yes	1		G		
Methyl acrylate	MAN		0	С	- 111	Α .	Yes	2	50-70(a), 50-81(a), (b)			
Methylcyclopentadiene dimer	MCK		0	С	- 111	A	Yes	1		G		
2-Methyl-5-ethylpyridine	MEF		0	E	III	A	Yes	1	55-1(e)	G		
Methyl methacrylate	MMN		0	С	- 111	A	Yes	2	.50-70(a), 50-81(a), (b)	G		
2-Methylpyridine	MPF		0	D	III	A	Yes	3	55-1(c)	G		
alpha-Methylstyrene	MSF		0	D	111	A	Yes	2	50-70(a), 50-81(a), (b)	G		
Morpholine	MPL	. 7	² O	D	111	Α	Yes	1	55-1(c)	(



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380

Shipyard: Conrad Orange

Serial #: C1-1701073

27-Mar-17

Shipyard

Official #: 1243662			Page	3 of 8					Hull #: H-451				
Cargo Identification	n						Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chap		Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp, Period			
Nitroethane	NTE	42		O C	II	Α	No	N/A	50-81, .56-1(b)	G			
1- or 2-Nitropropane	NPM	42		O D	III	A١	Yes	1	50-81	G			
1,3-Pentadiene	PDE	30		A C	III	Α	Yes	7	.50-70(a), .50-81	G			
Polyethylene polyamines	PEB	7	2	O E	Ш	Α	Yes	1	.55-1(e)	G			
iso-Propanolamine	MPA	8		O E	Ш	Α	Yes	1	.55-1(c)	G			
iso-Propylamine	IPP	7		A C	Ш	Α	Yes	5	.55-1(c)	G			
Pyridine	PRD	9		o c	Ш	Α	Yes	1	.55-1(e)	G			
Sodium chlorate solution (50% or less)	SDD	0	1,2	AN C	Ш	Α	No	N/A	50-73	G			
Sodium hypochlorite solution (20% or less)	SHQ	5		AN C	111	Α	No	N/A	50-73, 56-1(a), (b)	G			
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	1,2	AN C	111	Α	Yes	1	50-73, 55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	1,2	AN C	III	Α	No	N/A	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	1,2	AN C	II	Α	No	N/A	50-73, .55-1(b)	G			
Styrene (crude)	STX	30		D C	Ш	Α	Yes	2	No	G			
Styrene monomer	STY	30		O D	Ш	Α	Yes	2	.50-70(a), 50-81(a), (b)	G			
Tetraethylenepentamine	TTP	7		O E		Α	Yes	11	:55-1(c)	G			
Tetrahydrofuran	THF	41		о с	111	Α	Yes	1	50-70(b)	G			
1,2,4-Trichlorobenzene	тсв	36		O E	- 111	Α	Yes	1	No	G			
1,1,2-Trichloroethane	TCM			AN C	III	Α	Yes	1	50-73, 56-1(a)	G			
Trichloroethylene	TCL	36	2	AN C	Ш	Α	Yes	1	No	G			
1,2,3-Trichloropropane	TCN	36		O E	- II	Α	Yes	3	50-73, 56-1(a)	G			
Triethanolamine	TEA	8	2 .	O E	111	Α	Yes	1	55-1(b)	G			
Triethylamine	TEN	7		o c		Α	Yes	3	55-1(e)	G			
Triethylenetetramine	TET	7	_) E	III	Α	Yes		_55-1(b)	G			
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6		AN C	III	Α	No	N/A		G			
Vinyl acetate	VAM			o c	III	A	Yes	2	50-70(a), 50-81(a), (b)	G			
Vinyl neodecanate	VND	13		0 E	[1]	А	No	N/A	.50-70(a), 50-81(a), (b)	G			
Subchapter D Cargoes Authorized for Vapor Contro		- 10	0										
Acetone	ACT	18		D C		Α	Yes	1					
Acetophenone	ACP	18		D E		Α	Yes	1_					
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20		D E		Α	Yes	1					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20		D E		Α	Yes	1					
Amyl acetate (all isomers)	AEC	34		D D		А	Yes	1					
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20		D D		Α	Yes	1					
Benzyl alcohol	BAL	21		D E		A	Yes	'					
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX			D E		A	Yes						
Butyl acetate (all isomers)	BAX	34		D D		А	Yes	1					
Butyl alcohol (iso-)	IAL	20		D D		A	Yes						
Butyl alcohol (n-)	BAN			D D		A	Yes						
Butyl alcohol (sec-)	BAS	20		D C		Α	Yes						
Butyl alcohol (tert-)	BAT	20	2	D C		Α	Yes	1					
Butyl benzyl phthalate	ВРН			D E		A	Yes						
Butyl toluene	BUE			D D		Α	Yes						



Serial #: C1-1701073

Dated: 27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Page 4 of 8

Vessel Name: CBC 380

Official #: 1243662

Shipyard: Conrad Orange Shipyard

Hull #: H-451

Cargo Ident	ification							Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp.
Caprolactam solutions	CLS	22	D	E		Α	Yes	1		
Cyclohexane	CHX	31	D	С		Α	Yes	1		
Cyclohexanol	CHN	20	D	Е		Α	Yes	1		
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2		
p-Cymene	CMP	32	D	D		Α	Yes	1		
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1		
n-Decaldehyde	DAL	19	D	E		Α	Yes	1		
Decene	DCE	30	D	D		Α	Yes	1		
Decyl alcohol (all isomers)	DAX	20	2 D	E		Α	Yes	1		
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		Α	Yes	1		
Diacetone alcohol	DAA	20	2 D	D		Α	Yes	1		
ortho-Dibutyl phthalate	DPA	34	D	E		Α	Yes	1≅		
Diethylbenzene	DEB	32	D	D		Α	Yes	1		
Diethylene glycol	DEG	40	2 D	Е		Α	Yes	1		
Diisobutylene	DBL	30	D	С		Α	Yes	1		
Diisobutyl ketone	DIK	18	D	D		Α	Yes	1		
Diisopropylbenzene (all isomers)	DIX	32	D	Е		Α	Yes	1		
Dimethyl phthalate	DTL	34	D	Е		Α	Yes	1		
Dioctyl phthalate	DOP	34	D	Е		Α	Yes	1		
Dipentene	DPN	30	D	D		Α	Yes	1		
Diphenyl	DIL	32	D	D/E		Α	Yes	1		
Dîphenyl, Diphenyl ether mixtures	DDC	33	D	Е		Α	Yes	1		
Diphenyl ether	DPE	41	D	{E}		Α	Yes	1		
Dipropylene glycol	DPG	40	D	E		Α	Yes	1		
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1		
Distillates: Straight run	DSR	33	D	E		Α	Yes	11		
Dodecene (all isomers)	DOZ	30	D	D		Α.	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDE	32	D	E		Α	Yes	1		
2-Ethoxyethyl acetate	EEA	. 34	D	D		Α	Yes	1		
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	1		
Ethyl acetate	ETA	34	D	С		Α	Yes	1		
Ethyl acetoacetate	EAA	34	D	Е		Α	Yes	1		
Ethyl alcohol	EAL		2 D	С		Α	Yes			
Ethylbenzene	ETB	32	D	С		А	Yes			
Ethyl butanol	EBT		D	D		Α	Yes			
Ethyl tert-butyl ether	EBE		D	С		Α	Yes			
Ethyl butyrate	EBR		D	D		A	Yes			
Ethyl cyclohexane	ECY		D	D		Α	Yes			
Ethylene glycol	EGL			E		A	Yes			
Ethylene glycol butyl ether acetate	EMA		D	E		A	Yes			



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380

Official #: 1243662

Shipyard: Conrad Orange

Shipyard Hull #: H-451

Page 5 of 8

Cargo Identification							Conditions of Carriage							
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period				
Ethylene glycol diacetate	EGY	34	D	Е		Α	Yes	1		_				
Ethylene glycol phenyl ether	EPE	40	D	E		Α	Yes	1						
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes	1						
2-Ethylhexanol	EHX	20	D	Е		Α	Yes	1						
Ethyl propionate	EPR	34	D	С		Α	Yes	1						
Ethyl toluene	ETE	32	D	D		Α	Yes	1						
Formamide	FAM	10	D	E		Α	Yes	1						
Furfuryl alcohol	FAL	20 2	2 D	Е		Α	Yes	1						
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1						
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1						
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		А	Yes	1						
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon) GAV	33	D	С		Α	Yes	1						
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1						
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1						
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1						
Glycerine	GCR	20	2 D	Е		Α	Yes	1						
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ	31	D	С		А	Yes	1						
Heptanoic acid	HEP	4	D	E		Α	Yes	1	7					
Heptanol (all isomers)	HTX	20	D	D/E		A	Yes	⁵⁷ 1						
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2						
Heptyl acetate	HPE	34	D	Ε		Α	Yes	1						
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 3	2 D	B/C		А	Yes	1						
Hexanoic acid	НХО	4	D	Е		Α	Yes	1						
Hexanol	HXN	20	D	D		Α	Yes	1						
Hexene (all isomers)	HEX	30	D	С		Α	Yes	2						
Hexylene glycol	HXG	20	D	E		Α	Yes	1						
Isophorone	IРН	18	2 D	E		Α	Yes	1						
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1						
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		1				
Kerosene	KRS	33	D	D		Α	Yes	1						
Methyl acetate	MTT	34	D	D		Α	Yes	1	9					
Methyl alcohol	MAL	20	2 D	С		А	Yes	1						
Methylamyl acetate	MAC	34	. D	D		Α	Yes	1						
Methylamyl alcohol	MAA	20	D	D		А	Yes							
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1						
Methyl tert-butyl ether	MBE	41	2 D	С		Α	Yes		,					
Methyl butyl ketone	MBK		D	С		Α	Yes							
Methyl butyrate	MBU		D	С		Α	Yes							
Methyl ethyl ketone	MEK	18	2 D	С		Α	Yes	1						
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1						

Serial #: C1-1701073 Dated: 27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380

Official #: 1243662

Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether

Polybutene

Polypropylene glycol

iso-Propyl acetate

n-Propyl acetate

Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate

Page 6 of 8

Shipyard: Conrad Orange Shipyard

Hull #: H-451

Cargo Identification **Conditions of Carriage** Special Requirements In 46 CFR Sub Group 151 General and Mat'ls of Grade Chapter Name Code Category Construction Туре Group (Y or N) Period Methyl isobutyl ketone MIK 18 С Yes Methyl naphthalene (molten) MNA 32 D Ε Mineral spirits D MNS 33 D Α Yes Myrcene MRE 30 D D Α Yes 1 Naphtha: Heavy NAG 33 D # Α Yes 1 Naphtha: Petroleum PTN 33 D Α Yes Naphtha: Solvent NSV 33 D D Yes Naphtha: Stoddard solvent D NSS 33 D Α Yes Naphtha: Varnish makers and painters (75%) NVM 33 C D Α 1 Yes Nonane (all isomers), see Alkanes (C6-C9) NAX 31 D D Α Yes 1 Nonene (all isomers) NON D D Yes 2 Nonyl alcohol (all isomers) NNS 20 2 D Ε Yes Nonyl phenol NNP 21 D Ε Α Yes Nonyl phenol poly(4+)ethoxylates NPE 40 D Ε Α Yes 1 Octane (all isomers), see Alkanes (C6-C9) OAX 31 D С Yes 1 Octanoic acid (all isomers) Ε OAY D Α Yes Octanol (all isomers) OCX 20 2 D Ε Α Yes Octene (all isomers) OTX 30 D С Α 2 Yes Oil, fuel: No. 2 OTW 33 D D/E Α Yes Oil, fuel: No. 2-D OTD 33 D D Yes Oil, fuel: No. 4 OFR 33 D D/E Α Yes Oil, fuel: No. 5 33 OFV D D/E Α Yes Oil, fuel: No. 6 OSX 33 D Ε Α Yes 1 Oil, misc: Crude OIL 33 D A/D Α Yes 1 Oil, misc: Diesel ODS 33 D D/E Α Yes Oil, misc: Gas, high pour 33 D Ε Α 1 Yes Oil, misc: Lubricating OLB 33 D Α Yes Oil, misc: Residual ORL 33 D Α Oil, misc: Turbine OTB 33 D Ε Yes Pentane (all isomers) PTY 31 D Α Yes 5 Pentene (all isomers) PTX 30 D Α Α Yes 5 n-Pentyl propionate PPE 34 D D Α Yes alpha-Pinene PIO 30 D D Α Yes beta-Pinene PIP 30 D Yes 1

40

30

40

34

34

PAF

PLB

PGC

IAC

PAT

D E

D E

D E

D

D C

Ε

o c

Α

Α

Α

Yes

Yes

Yes

Yes

Yes

Yes



Serial #: C1-1701073 Dated: 27-Mar-17

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 380

Shipyard: Conrad Orange

Shipyard Hull #: H-451

Official #: 1243662

Undecene

1-Undecyl alcohol

Xylenes (ortho-, meta-, para-)

Page 7 of 8

Cargo Identification Conditions of Carriage Compat Group Special Requirements in 46 CFR Chem Code App'd VCS 151 General (Y or N) Category Construction 151 General and Mat'ls of Name Chapter Grade Group iso-Propyl alcohol IPA 20 ² D С Yes n-Propyl alcohol PAL 20 2 Yes Propylbenzene (all isomers) PBY 32 D D Α Yes 1 iso-Propylcyclohexane **IPX** 31 D D Α 1 Yes Propylene glycol PPG 20 2 D Ε Α Yes Propylene glycol methyl ether acetate **PGN** D Α Yes 1 Propylene tetramer PTT D Yes Sulfolane SFL Ε 39 D Α Yes 1 Tetraethylene glycol Ε TTG 40 D Α Yes 1 Tetrahydronaphthalene THN D Е 32 Α Yes 1 Toluene TOL 32 D С Α Yes 1 Tricresyl phosphate (less than 1% of the ortho isomer) TCP 34 D Ε Yes 1 Triethylbenzene TEB 32 D Ε Yes 1 Triethylene glycol **TFG** 40 D Ε 1 Yes Triethyl phosphate TPS 34 D Ε Α Yes 1 Trimethylbenzene (all isomers) TRE 32 D {D} Α Yes 1 Trixylenyl phosphate TRP D Е Yes

UDC

UND

XLX

30

20

32

D

D E

D D

D/E

Yes

Yes

Yes

Α

1

1

Serial #: C1-1701073 Dated:

27-Mar-17

Certificate of Inspection

The propper shipping name as listed in 46 CFR Table 30 25-1, 46 CFR Table 151 05, and 46 CFR Part 153 Table 2

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Cargo Authority Attachment

Vessel Name: CBC 380 Official #: 1243662

Page 8 of 8

Shipyard: Conrad Orang

Hull #: H-451

Explanation of terms & symbols used in the Table:

Cargo Identification

Chem Code

Compatability Group No.

Note 1

Note 2

and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001 Telephone See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

Subchapter Subchapter D Subchapter O Note 3

Note 4

Hull Type

NA

Grade

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30 25-1 Those hazardous cargoes listed in 46 CFR Table 151 05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges

The cargo classification assigned to each flammable or combustible liquid Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of Flammable liquid cargoes, as defined in 46 CFR 30-10 22

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of

the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables,

Combustible liquid cargoes, as defined in 46 CFR 30-10 15

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1)

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3)

Designed to carry products of sufficeint hazard to require a moderate degree of control See 46 CFR 151 10-1(b)(4)

Not applicable to barges certificated under Subchapter D

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo

VCS Category:

Category 1

The specified cargo's provisional classification for vapor control systems

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes Those specifically dealing with vapor control systems are in 33 CFR 155 750, 33 CFR 156 120, 33 CFR 156 170, 46 CFR 35.35 and 46 CFR 39 The cargo tank venting system calculations (46 CFR 39 20-11) and the pressure drop calculations (46 CFR 39 30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Calegory 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39 20-9. This requirement is in addition to the requirements of Category 1

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems.