

Certification Date: 16 Nov 2021 **Expiration Date:** 16 Nov 2026

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT

Vessel Name			Official Number	IMO Num	ber	Call Sign	Service		
CBC 409			983950				Tank	Barge	
Hailing Port			Hull Material	Hore	epower	Propulsion			
NEW ORLE	ANS, LA			HOIS	epower	·			
UNITED ST	ATES		Steel			Unknown			
Place Built			Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length	
JEFFERSO	NVILLE, IN		•		R-1306	R-1306	DWI	R-240 0	
LINUTED OT	A.T.C.		18Dec1992	2 14Oct1992	-	I-		I-0	
UNITED ST	ATES								
Owner Owner	OF COMPANY			Operat					
CANAL BAR 1801 ENGIN	GE COMPANY	INC			IAL BARGE I ENGINEE	ECOMPANY INC RS ROAD	C		
	SSE, LA 70037					E, LA 70037			
UNITED STA	ATES			UNI	TED STATE	S			
	nust be manned feboatmen, 0 Ce						nich there m	nust be	
0 Masters		Licensed Ma		f Engineers		Dilers			
0 Chief Mate	es 0	First Class F	Pilots 0 First	Assistant Enginee	ers				
0 Second Ma	ates 0	Radio Office	ers 0 Seco	ond Assistant Engi	neers				
0 Third Mate	es 0	Able Seame	n 0 Third	d Assistant Engine	ers				
0 Master Firs	st Class Pilot 0	Ordinary Se		nsed Engineers					
0 Mate First		Deckhands		ified Member Engi					
n addition, th Persons allov	nis vessel may ca wed: 0	arry 0 Pass	engers, 0 Othe	er Persons in cr	ew, 0 Perso	ons in addition to	crew, and	no Others. Total	
Route Perm	nitted And Cond	ditions Of	Operation:						
Lakes,	Bays, and S	ounds	-						
vessel is op salt water :	has been grant perated in salt intervals per 4 tatus occurs.	t water mo	re than 6 mor	nths in any 12	month per	giod, the vesse	el must be	inspected using	
Inspection H		. Inspect	ion activitie	es aboard this	barge sha	all be conducte	ed in acco	eamlined rdance with its ctor New Orleans	
SEE NEX	XT PAGE FOR	ADDITIO	NAL CERTIFI	CATE INFORM	MATION				
nspection, Se	ector Houston-G	alveston ce	ertified the vess	sel, in all respec	n, TX, UNIT ets, is in con	ED STATES, in formity with the	e Officer in applicable	Charge, Marine	
aws and the	rules and regulate Annual/Perio				hio portificat	e issued by:	Lusti	bryans	
Data						//		2	
Date	Zone	A/P/R	Signatu			W. Morgaris Cl	UK, USCE	ByDirection	
Tran wit	con 11 Stoge	1	12 colo	Of	ficer in Charge, Ma		4am (C=1		
					=	Sector Hous	tori-Galvesi	:011	
				ins	pection Zone				



Certification Date: 16 Nov 2021 Expiration Date: 16 Nov 2026

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name Official Number IMO Number Call Sign Service **CBC 409** 983950 Tank Barge Hailing Port **Hull Material** Horsepowe Propulsion NEW ORLEANS, LA Steel Unknown UNITED STATES Place Built Delivery Date Keel Laid Date Gross Tons Net Tons DWT Length JEFFERSONVILLE, IN R-1306 R-1306 R-240.0 18Dec1992 14Oct1992 I-1-0 **UNITED STATES** CANAL BARGE COMPANY INC. CANAL BARGE COMPANY INC 1801 ENGINEER ROAD 1801 ENGINEERS ROAD BELLE CHASSE, LA 70037 BELLE CHASSE, LA 70037 **UNITED STATES** UNITED STATES This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators. 0 Masters 0 Licensed Mates 0 Chief Engineers 0 Chief Mates 0 First Class Pilots 0 First Assistant Engineers 0 Second Mates 0 Radio Officers 0 Second Assistant Engineers 0 Third Mates 0 Able Seamen 0 Third Assistant Engineers 0 Master First Class Pilot 0 Ordinary Seamen 0 Licensed Engineers 0 Mate First Class Pilots 0 Deckhands 0 Qualified Member Engineer In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0 Route Permitted And Conditions Of Operation:

---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

	Annual/Peri	odic/Re-Inspe	ction	This certificate issued by: // W. // Drytund
Date	Zone	A/P/R	Signature	Joseph W. Morgania CDR, USCA, By Direction Officer in Charge, Marine Inspection Sector Houston-Galveston
				Inspection Zone



Certification Date: 16 Nov 2021 **Expiration Date:** 16 Nov 2026

Certificate of Inspection

Vessel Name: CBC 409

---Hull Exams---

Exam Type Next Exam Last Exam

Prior Exam

DryDock

31Mar2031

15Nov2021

14Mar2011

Internal Structure

31May2026

15Nov2021

13May2016

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

21736

Barrels

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3 P/S	540	13.500
1 P/S	594	13.500
2 P/S	627	13.500

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
11	2956	9ft 6in	13.5	
III	3355	10ft 6in	13.5	
H .	2956	9ft 6in	13.5	
Ш	3355	10ft 6in	13.5	

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #C1-1603314, dated September 13, 2016, may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group number from the "Compat Group No" column is listed in the vessel's CAA.

When the vessel is carrying cargoes containing 0.5% or greater benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C, are applied

Per 46 CFR 39, excluding Part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letters serial #M-20423 dated May 27, 1996 and serial #C2-0100997 dated March 28, 2001, and found acceptable for collection of bulk liquid cargo vapors from those specific Subchapter "D" cargoes contained in the that letter, and those specified hazardous cargoes annotated a "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. A high level and overfill alarm is required

Dept. of Home Sec., USCG, CG-841 (Rev 4-2000)(v2)

Page 2 of 3

OMB No. 2115-0517

^{*}Vapor Control Authorization*



Certification Date: 16 Nov 2021 Expiration Date: 16 Nov 2026

Certificate of Inspection

Vessel Name: CBC 409

by 46 CFR 39.20-7.

Per 46 CFR Part 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Stability and Trim

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

Cargoes with higher densities, up to 13.5 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Satisfactory mid-body gauging survey and engineering analysis conducted in accordance with 46 CFR 31.10-21a.

Periodic mid-body gauging survey and engineering analysis in accordance with 46 CFR 31.10-21a due at each scheduled dry dock examination.

--- Inspection Status ---

Cargo Tanks

	Internal Exam	ı		External Exa	am	
Tank ld	Previous	Last	Next	Previous	Last	Next
3 P/S	14Mar2011	16Nov2021	31Mar2031			-
1 P/S	14Mar2011	16Nov2021	31Mar2031	14/1	2)	
2 P/S	14Mar2011	16Nov2021	31Mar2031	-		-
			Hydro Test			
Tank Id	Safety Valves	6	Previous	Last	Next	
3 P/S	•		4	*	è	
1 P/S	-		4	2.0		
2 P/S	2		3		-	

--- Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity Class Type 2 40-B

END



Cargo Authority Attachment

Vessel Name: CBC 409

Shipyard: JEFFBOAT

INCORPORATED

Dated:

C1-1603314

13-Sep-16

Hull #: 91-2536

Official #: 983950

Tenk Group Information	Cargo Identification			Carp	Tanks			Cargo Transfer		Environmental Control		Fire	Special Requirements				
Trik Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	I Sea	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction		Temp Cont
A #1P/S, #2P/S, #3P/S	13.5	Atmos.	Amb.	11	11i 21i	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73,	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g).	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification	n					Conditions of Carriage						
					T-A		Vapor R					
Name	Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	(Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes							1					
Acetonitrile	ATN	37	0	С	111	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	II.	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	II	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	Iff	Α	No	N/A	.50-81, .50-88	G		
Aminoethylethanolamine	AEE	8	0	E	111	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43.2	0	NA	- 1/1	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	- 111	A	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	- (1	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	111	Α	Yes	- 1	.50-80	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	ВНВ	32 2	0	C	111	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	вна	32 ²	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	10	Α	Yes	1	,50-80	G		
Butyl acrylate (all isomers)	BAR	14	0	D	UI	Α	Yes	2	50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	III	Α	Yes	2	50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G		
Camphor oll (light)	CPO	18	0	D	И	Α	No	N/A	No	G		
Carbon tetrachloride	CBT	36	0	NA	III	Α	No	N/A	Na	g		
Caustic potash solution	CPS	5 ²	0	NA	- 111	Α	No	N/A	.50-73, .55-1(j)	Q		
Caustic soda solution	CSS	5 ²	0	NA	III	Α	No	N/A	.50-73, .55-1(J)	a		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	11	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	III	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	- 111	Α	Yes	3	No	0		
Coal tar naphtha solvent	NCT	33	0	D	Ш	Α	Yes	1	.50-73	G		
Creosote	ccw	21 ²	0	E	III	Α	Yes	1	No	ā		
Cresols (all Isomers)	CRS	21	0	Ε	III	A	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	III	A	No	N/A	.50-73, 55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	10	A	Yes	1	.55-1(f)	0		
Crotonaldehyde	CTA	19 ²	0	С	11	A	Yes	4	.66-1(h)	0		
Crude hydrocarbon feedstock (containing Butyraidehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	\$II	A	Yes	1	No	a		
Cyclohexanone	ССН	18	0	D	Ш	Α	Yes	1	.56-1(a), (b)	0		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	III	A	Yes	-	.56-1 (b)	a		
Cyclohexylamine	CHA	7	0	D	111	A	Yes	<u></u>	.66-1(a), (b), (o), (g)	G		

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Serial #: C1-1603314 Dated: 13-Sep-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 409
Official #: 983950

Page 2 of 8

Shipyard: JEFFBOAT INCORPORATED

Cargo Idontification	Cargo Identification										
Cargo identification	on					Conditions of Carriage					
Name Cyclopentadiene, Styrene, Benzene mixture	Chem Code CSB	Compat Group No 30	Sub Chapter O	Grade	Hull Type	Tank Group		VCS Category	Special Requirements in 46 CFR 151 General and Mat's of .60-80, .56-1(b)	Insp. Perlo	
Iso-Decyl acrylate	IAI	14		D	111	Α.	Yes	1	.50-70(a), .50-81(a), (b), .55-1(c)	G	
Dichlorobenzene (all Isomers)	DBX		0	E	111	Α.	Yes	2	.56-1(a), (b)	G	
1,1-Dichloroethane	DCH		0	E	111	A	Yes	3	No No	G	
2,2'-Dichloroethyl ether	DEE	36 41	0	С		Α .	Yes	1	.55-1(f)	G	
Dichloromethane	DCM		0	D	11	A	Yes	1	No	G	
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	-0	NA E	111	A	No	N/A N/A	.56-1(a), (b), (c), (g)	G	
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2		A	111	A	No No	N/A	.56-1(a), (b), (c), (g)	G	
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0			A_			.58-1(a), (b), (c), (g)	G	
1,1-Dichloropropane	DPB	36	0	E	101	A	No	N/A	No	G	
1,2-Dichloropropane	DPP	36	0	C	111	A	Yes	3	No	G	
1,3-Dichloropropane	DPC	36	0	c	111	A	Yes	3	No	G	
1,3-Dichloropropene	DPU	15	-	D	-11	A	Yes	4	No	G	
Dichloropropene, Dichloropropane mixtures	DMX	15	0	C	11	A	Yes	1	No	G	
Diethanolamine	DEA	8	0	E	111	A	Yes	1	.55-1(a)	G	
Diethylamine	DEN	7	0	c	111	A	Yes	3	.55-1(c)	G	
Diethylenetriamine	DET	7 2	-	E	III	A	Yes	1	.55-1(c)	G	
Disobutylamine	DBU	7	0	D	111	A	Yes	3	.56-1(o)	G	
Diisopropanolamine	DIP	8	0	E	111	A	Yes	1	.55-1(o)	G	
Dlisopropylamine	DIA	7	0	c	0	A	Yes	3	.55-1(c)	G	
N,N-Dimethylacetamide	DAC	10	0	E	10	A	Yes	3	.58-1(b)	G	
Dimethylethanolamine	DMB	8	0	13	111	A	Yes	1	.58-1(b), (c)	9	
Dimethylformamide	DMF	10	0	D -	Hi	A	Yes	1	.56-1(e)	G	
Di-n-propylamine	DNA	7		c	11	A	Yes	3	.55-1(o)	G	
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	311	A	No	N/A	.58-1(b)	G	
Dodecyl diphenyl ether disulfonate solution	DOS	43	()	#	11	A	No	N/A	No	G	
EE Glycol Ether Mixture	EEG	40	0	5	381	A	No	N/A	No	G	
Ethanolamine	MEA	8	0	E.	RI	A	Yes	1	.65-1(a)	G	
Ethyl acrylate	EAC	14	0	c	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G	
Ethylamine solution (72% or less)	EAN	7	0	A	11	A	No	N/A	.55-1(b)	G	
N-Ethylbutylamine	EBA	7	0	D	m	A	Yes	3	.55-1(b)	G	
I-Ethylcyclohexylamine	ECC	7	0	D	101	A	Yes	1	.55-1(b)	G	
thylene cyanohydrin	ETC	20	0	E	101	A	Yes	1	No	-	
thylenediamine	EDA	7 2	0	D	101	A	Yes	1	.55-1(c)	G	
thylene dichloride	EDC	36 ²	0	С	111	A	Yes	1	No	a	
thylene glycol hexyl ether	EGH	40	0	E	III	Ā	No		No	G	
thylene glycol monoalkyl ethers	EGC	40	-	D/E	111	A	Yes	N/A	No	G	
thylene glycol monoakyr emers	EGP	40	-	E	111	A	-	1	No	G	
	EAI	14		E	100	_	Yes	1	35.	G	
Ethylhexyl acrylate	ETM	14				A	Yes	2	.50-70(a), .50-81(a), (b)	G	
thyl methacrylate				D/E	111	A	Yes	2	00-70(a)	0	
Ethyl-3-propylacrolein	EPA	19 2		E	III	Α	Yes	1	No	G	
ormaldehyde solution (37% to 50%)	FMS	19 ²		D/E	100	A	Yes	1	,65-1(h)	G	
irfural	FFA	19		D	III	A	Yes	1	.55-1(h)	G	
utaraldehyde solution (50% or less)	GTA	19		NA	111	A	No	N/A	No	G	
examethylenediamine solution	HMC	7		<u> </u>	UI.	A	Yes	1	.55-1(a)	3	
examethylenelmine	HMI	7		С	11	A	Yes	1	.58-1(b), (c)	0	
drocarbon 5-9	HFN	31		С	III	Α	Yes	1	.50-70(a), ,50-81(a), (b)	0	
prene	IPR	30	0	A	H)	Α	No	N/A	.50-70(a), .50-81(a), (b)	0	

Department of Homeland Security United States Coast Guard



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 409

Official #: 983950

Page 3 of 8

Shipyard: JEFFBOAT INCORPORATED

C1-1603314

13-Sep-16

Cargo Identification	Conditions of Carriage									
		4						Recovery		
Name soprene, Pentadiene mixture	Chem Code	Group No	the state of the		Type	Tank Group	10000	VCS Category N/A	Special Requirements in 46 CFR 151 General and Matts of .50-70(a), .55-1(c)	Insp Perk G
Kraft pulping liquors (free alkall content 3% or more)(including: Black, Green, or White liquor)		30 5	0	NA NA	101	A	No	N/A	.60-73, .56-1(a), (o), (g)	G
Mesityl oxide	MSO	18 ²	0	D	III	A	Yes	1	No	G
Methyl acrylate	MAM	14	0	C	111	A	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	c	101	A	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	E	111	A	Yes	1	,56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	E	100	A	Yes	1	,55-1(e)	G
Methyl methacrylate	MMM		0	c	HI	A	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D		_	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	- 811	A	Yes	2	.50-70(a), 50-81(a), (b)	G
Morpholine		7 2			HI	A			.55-1(c)	G
Nitroethane	MPL		0	D	- 111	A	Yes	1	.50-81, .56-1(b)	G
1- or 2-Nitropropane	NTE	42	0	D	- []	Α	No	N/A	.50-81	-
1,3-Pentadiene		42 30	0	D	111	A .	Yes	1	.50-70(a), .50-81	G
Perchloroethylene	PDE		0	A	- 111	A .	No	N/A	No	G
Polyethylene polyamines	PER	36 7 ²	0	NA .	WI	Α .	No	N/A	.55-1(e)	G
Iso-Propanolamine			0	E	111	A	Yes	1	.55-1(c)	G
Propanolamine (Iso-, n-)	MPA	8	0	E	611	A	Yes	1_	.58-1(b), (c)	9
iso-Propylamine	PAX	8	0	E	- 111	A	Yes	1		G
	IPP	7	0	A		A	No	N/A	.65-1(c)	
Pyridine	PRD	9	0	С	111	A	Yes	1	,55-1(e)	G
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0		Н	Α	No	N/A	.50-73, .55-1(})	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	Α	No	N/A	.50-73, .50-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	111	Α	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	Q	NA	III	Α	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	ISS	Q 5,2	0	NA	III	Α	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	O 1,2	0	NA	П	Α	No	N/A	.50-73, .55-1(b)	g
Styrene (crude)	STX	30	0	D	III	Α	Yes	2	No	G
Styrene monomer	STY	30	0	D	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	101	Α	No	N/A	No	G
Tetraethylenepentamine	ΠР	7	0	E	III	Α	Yes	1	.55-1(0)	G
Tetrahydrofuran	THF	41	0	С	111	Α	Yes	1	.50-70(b)	G
1,2,4-Trichlorobenzene	тсв	36	0	E	Ш	Α	Yes	1	No	g
1,1,2-Trichloroethane	TCM	.36	0	NA	111	Α	Yes	1	.50-73, .58-1(a)	G
Trichloroethylene	TCL	36 ²	0	NA	III	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	E	II	Α	Yes	3	.50-73, 58-1(a)	G
Triethanolamine	TEA	8 ²	0	E	III	Α	Yes	1	.55-1(b)	G
Triathylamine	TEN	7	0	С	- 11	A	Yes	3	.55-1(e)	
Triethylenetetramine	TET	72	0	E	111	A	Yes	1	55-1(b)	G
Triphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	III	A	No	N/A	.56-1(a), (b), (c)	0
Trisodium phosphate solution	TSP	5	0	NA	111	A	No	N/A	.50-73, .58-1(a), (c).	0
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	A	No	N/A	.58-1(b)	G
Vanillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	111	A	No	N/A	.50-73, .50-1(a), (c), (g)	G
Vinyl acetate	VAM		0	C	III	A	Yes		.50-70(a), 50-81(a), (b)	0
Vinyl neodecanate	VND		0	E	III	A	No	N/A		å
Vinyttoluene	VNT	13	0	D	100	A	Yes		.50-70(a), .50-81, .86-1(a), (b), (c), (0



Cargo Authority Attachment

Vessel Name: CBC 409

Official #: 983950

Page 4 of 8

Shipyard: JEFFBOAT INCORPORATED

Cargo Identification	n					Conditions of Carriage					
						Vapor Recovery					
Name	Chem	Compat Group No	Sub	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat7s of	: Insp. Perio	
Subchapter D Cargoes Authorized for Vapor Contro	ol										
Acetone	ACT	18 ²	D	С	-	Α	Yes	1			
Acetophenone	ACP	18	D	E		Α	Yes	1			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		A	Yes	1			
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		A	Yes	1			
Amyl acetate (all isomers)	AEC	34	D	D		A	Yes	1			
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		A	Yes	1 MW			
Benzyl alcohol	BAL	21	D	E		A	Yes	1			
Brake fluid base mixtures (containing Poly(2-B)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		A	Yes	1			
Butyl acetate (all isomers)	BAX	34	D	D	- 10	Α	Yes	1			
Butyl alcohol (Iso-)	IAL	20 2	D	D		A	Yes	1			
Butyl alcohol (n-)	BAN	20 ²	D	D		A	Yes	1		-	
Butyl alcohol (sec-)	BAS	20 ²	D	C		A	Yes	1			
Butyl alcohol (tert-)	BAT	20 ²	D	c		A	Yes	1			
Butyl benzyl phthalate	BPH	34	D	E		A	Yes	1		_	
Butyl toluene	BUE	32	D	D		A	Yes	1		-	
Caprolactam solutions	CLS	22	D	E		A	Yes	1			
Cyclohexane	CHX	31	D	c		Ā	Yes	1			
Cyclohexanol	CHN	20	D	E		A	Yes	1			
1,3-Cyclopentadiene dimer (molten)	CPD	30	b	D/E		A	Yes	2			
p-Cymene	CMP	32	D C	8		A	Yes	1			
Iso-Decaldehyde	IDA	19	D	E	_	Λ	Yes	1		_	
n-Decaldehyde	JAG	39	0	7	-	A	Yes	1			
Decene	OCE	30	5	Ö		A	Yes	1		-	
Decyl alcohol (all isomers)	DAX	20 %	()	6	-	A	Yes	1			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ.	32	D	is			Yes	1		-	
Diacetone alcohol	DAA	20 2	U	CI CI		_^	Yes	1			
ortho-Dibutyl phthalate	DPA	34	0	E		A	Yes	1		-	
Diethylbenzene	DEB	32	D	D	_	A	Yes	1			
Diethylene glycol	DEG	40 ²	D	E		A	Yes	1			
Dilsobutylene	DBL	30	D	C	-	A	Yes	1			
Diisobutyl ketone	DIK	18	D	D		A	Yes	1			
Diisopropylbenzene (all isomers)	DIX	32	D	E		Ā	Yes	1			
Dimethyl phthalate	DTL	34	D	E	_	A	Yes	1			
Dioctyl phthalate	DOP	34	D	E	_	Â	Yes	1			
Dipentene	DPN	30	D	D	-						
Diphenyl	DIL	32	D	D/E	-	A	Yes	1			
Diphenyl, Diphenyl ether mixtures	DDO	33	. D	E	-	A	Yes	-1-		_	
Diphenyl ether	DPE	41	D			Α	Yes	1			
Diprienyl etner Dipropylene glycol	DPG	40	D	(E) E	_	A	Yes	1			
Distillates: Flashed feed stocks	DFF	33	_	_		A	Yes	1			
	DSR		D	E		A	Yes	1			
Distillates: Straight run	_	33	D	E		Α	Yes	1			
Dodecene (all isomers)	DOZ	30	D	D		A	Yes	1			
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1			
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1			
Ethyl acetate	ETA	34	D	С		Α	Yes	1			
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1			

^{***} This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection.



Serial #: C1-1603314 Dated: 13-Sep-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 409

Official #: 983950

Page 5 of 8

Shipyard: JEFFBOAT INCORPORATED

Cargo Identification	n					Conditions of Carriage						
	- 10						Vapor	Recovery	- LEGISTAGE	1		
Name Ethyl alcohol	Chem Code EAL	Compat Group No 20 ²	Sub Chapter D	Grade C	Hull Type	Tank Group A	App'd (Y or N) Yes	VCS Calegory	Special Requirements in 46 CFR 151 General and Matts of	Insp. Period		
Ethylbenzene	ETB	32	D	c	_	A	Yes	1				
Ethyl butanol	EBT	20	D		_			1		-		
Ethyl tert-butyl ether	EBE	41		D		A	Yes					
Ethyl butyrate	EBR	34	D	C		A	Yes	1/		-		
Ethyl cyclohexane	ECY		D	D		A	Yes	1				
Ethylene glycol		31 20 ²	D	D		A	Yes	1		-		
Ethylene glycol butyl ether acetate	EGL		D	E	_	A	Yes	11	- mir	_		
Ethylene glycol diacetate	EMA	34	D	E	_	A	Yes	1				
Ethylene glycol phenyl ether	_	34	D	E		A	Yes	1		_		
Ethyl-3-ethoxypropionate	EPE	40	D	E	_	A	Yes	1				
2-Ethylhexanol	EEP	34	D	D		A	Yes	1		_		
Ethyl propionate	EHX	20	D	E		A	Yes	1				
Ethyl toluene	EPR	34	D	С	_	A	Yes	1		_		
Formamide	ETE	32	D	D		A	Yes	1				
Furfuryl alcohol	FAM	10	D	E		A	Yes	1				
	FAL	20 2	D	E		A	Yes	1				
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		A	Yes	1				
Gasoline blending stocks: Reformates	GRF	33	D	A/C	_	Α	Yes	1				
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	C		A	Yes	1				
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	ם	С		A	Yes	1				
Gasolines: Casinghead (natural)	GCS	33	D)	A/C		Α	Yes	1				
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	11				
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1				
Glycerine	GCR	20 ²	D	٤		Α	Yes	1				
Heptane (all Isomers), see Alkanes (C6-C9) (all Isomers)	HMX	31	D	С		Α	Yes	1				
Heptanoic acid	HEP	4	D	E		Α	Yes	1				
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1				
Heptene (all isomers)	HPX	30	D	С		Α	Yes	2				
Heptyl acetate	HPE	34	D	E		Α	Yes	1				
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 2	D	B/C		Α	Yes	1				
Hexanoic acid	HXO	4	D	E		Α	Yes	1		-		
Hexanol	HXN	20	D	D		A	Yes	1				
Hexene (all isomers)	HEX	30	D	C		A	Yes	2				
Hexylene glycol	HXG	20	D	E		Α	Yes	1				
Isophorone	IPH	18 2	D	E		Α	Yes	1				
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1				
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1				
Kerosene	KRS	33	D	D		Α	Yes	1				
Methyl acetate	MTT	34	D	D		Α	Yes	1		-		
Methyl alcohol	MAL	20 2	D	С		A	Yes	1				
Methylamyl acetate	MAC	34	D	D		A	Yes	1				
Methylamyl alcohol	MAA	20	D	D		A	Yes	1		-		
Methyl amyl ketone	MAK	18	D	D		A	Yes		- 11 -			
Methyl tert-butyl ether	MBE	41 2	D	c		A	Yes	1				
Methyl butyl ketone	MBK	18	D	c		A	Yes	1		_		
	MBU	34	D	c				1				
Methyl butyrate Methyl ethyl ketone	MEK	18 2	D	С		A	Yes Yes	1				



Cargo Authority Attachment

Vessel Name: CBC 409

Shipyard: JEFFBOAT

INCORPORATED

Serial #: C1-1603314

13-Sep-16

Official #: 983950

Page 6 of 8

Cargo Identifica	ition					Conditions of Carriage						
Name	Chem	Compat Group No	A		Hull Type		App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Methyl heptyl ketone	MHK	18	D	D		A	Yes	1				
Methyl isobutyl ketone	MIK	18 ²	D	С		Α	Yes	1				
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1				
Mineral spirits	MNS	33	D	D		Α	Yes	1		-		
Myrcene	MRE	30	D	D		Α	Yes	1		_		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1				
Naphtha: Petroleum	PTN	33	D	#		A.	Yes	1		-		
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1				
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1				
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1				
Nonane (all Isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1				
Nonene (all Isomers)	NON	30	D	D		Α	Yes	2				
Nonyl alcohol (all isomers)	NNS	20 ²	D	E		Α	Yes	1				
Nonyl phenol	NNP	21	D	E		Α	Yes	1				
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1				
Octane (all Isomers), see Alkanes (C6-C9)	CAX	31	D	С		Α	Yes	1				
Octanoic acid (all isomers)	ÇΑΥ	4	Ö	€:		Α	Yes	1				
Octanol (all isomers)	OCA	20 3	Ω	E		A	Yes	1				
Octene (all isomers)	OTX	30	D	С		Α	Yes	2				
Oil, fuel: No. 2	OTW	33	1)	0/8		A	Yes	1				
Oil, fuel: No. 2-D	OTO	33	0	0		A	Yes	1				
Oil, fuel: No. 4	OFR	33	D	D/E	-	A	Yes	1				
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1				
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1				
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	1				
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1		-		
Oil, misc: Gas, high pour	OGP	33	D	E		Α	Yes	1				
Oil, misc: Lubricating	OLB	33	D	Ε		Α	Yes	1		-		
Oil, misc: Residual	ORL	33	D	E		A	Yes	1				
Oil, misc: Turbine	ОТВ	33	D	E		Α	Yes	1				
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1				
alpha-Pinene	PIO	30	D	D		A	Yes	1				
beta-Pinene	PIP	30	D	D		A	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C8) ether	PAG	40	D	E		A	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		A	Yes	1				
Polybutene	PLB	30	D	E		A	Yes	1				
Polypropylene glycol	PGC	40	D	E		A	Yes	1				
Iso-Propyl acetate	IAC	34		c		A	Yes	1				
	PAT	34	D	c		A	Yes	1		-		
n-Propyl acetate	IPA	20 2	D	c		A	Yes	1				
iso-Propyl alcohol	PAL	20 2	D	c		A	·Yes					
n-Propyl alcohol	PBY	32	D	D		A		1				
Propylbenzene (all Isomers)	IPX	31	D	D	-	_	Yes	1				
lso-Propylcyclohexane		20 2			_	A	Yes	1				
Propylene glycol	PPG		D	E		<u> </u>	Yes	1				
Propylene glycol methyl ether acetate	PGN	34	D	D		_ A	Yes	1				
Propylene tetramer	PTT	30	D	D		A	Yes	1				
Sulfolane	SFL	39	D	E		A	Yes	1				
Tetraethylene glycol	TTG	40	D	E		Α	Yes	_ 1				





ial #: C1-1603314 ated: 13-Sep-16

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: CBC 409

Shipyard: JEFFBOAT

INCORPORATED

Hull #: 91-2536

Official #: 983950

Page 7 of 8

Cargo Identification					Conditions of Carriage					
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor Recovery			
							App'd (Y or N)	VCS Catagory	Special Requirements in 46 CFR 151 General and Matts of	Insp. Period
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	E		Α	Yes	1		
Triethylbenzene	TEB	32	D	E		Α	Yes	1		
Triethylene glycol	TEG	40	D	Е		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1		
Trimethylbenzene (all isomers)	TRE	32	D	(D)		Α	Yes	11		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		A	Yes	1		



Cargo Authority Attachment

Vessel Name: CBC 409 Official #: 983950

Page 8 of 8

Shipyard: JEFFBOAT IN

13-Sep-16

Hull #: 91-2536

Explanation of terms & symbols used in the Table:

Cargo Identification Chem Code

The proper shipping name as listed in 48 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2. The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual. Certain mixtures of cargoes may not have a CHRIS Code essigned

Compatability Group No.

Note 1 Note 2 The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150 130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility Chart. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coest Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone 2020 172-1425.

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified.

Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 48 CFR Part 153 Table 2.

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustate liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

A, B, C D, E

not verified by manufacturers data. The Person-in-Charge snall verify the cargo grade based on the grade of cargo.

Flammable liquid cargoes, as defined in 48 CFR 30-10.22.

Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

ŅΑ

Hull Type

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recover Approved (Y or N) The vessel's tank group (as defined in Section 4) which is euthorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Yanh Group Charantaristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the \$600 to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the A600 to control vapors of the specified cargo.

VCS Category: Category 1

The specified cargo's provisional classification for vapor control systems.

Calegory 2

(No additional VCS requirements above those for housess, quasities and south off) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these subjects. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.35 and 46 CFR 35. The straight burk subjects subjects sold subjects and vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 34 CFR 156.120, 35 September 150.120, 35 September 150.120,

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and tractional and build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester.

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 48 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems