

United States of America Department of Homeland Security United States Coast Guard

Certification Date: 17 Jan 2023 Expiration Date: 17 Jan 2028

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Marriel											
Vessel Name		0	fficial Number	IM	O Number	Call Sign	Service				
CBC 7024		C	G053197				Tank Ba	rge			
Halling Port			Hull Material		Horsepower	Daniel III					
New Orleans	, LA				norsepower	Propulsion					
			Steel			None					
UNITED STA	ATES										
Place Built			Delivery Det	44 11 11 7							
HOUSTON,	TX		Delivery Date	Keel Laid Da		Net Tons	DWT	Length			
			29Sep199	7 30Apr19	97 R-1016	R-1016		R-240.0			
UNITED STA	ATES				ļ-	1-		1-0			
Owner					Operator						
	GE COMPANY, I	NC.			•	E COMPANY, II	NC				
1801 Enginee	ers Road				1801 Engineers		10.				
Belle Chase,					Belle Chasse, L	A 70037					
UNITED STA	ILES				UNITED STATE	ES					
70.5											
Cortified Life	nust be manned v	vith the foll	owing license	ed and unlic	ensed Personr	nel. Included in	which there m	ust be			
	eboatmen, 0 Cer			C Type Rat	ing, and 0 GME	OSS Operators.					
0 Masters		icensed Mat		ef Engineers	0.0	Oilers					
0 Chief Mate		irst Class Pi		t Assistant Er	~						
0 Second Ma		O Radio Officers 0 Second Assistant Engineer									
0 Third Mate		ble Seamen	0 Thir	d Assistant E	ngineers						
0 Master Firs		Ordinary Sea	men 0 Llce	nsed Engine	ers						
0 Mate First		eckhands		lified Membe							
In addition, th	is vessel may ca	rry 0 Passe	engers, 0 Oth	er Persons	in crew, 0 Per	sons in addition	to crew, and r	no Others. Total			
Persons allov	ved: 0										
Route Perm	nitted And Condi	tions Of O	peration:								
Lakes,	Bays, and So	unds									
This vessel	has been grante	ed a fresh	water serv	ice examin	ation interva	al per 46 CFR	31.10-21(a)(2). If this			
sait water i	perated in salt intervals per 40	GER 31.1	.e chan 6 mc	and the co	ly 12 month pe ognizant OCMI	eriod, the ves notified in w	sel must be 1 riting as soo	nspected using on as this			
change in st	atus occurs.										
This tank ba	arge is particip	ating in	the Eighth	Coast Guar	rd District's	Tank Barge St	reamlined Ind	nection			
Program (TBS	SIP). Inspection	ı activiti	es aboard t	his barge	shall be cond	lucted per its	Tank Barge A	ction Plan			
(TAP). Inspe	ection issues co	oncerning	this barge	should be	directed to S	Sector New Orl	eans OCMI.				
*** QEE NE	YT DACE FOR A	DDITION	AL OFFITIE	OATE IN	ODMATION						
	KT PAGE FOR A						100 Marie 24 Marie				
With this Insp	ection for Certific	ation havir	ng been com	pleted at Po	ort Arthur, TX, U	JNITED STATE	S, the Officer i	n Charge, Marine			
inspection, M	larine Safety Unit	nd regulat	ir certified the	vessel, in	all respects, is	in conformity w	ith the applicab	ole vessel			
	Annual/Period	dic/Re-Insp	ection	eu mereun		ato leaved but	1 All	1			
Date	Zone	art - arrest to market 4.	CONTRACTOR			ate issued by:-	// V				
Date	Zone	A/P/R	Signat	ure		. A. Hantal, CD	R, USCG, By d	rection			
					Officer In Charge, I						
						Marine Safe	ty Unit Port Arti	hur			
					Inspection Zone			Ar-An-			



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 17 Jan 2023 17 Jan 2028 **Expiration Date:**

Certificate of Inspection

Vessel Name: CBC 7024

---Hull Exams---

Exam Type **Next Exam**

Last Exam

Prior Exam

DryDock

31Jan2033

17Jan2023

21Dec2017

Internal Structure

31Dec2027

17Jan2023

21Dec2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization:

FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity

Units

Highest Grade Type Part151 Regulated Part153 Regulated

Part154 Regulated

17431

Barrels

Α

Yes

No

No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3 P/S	46	15.000
1 P/S	48	15.000
2 P/S	54	15.000

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
. III	2835	11ft 9in	8.7	R,LBS
11	2291	9ft 11in	8.7	R,LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN97011767, dated November 29, 2001 may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Per 46 CFR 150.130, the Person In Charge of vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargos must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's CAA.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.4000, this vessel's vapor control system (VCS) has been inspected to the plans approved by the Marine Safety Center letter(s) serial #C2-9701664 dated May 20, 1997 and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. An overfill alarm is required by 46 CFR 39.20-7.

Per 46 CFR 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

Stability and Trim



United States of America Department of Homeland Security United States Coast Guard

Certification Date: 17 Jan 2023 Expiration Date: 17 Jan 2028

Certificate of Inspection

Vessel Name: CBC 7024

Per 46 CFR 151.10(c) (2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

The maximum design density of cargo which may be filled to the tank top is 10.00 lbs/gal. Cargoes with higher densities, up to 13.57 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

--- Inspection Status ---

Cargo Tanks

	Internal Exar	n		External Exam					
Tank Id	Previous	Last	Next	Previous	Last	Next			
3 P/S	21Dec2017	17Jan2023	31Jan2033	3.	\ \ E				
1 P/S	21Dec2017	17Jan2023	31Jan2033	-	· (#)	-			
2 P/S	21Dec2017 17Jan2023		31Jan2033	2	72	-			
			Hydro Test						
Tank Id	Safety Valves		Previous	Last	Next				
3 P/S	> €		na:	9	3				
1 P/S				(#)	(-				
2 P/S	_			1.20	-				

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity

Class Type

2

40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: 7024
Official #: CG053197

Page 1 of 3

Shipyard: TRINITY PROD

VN97011767

29-Nov-01

Hull #: E342

COI Ref:

List of Authorized Cargoes

Cargo Identification	C	Conditions of Carriage					
Name	Chem Code	Group No	et Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
uthorized Subchapter O Cargoes	-						
Ammonium bisulfite solution (70% or less)	ABX	43	Υ		Ш		.50-73, .56-1(a), (b), (c)
crylonitrile	ACN	15	Υ	С	II	Т	50-70(a), 55-1(e)
diponitrile	ADN	37	N	E	H	V	No
minoethylethanolamine	AEE	8	N	E	III	V	.55-1(b)
-Aminoethylpiperazine	AEP	7	N	E			
lkyl(C7-C9) nltrates	AKN	34	Υ		III		50-81, 50-86
mmonium hydroxide (28% or less NH3)	АМН	6	N		IH		56-1(a), (b), (c), (f), (g)
cetonitrile	ATN	37	N	С	(1)		No
Butyraldehyde (all isomers)	BAE	19	N	С	III		.55-1(h)
Butyl acrylate (all isomers)	BAR	14	N	D	111		50-70(a), 50-81(a), (b)
enzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	ВНА				III		50-60, 56-1(b), (d), (f), (g)
enzene hydrocarbon mixtures (having 10% Benzene ormore)	ВНВ	32	N		III		.50-60
Butyl methacrylate	ВМН	14	N	D	10)		50-70(a), 50-81(a), (b)
enzene	BNZ	32	N	С	111		.50-80
enzene, Toluene, Xylene mixtures (having 10% Benzeneor more)	BTX	32	N	B/C	III		50-60
arbon tetrachloride	CBT	36	N		101		No
cyclohexanone	ССН	18	N	D	III	V	56-1(a), (b)
reosote (all isomers)	CCW		Y	E	101	V	No
cyclohexylamine	CHA	7	N		HI	V	56-1(a), (b), (c), (g)
rude hydrocarbon feedstock (containing Butyraldehydesand Ethylpropyl acrolein)	CHG	0	N	C	III		No
Camphor oil	CPO	18	N	D	- 11		No
Chlorobenzene	CRB	36	N	D	- 10	V	No
Chloroform	CRF	36	N		III		No
Presols	CRS	21	N	E	111	V	No
Cresylic acid tar	CRX	21	N		III		55-1(f)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D			.50-60, .56-1(b)
Cresylate spent caustic	CSC	5	N		III		.50-73, .55-1(b)
Crotonaldehyde	CTA	19	Y	С	11		.55-1(h)
I,N-Dimethylacetamide	DAC	10	N		- "	Т	.56-1(b)
Ollsobutylamine	DBU	7	N	D	III	Ť	55-1(c)
Dichlorobenzenes (all Isomers)	DBX	36	N		100	T	.56-1(a), (b)
.1-Dichloroethane	DCH	36	N		111		No
Dichloromethane	DCM		N		111		No
2.4-Dichlorophenoxyacetic acid, diethanolamine saltsolution	DDE	43	N	INC	III		.56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	N	Е	III	V	.55-1(c)
2.2'-Dichloroethyl ether	DEE	41	N		- 11		55-1(f)
Diethylamine	DEN	7	_		- 111	Т	55-1(c)
Diethylenetriamine	DET	7	Y	E	111		56-1(c)
Disopropylamine	DIA	7	N		111	T	.55-1(c)
Disopropanolamine	DIP	8	N	_	<u>"</u>	V	65-1(c)
Dimethylethanolamine	DMB	8	N		101	V	,56-1(b), (c)
Dimethylformamide	DMF	10	N		101		55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX		N		- 11	V	No No
Di-n-propylamine	DNA	7	N		11	Т	56-1(c)
Odecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	N		111		.56-1(b)
1,1-Dichloropropane	DPB				111	Т	No No
.3-Dichloropropane	DPC	36 36	N			T	No
,2-Dichloropropane	DPC	36	N				No
,3-Dichloropropene	DPU		N				No



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: 7024
Official #: CG053197

Page 2 of 3

Shipyard: TRINITY PROD

Hull #: E342

Serial #:

COI Ref:

VN97011767

29-Nov-01

Cargo Identification							anditions of O
							onditions of Carriage
Name	Chem Code	Group No	Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
2.4-Dichlorophenoxyacetic acid, triisopropanolaminesalt solution	DTI	43	Υ		III	1.	.56-1(a), (b), (c), (g)
Ethyl acrylate	EAC	14	N	С	III		50-70(a), 50-81(a), (b)
2-Ethylhexyl acrylate	EAI	14	N	E	III		50-70(a), 50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	N	Α	11		.55-1(b)
N-Ethylbutylamine	EBA	7	N	С	III	Т	.55-1(b)
N-Ethylcyclohexylamine	ECC	7	N	D	Ш	V	.55-1(b)
thylenediamine	EDA	7	Υ	D	H	V	.55-1(a)
thylene dichloride	EDC	36	Υ	С	Ш		No
thylene glycol monoalkyl ethers	EGC	40	N	D/E	III		No
thylene glycol hexyl ether	EGH	40	N	E	111		No
Ethylene glycol propyl ether	EGP	40	N	Е	UI.		No
2-Ethyl-3-propylacrolein	EPA	19	Υ	Е	UI	V	No
thylene cyanohydrin	ETC	20	N	Ε	III	V	No
thyl methacrylate	ЕТМ	14	N	С	III		,50-70(a)
urfural	FFA	19	N	Ε	III	V	,55-1(h)
Formaldehyde solution (37% to 50%)	FMS	19	Υ	D/E	III	V	,55-1(h)
Slutaraldehyde solution (50% or less)	GTA	19	N	NF	III		No
ydrocarbon 5-9	HFN	30	N	Α	181		.50-70(a), .50-81(a), (b)
lexamethylenediamine solution	HMC	7	N	Е	III	V	.55-1(c)
examethyleneimine	НМІ	7	N	С	II .	V	.56-1(b), (c)
sodecyl acrylate	IAI	14	N	Е	III		50-70(a), 50-81(a), (b), 55-1(c)
oprene, Pentadiene mixture	IPN	30	N	Α	III		,50-70(a), ,55-1(c)
so-Propylamine	IPP	7	N	Α	H		.55-1(c)
coprene	IPR	30	N	Α	401		.50-70(a), .50-81(a), (b)
raft pulping liquors (free alkali content 3% or more)	KPL	5	N		111		,50-73, ,58-1(a), (c), (g)
Methyl acrylate	MAM	14	N	С	Ш		,50-70(a), ,50-81(a), (b)
Methylcyclopentadiene dimer	MCK	30	N	С	IH	V	No
Methyl dlethanolamine	MDE	8	N	E	Ш	V	,56-1(b), (c)
thanolamine	MEA	8	N	Е	III	V	,55-1(c)
-Methyl-5-ethylpyridine	MEP	9	N	Е	JII		,55-1(e)
Methyl methacrylate	MMM	14	N	С	III		.50-70(a), .50-81(a), (b)
so-Propanolamine	MPA	8	N	Е	III	V	.55-1(c)
Morpholine	MPL	7	Υ	D	III	V	.55-1(c)
-Methylpyridine	MPR	9	N	D	III	Т	.55-1(c)
Mesityl oxide	MSO	18	Υ	D	III	V	No
lpha-Methylstyrene	MSR	30	N	D	III		50-70(a), 50-81(a), (b)
Coal tar naphtha solvent	NCT	33	N	D	III	V	50-73
- or 2-Nitropropane	NPM	42	N	D	III	V	, 50-81
Propanolamine (iso-, n-)	PAX	8	N	E	III		.58-1(b), (c)
entachloroethane	PCE	36	N		111		No
,3-Pentadiene	PDE	30	N	Α	III		50-70(a), 50-81
olyethylene polyamines	PEB	7	Υ	Е	(1)	V	55-1(e)
erchloroethylene	PER	36	N	NF	III		No
yridine	PRD	9	N	С	111	V	55-1(e)
odium chlorate solution (50% or less)	SDD	0	Υ	NF	101	7.5	50-73
		5	N		101		
odium hypochlorite solution (15% or less)	SHP	0	14				
odium hypochlorite solution (15% or less) odium sulfide, hydrosulfide solution (H2S 15 ppm orless)	SHP	0	Y		III		50-73, 55-1(b)
odium hypochlorite solution (15% or less) odium sulfide, hydrosulfide solution (H2S 15 ppm orless) odium sulfide, hydrosulfide solution (H2S greater than15 ppm but less than 200 ppm)					III Hi		.50-73, .55-1(b)
odium hypochlorite solution (15% or less) odium sulfide, hydrosulfide solution (H2S 15 ppm orless) odlum sulfide, hydrosulfide solution (H2S greater than15 ppm but less than 200 ppm) odium sulfide, hydrosulfide solution (H2S greater than200 ppm)	SSH	0	Υ		111111		
odium hypochlorite solution (15% or less) odium sulfide, hydrosulfide solution (H2S 15 ppm orless) odium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSH SSI	0	Y	С	100		.50-73, .55-1(b)



Department of Transportation **United States Coast Guard**

Serial #: VN97011767 COI Ref: 29-Nov-01

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: 7024 Official #: CG053197

Page 3 of 3

Shipyard: TRINITY PROD

Hull #: E342

Cargo Identification							Conditions of Carriage		
		Compat							
Name	Chem Code	Group No	Exc	Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction		
Styrene	STY	30	N	D	III		.50-70(a), .50-81(a), (b)		
1,2,4-Trichlorobenzene	ТСВ	36	N	E	III	V	No		
Frichloroethylene	TCL	36	Y		- III		No		
,1,2-Trichtoroethane	TCM	36	N		III	V	50-73, 56-1(a)		
,2,3-Trichioropropane	TCN	36	N	E	11	T	.50-73, .56-1(a)		
[rlethanolamine]	TEA	8	Y	E	<u> </u>		.55-1(b)		
.1.2,2-Tetrachloroethane	TEC	36	N	NF	DI		No		
riethylamine	TEN	7	N	C			.56-1(e)		
rlethylenetetramine	TET	7	Y	E	iii	V	.55-1(b)		
l'etrahydrofuran	THE	41	N	C	III		.50-70(ь)		
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		101		.50-1(a), (b), (c)		
Tetraethylenepentamine	TTP	7	N	E	III	V	.55-1(c)		
Urea, Ammonium nitrate solution (containing more than2% Ammonia)	UAS	6	N		101		.56-1(b)		
/Inyl acetate	VAM	13	_	-			.50-70(a), .50-81(a), (b)		
/anillin black ilquor (free alkali content 3% or more)	VAIN		N	С	III				
Vinvitoluene		5	N	_	111		.50-73, 56-1(a), (c), (g)		
	VNT	13	N	D	101		.50-70(a), 50-81, 56-1(a), (b), (c), (g)		

Explanation of terms & symbols used in the Table:

Cargo Identification

NA, NF

Hull Type

Name The proper shipping name as listed in 46 CFR Table 151.05.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Compatabillty Group No.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.

Exceptions (Exc)

Grade The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22

Combustible Ilquid cargoes, as defined in 46 CFR 30-10.15.
Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151,10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3). Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

Note See Certificate of Inspection for explaination of symbols used in this column.