



United States of America
Department of Homeland Security
United States Coast Guard

Certification Date: 08 Dec 2022
Expiration Date: 08 Dec 2027

Certificate of Inspection

For ships or other structures (pages 1-13), this certificate fulfills the requirements of SOLAS 74 as amended, regulation V.14, for a SAFE MANNING DOCUMENT

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 7025	CG053255			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
New Orleans, LA UNITED STATES	Steel		None

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	TWT	Length
HOUSTON, TX UNITED STATES	29Sep1997	23May1997	R 1016	R 1016		R 240.0

Owner	Operator
CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chasse, LA 70037 UNITED STATES	CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chasse, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection			
Date	Zone	A/P/R	Signature
11 Dec 2023	TBSIP Chicago	A	<i>[Signature]</i>
11 Nov 2024	CBC TBSIP	P	<i>[Signature]</i>
15 Nov 25	CBC TBSIP	A	Paul Boyle

This certificate issued by *[Signature]*
Joseph W. Morgans CDR, USCG, By Direction
 Officer in Charge, Marine Inspection
Sector Houston-Galveston
 Inspection Zone



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 08 Dec 2022
Expiration Date: 08 Dec 2027

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 7025	CG053255			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
New Orleans, LA	Steel		None
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
HOUSTON, TX	29Sep1997	23May1997	R-1016	R-1016		R-240.0
UNITED STATES			I-	I-		I-0

Owner	Operator
CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chase, LA 70037 UNITED STATES	CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chasse, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: Joseph W. Morgans CDR, USCG, By Direction Officer in Charge, Marine Inspection Sector Houston-Galveston Inspection Zone
Date	Zone	A/P/R	Signature	
11 Dec 2023	TBSIP Chicago	A		
11 Nov 2024	CBCTBSIP	P		



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date: 08 Dec 2022

Expiration Date: 08 Dec 2027

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 7025	CG053255			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
New Orleans, LA	Steel		None
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
HOUSTON, TX	29Sep1997	23May1997	R-1016	R-1016		R-240.0
UNITED STATES			I-	I-		I-0

Owner	Operator
CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chase, LA 70037 UNITED STATES	CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chase, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0



Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by:  Joseph W. Morgans CDR, USCG, By Direction Officer in Charge, Marine Inspection Sector Houston-Galveston Inspection Zone
Date	Zone	A/P/R	Signature	
11 Dec 2023	TBSIP Chicago	A		



United States of America
 Department of Homeland Security
 United States Coast Guard

Certification Date: 08 Dec 2022
 Expiration Date: 08 Dec 2027

Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 7025	CG053255			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
New Orleans, LA	Steel		None
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
HOUSTON, TX	29Sep1997	23May1997	R-1016	R-1016		R-240.0
UNITED STATES			-	-		1-0

Owner	Operator
CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chase, LA 70037 UNITED STATES	CANAL BARGE COMPANY, INC. 1801 Engineers Road Belle Chasse, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able-Seamen	0 Third Ass tant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCMI must be notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to Sector New Orleans OCMI.

SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION

With this Inspection for Certification having been completed at Houston, TX, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Houston-Galveston certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <i>J. W. Morgans</i> Joseph W. Morgans CDR, USCG, By Direction Officer in Charge, Marine Inspection Sector Houston-Galveston Inspection Zone
Date	Zone	A/P/R	Signature	



Certificate of Inspection

Vessel Name: CBC 7025

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Dec2027	19Dec2017	26Sep2012
Internal Structure	30Sep2027	22Nov2022	19Dec2017

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE/COMBUSTIBLE LIQUIDS AND SPECIFIED HAZARDOUS CARGO

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
17430	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
3 P/S	46	15.000
1 P/S	48	15.000
2 P/S	54	15.000

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	2291	9ft 11in	8.7	R,LBS
III	2835	11ft 9in	8.7	R,LBS

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN97012136, dated 29 Nov 2001, and Grade "A" and lower cargoes may be carried.

In accordance with 46 CFR 150.130, the Person In Charge of vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene by volume, the person in charge is responsible for ensuring the provisions of 46 CFR Part 197, Subpart C are applicable.

This vessel's vapor control system (VCS) has been inspected to the plans approved by the Marine Safety Center letter(s) serial #C2-9701665 dated 20 May 1997, and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. An overfill alarm is required by 46 CFR 39.20-7.

As per 46 CFR Part 39.1017 and 39.5000(e), this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---



Certificate of Inspection

Vessel Name: CBC 7025

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
3 P/S	19Dec2017	21Nov2022	30Sep2032	-	-	-
1 P/S	19Dec2017	21Nov2022	30Sep2032	-	-	-
2 P/S	19Dec2017	21Nov2022	30Sep2032	-	-	-

Tank Id	Safety Valves	Hydro Test		
		Previous	Last	Next
3 P/S	-	-	-	-
1 P/S	-	-	-	-
2 P/S	-	-	-	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **CBC 7025**
Official #: **CG053255**

Shipyard: **TRINITY MARI**
Hull #: **E343**

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
Ammonium bisulfite solution (70% or less)	ABX	43	Y		III		.50-73, .56-1(a), (b), (c)
Acrylonitrile	ACN	15	Y	C	II	T	.50-70(a), .55-1(e)
Adiponitrile	ADN	37	N	E	II	V	No
Aminoethylethanolamine	AEE	8	N	E	III	V	.55-1(b)
N-Aminoethylpiperazine	AEP	7	N	E			
Alkyl(C7-C9) nitrates	AKN	34	Y		III		.50-81, .50-88
Ammonium hydroxide (28% or less NH3)	AMH	6	N		III		.56-1(a), (b), (c), (f), (g)
Acetonitrile	ATN	37	N	C	III		No
Butyraldehyde (all isomers)	BAE	19	N	C	III		.55-1(h)
Butyl acrylate (all isomers)	BAR	14	N	D	III		.50-70(a), .50-81(a), (b)
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA				III		.50-60, .56-1(b), (d), (f), (g)
Benzene hydrocarbon mixtures (having 10% Benzene or more)	BHB	32	N		III		.50-60
Butyl methacrylate	BMH	14	N	D	III		.50-70(a), .50-81(a), (b)
Benzene	BNZ	32	N	C	III		.50-60
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N	B/C	III		.50-60
Carbon tetrachloride	CBT	36	N		III		No
Cyclohexanone	CCH	18	N	D	III	V	.56-1(a), (b)
Creosote (all isomers)	CCW	21	Y	E	III	V	No
Cyclohexylamine	CHA	7	N	D	III	V	.56-1(a), (b), (c), (g)
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	0	N	C	III		No
Camphor oil	CPO	18	N	D	II		No
Chlorobenzene	CRB	36	N	D	III	V	No
Chloroform	CRF	36	N	E	III		No
Cresols	CRS	21	N	E	III	V	No
Cresylic acid tar	CRX	21	N		III	V	.55-1(f)
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D			.50-60, .56-1(b)
Cresylate spent caustic	CSC	5	N		III		.50-73, .56-1(b)
Crotonaldehyde	CTA	19	Y	C	II		.55-1(h)
N,N-Dimethylacetamide	DAC	10	N	E	III	T	.56-1(b)
Dilisobutylamine	DBU	7	N	D	III	T	.55-1(e)
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	.56-1(a), (b)
1,1-Dichloroethane	DCH	36	N	C	III		No
Dichloromethane	DCM	36	N	NF	III		No
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	N		III		.56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	N	E	III	V	.55-1(c)
2,2'-Dichloroethyl ether	DEE	41	N	D	II	V	.55-1(f)
Diethylamine	DEN	7	N	C	III	T	.55-1(e)
Diethylenetriamine	DET	7	Y	E	III	V	.55-1(c)
Dilisopropylamine	DIA	7	N	C	II	T	.55-1(e)
Dilisopropanolamine	DIP	8	N	E	III	V	.55-1(c)
Dimethylethanolamine	DMB	8	N	D	III	V	.56-1(b), (c)
Dimethylformamide	DMF	10	N	D	III	V	.55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX	15	N		II		No
Di-n-propylamine	DNA	7	N	C	II	T	.55-1(e)
Dodecyl dimethylamine, Tetradecyl dimethylamine mixture	DOT	7	N	E	III		.56-1(b)
1,1-Dichloropropane	DPB	36	N	C	III	T	No
1,3-Dichloropropane	DPC	36	N	C	III	T	No
1,2-Dichloropropane	DPP	36	N	C	III		No
1,3-Dichloropropene	DPU	15	N	D	II		No



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **CBC 7025**

Official #: **CG053255**

Page 2 of 3

Shipyard: **TRINITY MARI**

Hull #: **E343**

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
2,4-Dichlorophenoxyacetic acid, trisopropanolaminesalt solution	DTI	43	Y		III		56-1(a), (b), (c), (g)
Ethyl acrylate	EAC	14	N	C	III		50-70(a), 50-81(a), (b)
2-Ethylhexyl acrylate	EAI	14	N	E	III		50-70(a), 50-81(a), (b)
Ethylamine solution (72% or less)	EAN	7	N	A	II		55-1(b)
N-Ethylbutylamine	EBA	7	N	C	III	T	55-1(b)
N-Ethylcyclohexylamine	ECC	7	N	D	III	V	55-1(b)
Ethylenediamine	EDA	7	Y	D	III	V	55-1(c)
Ethylene dichloride	EDC	36	Y	C	III		No
Ethylene glycol monoalkyl ethers	EGC	40	N	D/E	III		No
Ethylene glycol hexyl ether	EGH	40	N	E	III		No
Ethylene glycol propyl ether	EGP	40	N	E	III		No
2-Ethyl-3-propylacrolein	EPA	19	Y	E	III	V	No
Ethylene cyanohydrin	ETC	20	N	E	III	V	No
Ethyl methacrylate	ETM	14	N	C	III		50-70(a)
Furfural	FFA	19	N	E	III	V	55-1(h)
Formaldehyde solution (37% to 50%)	FMS	19	Y	D/E	III	V	55-1(h)
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III		No
Hydrocarbon 5-9	HFN	30	N	A	III		50-70(a), 50-81(a), (b)
Hexamethylenediamine solution	HMC	7	N	E	III	V	55-1(c)
Hexamethylenimine	HMI	7	N	C	II	V	56-1(b), (c)
Isodecyl acrylate	IAI	14	N	E	III		50-70(a), 50-81(a), (b), 55-1(c)
Isoprene, Pentadlene mixture	IPN	30	N	A	III		50-70(a), 55-1(c)
iso-Propylamine	IPP	7	N	A	II		55-1(c)
Isoprene	IPR	30	N	A	III		50-70(a), 50-81(a), (b)
Kraft pulping liquors (free alkali content 3% or more)	KPL	5	N		III		50-73, 56-1(a), (c), (g)
Methyl acrylate	MAM	14	N	C	III		50-70(a), 50-81(a), (b)
Methylcyclopentadiene dimer	MCK	30	N	C	III	V	No
Methyl diethanolamine	MDE	8	N	E	III	V	56-1(b), (c)
Ethanolamine	MEA	8	N	E	III	V	55-1(c)
2-Methyl-5-ethylpyridine	MEP	9	N	E	III	V	55-1(e)
Methyl methacrylate	MMM	14	N	C	III		50-70(a), 50-81(a), (b)
Iso-Propanolamine	MPA	8	N	E	III	V	55-1(c)
Morpholine	MPL	7	Y	D	III	V	55-1(c)
2-Methylpyridine	MPR	9	N	D	III	T	55-1(c)
Mesityl oxide	MSO	18	Y	D	III	V	No
alpha-Methylstyrene	MSR	30	N	D	III		50-70(a), 50-81(a), (b)
Coal tar naphtha solvent	NCT	33	N	D	III	V	50-73
1- or 2-Nitropropane	NPM	42	N	D	III	V	50-81
Propanolamine (iso-, n-)	PAX	8	N	E	III	V	56-1(b), (c)
Pentachloroethane	PCE	36	N		III		No
1,3-Pentadlene	PDE	30	N	A	III		50-70(a), 50-81
Polyethylene polyamines	PEB	7	Y	E	III	V	55-1(e)
Perchloroethylene	PER	36	N	NF	III		No
Pyridine	PRD	9	N	C	III	V	55-1(e)
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		80-73
Sodium hypochlorite solution (15% or less)	SHP	5	N		III		
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	Y		III		50-73, 55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	Y		III		50-73, 55-1(b)
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	Y		II		50-73, 55-1(b)
Styrene (crude)	STX	30	N	C	III		No
Styrene	STY	30	N	D	III		50-70(a), 50-81(a), (b)

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. *



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **CBC 7025**
Official #: **CG053255**

Shipyard: **TRINITY MARI**
Hull #: **E343**

Cargo Identification							Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	
		Group No	Exc					
1,2,4-Trichlorobenzene	TCB	36	N	E	III		No	
Trichloroethylene	TCL	36	Y	E	III		No	
1,1,2-Trichloroethane	TCM	36	N		III	V	.50-73, .56-1(a)	
1,2,3-Trichloropropane	TCN	36	N	E	II	T	.50-73, .56-1(a)	
Triethanolamine	TEA	8	Y	E	III	V	.55-1(b)	
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	III		No	
Triethylamine	TEN	7	N	C	II		.55-1(e)	
Triethylenetetramine	TET	7	Y	E	III	V	.55-1(b)	
Tetrahydrofuran	THF	41	N	C	III		.50-70(b)	
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		III		.55-1(a), (b), (c)	
Tetraethylenepentamine	TTP	7	N	E	III	V	.55-1(c)	
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		.66-1(b)	
Vinyl acetate	VAM	13	N	C	III		.50-70(a), .50-81(a), (b)	
Vanillin black liquor (free alkali content 3% or more)	VBL	5	N		III		.50-73, .56-1(a), (c), (g)	
Vinyltoluene	VNT	13	N	D	III		.50-70(a), .50-81, .56-1(a), (b), (c), (g)	

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name** The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code** The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.** The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Carriers must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc)** Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade** The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
- A, B, C Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
D, E Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
NA, NF Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type** The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
I Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
II Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
III Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

- Note** See Certificate of Inspection for explanation of symbols used in this column.