



Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 23	1062525			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
JEFFERSONVILLE, IN	22Jul1998	08May1998	R-716	R-716		R-195.0
UNITED STATES			I-	I-		I-0

Owner	Operator
CANAL BARGE LLC 835 UNION STREET NEW ORLEANS, LA 70112 UNITED STATES	CANAL BARGE LLC 835 UNION STREET NEW ORLEANS, LA 70112 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds---

This vessel has been granted a fresh water service examination interval per 46 CFR 31.10-21(a)(2). If this vessel is operated in salt water more than 6 months in any 12 month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a)(1) and the cognizant OCMI notified in writing as soon as this change in status occurs.

This tank barge is participating in the Eighth and Ninth Coast Guard District's Tank Barge Streamlined Inspection Program (TBSIP). Inspection activities aboard this barge shall be conducted in accordance with its Tank Barge Action Plan (TAP). Inspection issues concerning this barge should be directed to, Sector New Orleans.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at Baton Rouge, LA, UNITED STATES, the Officer in Charge, Marine Inspection, New Orleans, LA certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This Amended certificate issued by: D. VELEZ COMMANDER, By direction Officer in Charge, Marine Inspection Sector New Orleans Inspection Zone
Date	Zone	A/P/R	Signature	
8-12-2022	Canal Barge	A		
10 Nov 2023	Canal Barge	P		
13 Sept 2024	Canal Barge	A		
17 Oct 2025	TBSIP Chicago	A		



Certificate of Inspection

Vessel Name: CBC 23

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Aug2026	04Aug2016	22Oct2013
Internal Structure	31Aug2026	14Sep2021	04Aug2016

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE, COMBUSTIBLE AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
10667	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	595	13.600
2 AND 3	607	13.600

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
II	1495	9ft 3in	13.60	RIVERS; LAKES, BAYS AND SOUNDS
III	1723	10ft 4in	13.60	RIVERS; LAKES, BAYS AND SOUNDS
II	1495	9ft 3in	13.60	RIVERS
III	1723	10ft 4in	13.60	RIVERS

Conditions Of Carriage

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), serial #VN98000345, dated 07Jul00, and Grade "A" may be carried. The specified hazardous cargoes may be carried only in the tanks indicated.

Vapor Control Authorization

Per 46 CFR 39, excluding Part 39.40, this vessel's vapor control system (VCS) has been inspected to the plans approved by Marine Safety Center letter serial #VNC2-9703100 dated 23Sep97, and found acceptable for collection of bulk liquid cargo vapors from those specific Subchapter "D" cargoes contained in the that letter, and those specified hazardous cargoes annotated a "V" or "T" in the CAA.

The letter "V" in the note column of the CAA signifies approval for vapor control without any additional requirements.

The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.20-9. A high level and overfill alarm is required by 46 CFR 39.20-7.

Stability and Trim

Per 46 CFR 151.10(c)(2), the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.



Certificate of Inspection

Vessel Name: CBC 23

--- Inspection Status ---

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1	22Oct2013	04Aug2016	31Aug2026	-	-	-
2 AND 3	22Oct2013	04Aug2016	31Aug2026	-	-	-

Hydro Test

Tank Id	Safety Valves	Previous	Last	Next
1	-	-	-	-
2 AND 3	-	-	-	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

---Certificate Amendments---

Amending Unit	Amendment Date	Amendment Remark
Sector New Orleans	24Oct2025	Changed Owner Name and Address.

END



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10380
Official #: D1062525

Shipyard: JEFFBOAT
Hull #: 97-2147

List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'l's of Construction
		Group No	Exc				
Authorized Subchapter O Cargoes							
Ammonium bisulfite solution (70% or less)	ABX	43	Y		III		50-73, 56-1(a), (b), (c)
Acrylonitrile	ACN	15	Y	C	II	T	50-70(a), 55-1(a)
Adiponitrile	ADN	37	N	E	II	V	No
Aminoethylethanolamine	AEE	8	N	E	III	V	55-1(b)
Alkyl(C7-C9) nitrates	AKN	34	Y		III		50-81, 50-88
Ammonium hydroxide (28% or less NH3)	AMH	6	N		III		56-1(a), (b), (c), (f), (g)
Acetonitrile	ATN	37	N	C	III	T	No
Butyraldehyde (all isomers)	BAE	19	N	C	III	V	55-1(h)
Butyl acrylate (all isomers)	BAR	14	N	D	III	V	50-70(a), 50-81(a), (b)
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA	32	Y		III	V	50-60, 56-1(b), (d), (f), (g)
Benzene hydrocarbon mixtures (having 10% Benzene or more)	BHB	32	N		III	V	50-60
Butyl methacrylate	BMH	14	N	D	III	V	50-70(a), 50-81(a), (b)
Benzene	BNZ	32	N	C	III	V	50-80
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N	B/C	III	V	50-60
Carbon tetrachloride	CBT	36	N		III		No
Cyclohexanone	CCH	18	N	D	III	V	56-1(a), (b)
Creosote (all isomers)	CCW	21	Y	E	III	V	No
Cyclohexylamine	CHA	7	N	D	III	V	56-1(a), (b), (c), (g)
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	0	N	C	III		No
Camphor oil (light)	CPO	18	N	D	II		No
Chlorobenzene	CRB	36	N	D	III	V	No
Chloroform	CRF	36	N	E	III		No
Cresols (all isomers)	CRS	21	N	E	III	V	No
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N	D	III	V	50-80, 56-1(b)
Cresylate spent caustic	CSC	5	N		III		50-73, 55-1(b)
Crotonaldehyde	CTA	19	Y	C	II	T	55-1(h)
N,N-Dimethylacetamide	DAC	10	N	E	III	T	56-1(b)
Diisobutylamine	DBU	7	N	D	III	T	55-1(c)
Dichlorobenzenes (all isomers)	DBX	36	N	E	III	T	56-1(a), (b)
1,1-Dichloroethane	DCH	36	N	C	III	V	No
Dichloromethane	DCM	36	N	NF	III		No
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	N		III		56-1(a), (b), (c), (g)
Diethanolamine	DEA	8	N	E	III	V	55-1(c)
2,2'-Dichloroethyl ether	DEE	41	N	D	II	V	55-1(f)
Diethylamine	DEN	7	N	C	III	T	55-1(e)
Diethylenetriamine	DET	7	Y	E	III	V	55-1(c)
Diisopropylamine	DIA	7	N	C	II	T	55-1(c)
Diisopropanolamine	DIP	8	N	E	III	V	55-1(c)
Dimethylethanolamine	DMB	8	N	D	III	V	56-1(b), (c)
Dimethylformamide	DMF	10	N	D	III	V	55-1(e)
Dichloropropene, Dichloropropane mixtures	DMX	15	N		II	V	No
Di-n-propylamine	DNA	7	N	C	II	T	55-1(c)
Dodecyl dimethylamine, Tetradecyl dimethylamine mixture	DOT	7	N	E	III		56-1(b)
1,1-Dichloropropane	DPB	36	N	C	III	T	No
1,3-Dichloropropane	DPC	36	N	C	III	T	No
1,2-Dichloropropane	DPP	36	N	C	III	T	No
1,3-Dichloropropane	DPU	15	N	D	II	T	No
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43	Y		III		56-1(a), (b), (c), (g)
Ethyl acrylate	EAC	14	N	C	III	V	50-70(a), 50-81(a), (b)

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10380

Official #: D1062525

Page 2 of 3

Shipyard: JEFFBOAT

Hull #: 97-2147

Cargo Identification							Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	
		Group No	Exc					
2-Ethylhexyl acrylate	EAI	14	N	E	III	V	50-70(a), 50-81(a), (b)	
Ethylamine solution (72% or less)	EAN	7	N	A	II	T	55-1(b)	
N-Ethylbutylamine	EBA	7	N	C	III	T	55-1(b)	
N-Ethylcyclohexylamine	ECC	7	N	D	III	V	55-1(b)	
Ethylenediamine	EDA	7	Y	D	III	V	55-1(c)	
Ethylene dichloride	EDC	36	Y	C	III	V	No	
Ethylene glycol monoalkyl ethers	EGC	40	N	D/E	III	V	No	
Ethylene glycol hexyl ether	EGH	40	N	E	III		No	
Ethylene glycol propyl ether	EGP	40	N	E	III	V	No	
2-Ethyl-3-propylacrolein	EPA	19	Y	E	III	V	No	
Ethylene cyanohydrin	ETC	20	N	E	III	V	No	
Ethyl methacrylate	ETM	14	N	C	III	V	50-70(a)	
Furfural	FFA	19	N	E	III	V	55-1(h)	
Formaldehyde solution (37% to 50%)	FMS	19	Y	D/E	III	V	55-1(h)	
Glutaraldehyde solution (50% or less)	GTA	19	N	NF	III		No	
Hydrocarbon 5-9	HFN	30	N	A	III	V	50-70(a), 50-81(a), (b)	
Hexamethylenediamine solution	HMC	7	N	E	III	V	55-1(c)	
Hexamethylenimine	HMI	7	N	C	II	V	56-1(b), (c)	
Isodecyl acrylate	IAI	14	N	E	III		50-70(a), 50-81(a), (b), 55-1(c)	
Isoprene, Pentadiene mixture	IPN	30	N	A	III		50-70(a), 55-1(c)	
Iso-Propylamine	IPP	7	N	A	II		55-1(c)	
Isoprene	IPR	30	N	A	III		50-70(a), 50-81(a), (b)	
Kraft pulping liquors (free alkali content 3% or more)	KPL	5	N		III		50-73, 56-1(a), (c), (g)	
Methyl acrylate	MAM	14	N	C	III	V	50-70(a), 50-81(a), (b)	
Methylcyclopentadiene dimer	MCK	30	N	C	III	V	No	
Methyl diethanolamine	MDE	8	N	E	III	V	56-1(b), (c)	
Ethanolamine	MEA	8	N	E	III	V	55-1(c)	
2-Methyl-5-ethylpyridine	MEP	9	N	E	III	V	55-1(e)	
Methyl methacrylate	MMM	14	N	C	III	V	50-70(a), 50-81(a), (b)	
Iso-Propanolamine	MPA	8	N	E	III	V	55-1(c)	
Morpholine	MPL	7	Y	D	III	V	55-1(c)	
2-Methylpyridine	MPR	9	N	D	III	T	55-1(c)	
Mesityl oxide	MSO	18	Y	D	III	V	No	
alpha-Methylstyrene	MSR	30	N	D	III	V	50-70(a), 50-81(a), (b)	
Coal tar naphtha solvent	NCT	33	N	D	III	V	50-73	
1- or 2-Nitropropane	NPM	42	N	D	III	V	50-81	
Propanolamine (iso-, n-)	PAX	8	N	E	III	V	50-1(b), (c)	
1,3-Pentadiene	PDE	30	N	A	III	V	50-70(a), 50-81	
Polyethylene polyamines	PEB	7	Y	E	III	V	55-1(e)	
Perchloroethylene	PER	36	N	NF	III		No	
Pyridine	PRD	9	N	C	III	V	55-1(e)	
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		50-73	
Sodium hypochlorite solution (20% or less)	SHQ	5	N	NF	III		50-73, 56-1(a), (b)	
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	Y		III		50-73, 55-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but less than 200 ppm)	SSI	0	Y		III		50-73, 55-1(b)	
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	Y		II		50-73, 55-1(b)	
Styrene (crude)	STX	30	N	C	III	V	No	
Styrene monomer	STY	30	N	D	III	V	50-70(a), 50-81(a), (b)	
1,2,4-Trichlorobenzene	TCB	36	N	E	III	V	No	
Trichloroethylene	TCL	36	Y		III	V	No	
1,1,2-Trichloroethane	TCM	36	N		III	V	50-73, 56-1(a)	

*** This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. ***



Department of Homeland Security
United States Coast Guard

Serial #: VN98000345
COI Ref: 07-Jul-00

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: KIRBY 10380
Official #: D1062525

Page 3 of 3

Shipyard: JEFFBOAT
Hull #: 97-2147

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
1,2,3-Trichloropropane	TCN	36	N	E	II	T	50-73, 56-1(a)
Triethanolamine	TEA	8	Y	E	III	V	55-1(b)
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	III		No
Triethylamine	TEN	7	N	C	II	T	55-1(e)
Triethylenetetramine	TET	7	Y	E	III	V	55-1(b)
Tetrahydrofuran	THF	41	N	C	III	V	50-70(b)
Triphenylborane (10% or less), caustic soda solution	TPB	5	N		III		50-1(a), (b), (c)
Tetraethylenepentamine	TTP	7	N	E	III	V	55-1(c)
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		56-1(b)
Vinyl acetate	VAM	13	N	C	III	V	50-76(a), 50-81(a), (b)
Vanillin black liquor (free alkali content 3% or more)	VBL	5	N		III		50-73, 56-1(a), (c), (g)
Vinyltoluene	VNT	13	N	D	III	V	50-70(a), 50-81, 56-1(e), (b), (c), (g)

Explanation of terms & symbols used in the Table:

Cargo Identification

- Name: The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code: The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.: The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc): Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade: The cargo classification assigned to each flammable or combustible liquid. Grades inside of "()" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
 - A, B, C: Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
 - D, E: Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
 - NA, NF: Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
 - #: No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type: The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
 - I: Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
 - II: Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
 - III: Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

Conditions of Carriage

- Note: See Certificate of Inspection for explanation of symbols used in this column.