



**United States of America  
Department of Homeland Security  
United States Coast Guard**

Certification Date:	18 Nov 2024
Expiration Date:	18 Nov 2029

# Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 199	999970			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GULFPORT MS	11Jul1994	17May1994	R-1061	R-1061		R-195.0
UNITED STATES						

Owner	Operator
CANAL BARGE COMPANY INC 1801 ENGINEERS RD BELLE CHASSE, LA 70037 UNITED STATES	CANAL BARGE COMPANY INC 1801 ENGINEERS ROAD BELLE CHASSE, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:  
**---Lakes, Bays, and Sounds plus Limited Great Lakes---**

Also, Lake Michigan, in fair weather on voyages between Chicago, Illinois and Burns Harbor, Indiana not more than five (5) miles from shore and coastwise not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

**\*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\***

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by:  D. VELEZ COMMANDER, By direction Officer in Charge, Marine Inspection Sector New Orleans Inspection Zone
Date	Zone	A/P/R	Signature	
16 OCT 2025	TBS/IP Chicago	A		



**United States of America  
Department of Homeland Security  
United States Coast Guard**

Certification Date: 18 Nov 2024  
Expiration Date: 18 Nov 2029

# Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

Vessel Name	Official Number	IMO Number	Call Sign	Service
CBC 199	999970			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
GULFPORT MS	11Jul1994	17May1994	R-1061	R-1061		R-195.0
UNITED STATES			-	-		-0

Owner	Operator
CANAL BARGE COMPANY INC 1801 ENGINEERS RD BELLE CHASSE, LA 70037 UNITED STATES	CANAL BARGE COMPANY INC 1801 ENGINEERS ROAD BELLE CHASSE, LA 70037 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

**Route Permitted And Conditions Of Operation:**  
**---Lakes, Bays, and Sounds plus Limited Great Lakes---**

Also, Lake Michigan, in fair weather on voyages between Chicago, Illinois and Burns Harbor, Indiana not more than five (5) miles from shore and coastwise not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida.

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR Table 31.10-21(b); if this vessel is operated in salt water more than six (6) months in any twelve (12) month period, the vessel must be inspected using salt water intervals and the cognizant OCMI notified in writing as soon as this change in status occurs.

**\*\*\*SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION\*\*\***

With this Inspection for Certification having been completed at New Orleans, LA, UNITED STATES, the Officer in Charge, Marine Inspection, Sector New Orleans certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: <b>D. VELEZ COMMANDER</b> , By direction _____ Officer in Charge, Marine Inspection <b>Sector New Orleans</b> _____ Inspection Zone
Date	Zone	A/P/R	Signature	



# Certificate of Inspection

Vessel Name: CBC 199

### ---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Oct2034	16Oct2024	30Sep2019
Internal Structure	31Oct2029	16Oct2024	30Sep2019

### --- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE/COMBUSTABLE LIQUIDS AND SPECIFIED HAZARDOUS CARGOES

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
16938	Barrels	A	Yes	No	No

#### \*Hazardous Bulk Solids Authority\*

#### \*Loading Constraints - Structural\*

Tank Location Description	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1	382	13.60
2 P/S	390	13.60
3 P/S	390	13.60
4	367	13.60

#### \*Loading Constraints - Stability\*

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III	2911	11ft 0in	13.60	R, LBS, LC5
II	2261	9ft 0in	13.60	R, LBS, LC5

#### \*Conditions Of Carriage\*

Only those specified hazardous cargoes named in the vessel's Cargo Authority Attachment (CAA), Serial #VN94001420, dated May 26, 2000 and Grade "A" and lower cargoes may be carried.

Per 46 CFR 150.130, the Person in Charge of the vessel is responsible for ensuring that the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using figures, tables and appendices of 46 CFR 150 in conjunction with the compatibility group numbers from the "COMPAT GRP" column listed in the vessel's CAA.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the Person In Charge is responsible for ensuring the provisions of 46 CFR 197, Subpart C are applied.

#### \*Stability and Trim\*

Cargo tanks must be loaded uniformly whenever a 46 CFR Subchapter "O" cargo is carried; for trim purposes, the weight of cargo in each tank may exceed the uniformly loaded tank cargo weight by at most 5 percent.

The maximum density of cargo which may be filled to the tank top is 13.6 lbs/gal. Cargoes with higher densities, up to 8.7 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

#### \*Vapor Control Authorization\*

This vessel's vapor control system has been inspected to the plans approved by the Marine Safety Center letter serial #C2-9401195 dated May 19, 1994 and the list of authorized cargoes on the CAA, Serial #VN94001420 dated May 26, 2000 and found acceptable for the collection of cargo vapors from those specific subchapter "D" cargoes contained in that letter, and those specified hazardous cargoes annotated with either "V" or "T" in the CAA. The letter "V" in the note column of the CAA



# Certificate of Inspection

Vessel Name: CBC 199

signifies approval for vapor control without any additional requirements. The letter "T" in the note column of the CAA signifies that the cargo is highly toxic and that spill valves or rupture disks are not authorized as the primary means of overfill protection required by 46 CFR 39.2009. A high level and overfill alarm is required by 46 CFR 39.2007.

**--- Inspection Status ---**

**\*Cargo Tanks\***

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1	28Aug2014	16Oct2024	16Oct2034	-	-	-
2 P/S	28Aug2014	16Oct2024	16Oct2034	-	-	-
3 P/S	28Aug2014	16Oct2024	16Oct2034	-	-	-
4	28Aug2014	16Oct2024	16Oct2034	-	-	-

Hydro Test

Tank Id	Safety Valves	Previous		
		Last	Next	Next
1	-	-	-	-
2 P/S	-	-	-	-
3 P/S	-	-	-	-
4	-	-	-	-

**---Conditional Portable Fire Extinguisher Requirements---**

Required Only During Transfer of Cargo or Operation of Barge Machinery

**--- Fire Fighting Equipment ---**

**\*Fire Extinguishers - Hand portable and semi-portable\***

Quantity	Class Type
2	40-B

\*\*\*END\*\*\*



# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: **CBC 199**

Shipyard: TRINITY MARI

Official #: D999970

Page 1 of 2

Hull #: 1400

### List of Authorized Cargoes

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'l's of Construction	
		Group No	Exc				
Adiponitrile	ADN	37	N E	II	V	No	
Anthracene oil (Coal tar fraction)	AHO	33	N	II		No	
Alkyl(C7-C9) nitrates	AKN	34	Y	III		50-81 50-86	
Acetonitrile	ATN	37	N C	III	T	No	
iso-Butyraldehyde	BAD	19	N C	III	V		
Butyraldehyde (all isomers)	BAE	19	N C	III	V	55-1(h)	
Butyl acrylate (all isomers)	BAR	14	N D	III	V	50-70(a), 50-81(a), (b)	
(crude)Butyraldehyde	BFA	19	N		V		
Benzene hydrocarbon mixtures (containing Acetylenes)(having 10% Benzene or more)	BHA			III	V	50-60, 56-1(b), (d), (f), (g)	
Benzene hydrocarbon mixtures (having 10% Benzene or more)	BHB	32	N	III	V	50-60	
Butyl methacrylate	BMH	14	N D	III	V	50-70(a), 50-81(a), (b)	
Benzene	BNZ	32	N C	III	V	50-60	
n-Butyraldehyde	BTR	19	N C	III	V		
Benzene, Toluene, Xylene mixtures (having 10% Benzene or more)	BTX	32	N B/C	III	V	50-60	
Carbon tetrachloride	CBT	36	N	III		No	
Creosote (all isomers)	CCW	21	Y E	III	V	No	
Camphor oil	CPO	18	N D	II		No	
Caustic potash solution	CPS	5	Y	III		50-73, 55-1(j)	
Chlorobenzene	CRB	36	N D	III	V	No	
Chloroform	CRF	36	N E	III		No	
Cresols	CRS	21	N E	III	V	No	
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	N D		V	50-60, 56-1(b)	
Caustic soda solution	CSS	5	Y	III		50-73, 55-1(j)	
Crotonaldehyde	CTA	19	Y C	II	T	55-1(h)	
Coal tar pitch (molten)	CTP	33	N E	III		50-73	
N,N-Dimethylacetamide	DAC	10	N E	III	T	56-1(b)	
1,1-Dichloroethane	DCH	36	N C	III		No	
Dichloromethane	DCM	36	N NF	III		No	
Dimethylethanolamine	DMB	8	N D	III		56-1(b), (c)	
Dichloropropene, Dichloropropane mixtures	DMX	15	N	II	V	No	
Dodecyl dimethylamine, Tetradecyl dimethylamine mixture	DOT	7	N E	III		56-1(b)	
1,1-Dichloropropane	DPB	36	N C	III	T	No	
1,3-Dichloropropane	DPC	36	N C	III	T	No	
1,2-Dichloropropane	DPP	36	N C	III	T	No	
1,3-Dichloropropane	DPU	15	N D	II	T	No	
1,1-, 1,2-, or 1,3-Dichloropropane	DPX	36	N C		V		
Ethyl acrylate	EAC	14	N C	III	V	50-70(a), 50-81(a), (b)	
2-Ethylhexyl acrylate	EAI	14	N E	III	V	50-70(a), 50-81(a), (b)	
Ethylene dichloride	EDC	36	Y C	III	V	No	
Ethylene glycol propyl ether	EGP	40	N E	III	V	No	
Ethylidene norbornene	ENB	30	Y D	II	V	50-5, 50-74	
2-Ethyl-3-propylacrolein	EPA	19	Y E	III		No	
Ethylene cyanohydrin	ETC	20	N E	III	V	No	
Ethyl methacrylate	ETM	14	N C	III	V	50-70(a)	
Ethylene dichloride, 1,1,2-Trichloroethane mixture	ETX				V		
Furfural	FFA	19	N E	III	V	55-1(h)	
Formaldehyde solution (37% to 50%)	FMS	19	Y D/E	III	V	55-1(h)	
Glutaraldehyde solution (50% or less)	GTA	19	N NF	III		No	
Hexamethyleneimine	HMI	7	N C	II		56-1(b), (c)	

\*\*\* This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*



Department of Transportation  
United States Coast Guard

Serial #: VN94001420  
COI Ref: 26-May-00

# Certificate of Inspection

## Cargo Authority Attachment

Vessel Name: **CBC 199**  
Official #: **D999970**

Page 2 of 2

Shipyard: **TRINITY MARI**  
Hull #: **1400**

Cargo Identification						Conditions of Carriage	
Name	Chem Code	Compat		Grade	Hull Type	Note	Special Requirements in 46 CFR 151 General and Mat'ls of Construction
		Group No	Exc				
Isoprene	IPR	30	N	A	III		50-70(a), 50-81(a), (b)
Methyl acrylate	MAM	14	N	C	III	V	50-70(a), 50-81(a), (b)
Methylcyclopentadiene dimer	MCK	30	N	C	III	V	No
Methyl diethanolamine	MDE	8	N	E	III		56-1(b), (c)
Methylstyrene, Indenes, Alkylbenzene mixtures	MIA						
Methyl methacrylate	MMM	14	N	C	III	V	50-70(a), 50-81(a), (b)
Mesityl oxide	MSO	18	Y	D	III	V	No
Mesityl oxide	MSO	18	Y	D	III	V	No
alpha-Methylstyrene	MSR	30	N	D	III	V	50-70(a), 50-81(a), (b)
Coal tar naphtha solvent	NCT	33	N	D	III	V	50-73
1- or 2-Nitropropane	NPM	42	N	D	III		50-81
Phthalic anhydride (molten)	PAN	11	N	E	III		No
Propanolamine (iso-, n-)	PAX	8	N	E	III		56-1(b), (c)
1,3-Pentadiene	PDE	30	N	A	III		50-70(a), 50-81
Perchloroethylene	PER	36	N	NF	III		No
3-Pentenenitrile (crude)	PNT	37	N	D			
Sodium chlorate solution (50% or less)	SDD	0	Y	NF	III		50-73
Styrene tar	STT	33	N	E			
Styrene (crude)	STX	30	N	C	III	V	No
Styrene	STY	30	N	D	III	V	50-70(a), 50-81(a), (b)
Sewage, raw	SWR						
Trichloroethylene	TCL	36	Y		III	V	No
1,1,2,2-Tetrachloroethane	TEC	36	N	NF	III		No
Tetrahydrofuran	THF	41	N	C	III	V	50-70(b)
Urea, Ammonium nitrate solution (containing more than 2% Ammonia)	UAS	6	N		III		56-1(b)
Vinyl acetate	VAM	13	N	C	III	V	50-70(a), 50-81(a), (b)

**Explanation of terms & symbols used in the Table:**

**Cargo Identification**

- Name: The proper shipping name as listed in 46 CFR Table 151.05.
- Chem Code: The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.
- Compatibility Group No.: The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.
- Exceptions (Exc): Indication of whether or not there are exceptions to the compatibility chart for the given cargo. See Appendix I to 46 CFR Part 150.
- Grade: The cargo classification assigned to each flammable or combustible liquid. Grades inside of "[ ]" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.
  - A, B, C: Flammable liquid cargoes, as defined in 46 CFR 30-10.22.
  - D, E: Combustible liquid cargoes, as defined in 46 CFR 30-10.15.
  - NA, NF: Those subchapter O cargoes which are not classified as a flammable or combustible liquid.
  - #: No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available.
- Hull Type: The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.
  - I: Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).
  - II: Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).
  - III: Designed to carry products of sufficient hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4).

**Conditions of Carriage**

Note: See Certificate of Inspection for explanation of symbols used in this column