

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 1
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-10 1/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	31	0	9,840	0	21,360	0	32,873	0	44,370	0	55,890	0	67,410	0	78,930	0	90,450	0	101,970
1/4	61	1/4	10,080	1/4	21,600	1/4	33,112	1/4	44,610	1/4	56,130	1/4	67,650	1/4	79,170	1/4	90,690	1/4	102,210
1/2	91	1/2	10,320	1/2	21,840	1/2	33,351	1/2	44,850	1/2	56,370	1/2	67,890	1/2	79,410	1/2	90,930	1/2	102,450
3/4	121	3/4	10,560	3/4	22,080	3/4	33,591	3/4	45,090	3/4	56,610	3/4	68,130	3/4	79,650	3/4	91,170	3/4	102,690
1	211	1	10,800	1	22,320	1	33,830	1	45,330	1	56,850	1	68,370	1	79,890	1	91,410	1	102,930
1/4	301	1/4	11,040	1/4	22,560	1/4	34,069	1/4	45,570	1/4	57,090	1/4	68,610	1/4	80,130	1/4	91,650	1/4	103,170
1/2	391	1/2	11,280	1/2	22,800	1/2	34,308	1/2	45,810	1/2	57,330	1/2	68,850	1/2	80,370	1/2	91,890	1/2	103,410
3/4	481	3/4	11,520	3/4	23,040	3/4	34,548	3/4	46,050	3/4	57,570	3/4	69,090	3/4	80,610	3/4	92,130	3/4	103,650
2	631	2	11,760	2	23,280	2	34,787	2	46,290	2	57,810	2	69,330	2	80,850	2	92,370	2	103,890
1/4	781	1/4	12,000	1/4	23,520	1/4	35,026	1/4	46,530	1/4	58,050	1/4	69,570	1/4	81,090	1/4	92,610	1/4	104,130
1/2	931	1/2	12,240	1/2	23,760	1/2	35,265	1/2	46,770	1/2	58,290	1/2	69,810	1/2	81,330	1/2	92,850	1/2	104,370
3/4	1,081	3/4	12,480	3/4	24,000	3/4	35,505	3/4	47,010	3/4	58,530	3/4	70,050	3/4	81,570	3/4	93,090	3/4	104,610
3	1,291	3	12,720	3	24,240	3	35,744	3	47,250	3	58,770	3	70,290	3	81,810	3	93,330	3	104,850
1/4	1,501	1/4	12,960	1/4	24,480	1/4	35,983	1/4	47,490	1/4	59,010	1/4	70,530	1/4	82,050	1/4	93,570	1/4	105,090
1/2	1,711	1/2	13,200	1/2	24,720	1/2	36,222	1/2	47,730	1/2	59,250	1/2	70,770	1/2	82,290	1/2	93,810	1/2	105,330
3/4	1,921	3/4	13,440	3/4	24,960	3/4	36,462	3/4	47,970	3/4	59,490	3/4	71,010	3/4	82,530	3/4	94,050	3/4	105,570
4	2,161	4	13,680	4	25,200	4	36,701	4	48,210	4	59,730	4	71,250	4	82,770	4	94,290	4	105,810
1/4	2,401	1/4	13,920	1/4	25,440	1/4	36,940	1/4	48,450	1/4	59,970	1/4	71,490	1/4	83,010	1/4	94,530	1/4	106,050
1/2	2,641	1/2	14,160	1/2	25,680	1/2	37,179	1/2	48,690	1/2	60,210	1/2	71,730	1/2	83,250	1/2	94,770	1/2	106,290
3/4	2,881	3/4	14,400	3/4	25,920	3/4	37,419	3/4	48,930	3/4	60,450	3/4	71,970	3/4	83,490	3/4	95,010	3/4	106,530
5	3,120	5	14,640	5	26,160	5	37,658	5	49,170	5	60,690	5	72,210	5	83,730	5	95,250	5	106,770
1/4	3,360	1/4	14,880	1/4	26,400	1/4	37,897	1/4	49,410	1/4	60,930	1/4	72,450	1/4	83,970	1/4	95,490	1/4	107,010
1/2	3,600	1/2	15,120	1/2	26,640	1/2	38,137	1/2	49,650	1/2	61,170	1/2	72,690	1/2	84,210	1/2	95,730	1/2	107,250
3/4	3,840	3/4	15,360	3/4	26,880	3/4	38,376	3/4	49,890	3/4	61,410	3/4	72,930	3/4	84,450	3/4	95,970	3/4	107,490
6	4,080	6	15,600	6	27,120	6	38,615	6	50,130	6	61,650	6	73,170	6	84,690	6	96,210	6	107,730
1/4	4,320	1/4	15,840	1/4	27,360	1/4	38,854	1/4	50,370	1/4	61,890	1/4	73,410	1/4	84,930	1/4	96,450	1/4	107,970
1/2	4,560	1/2	16,080	1/2	27,600	1/2	39,094	1/2	50,610	1/2	62,130	1/2	73,650	1/2	85,170	1/2	96,690	1/2	108,210
3/4	4,800	3/4	16,320	3/4	27,840	3/4	39,333	3/4	50,850	3/4	62,370	3/4	73,890	3/4	85,410	3/4	96,930	3/4	108,450
7	5,040	7	16,560	7	28,080	7	39,572	7	51,090	7	62,610	7	74,130	7	85,650	7	97,170	7	108,690
1/4	5,280	1/4	16,800	1/4	28,320	1/4	39,812	1/4	51,330	1/4	62,850	1/4	74,370	1/4	85,890	1/4	97,410	1/4	108,930
1/2	5,520	1/2	17,040	1/2	28,560	1/2	40,051	1/2	51,570	1/2	63,090	1/2	74,610	1/2	86,130	1/2	97,650	1/2	109,170
3/4	5,760	3/4	17,280	3/4	28,800	3/4	40,290	3/4	51,810	3/4	63,330	3/4	74,850	3/4	86,370	3/4	97,890	3/4	109,410
8	6,000	8	17,520	8	29,040	8	40,530	8	52,050	8	63,570	8	75,090	8	86,610	8	98,130	8	109,650
1/4	6,240	1/4	17,760	1/4	29,280	1/4	40,770	1/4	52,290	1/4	63,810	1/4	75,330	1/4	86,850	1/4	98,370	1/4	109,890
1/2	6,480	1/2	18,000	1/2	29,520	1/2	41,010	1/2	52,530	1/2	64,050	1/2	75,570	1/2	87,090	1/2	98,610	1/2	110,130
3/4	6,720	3/4	18,240	3/4	29,760	3/4	41,250	3/4	52,770	3/4	64,290	3/4	75,810	3/4	87,330	3/4	98,850	3/4	110,370
9	6,960	9	18,480	9	30,000	9	41,490	9	53,010	9	64,530	9	76,050	9	87,570	9	99,090	9	110,610
1/4	7,200	1/4	18,720	1/4	30,240	1/4	41,730	1/4	53,250	1/4	64,770	1/4	76,290	1/4	87,810	1/4	99,330	1/4	110,850
1/2	7,440	1/2	18,960	1/2	30,480	1/2	41,970	1/2	53,490	1/2	65,010	1/2	76,530	1/2	88,050	1/2	99,570	1/2	111,090
3/4	7,680	3/4	19,200	3/4	30,720	3/4	42,210	3/4	53,730	3/4	65,250	3/4	76,770	3/4	88,290	3/4	99,810	3/4	111,330
10	7,920	10	19,440	10	30,960	10	42,450	10	53,970	10	65,490	10	77,010	10	88,530	10	100,050	10	111,570
1/4	8,160	1/4	19,680	1/4	31,198	1/4	42,690	1/4	54,210	1/4	65,730	1/4	77,250	1/4	88,770	1/4	100,290	1/4	111,810
1/2	8,400	1/2	19,920	1/2	31,437	1/2	42,930	1/2	54,450	1/2	65,970	1/2	77,490	1/2	89,010	1/2	100,530	1/2	112,050
3/4	8,640	3/4	20,160	3/4	31,677	3/4	43,170	3/4	54,690	3/4	66,210	3/4	77,730	3/4	89,250	3/4	100,770	3/4	112,290
11	8,880	11	20,400	11	31,916	11	43,410	11	54,930	11	66,450	11	77,970	11	89,490	11	101,010	11	112,530
1/4	9,120	1/4	20,640	1/4	32,155	1/4	43,650	1/4	55,170	1/4	66,690	1/4	78,210	1/4	89,730	1/4	101,250	1/4	112,770
1/2	9,360	1/2	20,880	1/2	32,394	1/2	43,890	1/2	55,410	1/2	66,930	1/2	78,450	1/2	89,970	1/2	101,490	1/2	113,010
3/4	9,600	3/4	21,120	3/4	32,634	3/4	44,130	3/4	55,650	3/4	67,170	3/4	78,690	3/4	90,210	3/4	101,730	3/4	113,250

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MNPS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP UP OF 2" DIAMETER MNK BALL VALVE, LOCATED 0'-9" OFF CENTERLINE AND 28'-4" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

DATE STRAPPED: 8/26/03 BY: BB/JJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT



BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 1
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-10 1/8"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	113,490	125,010	136,530	148,050	159,570	171,090	182,610	194,130	205,650	217,170
1/4	113,730	125,250	136,770	148,290	159,810	171,330	182,850	194,370	205,890	217,410
1/2	113,970	125,490	137,010	148,530	160,050	171,570	183,090	194,610	206,130	217,650
3/4	114,210	125,730	137,250	148,770	160,290	171,810	183,330	194,850	206,370	217,890
1	114,450	125,970	137,490	149,010	160,530	172,050	183,570	195,090	206,610	218,130
1/4	114,690	126,210	137,730	149,250	160,770	172,290	183,810	195,330	206,850	218,370
1/2	114,930	126,450	137,970	149,490	161,010	172,530	184,050	195,570	207,090	218,610
3/4	115,170	126,690	138,210	149,730	161,250	172,770	184,290	195,810	207,330	218,850
2	115,410	126,930	138,450	149,970	161,490	173,010	184,530	196,050	207,570	219,090
1/4	115,650	127,170	138,690	150,210	161,730	173,250	184,770	196,290	207,810	219,330
1/2	115,890	127,410	138,930	150,450	161,970	173,490	185,010	196,530	208,050	219,570
3/4	116,130	127,650	139,170	150,690	162,210	173,730	185,250	196,770	208,290	219,810
3	116,370	127,890	139,410	150,930	162,450	173,970	185,490	197,010	208,530	220,050
1/4	116,610	128,130	139,650	151,170	162,690	174,210	185,730	197,250	208,770	220,290
1/2	116,850	128,370	139,890	151,410	162,930	174,450	185,970	197,490	209,010	220,530
3/4	117,090	128,610	140,130	151,650	163,170	174,690	186,210	197,730	209,250	220,770
4	117,330	128,850	140,370	151,890	163,410	174,930	186,450	197,970	209,490	221,010
1/4	117,570	129,090	140,610	152,130	163,650	175,170	186,690	198,210	209,730	221,250
1/2	117,810	129,330	140,850	152,370	163,890	175,410	186,930	198,450	210,010	221,490
3/4	118,050	129,570	141,090	152,610	164,130	175,650	187,170	198,690	210,250	221,730
5	118,290	129,810	141,330	152,850	164,370	175,890	187,410	198,930	210,490	221,970
1/4	118,530	130,050	141,570	153,090	164,610	176,130	187,650	199,170	210,730	222,210
1/2	118,770	130,290	141,810	153,330	164,850	176,370	187,890	199,410	210,970	222,450
3/4	119,010	130,530	142,050	153,570	165,090	176,610	188,130	199,650	211,210	222,690
6	119,250	130,770	142,290	153,810	165,330	176,850	188,370	199,890	211,450	222,930
1/4	119,490	131,010	142,530	154,050	165,570	177,090	188,610	200,130	211,690	223,170
1/2	119,730	131,250	142,770	154,290	165,810	177,330	188,850	200,370	211,930	223,410
3/4	119,970	131,490	143,010	154,530	166,050	177,570	189,090	200,610	212,170	223,650
7	120,210	131,730	143,250	154,770	166,290	177,810	189,330	200,850	212,410	223,890
1/4	120,450	131,970	143,490	155,010	166,530	178,050	189,570	201,090	212,650	224,130
1/2	120,690	132,210	143,730	155,250	166,770	178,290	189,810	201,330	212,890	224,370
3/4	120,930	132,450	143,970	155,490	167,010	178,530	190,050	201,570	213,130	224,610
8	121,170	132,690	144,210	155,730	167,250	178,770	190,290	201,810	213,370	224,850
1/4	121,410	132,930	144,450	155,970	167,490	179,010	190,530	202,050	213,610	225,090
1/2	121,650	133,170	144,690	156,210	167,730	179,250	190,770	202,290	213,850	225,330
3/4	121,890	133,410	144,930	156,450	167,970	179,490	191,010	202,530	214,090	225,570
9	122,130	133,650	145,170	156,690	168,210	179,730	191,250	202,770	214,330	225,810
1/4	122,370	133,890	145,410	156,930	168,450	179,970	191,490	203,010	214,570	226,050
1/2	122,610	134,130	145,650	157,170	168,690	180,210	191,730	203,250	214,810	226,290
3/4	122,850	134,370	145,890	157,410	168,930	180,450	191,970	203,490	215,050	226,530
10	123,090	134,610	146,130	157,650	169,170	180,690	192,210	203,730	215,290	226,770
1/4	123,330	134,850	146,370	157,890	169,410	180,930	192,450	203,970	215,530	227,010
1/2	123,570	135,090	146,610	158,130	169,650	181,170	192,690	204,210	215,770	227,250
3/4	123,810	135,330	146,850	158,370	169,890	181,410	192,930	204,450	216,010	227,490
11	124,050	135,570	147,090	158,610	170,130	181,650	193,170	204,690	216,250	227,730
1/4	124,290	135,810	147,330	158,850	170,370	181,890	193,410	204,930	216,490	227,970
1/2	124,530	136,050	147,570	159,090	170,610	182,130	193,650	205,170	216,730	228,210
3/4	124,770	136,290	147,810	159,330	170,850	182,370	193,890	205,410	216,970	228,450

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/26/03 BY: BB/LJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT



BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-9 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	28	0	8,336	0	19,397	0	29,852	0	40,290	0	50,752	0	61,213	0	71,674	0	82,136	0	92,597
1/4	55	1/4	9,154	1/4	19,615	1/4	30,069	1/4	40,508	1/4	50,970	1/4	61,431	1/4	71,892	1/4	82,354	1/4	92,815
1/2	82	1/2	9,372	1/2	19,833	1/2	30,286	1/2	40,726	1/2	51,188	1/2	61,649	1/2	72,110	1/2	82,572	1/2	93,033
3/4	110	3/4	9,590	3/4	20,051	3/4	30,503	3/4	40,944	3/4	51,406	3/4	61,867	3/4	72,328	3/4	82,790	3/4	93,251
1	191	1	9,808	1	20,269	1	30,720	1	41,161	1	51,623	1	62,085	1	72,546	1	83,008	1	93,469
1/4	273	1/4	10,026	1/4	20,487	1/4	30,938	1/4	41,380	1/4	51,841	1/4	62,303	1/4	72,764	1/4	83,226	1/4	93,687
1/2	355	1/2	10,244	1/2	20,705	1/2	31,155	1/2	41,598	1/2	52,059	1/2	62,521	1/2	72,982	1/2	83,444	1/2	93,905
3/4	436	3/4	10,462	3/4	20,923	3/4	31,372	3/4	41,816	3/4	52,277	3/4	62,739	3/4	73,200	3/4	83,661	3/4	94,123
2	573	2	10,680	2	21,141	2	31,589	2	42,034	2	52,495	2	62,957	2	73,418	2	83,879	2	94,341
1/4	709	1/4	10,898	1/4	21,359	1/4	31,806	1/4	42,252	1/4	52,713	1/4	63,175	1/4	73,636	1/4	84,097	1/4	94,559
1/2	845	1/2	11,116	1/2	21,577	1/2	32,023	1/2	42,470	1/2	52,931	1/2	63,393	1/2	73,854	1/2	84,315	1/2	94,777
3/4	981	3/4	11,333	3/4	21,795	3/4	32,241	3/4	42,688	3/4	53,149	3/4	63,610	3/4	74,072	3/4	84,533	3/4	94,995
3	1,172	3	11,551	3	22,012	3	32,458	3	42,906	3	53,367	3	63,828	3	74,290	3	84,751	3	95,213
1/4	1,363	1/4	11,769	1/4	22,230	1/4	32,675	1/4	43,124	1/4	53,585	1/4	64,046	1/4	74,508	1/4	84,969	1/4	95,431
1/2	1,553	1/2	11,987	1/2	22,448	1/2	32,892	1/2	43,342	1/2	53,803	1/2	64,264	1/2	74,726	1/2	85,187	1/2	95,648
3/4	1,744	3/4	12,205	3/4	22,666	3/4	33,109	3/4	43,559	3/4	54,021	3/4	64,482	3/4	74,944	3/4	85,405	3/4	95,866
4	1,962	4	12,423	4	22,884	4	33,327	4	43,777	4	54,239	4	64,700	4	75,162	4	85,623	4	96,084
1/4	2,180	1/4	12,641	1/4	23,102	1/4	33,544	1/4	43,995	1/4	54,457	1/4	64,918	1/4	75,380	1/4	85,841	1/4	96,302
1/2	2,398	1/2	12,859	1/2	23,320	1/2	33,761	1/2	44,213	1/2	54,675	1/2	65,136	1/2	75,597	1/2	86,059	1/2	96,520
3/4	2,616	3/4	13,077	3/4	23,538	3/4	33,978	3/4	44,431	3/4	54,893	3/4	65,354	3/4	75,815	3/4	86,277	3/4	96,738
5	2,834	5	13,295	5	23,756	5	34,196	5	44,649	5	55,111	5	65,572	5	76,033	5	86,495	5	96,956
1/4	3,052	1/4	13,513	1/4	23,974	1/4	34,413	1/4	44,867	1/4	55,329	1/4	65,790	1/4	76,251	1/4	86,713	1/4	97,174
1/2	3,270	1/2	13,731	1/2	24,192	1/2	34,630	1/2	45,085	1/2	55,546	1/2	66,008	1/2	76,469	1/2	86,931	1/2	97,392
3/4	3,488	3/4	13,949	3/4	24,410	3/4	34,847	3/4	45,303	3/4	55,764	3/4	66,226	3/4	76,687	3/4	87,149	3/4	97,610
6	3,706	6	14,167	6	24,628	6	35,065	6	45,521	6	55,982	6	66,444	6	76,905	6	87,367	6	97,828
1/4	3,923	1/4	14,385	1/4	24,846	1/4	35,282	1/4	45,739	1/4	56,200	1/4	66,662	1/4	77,123	1/4	87,584	1/4	98,046
1/2	4,141	1/2	14,603	1/2	25,064	1/2	35,499	1/2	45,957	1/2	56,418	1/2	66,880	1/2	77,341	1/2	87,802	1/2	98,264
3/4	4,359	3/4	14,820	3/4	25,282	3/4	35,716	3/4	46,175	3/4	56,636	3/4	67,098	3/4	77,559	3/4	88,020	3/4	98,482
7	4,577	7	15,038	7	25,500	7	35,934	7	46,393	7	56,854	7	67,316	7	77,777	7	88,238	7	98,700
1/4	4,795	1/4	15,256	1/4	25,717	1/4	36,151	1/4	46,611	1/4	57,072	1/4	67,533	1/4	77,995	1/4	88,456	1/4	98,918
1/2	5,013	1/2	15,474	1/2	25,935	1/2	36,368	1/2	46,829	1/2	57,290	1/2	67,751	1/2	78,213	1/2	88,674	1/2	99,136
3/4	5,231	3/4	15,692	3/4	26,153	3/4	36,585	3/4	47,047	3/4	57,508	3/4	67,969	3/4	78,431	3/4	88,892	3/4	99,354
8	5,449	8	15,910	8	26,371	8	36,803	8	47,265	8	57,726	8	68,187	8	78,649	8	89,110	8	99,572
1/4	5,667	1/4	16,128	1/4	26,589	1/4	37,021	1/4	47,483	1/4	57,944	1/4	68,405	1/4	78,867	1/4	89,328	1/4	99,789
1/2	5,885	1/2	16,346	1/2	26,807	1/2	37,239	1/2	47,700	1/2	58,162	1/2	68,623	1/2	79,085	1/2	89,546	1/2	99,907
3/4	6,103	3/4	16,564	3/4	27,025	3/4	37,457	3/4	47,918	3/4	58,380	3/4	68,841	3/4	79,303	3/4	89,764	3/4	100,225
9	6,321	9	16,782	9	27,243	9	37,675	9	48,136	9	58,598	9	69,059	9	79,521	9	89,982	9	100,443
1/4	6,539	1/4	17,000	1/4	27,461	1/4	37,893	1/4	48,354	1/4	58,816	1/4	69,277	1/4	79,738	1/4	90,200	1/4	100,661
1/2	6,757	1/2	17,218	1/2	27,679	1/2	38,111	1/2	48,572	1/2	59,034	1/2	69,495	1/2	79,956	1/2	90,418	1/2	100,879
3/4	6,975	3/4	17,436	3/4	27,897	3/4	38,329	3/4	48,790	3/4	59,252	3/4	69,713	3/4	80,174	3/4	90,636	3/4	101,097
10	7,193	10	17,654	10	28,114	10	38,547	10	49,008	10	59,470	10	69,931	10	80,392	10	90,854	10	101,315
1/4	7,411	1/4	17,872	1/4	28,331	1/4	38,765	1/4	49,226	1/4	59,687	1/4	70,149	1/4	80,610	1/4	91,072	1/4	101,533
1/2	7,628	1/2	18,090	1/2	28,548	1/2	38,983	1/2	49,444	1/2	59,905	1/2	70,367	1/2	80,828	1/2	91,290	1/2	101,751
3/4	7,846	3/4	18,308	3/4	28,766	3/4	39,201	3/4	49,662	3/4	60,123	3/4	70,585	3/4	81,046	3/4	91,508	3/4	101,969
11	8,064	11	18,525	11	28,983	11	39,419	11	49,880	11	60,341	11	70,803	11	81,264	11	91,725	11	102,187
1/4	8,282	1/4	18,743	1/4	29,200	1/4	39,636	1/4	50,098	1/4	60,559	1/4	71,021	1/4	81,482	1/4	91,943	1/4	102,405
1/2	8,500	1/2	18,961	1/2	29,417	1/2	39,854	1/2	50,316	1/2	60,777	1/2	71,239	1/2	81,700	1/2	92,161	1/2	102,623
3/4	8,718	3/4	19,179	3/4	29,634	3/4	40,072	3/4	50,534	3/4	60,995	3/4	71,457	3/4	81,918	3/4	92,379	3/4	102,841

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER NMC BALL VALVE, LOCATED 0'-9" OFF CENTRELINE
 NOTE: AHD 26'-4" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2' ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.
 DATE STRAPPED: 8/26/03 BY: BB/BJ
 DATE COMPUTED: 10/01/03 BY: WHF
 DATE ISSUE: 10/01/03

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-9 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	103,059	0	113,530	0	123,981	0	134,443	0	144,904	0		0		0		0		0	
1/4	103,277	1/4	113,738	1/4	124,199	1/4	134,661	1/4	145,122	1/4		1/4		1/4		1/4		1/4	
1/2	103,495	1/2	113,956	1/2	124,417	1/2	134,879	1/2	145,340	1/2		1/2		1/2		1/2		1/2	
3/4	103,712	3/4	114,174	3/4	124,635	3/4	135,097	3/4	145,558	3/4		3/4		3/4		3/4		3/4	
1	103,930	1	114,392	1	124,853	1	135,315	1	145,776	1		1		1		1		1	
1/4	104,148	1/4	114,610	1/4	125,071	1/4	135,533	1/4	145,994	1/4		1/4		1/4		1/4		1/4	
1/2	104,366	1/2	114,828	1/2	125,289	1/2	135,750	1/2	146,212	1/2		1/2		1/2		1/2		1/2	
3/4	104,584	3/4	115,046	3/4	125,507	3/4	135,968	3/4	146,430	3/4		3/4		3/4		3/4		3/4	
2	104,802	2	115,264	2	125,725	2	136,186	2	146,630	2		2		2		2		2	
1/4	105,020	1/4	115,482	1/4	125,943	1/4	136,404	1/4	146,829	1/4		1/4		1/4		1/4		1/4	
1/2	105,238	1/2	115,699	1/2	126,161	1/2	136,622	1/2	147,029	1/2		1/2		1/2		1/2		1/2	
3/4	105,456	3/4	115,917	3/4	126,379	3/4	136,840	3/4	147,229	3/4		3/4		3/4		3/4		3/4	
3	105,674	3	116,135	3	126,597	3	137,058	3	147,392	3		3		3		3		3	
1/4	105,892	1/4	116,353	1/4	126,815	1/4	137,276	1/4	147,556	1/4		1/4		1/4		1/4		1/4	
1/2	106,110	1/2	116,571	1/2	127,033	1/2	137,494	1/2	147,719	1/2		1/2		1/2		1/2		1/2	
3/4	106,328	3/4	116,789	3/4	127,251	3/4	137,712	3/4	147,883	3/4		3/4		3/4		3/4		3/4	
4	106,546	4	117,007	4	127,469	4	137,930	4	148,010	4		4		4		4		4	
1/4	106,764	1/4	117,225	1/4	127,686	1/4	138,148	1/4	148,137	1/4		1/4		1/4		1/4		1/4	
1/2	106,982	1/2	117,443	1/2	127,904	1/2	138,366	1/2	148,264	1/2		1/2		1/2		1/2		1/2	
3/4	107,200	3/4	117,661	3/4	128,122	3/4	138,584	3/4	148,391	3/4		3/4		3/4		3/4		3/4	
5	107,418	5	117,879	5	128,340	5	138,802	5	148,482	5		5		5		5		5	
1/4	107,635	1/4	118,097	1/4	128,558	1/4	139,020	1/4	148,573	1/4		1/4		1/4		1/4		1/4	
1/2	107,853	1/2	118,315	1/2	128,776	1/2	139,238	1/2	148,664	1/2		1/2		1/2		1/2		1/2	
3/4	108,071	3/4	118,533	3/4	128,994	3/4	139,456	3/4	148,755	3/4		3/4		3/4		3/4		3/4	
6	108,289	6	118,751	6	129,212	6	139,673	6	148,809	6		6		6		6		6	
1/4	108,507	1/4	118,969	1/4	129,430	1/4	139,891	1/4	148,864	1/4		1/4		1/4		1/4		1/4	
1/2	108,725	1/2	119,187	1/2	129,648	1/2	140,109	1/2	148,918	1/2		1/2		1/2		1/2		1/2	
3/4	108,943	3/4	119,405	3/4	129,866	3/4	140,327	3/4	148,973	3/4		3/4		3/4		3/4		3/4	
7	109,161	7	119,622	7	130,084	7	140,545	7	148,991	7		7		7		7		7	
1/4	109,379	1/4	119,840	1/4	130,302	1/4	140,763	1/4	149,009	1/4		1/4		1/4		1/4		1/4	
1/2	109,597	1/2	120,058	1/2	130,520	1/2	140,981	1/2	149,027	1/2		1/2		1/2		1/2		1/2	
3/4	109,815	3/4	120,276	3/4	130,738	3/4	141,199	3/4	149,045	3/4		3/4		3/4		3/4		3/4	
8	110,033	8	120,494	8	130,956	8	141,417	8	149,063	8		8		8		8		8	
1/4	110,251	1/4	120,712	1/4	131,174	1/4	141,635	1/4	149,081	1/4		1/4		1/4		1/4		1/4	
1/2	110,469	1/2	120,930	1/2	131,392	1/2	141,853	1/2	149,100	1/2		1/2		1/2		1/2		1/2	
3/4	110,687	3/4	121,148	3/4	131,610	3/4	142,071	3/4	149,118	3/4		3/4		3/4		3/4		3/4	
9	110,905	9	121,366	9	131,827	9	142,289	9	149,136	9		9		9		9		9	
1/4	111,123	1/4	121,584	1/4	132,045	1/4	142,507	1/4	149,154	1/4		1/4		1/4		1/4		1/4	
1/2	111,341	1/2	121,802	1/2	132,263	1/2	142,725	1/2	149,172	1/2		1/2		1/2		1/2		1/2	
3/4	111,559	3/4	122,020	3/4	132,481	3/4	142,943	3/4	149,190	3/4		3/4		3/4		3/4		3/4	
10	111,776	10	122,238	10	132,699	10	143,161	10	149,208	10		10		10		10		10	
1/4	111,994	1/4	122,456	1/4	132,917	1/4	143,379	1/4	149,226	1/4		1/4		1/4		1/4		1/4	
1/2	112,212	1/2	122,674	1/2	133,135	1/2	143,597	1/2	149,244	1/2		1/2		1/2		1/2		1/2	
3/4	112,430	3/4	122,892	3/4	133,353	3/4	143,814	3/4	149,262	3/4		3/4		3/4		3/4		3/4	
11	112,648	11	123,110	11	133,571	11	144,032	11	149,280	11		11		11		11		11	
1/4	112,866	1/4	123,328	1/4	133,789	1/4	144,250	1/4	149,298	1/4		1/4		1/4		1/4		1/4	
1/2	113,084	1/2	123,546	1/2	134,007	1/2	144,468	1/2	149,316	1/2		1/2		1/2		1/2		1/2	
3/4	113,302	3/4	123,763	3/4	134,225	3/4	144,686	3/4	149,334	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/26/03 BY: BB/LJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT



BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 3
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-9.5/8"

IN	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	28	0	8,877	0	19,269	0	29,660	0	40,049	0	50,442	0	60,834	0	71,227	0	81,619	0	92,012	
1/4	55	1/4	9,094	1/4	19,486	1/4	29,877	1/4	40,266	1/4	50,658	1/4	61,051	1/4	71,443	1/4	81,836	1/4	92,228	
1/2	82	1/2	9,310	1/2	19,702	1/2	30,093	1/2	40,482	1/2	50,875	1/2	61,267	1/2	71,660	1/2	82,052	1/2	92,445	
3/4	109	3/4	9,527	3/4	19,919	3/4	30,310	3/4	40,699	3/4	51,091	3/4	61,484	3/4	71,876	3/4	82,269	3/4	92,661	
1	190	1	9,743	1	20,135	1	30,526	1	40,916	1	51,308	1	61,700	1	72,093	1	82,485	1	92,878	
1/4	271	1/4	9,960	1/4	20,352	1/4	30,742	1/4	41,132	1/4	51,524	1/4	61,917	1/4	72,309	1/4	82,702	1/4	93,094	
1/2	352	1/2	10,176	1/2	20,568	1/2	30,959	1/2	41,349	1/2	51,741	1/2	62,133	1/2	72,526	1/2	82,918	1/2	93,311	
3/4	434	3/4	10,393	3/4	20,785	3/4	31,175	3/4	41,565	3/4	51,957	3/4	62,350	3/4	72,742	3/4	83,135	3/4	93,527	
2	569	2	10,609	2	21,001	2	31,391	2	41,782	2	52,174	2	62,566	2	72,959	2	83,351	2	93,744	
1/4	704	1/4	10,826	1/4	21,218	1/4	31,608	1/4	41,998	1/4	52,391	1/4	62,783	1/4	73,175	1/4	83,568	1/4	93,960	
1/2	840	1/2	11,042	1/2	21,434	1/2	31,824	1/2	42,215	1/2	52,607	1/2	63,000	1/2	73,392	1/2	83,784	1/2	94,177	
3/4	975	3/4	11,259	3/4	21,651	3/4	32,041	3/4	42,431	3/4	52,824	3/4	63,216	3/4	73,608	3/4	84,001	3/4	94,393	
3	1,164	3	11,475	3	21,867	3	32,257	3	42,648	3	53,040	3	63,432	3	73,825	3	84,217	3	94,610	
1/4	1,354	1/4	11,692	1/4	22,084	1/4	32,473	1/4	42,864	1/4	53,257	1/4	63,649	1/4	74,041	1/4	84,434	1/4	94,826	
1/2	1,543	1/2	11,908	1/2	22,300	1/2	32,690	1/2	43,081	1/2	53,473	1/2	63,866	1/2	74,258	1/2	84,650	1/2	95,043	
3/4	1,733	3/4	12,125	3/4	22,517	3/4	32,906	3/4	43,297	3/4	53,690	3/4	64,082	3/4	74,474	3/4	84,867	3/4	95,259	
4	1,949	4	12,341	4	22,733	4	33,122	4	43,514	4	53,906	4	64,299	4	74,691	4	85,083	4	95,476	
1/4	2,166	1/4	12,558	1/4	22,950	1/4	33,339	1/4	43,730	1/4	54,123	1/4	64,515	1/4	74,907	1/4	85,300	1/4	95,692	
1/2	2,382	1/2	12,774	1/2	23,166	1/2	33,555	1/2	43,947	1/2	54,339	1/2	64,732	1/2	75,124	1/2	85,516	1/2	95,909	
3/4	2,599	3/4	12,991	3/4	23,383	3/4	33,772	3/4	44,163	3/4	54,556	3/4	64,948	3/4	75,340	3/4	85,733	3/4	96,125	
5	2,815	5	13,207	5	23,599	5	33,988	5	44,380	5	54,772	5	65,165	5	75,557	5	85,949	5	96,348	
1/4	3,032	1/4	13,424	1/4	23,816	1/4	34,205	1/4	44,596	1/4	54,989	1/4	65,381	1/4	75,774	1/4	86,166	1/4	96,558	
1/2	3,248	1/2	13,640	1/2	24,032	1/2	34,421	1/2	44,813	1/2	55,205	1/2	65,598	1/2	75,990	1/2	86,382	1/2	96,775	
3/4	3,465	3/4	13,857	3/4	24,249	3/4	34,637	3/4	45,029	3/4	55,422	3/4	65,814	3/4	76,207	3/4	86,599	3/4	96,991	
6	3,681	6	14,073	6	24,465	6	34,854	6	45,246	6	55,638	6	66,031	6	76,423	6	86,815	6	97,208	
1/4	3,898	1/4	14,290	1/4	24,682	1/4	35,070	1/4	45,462	1/4	55,855	1/4	66,247	1/4	76,640	1/4	87,032	1/4	97,424	
1/2	4,114	1/2	14,506	1/2	24,898	1/2	35,287	1/2	45,679	1/2	56,071	1/2	66,464	1/2	76,856	1/2	87,249	1/2	97,641	
3/4	4,331	3/4	14,723	3/4	25,115	3/4	35,503	3/4	45,895	3/4	56,288	3/4	66,680	3/4	77,073	3/4	87,465	3/4	97,857	
7	4,547	7	14,939	7	25,331	7	35,720	7	46,112	7	56,504	7	66,897	7	77,289	7	87,688	7	98,074	
1/4	4,764	1/4	15,156	1/4	25,548	1/4	35,936	1/4	46,328	1/4	56,721	1/4	67,113	1/4	77,506	1/4	87,898	1/4	98,290	
1/2	4,980	1/2	15,372	1/2	25,764	1/2	36,152	1/2	46,545	1/2	56,937	1/2	67,330	1/2	77,722	1/2	88,115	1/2	98,507	
3/4	5,197	3/4	15,589	3/4	25,981	3/4	36,369	3/4	46,761	3/4	57,154	3/4	67,546	3/4	77,939	3/4	88,331	3/4	98,724	
8	5,413	8	15,805	8	26,197	8	36,585	8	46,978	8	57,370	8	67,763	8	78,155	8	88,548	8	98,940	
1/4	5,630	1/4	16,022	1/4	26,414	1/4	36,802	1/4	47,194	1/4	57,587	1/4	67,979	1/4	78,372	1/4	88,764	1/4	99,157	
1/2	5,846	1/2	16,238	1/2	26,630	1/2	37,018	1/2	47,411	1/2	57,803	1/2	68,196	1/2	78,588	1/2	88,981	1/2	99,373	
3/4	6,063	3/4	16,455	3/4	26,847	3/4	37,235	3/4	47,627	3/4	58,020	3/4	68,412	3/4	78,805	3/4	89,197	3/4	99,590	
9	6,279	9	16,671	9	27,063	9	37,451	9	47,844	9	58,236	9	68,629	9	79,021	9	89,414	9	99,806	
1/4	6,496	1/4	16,888	1/4	27,280	1/4	37,668	1/4	48,060	1/4	58,453	1/4	68,845	1/4	79,238	1/4	89,630	1/4	100,023	
1/2	6,712	1/2	17,104	1/2	27,497	1/2	37,884	1/2	48,277	1/2	58,669	1/2	69,062	1/2	79,454	1/2	89,847	1/2	100,239	
3/4	6,929	3/4	17,321	3/4	27,713	3/4	38,101	3/4	48,493	3/4	58,866	3/4	69,278	3/4	79,671	3/4	90,063	3/4	100,456	
10	7,145	10	17,537	10	27,929	10	38,317	10	48,710	10	59,102	10	69,495	10	79,887	10	90,280	10	100,672	
1/4	7,362	1/4	17,754	1/4	28,146	1/4	38,534	1/4	48,926	1/4	59,319	1/4	69,711	1/4	80,104	1/4	90,496	1/4	100,889	
1/2	7,578	1/2	17,970	1/2	28,362	1/2	38,750	1/2	49,143	1/2	59,535	1/2	69,928	1/2	80,320	1/2	90,713	1/2	101,105	
3/4	7,795	3/4	18,187	3/4	28,579	3/4	38,967	3/4	49,359	3/4	59,752	3/4	70,144	3/4	80,537	3/4	90,929	3/4	101,322	
11	8,011	11	18,403	11	28,795	11	39,183	11	49,576	11	59,968	11	70,361	11	80,753	11	91,146	11	101,538	
1/4	8,228	1/4	18,620	1/4	29,011	1/4	39,400	1/4	49,792	1/4	60,185	1/4	70,574	1/4	80,970	1/4	91,362	1/4	101,755	
1/2	8,444	1/2	18,836	1/2	29,228	1/2	39,616	1/2	50,009	1/2	60,401	1/2	70,794	1/2	81,186	1/2	91,579	1/2	101,971	
3/4	8,661	3/4	19,053	3/4	29,444	3/4	39,833	3/4	50,225	3/4	60,618	3/4	71,010	3/4	81,403	3/4	91,795	3/4	102,188	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER MHC BALL VALVE, LOCATED 0'-9" OFF CENTERLINE
 AND 27'-0" FORWARD OF AFT. BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.
 DATE STRAPPED: 8/26/03 BY: BB/LJ
 DATE COMPUTED: 10/01/03 BY: WHF
 DATE ISSUE: 10/01/03

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 3
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-9.5/8"

IN	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	102,404	0	112,797	0	123,189	0	133,582	0	143,974	0	154,366	0	164,758	0	175,150	0	185,542	0	195,934	0
1/4	102,621	1/4	113,013	1/4	123,406	1/4	133,798	1/4	144,190	1/4	154,582	1/4	164,974	1/4	175,366	1/4	185,758	1/4	196,150	1/4
1/2	102,837	1/2	113,230	1/2	123,622	1/2	134,015	1/2	144,407	1/2	154,799	1/2	165,191	1/2	175,583	1/2	185,975	1/2	196,367	1/2
3/4	103,054	3/4	113,446	3/4	123,839	3/4	134,231	3/4	144,623	3/4	155,015	3/4	165,407	3/4	175,799	3/4	186,191	3/4	196,583	3/4
1	103,270	1	113,663	1	124,055	1	134,448	1	144,840	1	155,232	1	165,624	1	176,016	1	186,408	1	196,800	1
1/4	103,487	1/4	113,879	1/4	124,272	1/4	134,664	1/4	145,056	1/4	155,448	1/4	165,840	1/4	176,232	1/4	186,624	1/4	197,016	1/4
1/2	103,703	1/2	114,096	1/2	124,488	1/2	134,881	1/2	145,273	1/2	155,665	1/2	166,057	1/2	176,449	1/2	186,841	1/2	197,233	1/2
3/4	103,920	3/4	114,312	3/4	124,705	3/4	135,097	3/4	145,490	3/4	155,882	3/4	166,274	3/4	176,666	3/4	187,058	3/4	197,450	3/4
2	104,136	2	114,529	2	124,921	2	135,314	2	145,706	2	156,098	2	166,490	2	176,882	2	187,274	2	197,666	2
1/4	104,353	1/4	114,745	1/4	125,138	1/4	135,530	1/4	145,922	1/4	156,314	1/4	166,706	1/4	177,098	1/4	187,490	1/4	197,882	1/4
1/2	104,569	1/2	114,962	1/2	125,354	1/2	135,747	1/2	146,139	1/2	156,531	1/2	166,923	1/2	177,315	1/2	187,707	1/2	198,099	1/2
3/4	104,786	3/4	115,178	3/4	125,571	3/4	135,963	3/4	146,355	3/4	156,747	3/4	167,139	3/4	177,531	3/4	187,923	3/4	198,315	3/4
3	105,002	3	115,395	3	125,787	3	136,180	3	146,572	3	156,964	3	167,356	3	177,748	3	188,140	3	198,532	3
1/4	105,219	1/4	115,611	1/4	126,004	1/4	136,396	1/4	146,788	1/4	157,180	1/4	167,572	1/4	177,964	1/4	188,356	1/4	198,748	1/4
1/2	105,435	1/2	115,828	1/2	126,220	1/2	136,613	1/2	147,005	1/2	157,397	1/2	167,789	1/2	178,181	1/2	188,573	1/2	198,965	1/2
3/4	105,652	3/4	116,044	3/4	126,437	3/4	136,829	3/4	147,222	3/4	157,614	3/4	168,006	3/4	178,398	3/4	188,790	3/4	199,182	3/4
4	105,868	4	116,261	4	126,653	4	137,046	4	147,438	4	157,830	4	168,222	4	178,614	4	189,006	4	199,398	4
1/4	106,085	1/4	116,477	1/4	126,870	1/4	137,262	1/4	147,654	1/4	158,046	1/4	168,438	1/4	178,830	1/4	189,222	1/4	199,614	1/4
1/2	106,301	1/2	116,694	1/2	127,086	1/2	137,479	1/2	147,871	1/2	158,263	1/2	168,655	1/2	179,047	1/2	189,439	1/2	199,831	1/2
3/4	106,518	3/4	116,910	3/4	127,303	3/4	137,695	3/4	148,087	3/4	158,479	3/4	168,871	3/4	179,263	3/4	189,655	3/4	200,043	3/4
5	106,734	5	117,127	5	127,519	5	137,912	5	148,304	5	158,696	5	169,088	5	179,480	5	189,872	5	200,259	5
1/4	106,951	1/4	117,343	1/4	127,736	1/4	138,128	1/4	148,520	1/4	158,912	1/4	169,304	1/4	179,696	1/4	190,088	1/4	200,480	1/4
1/2	107,167	1/2	117,560	1/2	127,952	1/2	138,345	1/2	148,737	1/2	159,129	1/2	169,521	1/2	179,913	1/2	190,305	1/2	200,697	1/2
3/4	107,384	3/4	117,776	3/4	128,169	3/4	138,561	3/4	148,953	3/4	159,345	3/4	169,737	3/4	180,129	3/4	190,521	3/4	200,909	3/4
6	107,600	6	117,993	6	128,385	6	138,778	6	149,170	6	159,562	6	169,954	6	180,346	6	190,738	6	201,101	6
1/4	107,817	1/4	118,209	1/4	128,602	1/4	138,994	1/4	149,386	1/4	159,778	1/4	170,170	1/4	180,562	1/4	190,954	1/4	201,317	1/4
1/2	108,033	1/2	118,426	1/2	128,818	1/2	139,211	1/2	149,603	1/2	160,000	1/2	170,392	1/2	180,784	1/2	191,176	1/2	201,529	1/2
3/4	108,250	3/4	118,642	3/4	129,035	3/4	139,427	3/4	149,819	3/4	160,211	3/4	170,603	3/4	181,000	3/4	191,392	3/4	201,745	3/4
7	108,466	7	118,859	7	129,251	7	139,644	7	150,034	7	160,426	7	170,818	7	181,210	7	191,602	7	201,955	7
1/4	108,683	1/4	119,075	1/4	129,468	1/4	139,860	1/4	150,250	1/4	160,642	1/4	171,034	1/4	181,426	1/4	191,818	1/4	202,167	1/4
1/2	108,899	1/2	119,292	1/2	129,684	1/2	140,077	1/2	150,469	1/2	160,861	1/2	171,253	1/2	181,645	1/2	192,037	1/2	202,380	1/2
3/4	109,116	3/4	119,508	3/4	129,901	3/4	140,293	3/4	150,685	3/4	161,077	3/4	171,469	3/4	181,861	3/4	192,253	3/4	202,593	3/4
8	109,332	8	119,725	8	130,117	8	140,510	8	150,902	8	161,294	8	171,686	8	182,078	8	192,470	8	202,806	8
1/4	109,549	1/4	119,941	1/4	130,334	1/4	140,726	1/4	151,118	1/4	161,510	1/4	171,902	1/4	182,294	1/4	192,686	1/4	203,019	1/4
1/2	109,765	1/2	120,158	1/2	130,550	1/2	140,943	1/2	151,335	1/2	161,727	1/2	172,119	1/2	182,511	1/2	192,903	1/2	203,232	1/2
3/4	109,982	3/4	120,374	3/4	130,767	3/4	141,159	3/4	151,551	3/4	161,943	3/4	172,335	3/4	182,727	3/4	193,119	3/4	203,445	3/4
9	110,198	9	120,591	9	130,983	9	141,376	9	151,768	9	162,160	9	172,552	9	182,944	9	193,336	9	203,657	9
1/4	110,415	1/4	120,807	1/4	131,200	1/4	141,592	1/4	151,984	1/4	162,376	1/4	172,768	1/4	183,160	1/4	193,552	1/4	203,869	1/4
1/2	110,632	1/2	121,024	1/2	131,416	1/2	141,809	1/2	152,201	1/2	162,593	1/2	172,985	1/2	183,377	1/2	193,769	1/2	204,081	1/2
3/4	110,848	3/4	121,240	3/4	131,633	3/4	142,025	3/4	152,417	3/4	162,809	3/4	173,201	3/4	183,593	3/4	193,985	3/4	204,293	3/4
10	111,065	10	121,457	10	131,849	10	142,242	10	152,634	10	163,026	10	173,418	10	183,810	10	194,202	10	204,505	10
1/4	111,281	1/4	121,673	1/4	132,066	1/4	142,458	1/4	152,850	1/4	163,242	1/4	173,634	1/4	184,026	1/4	194,418	1/4	204,717	1/4
1/2	111,498	1/2	121,890	1/2	132,282	1/2	142,674	1/2	153,066	1/2	163,458	1/2	173,850	1/2	184,242	1/2	194,634	1/2	204,929	1/2
3/4	111,714	3/4	122,107	3/4	132,499	3/4	142,891	3/4	153,283	3/4	163,675	3/4	174,067	3/4	184,459	3/4	194,845	3/4	205,141	3/4
11	111,931	11	122,323	11	132,715	11	143,108	11	153,500	11	164,000	11	174,392	11	184,784	11	195,176	11	205,353	11
1/4	112,147	1/4	122,540	1/4	132,932	1/4	143,324	1/4	153,716	1/4	164,212	1/4	174,604	1/4	185,000	1/4	195,392	1/4	205,565	1/4
1/2	112,364	1/2	122,756	1/2	133,148	1/2	143,541	1/2	154,103	1/2	164,405	1/2	174,807	1/2	185,209	1/2	195,601	1/2	205,777	1/2
3/4	112,580	3/4	122,973	3/4	133,365	3/4	143,757	3/4	154,315	3/4	164,617	3/4	175,019	3/4	185,421	3/4	195,813	3/4	205,989	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/26/03 BY: BB/U
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'-4 1/8"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	59,848	0	48,329	0	36,820	0	25,320	0	13,800	0	2,281	0		0					
1/4	59,609	1/4	48,089	1/4	36,581	1/4	25,080	1/4	13,560	1/4	2,041	1/4		1/4					
1/2	59,369	1/2	47,850	1/2	36,342	1/2	24,840	1/2	13,320	1/2	1,827	1/2		1/2					
3/4	59,129	3/4	47,610	3/4	36,103	3/4	24,600	3/4	13,080	3/4	1,613	3/4		3/4					
1	58,889	1	47,370	1	35,863	1	24,360	1	12,840	1	1,399	1		1					
1/4	58,649	1/4	47,130	1/4	35,624	1/4	24,120	1/4	12,600	1/4	1,186	1/4		1/4					
1/2	58,409	1/2	46,890	1/2	35,385	1/2	23,880	1/2	12,360	1/2	1,006	1/2		1/2					
3/4	58,169	3/4	46,650	3/4	35,146	3/4	23,640	3/4	12,120	3/4	883	3/4		3/4					
2	57,929	2	46,410	2	34,906	2	23,400	2	11,880	2	721	2		2					
1/4	57,689	1/4	46,170	1/4	34,667	1/4	23,160	1/4	11,640	1/4	578	1/4		1/4					
1/2	57,449	1/2	45,930	1/2	34,428	1/2	22,920	1/2	11,400	1/2	436	1/2		1/2					
3/4	57,209	3/4	45,690	3/4	34,189	3/4	22,680	3/4	11,160	3/4	346	3/4		3/4					
3	56,969	3	45,450	3	33,949	3	22,440	3	10,920	3	256	3		3					
1/4	56,729	1/4	45,210	1/4	33,710	1/4	22,200	1/4	10,680	1/4	166	1/4		1/4					
1/2	56,489	1/2	44,970	1/2	33,471	1/2	21,960	1/2	10,440	1/2	106	1/2		1/2					
3/4	56,249	3/4	44,730	3/4	33,232	3/4	21,720	3/4	10,200	3/4	76	3/4		3/4					
4	56,009	4	44,490	4	32,993	4	21,480	4	9,960	4	46	4		4					
1/4	55,769	1/4	44,250	1/4	32,753	1/4	21,240	1/4	9,720	1/4	31	1/4		1/4					
1/2	55,529	1/2	44,010	1/2	32,514	1/2	21,000	1/2	9,480	1/2		1/2		1/2					
3/4	55,289	3/4	43,770	3/4	32,275	3/4	20,760	3/4	9,240	3/4		3/4		3/4					
5	55,049	5	43,530	5	32,036	5	20,520	5	9,000	5		5		5					
1/4	54,809	1/4	43,290	1/4	31,796	1/4	20,280	1/4	8,760	1/4		1/4		1/4					
1/2	54,569	1/2	43,050	1/2	31,557	1/2	20,040	1/2	8,520	1/2		1/2		1/2					
3/4	54,329	3/4	42,810	3/4	31,318	3/4	19,800	3/4	8,280	3/4		3/4		3/4					
6	54,089	6	42,570	6	31,079	6	19,560	6	8,040	6		6		6					
1/4	53,849	1/4	42,330	1/4	30,839	1/4	19,320	1/4	7,800	1/4		1/4		1/4					
1/2	53,609	1/2	42,090	1/2	30,599	1/2	19,080	1/2	7,560	1/2		1/2		1/2					
3/4	53,369	3/4	41,850	3/4	30,359	3/4	18,840	3/4	7,320	3/4		3/4		3/4					
7	53,129	7	41,610	7	30,119	7	18,600	7	7,080	7		7		7					
1/4	52,889	1/4	41,370	1/4	29,879	1/4	18,360	1/4	6,840	1/4		1/4		1/4					
1/2	52,649	1/2	41,130	1/2	29,639	1/2	18,120	1/2	6,600	1/2		1/2		1/2					
3/4	52,409	3/4	40,890	3/4	29,399	3/4	17,880	3/4	6,360	3/4		3/4		3/4					
8	52,169	8	40,650	8	29,159	8	17,640	8	6,120	8		8		8					
1/4	51,929	1/4	40,410	1/4	28,919	1/4	17,400	1/4	5,880	1/4		1/4		1/4					
1/2	51,689	1/2	40,171	1/2	28,679	1/2	17,160	1/2	5,640	1/2		1/2		1/2					
3/4	51,449	3/4	39,932	3/4	28,439	3/4	16,920	3/4	5,400	3/4		3/4		3/4					
9	51,209	9	39,692	9	28,199	9	16,680	9	5,160	9		9		9					
1/4	50,969	1/4	39,453	1/4	27,959	1/4	16,440	1/4	4,920	1/4		1/4		1/4					
1/2	50,729	1/2	39,214	1/2	27,719	1/2	16,200	1/2	4,680	1/2		1/2		1/2					
3/4	50,489	3/4	38,974	3/4	27,479	3/4	15,960	3/4	4,440	3/4		3/4		3/4					
10	50,249	10	38,735	10	27,239	10	15,720	10	4,200	10		10		10					
1/4	50,009	1/4	38,496	1/4	27,000	1/4	15,480	1/4	3,960	1/4		1/4		1/4					
1/2	49,769	1/2	38,256	1/2	26,760	1/2	15,240	1/2	3,720	1/2		1/2		1/2					
3/4	49,529	3/4	38,017	3/4	26,520	3/4	15,000	3/4	3,480	3/4		3/4		3/4					
11	49,289	11	37,778	11	26,280	11	14,760	11	3,240	11		11		11					
1/4	49,049	1/4	37,538	1/4	26,040	1/4	14,520	1/4	3,000	1/4		1/4		1/4					
1/2	48,809	1/2	37,299	1/2	25,800	1/2	14,280	1/2	2,760	1/2		1/2		1/2					
3/4	48,569	3/4	37,060	3/4	25,560	3/4	14,040	3/4	2,521	3/4		3/4		3/4					

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 8/26/03 BY: BB/LJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 2
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'-3 3/4"

IN	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2
3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MMPMS CHAPTER 2.7.

NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.

NOTE: GAUGE POINT LOCATED 0'-9" OFF CENTERLINE AND 28"-4" FORWARD OF AFT BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 8/26/03 BY: BBV/L
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 2
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'-3.3/4"

IN	12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	54,021	0	43,559	0	33,109	0	22,666	0	12,205	0	1,744	0		0						
1/4	53,803	1/4	43,342	1/4	32,892	1/4	22,448	1/4	11,987	1/4	1,553	1/4		1/4						
1/2	53,585	1/2	43,124	1/2	32,675	1/2	22,230	1/2	11,769	1/2	1,363	1/2		1/2						
3/4	53,367	3/4	42,906	3/4	32,458	3/4	22,012	3/4	11,551	3/4	1,172	3/4		3/4						
1	53,149	1	42,688	1	32,241	1	21,795	1	11,333	1	981	1		1						
1/4	52,931	1/4	42,470	1/4	32,023	1/4	21,577	1/4	11,116	1/4	845	1/4		1/4						
1/2	52,713	1/2	42,252	1/2	31,806	1/2	21,359	1/2	10,898	1/2	709	1/2		1/2						
3/4	52,495	3/4	42,034	3/4	31,589	3/4	21,141	3/4	10,680	3/4	573	3/4		3/4						
2	52,277	2	41,816	2	31,372	2	20,923	2	10,462	2	436	2		2						
1/4	52,059	1/4	41,598	1/4	31,155	1/4	20,705	1/4	10,244	1/4	355	1/4		1/4						
1/2	51,841	1/2	41,380	1/2	30,938	1/2	20,487	1/2	10,026	1/2	273	1/2		1/2						
3/4	51,623	3/4	41,162	3/4	30,720	3/4	20,269	3/4	9,808	3/4	191	3/4		3/4						
3	51,406	3	40,944	3	30,503	3	20,051	3	9,590	3	110	3		3						
1/4	51,188	1/4	40,726	1/4	30,286	1/4	19,833	1/4	9,372	1/4	82	1/4		1/4						
1/2	50,970	1/2	40,508	1/2	30,069	1/2	19,615	1/2	9,154	1/2	55	1/2		1/2						
3/4	50,752	3/4	40,290	3/4	29,852	3/4	19,397	3/4	8,936	3/4	28	3/4		3/4						
4	50,534	4	40,072	4	29,634	4	19,179	4	8,718	4		4		4						
1/4	50,316	1/4	39,854	1/4	29,417	1/4	18,961	1/4	8,500	1/4		1/4		1/4						
1/2	50,098	1/2	39,636	1/2	29,200	1/2	18,743	1/2	8,282	1/2		1/2		1/2						
3/4	49,880	3/4	39,419	3/4	28,983	3/4	18,525	3/4	8,064	3/4		3/4		3/4						
5	49,662	5	39,201	5	28,766	5	18,308	5	7,846	5		5		5						
1/4	49,444	1/4	38,983	1/4	28,548	1/4	18,090	1/4	7,628	1/4		1/4		1/4						
1/2	49,226	1/2	38,765	1/2	28,331	1/2	17,872	1/2	7,411	1/2		1/2		1/2						
3/4	49,008	3/4	38,547	3/4	28,114	3/4	17,654	3/4	7,193	3/4		3/4		3/4						
6	48,790	6	38,329	6	27,897	6	17,436	6	6,975	6		6		6						
1/4	48,572	1/4	38,111	1/4	27,679	1/4	17,218	1/4	6,757	1/4		1/4		1/4						
1/2	48,354	1/2	37,893	1/2	27,461	1/2	17,000	1/2	6,539	1/2		1/2		1/2						
3/4	48,136	3/4	37,675	3/4	27,243	3/4	16,782	3/4	6,321	3/4		3/4		3/4						
7	47,918	7	37,457	7	27,025	7	16,564	7	6,103	7		7		7						
1/4	47,700	1/4	37,239	1/4	26,807	1/4	16,346	1/4	5,885	1/4		1/4		1/4						
1/2	47,483	1/2	37,021	1/2	26,589	1/2	16,128	1/2	5,667	1/2		1/2		1/2						
3/4	47,265	3/4	36,803	3/4	26,371	3/4	15,910	3/4	5,449	3/4		3/4		3/4						
8	47,047	8	36,585	8	26,153	8	15,692	8	5,231	8		8		8						
1/4	46,829	1/4	36,368	1/4	25,935	1/4	15,474	1/4	5,013	1/4		1/4		1/4						
1/2	46,611	1/2	36,151	1/2	25,717	1/2	15,256	1/2	4,795	1/2		1/2		1/2						
3/4	46,393	3/4	35,934	3/4	25,500	3/4	15,038	3/4	4,577	3/4		3/4		3/4						
9	46,175	9	35,716	9	25,282	9	14,820	9	4,359	9		9		9						
1/4	45,957	1/4	35,499	1/4	25,064	1/4	14,603	1/4	4,141	1/4		1/4		1/4						
1/2	45,739	1/2	35,282	1/2	24,846	1/2	14,385	1/2	3,923	1/2		1/2		1/2						
3/4	45,521	3/4	35,065	3/4	24,628	3/4	14,167	3/4	3,706	3/4		3/4		3/4						
10	45,303	10	34,847	10	24,410	10	13,949	10	3,488	10		10		10						
1/4	45,085	1/4	34,630	1/4	24,192	1/4	13,731	1/4	3,270	1/4		1/4		1/4						
1/2	44,867	1/2	34,413	1/2	23,974	1/2	13,513	1/2	3,052	1/2		1/2		1/2						
3/4	44,649	3/4	34,196	3/4	23,756	3/4	13,295	3/4	2,834	3/4		3/4		3/4						
11	44,431	11	33,978	11	23,538	11	13,077	11	2,616	11		11		11						
1/4	44,213	1/4	33,761	1/4	23,320	1/4	12,859	1/4	2,398	1/4		1/4		1/4						
1/2	43,995	1/2	33,544	1/2	23,102	1/2	12,641	1/2	2,180	1/2		1/2		1/2						
3/4	43,777	3/4	33,327	3/4	22,884	3/4	12,423	3/4	1,962	3/4		3/4		3/4						

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/26/03 BY: BB/UJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT



BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 3
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT: 17'-3 5/8"

IN	2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0																				
1/4	146,838	0	146,838	0	136,713	0	126,321	0	115,929	0	105,538	0	95,146	0	84,755	0	74,363	0	63,971	
1/2	146,680	1/4	146,522	1/2	136,496	1/4	126,105	1/2	115,716	1/4	105,325	1/2	94,930	1/4	84,538	1/2	74,147	1/4	63,755	
3/4	146,522	1/2	146,365	3/4	136,280	1/2	125,888	3/4	115,493	1/2	105,105	3/4	94,713	1/2	84,322	3/4	73,930	1/2	63,539	
1	146,365	3/4	146,208	1	136,063	3/4	125,672	1	115,280	3/4	104,888	1	94,494	3/4	84,105	1	73,714	3/4	63,322	
1/4	146,208	1	146,051	1/4	135,847	1	125,455	1/4	115,063	1	104,672	1/4	94,280	1	83,889	1/4	73,497	1	63,106	
1/2	146,051	1/4	145,894	1/2	135,631	1/4	125,239	1/2	114,847	1/4	104,455	1/2	94,064	1/4	83,672	1/2	73,284	1/4	62,889	
3/4	145,894	1/2	145,737	3/4	135,414	1/2	125,022	3/4	114,630	1/2	104,239	3/4	93,847	1/2	83,456	3/4	73,064	1/2	62,673	
2	145,737	3/4	145,580	2	135,197	3/4	124,806	2	114,414	3/4	104,022	2	93,631	3/4	83,239	2	72,848	3/4	62,456	
1/4	145,580	2	145,423	1/4	134,981	2	124,589	1/4	114,197	1/4	103,806	1/4	93,414	1/4	83,023	1/4	72,631	1/4	62,240	
1/2	145,423	1/4	145,266	1/2	134,764	1/4	124,373	1/2	113,981	1/4	103,593	1/4	93,198	1/4	82,806	1/4	72,415	1/4	62,023	
3/4	145,266	1/2	145,109	3/4	134,548	1/2	124,156	3/4	113,765	1/2	103,373	3/4	92,981	1/2	82,590	3/4	72,198	1/2	61,807	
3	145,109	3/4	144,952	3	134,331	3/4	123,940	3	113,548	3/4	103,156	3	92,765	3/4	82,373	3	71,982	3/4	61,590	
1/4	144,952	3	144,795	1/4	134,115	3	123,723	1/4	113,332	3	102,940	3	92,548	3	82,157	3	71,765	3	61,374	
1/2	144,795	1/4	144,638	1/2	133,898	1/4	123,507	1/2	113,115	1/4	102,723	1/4	92,332	1/4	81,940	1/4	71,549	1/4	61,157	
3/4	144,638	1/2	144,481	3/4	133,682	1/2	123,290	3/4	112,899	1/2	102,507	1/2	92,115	1/2	81,724	1/2	71,332	1/2	60,941	
4	144,481	3/4	144,324	4	133,465	3/4	123,074	4	112,682	3/4	102,290	4	91,899	3/4	81,507	4	71,116	3/4	60,724	
1/4	144,324	4	144,167	1/4	133,249	4	122,857	1/4	112,466	4	102,074	4	91,682	4	81,291	4	70,899	4	60,508	
1/2	144,167	1/4	144,010	1/2	133,032	1/4	122,641	1/2	112,249	1/4	101,857	1/4	91,466	1/4	81,074	1/4	70,683	1/4	60,291	
3/4	144,010	1/2	143,853	3/4	132,816	1/2	122,424	3/4	112,033	1/2	101,641	1/2	91,249	1/2	80,858	1/2	70,466	1/2	60,075	
5	143,853	3/4	143,696	5	132,599	3/4	122,208	5	111,816	3/4	101,424	5	91,033	3/4	80,641	5	70,250	3/4	59,858	
1/4	143,696	5	143,539	1/4	132,383	5	121,991	1/4	111,600	1/4	101,208	1/4	90,816	1/4	80,425	1/4	70,033	1/4	59,642	
1/2	143,539	1/4	143,382	1/2	132,166	1/4	121,775	1/2	111,383	1/4	100,992	1/4	90,600	1/4	80,208	1/4	69,817	1/4	59,425	
3/4	143,382	1/2	143,225	3/4	131,953	1/2	121,558	3/4	111,167	1/2	100,775	1/2	90,383	1/2	80,028	1/2	69,600	1/2	59,209	
6	143,225	3/4	143,068	6	131,733	3/4	121,342	6	110,950	3/4	100,559	6	90,167	3/4	79,775	6	69,384	3/4	58,992	
1/4	143,068	6	142,911	1/4	131,517	6	121,125	1/4	110,734	1/4	100,342	1/4	89,950	1/4	79,559	1/4	69,167	1/4	58,776	
1/2	142,911	1/4	142,754	1/2	131,300	1/4	120,909	1/2	110,517	1/4	100,126	1/4	89,734	1/4	79,342	1/4	68,951	1/4	58,559	
3/4	142,754	1/2	142,597	3/4	131,084	1/2	120,692	3/4	110,301	1/2	99,909	1/2	89,517	1/2	79,126	1/2	68,734	1/2	58,343	
7	142,597	3/4	142,440	7	130,867	3/4	120,476	7	110,084	3/4	99,693	7	89,301	3/4	78,909	7	68,518	3/4	58,126	
1/4	142,440	7	142,283	1/4	130,651	7	120,259	1/4	109,868	1/4	99,476	1/4	89,084	1/4	78,693	1/4	68,301	1/4	57,910	
1/2	142,283	1/4	142,126	1/2	130,434	1/4	120,043	1/2	109,651	1/4	99,260	1/4	88,868	1/4	78,476	1/4	68,085	1/4	57,693	
3/4	142,126	1/2	141,969	3/4	130,218	1/2	119,826	3/4	109,435	1/2	99,043	1/2	88,652	1/2	78,260	1/2	67,868	1/2	57,477	
8	141,969	3/4	141,812	8	130,001	3/4	119,610	8	109,218	3/4	98,827	8	88,435	3/4	78,043	8	67,652	3/4	57,260	
1/4	141,812	8	141,655	1/4	129,785	8	119,393	1/4	109,002	1/4	98,610	1/4	88,219	1/4	77,827	1/4	67,435	1/4	57,044	
1/2	141,655	1/4	141,498	1/2	129,568	1/4	119,177	1/2	108,785	1/4	98,394	1/4	88,002	1/4	77,610	1/4	67,219	1/4	56,827	
3/4	141,498	1/2	141,341	3/4	129,352	1/2	118,960	3/4	108,569	1/2	98,177	1/2	87,786	1/2	77,394	1/2	67,002	1/2	56,611	
9	141,341	3/4	141,184	9	129,135	3/4	118,744	9	108,352	3/4	97,961	9	87,569	3/4	77,177	9	66,786	3/4	56,394	
1/4	141,184	9	141,027	1/4	128,919	9	118,527	1/4	108,136	1/4	97,744	1/4	87,353	1/4	76,961	1/4	66,569	1/4	56,178	
1/2	141,027	1/4	140,870	1/2	128,702	1/4	118,311	1/2	107,919	1/4	97,528	1/4	87,136	1/4	76,744	1/4	66,353	1/4	55,961	
3/4	140,870	1/2	140,713	3/4	128,486	1/2	118,094	3/4	107,703	1/2	97,311	1/2	86,920	1/2	76,528	1/2	66,136	1/2	55,745	
10	140,713	3/4	140,556	10	128,269	3/4	117,878	10	107,486	3/4	97,095	10	86,703	3/4	76,311	10	65,920	3/4	55,528	
1/4	140,556	10	140,399	1/4	128,053	10	117,661	1/4	107,270	1/4	96,878	1/4	86,487	1/4	76,095	1/4	65,703	1/4	55,312	
1/2	140,399	1/4	140,242	1/2	127,836	1/4	117,445	1/2	107,053	1/4	96,662	1/4	86,270	1/4	75,879	1/4	65,487	1/4	55,095	
3/4	140,242	1/2	140,085	3/4	127,620	1/2	117,228	3/4	106,837	1/2	96,445	1/2	86,054	1/2	75,662	1/2	65,270	1/2	54,879	
11	140,085	3/4	139,928	11	127,403	3/4	117,012	11	106,620	3/4	96,229	11	85,837	3/4	75,446	11	65,054	3/4	54,662	
1/4	139,928	11	139,771	1/4	127,187	11	116,795	1/4	106,404	1/4	96,012	1/4	85,621	1/4	75,229	1/4	64,837	1/4	54,446	
1/2	139,771	1/4	139,614	1/2	126,970	1/4	116,579	1/2	106,187	1/4	95,796	1/4	85,404	1/4	75,013	1/4	64,621	1/4	54,229	
3/4	139,614	1/2	139,457	3/4	126,754	1/2	116,362	3/4	105,971	1/2	95,579	1/2	85,188	1/2	74,796	1/2	64,404	1/2	54,013	
12	139,457	3/4	139,300	12	126,538	3/4	116,146	12	105,754	3/4	95,363	12	84,971	3/4	74,580	12	64,188	3/4	53,796	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 0'-9" OFF CENTERLINE AND 28'-4" FORWARD OF AFT BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2' ABOVE TANK BOTTOM.

DATE STRAPPED: 8/26/03 BY: BB/JJ
 DATE COMPUTED: 10/01/03 BY: WHF
 DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT

BARGE "CBC 96"
HULL NO. 03-2990

TANK NO. 3
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

FOR GAUGING WITH MMC GAUGE TAPE ONLY

GAUGE HEIGHT 17'-3 5/8"

IN	12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	53,580	0	43,188	0	32,798	0	22,409	0	12,016	0	1,648	0		0						
1/4	53,363	1/4	42,972	1/4	32,581	1/4	22,192	1/4	11,800	1/4	1,455	1/4		1/4						
1/2	53,147	1/2	42,755	1/2	32,365	1/2	21,976	1/2	11,583	1/2	1,262	1/2		1/2						
3/4	52,930	3/4	42,539	3/4	32,149	3/4	21,759	3/4	11,367	3/4	1,070	3/4		3/4						
1	52,714	1	42,322	1	31,932	1	21,543	1	11,150	1	907	1		1						
1/4	52,497	1/4	42,106	1/4	31,716	1/4	21,326	1/4	10,934	1/4	799	1/4		1/4						
1/2	52,281	1/2	41,889	1/2	31,500	1/2	21,110	1/2	10,717	1/2	650	1/2		1/2						
3/4	52,064	3/4	41,673	3/4	31,283	3/4	20,893	3/4	10,501	3/4	522	3/4		3/4						
2	51,848	2	41,456	2	31,067	2	20,677	2	10,284	2	393	2		2						
1/4	51,631	1/4	41,240	1/4	30,850	1/4	20,460	1/4	10,068	1/4	312	1/4		1/4						
1/2	51,415	1/2	41,023	1/2	30,634	1/2	20,244	1/2	9,851	1/2	231	1/2		1/2						
3/4	51,198	3/4	40,807	3/4	30,418	3/4	20,027	3/4	9,635	3/4	149	3/4		3/4						
3	50,982	3	40,590	3	30,201	3	19,811	3	9,418	3	95	3		3						
1/4	50,766	1/4	40,374	1/4	29,985	1/4	19,594	1/4	9,202	1/4	68	1/4		1/4						
1/2	50,549	1/2	40,157	1/2	29,769	1/2	19,378	1/2	8,985	1/2	41	1/2		1/2						
3/4	50,333	3/4	39,941	3/4	29,552	3/4	19,161	3/4	8,769	3/4	28	3/4		3/4						
4	50,116	4	39,724	4	29,336	4	18,945	4	8,552	4		4		4						
1/4	49,900	1/4	39,508	1/4	29,119	1/4	18,728	1/4	8,336	1/4		1/4		1/4						
1/2	49,683	1/2	39,291	1/2	28,903	1/2	18,512	1/2	8,119	1/2		1/2		1/2						
3/4	49,467	3/4	39,075	3/4	28,687	3/4	18,295	3/4	7,903	3/4		3/4		3/4						
5	49,250	5	38,858	5	28,470	5	18,079	5	7,686	5		5		5						
1/4	49,034	1/4	38,642	1/4	28,254	1/4	17,862	1/4	7,470	1/4		1/4		1/4						
1/2	48,817	1/2	38,425	1/2	28,038	1/2	17,646	1/2	7,253	1/2		1/2		1/2						
3/4	48,601	3/4	38,209	3/4	27,821	3/4	17,429	3/4	7,037	3/4		3/4		3/4						
7	47,518	7	37,127	7	26,739	7	16,347	7	5,954	7		7		7						
1/4	47,302	1/4	36,910	1/4	26,522	1/4	16,130	1/4	5,738	1/4		1/4		1/4						
1/2	47,085	1/2	36,694	1/2	26,306	1/2	15,914	1/2	5,521	1/2		1/2		1/2						
3/4	46,869	3/4	36,477	3/4	26,089	3/4	15,697	3/4	5,305	3/4		3/4		3/4						
8	46,652	8	36,261	8	25,873	8	15,481	8	5,088	8		8		8						
1/4	46,436	1/4	36,044	1/4	25,656	1/4	15,264	1/4	4,872	1/4		1/4		1/4						
1/2	46,219	1/2	35,828	1/2	25,440	1/2	15,048	1/2	4,655	1/2		1/2		1/2						
3/4	46,003	3/4	35,611	3/4	25,223	3/4	14,831	3/4	4,439	3/4		3/4		3/4						
9	45,786	9	35,395	9	25,007	9	14,615	9	4,222	9		9		9						
1/4	45,570	1/4	35,179	1/4	24,790	1/4	14,398	1/4	4,006	1/4		1/4		1/4						
1/2	45,353	1/2	34,962	1/2	24,574	1/2	14,182	1/2	3,789	1/2		1/2		1/2						
3/4	45,137	3/4	34,746	3/4	24,357	3/4	13,965	3/4	3,573	3/4		3/4		3/4						
10	44,920	10	34,529	10	24,141	10	13,749	10	3,356	10		10		10						
1/4	44,704	1/4	34,313	1/4	23,924	1/4	13,532	1/4	3,140	1/4		1/4		1/4						
1/2	44,487	1/2	34,096	1/2	23,708	1/2	13,316	1/2	2,923	1/2		1/2		1/2						
3/4	44,271	3/4	33,880	3/4	23,491	3/4	13,099	3/4	2,707	3/4		3/4		3/4						
11	44,054	11	33,664	11	23,275	11	12,882	11	2,490	11		11		11						
1/4	43,838	1/4	33,447	1/4	23,058	1/4	12,666	1/4	2,274	1/4		1/4		1/4						
1/2	43,621	1/2	33,231	1/2	22,842	1/2	12,449	1/2	2,057	1/2		1/2		1/2						
3/4	43,405	3/4	33,014	3/4	22,625	3/4	12,233	3/4	1,841	3/4		3/4		3/4						

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/26/03 BY: BB/LJ
DATE COMPUTED: 10/01/03 BY: WHF
DATE ISSUE: 10/01/03

INTERTEK - CALEB BRETT