

BARGE "CBC 97"
HULL NO. 03-2991

TANK NO. 1
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16"-10 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	31	0	9,818	0	21,311	0	32,797	0	44,268	0	55,761	0	67,254	0	78,748	0	90,241	0	101,735
1/4	60	1/4	10,057	1/4	21,550	1/4	33,036	1/4	44,507	1/4	56,001	1/4	67,494	1/4	78,987	1/4	90,481	1/4	101,974
1/2	90	1/2	10,296	1/2	21,790	1/2	33,274	1/2	44,747	1/2	56,240	1/2	67,733	1/2	79,227	1/2	90,720	1/2	102,213
3/4	120	3/4	10,536	3/4	22,029	3/4	33,513	3/4	44,986	3/4	56,479	3/4	67,973	3/4	79,466	3/4	90,960	3/4	102,453
1	210	1	10,775	1	22,268	1	33,752	1	45,225	1	56,719	1	68,212	1	79,706	1	91,199	1	102,692
1 1/4	300	1 1/4	11,015	1 1/4	22,508	1 1/4	33,990	1 1/4	45,465	1 1/4	56,958	1 1/4	68,452	1 1/4	79,945	1 1/4	91,438	1 1/4	102,932
1 1/2	390	1 1/2	11,254	1 1/2	22,747	1 1/2	34,229	1 1/2	45,704	1 1/2	57,198	1 1/2	68,691	1 1/2	80,184	1 1/2	91,678	1 1/2	103,171
3/4	479	3/4	11,494	3/4	22,987	3/4	34,468	3/4	45,944	3/4	57,437	3/4	68,931	3/4	80,424	3/4	91,917	3/4	103,411
2	629	2	11,733	2	23,226	2	34,707	2	46,183	2	57,677	2	69,170	2	80,663	2	92,157	2	103,650
1 1/4	779	1 1/4	11,973	1 1/4	23,466	1 1/4	34,945	1 1/4	46,423	1 1/4	57,916	1 1/4	69,409	1 1/4	80,903	1 1/4	92,396	1 1/4	103,890
1 1/2	928	1 1/2	12,212	1 1/2	23,705	1 1/2	35,184	1 1/2	46,662	1 1/2	58,156	1 1/2	69,649	1 1/2	81,142	1 1/2	92,636	1 1/2	104,129
3/4	1,078	3/4	12,451	3/4	23,945	3/4	35,423	3/4	46,902	3/4	58,395	3/4	69,888	3/4	81,382	3/4	92,875	3/4	104,368
3	1,288	3	12,691	3	24,184	3	35,661	3	47,141	3	58,634	3	70,128	3	81,621	3	93,115	3	104,608
1 1/4	1,497	1 1/4	12,930	1 1/4	24,423	1 1/4	35,900	1 1/4	47,380	1 1/4	58,874	1 1/4	70,367	1 1/4	81,861	1 1/4	93,354	1 1/4	104,847
1 1/2	1,707	1 1/2	13,170	1 1/2	24,663	1 1/2	36,139	1 1/2	47,619	1 1/2	59,113	1 1/2	70,607	1 1/2	82,100	1 1/2	93,593	1 1/2	105,087
3/4	1,916	3/4	13,409	3/4	24,902	3/4	36,377	3/4	47,859	3/4	59,353	3/4	70,846	3/4	82,339	3/4	93,833	3/4	105,326
4	2,156	4	13,649	4	25,142	4	36,616	4	48,099	4	59,592	4	71,086	4	82,579	4	94,072	4	105,566
1 1/4	2,395	1 1/4	13,888	1 1/4	25,381	1 1/4	36,855	1 1/4	48,338	1 1/4	59,832	1 1/4	71,325	1 1/4	82,818	1 1/4	94,312	1 1/4	105,805
1 1/2	2,634	1 1/2	14,127	1 1/2	25,621	1 1/2	37,094	1 1/2	48,578	1 1/2	59,113	1 1/2	71,564	1 1/2	83,058	1 1/2	94,551	1 1/2	106,044
3/4	2,874	3/4	14,367	3/4	25,860	3/4	37,332	3/4	48,817	3/4	59,353	3/4	71,804	3/4	83,297	3/4	94,791	3/4	106,284
5	3,113	5	14,606	5	26,099	5	37,571	5	49,057	5	60,550	5	72,043	5	83,537	5	95,030	5	106,523
1 1/4	3,353	1 1/4	14,846	1 1/4	26,339	1 1/4	37,810	1 1/4	49,296	1 1/4	60,789	1 1/4	72,283	1 1/4	83,776	1 1/4	95,270	1 1/4	106,763
1 1/2	3,592	1 1/2	15,085	1 1/2	26,578	1 1/2	38,048	1 1/2	49,535	1 1/2	61,029	1 1/2	72,522	1 1/2	84,016	1 1/2	95,509	1 1/2	107,002
3/4	3,832	3/4	15,325	3/4	26,818	3/4	38,287	3/4	49,775	3/4	61,268	3/4	72,762	3/4	84,255	3/4	95,748	3/4	107,242
6	4,071	6	15,564	6	27,057	6	38,526	6	50,014	6	61,508	6	73,001	6	84,494	6	95,988	6	107,481
1 1/4	4,310	1 1/4	15,804	1 1/4	27,297	1 1/4	38,765	1 1/4	50,254	1 1/4	61,747	1 1/4	73,241	1 1/4	84,734	1 1/4	96,227	1 1/4	107,721
1 1/2	4,550	1 1/2	16,043	1 1/2	27,536	1 1/2	39,003	1 1/2	50,493	1 1/2	62,987	1 1/2	73,480	1 1/2	84,973	1 1/2	96,467	1 1/2	107,960
3/4	4,789	3/4	16,282	3/4	27,776	3/4	39,242	3/4	50,733	3/4	63,226	3/4	73,719	3/4	85,213	3/4	96,706	3/4	108,200
7	5,029	7	16,522	7	28,015	7	39,481	7	50,972	7	63,466	7	73,959	7	85,452	7	96,946	7	108,439
1 1/4	5,268	1 1/4	16,761	1 1/4	28,254	1 1/4	39,720	1 1/4	51,212	1 1/4	63,705	1 1/4	74,198	1 1/4	85,692	1 1/4	97,185	1 1/4	108,678
1 1/2	5,508	1 1/2	17,001	1 1/2	28,494	1 1/2	39,958	1 1/2	51,451	1 1/2	63,944	1 1/2	74,438	1 1/2	85,931	1 1/2	97,425	1 1/2	108,918
3/4	5,747	3/4	17,240	3/4	28,733	3/4	40,197	3/4	51,691	3/4	64,184	3/4	74,677	3/4	86,171	3/4	97,664	3/4	109,157
8	5,987	8	17,480	8	28,973	8	40,437	8	51,930	8	64,423	8	74,917	8	86,410	8	97,903	8	109,397
1 1/4	6,226	1 1/4	17,719	1 1/4	29,212	1 1/4	40,676	1 1/4	52,169	1 1/4	64,663	1 1/4	75,156	1 1/4	86,650	1 1/4	98,143	1 1/4	109,636
1 1/2	6,465	1 1/2	17,959	1 1/2	29,452	1 1/2	40,915	1 1/2	52,409	1 1/2	64,902	1 1/2	75,396	1 1/2	86,889	1 1/2	98,382	1 1/2	109,876
3/4	6,705	3/4	18,198	3/4	29,691	3/4	41,155	3/4	52,648	3/4	65,142	3/4	75,635	3/4	87,128	3/4	98,622	3/4	110,115
9	6,944	9	18,437	9	29,930	9	41,394	9	52,888	9	65,381	9	75,874	9	87,368	9	98,861	9	110,355
1 1/4	7,184	1 1/4	18,677	1 1/4	30,170	1 1/4	41,634	1 1/4	53,127	1 1/4	65,621	1 1/4	76,114	1 1/4	87,607	1 1/4	99,101	1 1/4	110,594
1 1/2	7,423	1 1/2	18,916	1 1/2	30,409	1 1/2	41,873	1 1/2	53,365	1 1/2	65,859	1 1/2	76,353	1 1/2	87,847	1 1/2	99,340	1 1/2	110,833
3/4	7,663	3/4	19,156	3/4	30,649	3/4	42,113	3/4	53,606	3/4	66,099	3/4	76,593	3/4	88,086	3/4	99,580	3/4	111,073
10	7,902	10	19,395	10	30,887	10	42,352	10	53,846	10	66,339	10	76,832	10	88,326	10	99,819	10	111,312
1 1/4	8,142	1 1/4	19,635	1 1/4	31,126	1 1/4	42,592	1 1/4	54,085	1 1/4	66,578	1 1/4	77,072	1 1/4	88,565	1 1/4	100,058	1 1/4	111,552
1 1/2	8,381	1 1/2	19,874	1 1/2	31,365	1 1/2	42,831	1 1/2	54,324	1 1/2	66,818	1 1/2	77,311	1 1/2	88,805	1 1/2	100,298	1 1/2	111,791
3/4	8,620	3/4	20,113	3/4	31,604	3/4	43,070	3/4	54,564	3/4	67,057	3/4	77,551	3/4	89,044	3/4	100,537	3/4	112,031
11	8,860	11	20,353	11	31,842	11	43,310	11	54,803	11	67,297	11	77,790	11	89,283	11	100,777	11	112,270
1 1/4	9,099	1 1/4	20,592	1 1/4	32,081	1 1/4	43,549	1 1/4	55,043	1 1/4	67,536	1 1/4	78,029	1 1/4	89,523	1 1/4	101,016	1 1/4	112,510
1 1/2	9,339	1 1/2	20,832	1 1/2	32,320	1 1/2	43,789	1 1/2	55,282	1 1/2	67,776	1 1/2	78,269	1 1/2	89,762	1 1/2	101,256	1 1/2	112,749
3/4	9,578	3/4	21,071	3/4	32,558	3/4	44,028	3/4	55,522	3/4	68,015	3/4	78,508	3/4	90,002	3/4	101,495	3/4	112,988

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER HMC BALL VALVE, LOCATED 0'-9" OFF CENTRELINE
AND 28'-4" FORWARD OF AFT. BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BB/DW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT

CAL. CITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'- 10 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	113,228	0	124,721	0	136,215	0	147,708	0	159,201	0		0		0		0		0	
1/4	113,467	1/4	124,961	1/4	136,454	1/4	147,947	1/4	159,441	1/4				1/4		1/4		1/4	
1/2	113,707	1/2	125,200	1/2	136,694	1/2	148,187	1/2	159,680	1/2				1/2		1/2		1/2	
3/4	113,946	3/4	125,440	3/4	136,933	3/4	148,426	3/4	159,920	3/4				3/4		3/4		3/4	
1	114,186	1	125,679	1	137,172	1	148,666	1	160,159	1				1		1		1	
1/4	114,425	1/4	125,919	1/4	137,412	1/4	148,905	1/4	160,399	1/4				1/4		1/4		1/4	
1/2	114,665	1/2	126,158	1/2	137,651	1/2	149,145	1/2	160,638	1/2				1/2		1/2		1/2	
3/4	114,904	3/4	126,397	3/4	137,891	3/4	149,384	3/4	160,878	3/4				3/4		3/4		3/4	
2	115,143	2	126,637	2	138,130	2	149,624	2	161,097	2				2		2		2	
1/4	115,383	1/4	126,876	1/4	138,370	1/4	149,863	1/4	161,317	1/4				1/4		1/4		1/4	
1/2	115,622	1/2	127,116	1/2	138,609	1/2	150,102	1/2	161,536	1/2				1/2		1/2		1/2	
3/4	115,862	3/4	127,355	3/4	138,849	3/4	150,342	3/4	161,755	3/4				3/4		3/4		3/4	
3	116,101	3	127,595	3	139,088	3	150,581	3	161,935	3				3		3		3	
1/4	116,341	1/4	127,834	1/4	139,327	1/4	150,821	1/4	162,115	1/4				1/4		1/4		1/4	
1/2	116,580	1/2	128,074	1/2	139,567	1/2	151,060	1/2	162,294	1/2				1/2		1/2		1/2	
3/4	116,820	3/4	128,313	3/4	139,806	3/4	151,300	3/4	162,474	3/4				3/4		3/4		3/4	
4	117,059	4	128,552	4	140,046	4	151,539	4	162,614	4				4		4		4	
1/4	117,298	1/4	128,792	1/4	140,285	1/4	151,779	1/4	162,753	1/4				1/4		1/4		1/4	
1/2	117,538	1/2	129,031	1/2	140,525	1/2	152,018	1/2	162,893	1/2				1/2		1/2		1/2	
3/4	117,777	3/4	129,271	3/4	140,764	3/4	152,257	3/4	163,033	3/4				3/4		3/4		3/4	
5	118,017	5	129,510	5	141,004	5	152,497	5	163,132	5				5		5		5	
1/4	118,256	1/4	129,750	1/4	141,243	1/4	152,736	1/4	163,232	1/4				1/4		1/4		1/4	
1/2	118,496	1/2	129,989	1/2	141,482	1/2	152,976	1/2	163,332	1/2				1/2		1/2		1/2	
3/4	118,735	3/4	130,229	3/4	141,722	3/4	153,215	3/4	163,432	3/4				3/4		3/4		3/4	
6	118,975	6	130,468	6	141,961	6	153,455	6	163,491	6				6		6		6	
1/4	119,214	1/4	130,707	1/4	142,201	1/4	153,694	1/4	163,551	1/4				1/4		1/4		1/4	
1/2	119,454	1/2	130,947	1/2	142,440	1/2	153,934	1/2	163,611	1/2				1/2		1/2		1/2	
3/4	119,693	3/4	131,186	3/4	142,680	3/4	154,173	3/4	163,671	3/4				3/4		3/4		3/4	
7	119,932	7	131,426	7	142,919	7	154,413	7	163,691	7				7		7		7	
1/4	120,172	1/4	131,665	1/4	143,159	1/4	154,652	1/4	163,711	1/4				1/4		1/4		1/4	
1/2	120,411	1/2	131,905	1/2	143,398	1/2	154,891	1/2	163,731	1/2				1/2		1/2		1/2	
3/4	120,651	3/4	132,144	3/4	143,637	3/4	155,131	3/4	163,751	3/4				3/4		3/4		3/4	
8	120,890	8	132,384	8	143,877	8	155,370	8	163,691	8				8		8		8	
1/4	121,130	1/4	132,623	1/4	144,116	1/4	155,610	1/4	163,711	1/4				1/4		1/4		1/4	
1/2	121,369	1/2	132,862	1/2	144,356	1/2	155,849	1/2	163,731	1/2				1/2		1/2		1/2	
3/4	121,609	3/4	133,102	3/4	144,595	3/4	156,089	3/4	163,751	3/4				3/4		3/4		3/4	
9	121,848	9	133,341	9	144,835	9	156,328	9	163,691	9				9		9		9	
1/4	122,087	1/4	133,581	1/4	145,074	1/4	156,568	1/4	163,711	1/4				1/4		1/4		1/4	
1/2	122,327	1/2	133,820	1/2	145,314	1/2	156,807	1/2	163,731	1/2				1/2		1/2		1/2	
3/4	122,566	3/4	134,060	3/4	145,553	3/4	157,046	3/4	163,751	3/4				3/4		3/4		3/4	
10	122,806	10	134,299	10	145,792	10	157,286	10	163,691	10				10		10		10	
1/4	123,045	1/4	134,539	1/4	146,032	1/4	157,525	1/4	163,711	1/4				1/4		1/4		1/4	
1/2	123,285	1/2	134,778	1/2	146,271	1/2	157,765	1/2	163,731	1/2				1/2		1/2		1/2	
3/4	123,524	3/4	135,017	3/4	146,511	3/4	158,004	3/4	163,751	3/4				3/4		3/4		3/4	
11	123,764	11	135,257	11	146,750	11	158,244	11	163,691	11				11		11		11	
1/4	124,003	1/4	135,496	1/4	146,990	1/4	158,483	1/4	163,711	1/4				1/4		1/4		1/4	
1/2	124,242	1/2	135,736	1/2	147,229	1/2	158,723	1/2	163,731	1/2				1/2		1/2		1/2	
3/4	124,482	3/4	135,975	3/4	147,469	3/4	158,962	3/4	163,751	3/4				3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 9/26/03 BY: RB/JW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

BARGE "CBC 97"
HULL NO. 03-2991

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-10 3/4"

IN	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	28	0	8,939	0	19,404	0	29,862	0	40,304	0	50,769	0	61,234	0	71,700	0	82,165	0	92,630	
1/4	55	1/4	9,157	1/4	19,622	1/4	30,079	1/4	40,522	1/4	50,987	1/4	61,452	1/4	71,918	1/4	82,383	1/4	92,848	
1/2	82	1/2	9,375	1/2	19,840	1/2	30,297	1/2	40,740	1/2	51,205	1/2	61,671	1/2	72,136	1/2	82,601	1/2	93,066	
3/4	110	3/4	9,593	3/4	20,058	3/4	30,514	3/4	40,958	3/4	51,423	3/4	61,889	3/4	72,354	3/4	82,819	3/4	93,284	
1	191	1	9,811	1	20,276	1	30,731	1	41,176	1	51,642	1	62,107	1	72,572	1	83,037	1	93,502	
1/4	273	1/4	10,029	1/4	20,494	1/4	30,949	1/4	41,394	1/4	51,860	1/4	62,325	1/4	72,790	1/4	83,255	1/4	93,720	
1/2	355	1/2	10,247	1/2	20,712	1/2	31,166	1/2	41,613	1/2	52,078	1/2	62,543	1/2	73,008	1/2	83,473	1/2	93,938	
3/4	437	3/4	10,465	3/4	20,930	3/4	31,383	3/4	41,831	3/4	52,296	3/4	62,761	3/4	73,226	3/4	83,691	3/4	94,156	
2	573	2	10,683	2	21,148	2	31,600	2	42,049	2	52,514	2	62,979	2	73,444	2	83,909	2	94,374	
1/4	709	1/4	10,901	1/4	21,366	1/4	31,816	1/4	42,267	1/4	52,732	1/4	63,197	1/4	73,662	1/4	84,127	1/4	94,592	
1/2	845	1/2	11,119	1/2	21,584	1/2	32,035	1/2	42,485	1/2	52,950	1/2	63,415	1/2	73,880	1/2	84,345	1/2	94,810	
3/4	982	3/4	11,337	3/4	21,802	3/4	32,252	3/4	42,703	3/4	53,168	3/4	63,633	3/4	74,098	3/4	84,563	3/4	95,028	
3	1,172	3	11,555	3	22,020	3	32,469	3	42,921	3	53,386	3	63,851	3	74,316	3	84,781	3	95,246	
1/4	1,363	1/4	11,773	1/4	22,238	1/4	32,686	1/4	43,139	1/4	53,604	1/4	64,069	1/4	74,534	1/4	84,999	1/4	95,464	
1/2	1,554	1/2	11,991	1/2	22,456	1/2	32,904	1/2	43,357	1/2	53,822	1/2	64,287	1/2	74,752	1/2	85,217	1/2	95,682	
3/4	1,745	3/4	12,209	3/4	22,674	3/4	33,121	3/4	43,575	3/4	54,040	3/4	64,505	3/4	74,970	3/4	85,435	3/4	95,900	
4	1,963	4	12,427	4	22,892	4	33,338	4	43,793	4	54,258	4	64,723	4	75,188	4	85,653	4	96,118	
1/4	2,181	1/4	12,645	1/4	23,110	1/4	33,556	1/4	44,011	1/4	54,476	1/4	64,941	1/4	75,406	1/4	85,871	1/4	96,336	
1/2	2,399	1/2	12,864	1/2	23,328	1/2	33,773	1/2	44,229	1/2	54,694	1/2	65,159	1/2	75,624	1/2	86,089	1/2	96,554	
3/4	2,617	3/4	13,082	3/4	23,546	3/4	33,990	3/4	44,447	3/4	54,912	3/4	65,377	3/4	75,842	3/4	86,307	3/4	96,772	
5	2,835	5	13,300	5	23,764	5	34,208	5	44,665	5	55,130	5	65,595	5	76,060	5	86,525	5	97,090	
1/4	3,053	1/4	13,518	1/4	23,982	1/4	34,425	1/4	44,883	1/4	55,348	1/4	65,813	1/4	76,278	1/4	86,743	1/4	97,208	
1/2	3,271	1/2	13,736	1/2	24,200	1/2	34,642	1/2	45,101	1/2	55,566	1/2	66,031	1/2	76,496	1/2	86,961	1/2	97,426	
3/4	3,489	3/4	13,954	3/4	24,418	3/4	34,860	3/4	45,319	3/4	55,784	3/4	66,249	3/4	76,714	3/4	87,179	3/4	97,644	
6	3,707	6	14,172	6	24,636	6	35,077	6	45,537	6	56,002	6	66,467	6	76,932	6	87,397	6	97,862	
1/4	3,925	1/4	14,390	1/4	24,854	1/4	35,294	1/4	45,755	1/4	56,220	1/4	66,685	1/4	77,150	1/4	87,615	1/4	98,080	
1/2	4,143	1/2	14,608	1/2	25,072	1/2	35,511	1/2	45,973	1/2	56,438	1/2	66,903	1/2	77,368	1/2	87,833	1/2	98,298	
3/4	4,361	3/4	14,826	3/4	25,290	3/4	35,729	3/4	46,195	3/4	56,656	3/4	67,121	3/4	77,586	3/4	88,051	3/4	98,516	
7	4,579	7	15,044	7	25,508	7	35,946	7	46,409	7	56,874	7	67,339	7	77,804	7	88,269	7	98,734	
1/4	4,797	1/4	15,262	1/4	25,726	1/4	36,163	1/4	46,627	1/4	57,092	1/4	67,557	1/4	78,022	1/4	88,487	1/4	98,952	
1/2	5,015	1/2	15,480	1/2	25,944	1/2	36,381	1/2	46,845	1/2	57,310	1/2	67,775	1/2	78,240	1/2	88,705	1/2	99,170	
3/4	5,233	3/4	15,698	3/4	26,162	3/4	36,598	3/4	47,063	3/4	57,528	3/4	68,093	3/4	78,458	3/4	88,923	3/4	99,388	
8	5,451	8	15,916	8	26,380	8	36,816	8	47,281	8	57,746	8	68,211	8	78,676	8	89,141	8	99,606	
1/4	5,669	1/4	16,134	1/4	26,599	1/4	37,034	1/4	47,499	1/4	58,064	1/4	68,429	1/4	78,894	1/4	89,359	1/4	99,824	
1/2	5,887	1/2	16,352	1/2	26,817	1/2	37,252	1/2	47,717	1/2	58,282	1/2	68,647	1/2	79,112	1/2	89,577	1/2	100,042	
3/4	6,105	3/4	16,570	3/4	27,035	3/4	37,470	3/4	47,935	3/4	58,400	3/4	68,865	3/4	79,330	3/4	89,795	3/4	100,260	
9	6,323	9	16,788	9	27,253	9	37,688	9	48,153	9	58,618	9	69,083	9	79,548	9	90,013	9	100,478	
1/4	6,541	1/4	17,006	1/4	27,471	1/4	37,906	1/4	48,371	1/4	58,836	1/4	69,301	1/4	79,766	1/4	90,231	1/4	100,696	
1/2	6,759	1/2	17,224	1/2	27,689	1/2	38,124	1/2	48,589	1/2	59,054	1/2	69,519	1/2	79,984	1/2	90,449	1/2	100,914	
3/4	6,977	3/4	17,442	3/4	27,907	3/4	38,342	3/4	48,807	3/4	59,272	3/4	69,737	3/4	80,202	3/4	90,667	3/4	101,132	
10	7,195	10	17,660	10	28,124	10	38,560	10	49,025	10	59,490	10	69,955	10	80,420	10	90,885	10	101,350	
1/4	7,413	1/4	17,878	1/4	28,341	1/4	38,778	1/4	49,243	1/4	59,708	1/4	70,173	1/4	80,638	1/4	91,103	1/4	101,569	
1/2	7,631	1/2	18,096	1/2	28,558	1/2	38,996	1/2	49,461	1/2	59,926	1/2	70,391	1/2	80,856	1/2	91,321	1/2	101,787	
3/4	7,849	3/4	18,314	3/4	28,776	3/4	39,214	3/4	49,679	3/4	60,144	3/4	70,609	3/4	81,074	3/4	91,540	3/4	102,005	
11	8,067	11	18,532	11	28,993	11	39,432	11	49,897	11	60,362	11	70,827	11	81,292	11	91,758	11	102,223	
1/4	8,285	1/4	18,750	1/4	29,210	1/4	39,650	1/4	50,115	1/4	60,580	1/4	71,045	1/4	81,511	1/4	91,976	1/4	102,441	
1/2	8,503	1/2	18,968	1/2	29,427	1/2	39,868	1/2	50,333	1/2	60,798	1/2	71,263	1/2	81,729	1/2	92,194	1/2	102,659	
3/4	8,721	3/4	19,186	3/4	29,645	3/4	40,086	3/4	50,551	3/4	61,016	3/4	71,482	3/4	81,947	3/4	92,412	3/4	102,877	

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH IHPHS CHAPTER 2.7.
NOTE: GAUGE POINT: TO TOP LIP OF 2" DIAMETER INMC BALL VALVE, LOCATED 0'-9" OFF CENTRELINE
AND 28'-4" FORWARD OF AFT, BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2' ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BRJ/W
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT

BARGE "CBC 97"
HULL NO. 03-2991

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	103,095	0	113,560	0	124,025	0	134,490	0	144,955	0	155,420	0	165,885	0	176,350	0	186,815	0	197,280
1/4	103,313	1/4	113,778	1/4	124,243	1/4	134,708	1/4	145,173	1/4	155,638	1/4	166,103	1/4	176,568	1/4	187,033	1/4	197,498
1/2	103,531	1/2	114,046	1/2	124,559	1/2	135,072	1/2	145,585	1/2	156,098	1/2	166,611	1/2	177,124	1/2	187,637	1/2	198,150
3/4	103,749	3/4	114,214	3/4	124,679	3/4	135,144	3/4	145,609	3/4	156,074	3/4	166,539	3/4	177,004	3/4	187,469	3/4	197,934
1	103,967	1	114,432	1	124,897	1	135,362	1	145,827	1	156,292	1	166,757	1	177,222	1	187,687	1	198,152
1/4	104,185	1/4	114,650	1/4	125,115	1/4	135,580	1/4	146,045	1/4	156,510	1/4	166,975	1/4	177,440	1/4	187,905	1/4	198,370
1/2	104,403	1/2	114,868	1/2	125,333	1/2	135,798	1/2	146,263	1/2	156,728	1/2	167,193	1/2	177,658	1/2	188,123	1/2	198,588
3/4	104,621	3/4	115,086	3/4	125,551	3/4	136,016	3/4	146,481	3/4	156,946	3/4	167,411	3/4	177,876	3/4	188,341	3/4	198,806
2	104,839	2	115,304	2	125,769	2	136,234	2	146,681	2	157,138	2	167,593	2	178,048	2	188,503	2	198,958
1/4	105,057	1/4	115,522	1/4	125,987	1/4	136,452	1/4	146,881	1/4	157,310	1/4	167,739	1/4	178,168	1/4	188,597	1/4	199,026
1/2	105,275	1/2	115,740	1/2	126,205	1/2	136,670	1/2	147,081	1/2	157,492	1/2	167,903	1/2	178,314	1/2	188,725	1/2	199,136
3/4	105,493	3/4	115,958	3/4	126,423	3/4	136,888	3/4	147,280	3/4	157,691	3/4	168,102	3/4	178,513	3/4	188,924	3/4	199,335
3	105,711	3	116,176	3	126,641	3	137,106	3	147,444	3	157,882	3	168,320	3	178,758	3	189,196	3	199,634
1/4	105,929	1/4	116,394	1/4	126,859	1/4	137,324	1/4	147,607	1/4	158,045	1/4	168,483	1/4	178,921	1/4	189,359	1/4	199,797
1/2	106,147	1/2	116,612	1/2	127,077	1/2	137,542	1/2	147,771	1/2	158,209	1/2	168,647	1/2	179,085	1/2	189,523	1/2	199,961
3/4	106,365	3/4	116,830	3/4	127,295	3/4	137,760	3/4	147,934	3/4	158,368	3/4	168,806	3/4	179,244	3/4	189,682	3/4	200,119
4	106,583	4	117,048	4	127,513	4	137,978	4	148,052	4	158,526	4	168,964	4	179,392	4	189,830	4	200,263
1/4	106,801	1/4	117,266	1/4	127,731	1/4	138,196	1/4	148,189	1/4	158,617	1/4	169,045	1/4	179,473	1/4	189,901	1/4	200,327
1/2	107,019	1/2	117,484	1/2	127,949	1/2	138,414	1/2	148,316	1/2	158,718	1/2	169,120	1/2	179,522	1/2	189,926	1/2	200,381
3/4	107,237	3/4	117,702	3/4	128,167	3/4	138,632	3/4	148,443	3/4	158,835	3/4	169,238	3/4	179,642	3/4	189,996	3/4	200,440
5	107,455	5	117,920	5	128,385	5	138,850	5	148,534	5	159,018	5	169,402	5	179,786	5	190,170	5	200,500
1/4	107,673	1/4	118,138	1/4	128,603	1/4	139,068	1/4	148,625	1/4	159,082	1/4	169,496	1/4	179,910	1/4	190,324	1/4	200,560
1/2	107,891	1/2	118,356	1/2	128,821	1/2	139,282	1/2	148,716	1/2	159,120	1/2	169,554	1/2	179,988	1/2	190,382	1/2	200,620
3/4	108,109	3/4	118,574	3/4	129,039	3/4	139,504	3/4	148,907	3/4	159,332	3/4	169,760	3/4	180,104	3/4	190,448	3/4	200,680
6	108,327	6	118,792	6	129,257	6	139,722	6	149,043	6	159,364	6	169,685	6	180,026	6	190,368	6	200,740
1/4	108,545	1/4	119,010	1/4	129,475	1/4	139,940	1/4	149,161	1/4	159,482	1/4	169,803	1/4	180,124	1/4	190,446	1/4	200,800
1/2	108,763	1/2	119,228	1/2	129,693	1/2	140,158	1/2	149,025	1/2	159,346	1/2	169,667	1/2	180,008	1/2	190,330	1/2	200,860
3/4	108,981	3/4	119,446	3/4	129,911	3/4	140,376	3/4	149,025	3/4	159,346	3/4	169,667	3/4	180,008	3/4	190,330	3/4	200,920
7	109,199	7	119,664	7	130,129	7	140,594	7	149,043	7	159,395	7	169,716	7	180,059	7	190,381	7	200,980
1/4	109,417	1/4	119,882	1/4	130,347	1/4	140,812	1/4	149,061	1/4	159,414	1/4	169,837	1/4	180,110	1/4	190,402	1/4	201,040
1/2	109,635	1/2	120,100	1/2	130,565	1/2	141,030	1/2	149,079	1/2	159,433	1/2	169,850	1/2	180,132	1/2	190,424	1/2	201,100
3/4	109,853	3/4	120,318	3/4	130,783	3/4	141,248	3/4	149,097	3/4	159,455	3/4	169,872	3/4	180,154	3/4	190,446	3/4	201,160
8	110,071	8	120,536	8	131,001	8	141,466	8	149,043	8	159,402	8	169,803	8	180,104	8	190,381	8	201,220
1/4	110,289	1/4	120,754	1/4	131,219	1/4	141,685	1/4	149,061	1/4	159,424	1/4	169,825	1/4	180,126	1/4	190,402	1/4	201,280
1/2	110,507	1/2	120,972	1/2	131,437	1/2	141,903	1/2	149,079	1/2	159,446	1/2	169,847	1/2	180,148	1/2	190,424	1/2	201,340
3/4	110,725	3/4	121,190	3/4	131,656	3/4	142,121	3/4	149,097	3/4	159,468	3/4	169,869	3/4	180,170	3/4	190,446	3/4	201,400
9	110,943	9	121,408	9	131,874	9	142,339	9	149,043	9	159,414	9	169,810	9	180,122	9	190,381	9	201,460
1/4	111,161	1/4	121,627	1/4	132,092	1/4	142,557	1/4	149,061	1/4	159,436	1/4	169,832	1/4	180,144	1/4	190,402	1/4	201,520
1/2	111,379	1/2	121,845	1/2	132,310	1/2	142,775	1/2	149,079	1/2	159,458	1/2	169,854	1/2	180,166	1/2	190,424	1/2	201,580
3/4	111,598	3/4	122,063	3/4	132,528	3/4	142,993	3/4	149,097	3/4	159,480	3/4	169,876	3/4	180,188	3/4	190,446	3/4	201,640
10	111,816	10	122,281	10	132,746	10	143,211	10	149,043	10	159,436	10	169,825	10	180,150	10	190,381	10	201,700
1/4	112,034	1/4	122,499	1/4	132,964	1/4	143,429	1/4	149,061	1/4	159,458	1/4	169,847	1/4	180,172	1/4	190,402	1/4	201,760
1/2	112,252	1/2	122,717	1/2	133,182	1/2	143,647	1/2	149,079	1/2	159,480	1/2	169,869	1/2	180,194	1/2	190,424	1/2	201,820
3/4	112,470	3/4	122,935	3/4	133,400	3/4	143,865	3/4	149,097	3/4	159,502	3/4	169,891	3/4	180,216	3/4	190,446	3/4	201,880
11	112,688	11	123,153	11	133,618	11	144,083	11	149,043	11	159,458	11	169,850	11	180,178	11	190,381	11	201,940
1/4	112,906	1/4	123,371	1/4	133,836	1/4	144,301	1/4	149,061	1/4	159,480	1/4	169,872	1/4	180,200	1/4	190,402	1/4	202,000
1/2	113,124	1/2	123,589	1/2	134,054	1/2	144,519	1/2	149,079	1/2	159,502	1/2	169,894	1/2	180,222	1/2	190,424	1/2	202,060
3/4	113,342	3/4	123,807	3/4	134,272	3/4	144,737	3/4	149,097	3/4	159,524	3/4	169,916	3/4	180,244	3/4	190,446	3/4	202,120

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 9/26/03 BY: BB/W
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

BARGE "CBC 97"
HULL NO. 03-2991

TANK NO. 3
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	28	0	8,903	0	19,324	0	29,745	0	40,164	0	50,586	0	61,008	0	71,430	0	81,852	0	92,274
1/4	55	1/4	9,120	1/4	19,541	1/4	29,962	1/4	40,381	1/4	50,803	1/4	61,225	1/4	71,647	1/4	82,069	1/4	92,491
1/2	82	1/2	9,337	1/2	19,759	1/2	30,179	1/2	40,598	1/2	51,020	1/2	61,442	1/2	71,864	1/2	82,286	1/2	92,708
3/4	109	3/4	9,554	3/4	19,976	3/4	30,396	3/4	40,815	3/4	51,237	3/4	61,659	3/4	72,081	3/4	82,503	3/4	92,925
1	191	1	9,771	1	20,193	1	30,613	1	41,032	1	51,454	1	61,876	1	72,298	1	82,720	1	93,142
1/4	272	1/4	9,988	1/4	20,410	1/4	30,830	1/4	41,249	1/4	51,671	1/4	62,093	1/4	72,515	1/4	82,938	1/4	93,360
1/2	353	1/2	10,205	1/2	20,627	1/2	31,047	1/2	41,466	1/2	51,888	1/2	62,311	1/2	72,733	1/2	83,155	1/2	93,577
3/4	435	3/4	10,422	3/4	20,844	3/4	31,264	3/4	41,684	3/4	52,106	3/4	62,528	3/4	72,950	3/4	83,372	3/4	93,794
2	571	2	10,639	2	21,061	2	31,481	2	41,901	2	52,323	2	62,745	2	73,167	2	83,589	2	94,011
1/4	706	1/4	10,857	1/4	21,278	1/4	31,698	1/4	42,118	1/4	52,540	1/4	62,962	1/4	73,384	1/4	83,806	1/4	94,228
1/2	842	1/2	11,074	1/2	21,496	1/2	31,915	1/2	42,335	1/2	52,757	1/2	63,179	1/2	73,601	1/2	84,023	1/2	94,445
3/4	978	3/4	11,291	3/4	21,713	3/4	32,132	3/4	42,552	3/4	52,974	3/4	63,396	3/4	73,818	3/4	84,240	3/4	94,662
3	1,168	3	11,508	3	21,930	3	32,349	3	42,769	3	53,191	3	63,613	3	74,035	3	84,457	3	94,879
1/4	1,358	1/4	11,725	1/4	22,147	1/4	32,566	1/4	42,986	1/4	53,408	1/4	63,830	1/4	74,252	1/4	84,675	1/4	95,097
1/2	1,548	1/2	11,942	1/2	22,364	1/2	32,783	1/2	43,203	1/2	53,625	1/2	64,048	1/2	74,470	1/2	84,892	1/2	95,314
3/4	1,738	3/4	12,159	3/4	22,581	3/4	33,000	3/4	43,421	3/4	53,843	3/4	64,265	3/4	74,687	3/4	85,109	3/4	95,531
4	1,955	4	12,376	4	22,798	4	33,217	4	43,638	4	54,060	4	64,482	4	74,904	4	85,326	4	95,748
1/4	2,172	1/4	12,594	1/4	23,015	1/4	33,434	1/4	43,855	1/4	54,277	1/4	64,699	1/4	75,121	1/4	85,543	1/4	95,965
1/2	2,389	1/2	12,811	1/2	23,232	1/2	33,651	1/2	44,072	1/2	54,494	1/2	64,916	1/2	75,338	1/2	85,760	1/2	96,182
3/4	2,606	3/4	13,028	3/4	23,450	3/4	33,868	3/4	44,289	3/4	54,711	3/4	65,133	3/4	75,555	3/4	85,977	3/4	96,399
5	2,823	5	13,245	5	23,667	5	34,085	5	44,506	5	54,928	5	65,350	5	75,772	5	86,194	5	96,617
1/4	3,040	1/4	13,462	1/4	23,884	1/4	34,302	1/4	44,723	1/4	55,145	1/4	65,567	1/4	76,207	1/4	86,412	1/4	96,834
1/2	3,257	1/2	13,679	1/2	24,101	1/2	34,519	1/2	44,940	1/2	55,362	1/2	65,785	1/2	76,424	1/2	86,629	1/2	97,051
3/4	3,475	3/4	13,896	3/4	24,318	3/4	34,736	3/4	45,158	3/4	55,580	3/4	66,002	3/4	76,642	3/4	86,846	3/4	97,268
6	3,692	6	14,113	6	24,535	6	34,953	6	45,375	6	55,797	6	66,219	6	76,861	6	87,063	6	97,485
1/4	3,909	1/4	14,331	1/4	24,752	1/4	35,170	1/4	45,592	1/4	56,011	1/4	66,436	1/4	77,075	1/4	87,280	1/4	97,702
1/2	4,126	1/2	14,548	1/2	24,969	1/2	35,387	1/2	45,809	1/2	56,231	1/2	66,653	1/2	77,292	1/2	87,497	1/2	97,919
3/4	4,343	3/4	14,765	3/4	25,187	3/4	35,604	3/4	46,026	3/4	56,448	3/4	66,870	3/4	77,509	3/4	87,714	3/4	98,136
7	4,560	7	14,982	7	25,404	7	35,821	7	46,243	7	56,665	7	67,087	7	77,727	7	87,931	7	98,354
1/4	4,777	1/4	15,199	1/4	25,621	1/4	36,038	1/4	46,460	1/4	56,882	1/4	67,304	1/4	77,944	1/4	88,149	1/4	98,571
1/2	4,994	1/2	15,416	1/2	25,838	1/2	36,255	1/2	46,677	1/2	57,099	1/2	67,522	1/2	78,161	1/2	88,366	1/2	98,788
3/4	5,211	3/4	15,633	3/4	26,055	3/4	36,472	3/4	46,895	3/4	57,317	3/4	67,739	3/4	78,378	3/4	88,583	3/4	99,005
8	5,429	8	15,850	8	26,272	8	36,690	8	47,112	8	57,534	8	67,956	8	78,595	8	88,800	8	99,222
1/4	5,646	1/4	16,067	1/4	26,489	1/4	36,907	1/4	47,329	1/4	57,751	1/4	68,173	1/4	78,812	1/4	89,017	1/4	99,439
1/2	5,863	1/2	16,285	1/2	26,706	1/2	37,124	1/2	47,546	1/2	58,185	1/2	68,390	1/2	79,029	1/2	89,234	1/2	99,656
3/4	6,080	3/4	16,502	3/4	26,924	3/4	37,341	3/4	47,763	3/4	58,402	3/4	68,607	3/4	79,246	3/4	89,451	3/4	99,873
9	6,297	9	16,719	9	27,141	9	37,558	9	47,980	9	58,619	9	68,824	9	79,464	9	89,666	9	100,091
1/4	6,514	1/4	16,936	1/4	27,358	1/4	37,775	1/4	48,197	1/4	58,837	1/4	69,041	1/4	79,681	1/4	89,886	1/4	100,308
1/2	6,731	1/2	17,153	1/2	27,575	1/2	37,992	1/2	48,414	1/2	59,054	1/2	69,259	1/2	79,898	1/2	90,103	1/2	100,525
3/4	6,948	3/4	17,370	3/4	27,792	3/4	38,209	3/4	48,632	3/4	59,271	3/4	69,476	3/4	80,115	3/4	90,320	3/4	100,742
10	7,166	10	17,587	10	28,009	10	38,427	10	48,849	10	59,271	10	69,693	10	80,332	10	90,537	10	100,959
1/4	7,383	1/4	17,804	1/4	28,226	1/4	38,644	1/4	49,066	1/4	59,488	1/4	69,910	1/4	80,549	1/4	90,754	1/4	101,176
1/2	7,600	1/2	18,022	1/2	28,443	1/2	38,861	1/2	49,283	1/2	59,705	1/2	70,127	1/2	80,766	1/2	90,971	1/2	101,393
3/4	7,817	3/4	18,239	3/4	28,660	3/4	39,078	3/4	49,500	3/4	59,922	3/4	70,344	3/4	80,983	3/4	91,188	3/4	101,610
11	8,034	11	18,456	11	28,877	11	39,295	11	49,717	11	60,139	11	70,561	11	81,001	11	91,405	11	101,828
1/4	8,251	1/4	18,673	1/4	29,094	1/4	39,512	1/4	49,934	1/4	60,356	1/4	70,778	1/4	81,201	1/4	91,623	1/4	102,045
1/2	8,468	1/2	18,890	1/2	29,311	1/2	39,729	1/2	50,151	1/2	60,574	1/2	70,996	1/2	81,418	1/2	91,840	1/2	102,262
3/4	8,685	3/4	19,107	3/4	29,528	3/4	39,947	3/4	50,369	3/4	60,791	3/4	71,213	3/4	81,635	3/4	92,057	3/4	102,479

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

NOTE: GAUGE POINT - TO TOP LIP OF 2" DIAMETER HMC BALL VALVE, LOCATED 0'-9" OFF CENTRELINE

AND 28" - 4" FORWARD OF AFT. BULKHEAD.

NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.

NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.

NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES

OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: RB/JW

DATE COMPUTED: 9/30/03 BY: WHF

DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS GAUGE HEIGHT 16'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	107,696	0	113,118	0	123,540	0	133,962	0	144,384	0		0		0		0		0	
1/4	102,913	1/4	113,335	1/4	123,757	1/4	134,179	1/4	144,601	1/4		1/4		1/4		1/4		1/4	
1/2	103,130	1/2	113,552	1/2	123,974	1/2	134,397	1/2	144,819	1/2		1/2		1/2		1/2		1/2	
3/4	103,347	3/4	113,769	3/4	124,192	3/4	134,614	3/4	145,036	3/4		3/4		3/4		3/4		3/4	
1	103,565	1	113,987	1	124,409	1	134,831	1	145,253	1		1		1		1		1	
1/4	103,782	1/4	114,204	1/4	124,626	1/4	135,048	1/4	145,470	1/4		1/4		1/4		1/4		1/4	
1/2	103,999	1/2	114,421	1/2	124,843	1/2	135,265	1/2	145,687	1/2		1/2		1/2		1/2		1/2	
3/4	104,216	3/4	114,638	3/4	125,060	3/4	135,482	3/4	145,904	3/4		3/4		3/4		3/4		3/4	
2	104,433	2	114,855	2	125,277	2	135,699	2	146,103	2		2		2		2		2	
1/4	104,650	1/4	115,072	1/4	125,494	1/4	135,916	1/4	146,302	1/4		1/4		1/4		1/4		1/4	
1/2	104,867	1/2	115,289	1/2	125,711	1/2	136,134	1/2	146,501	1/2		1/2		1/2		1/2		1/2	
3/4	105,084	3/4	115,507	3/4	125,929	3/4	136,351	3/4	146,700	3/4		3/4		3/4		3/4		3/4	
3	105,302	3	115,724	3	126,146	3	136,568	3	146,863	3		3		3		3		3	
1/4	105,519	1/4	115,941	1/4	126,363	1/4	136,785	1/4	147,026	1/4		1/4		1/4		1/4		1/4	
1/2	105,736	1/2	116,158	1/2	126,580	1/2	137,002	1/2	147,189	1/2		1/2		1/2		1/2		1/2	
3/4	105,953	3/4	116,375	3/4	126,797	3/4	137,219	3/4	147,352	3/4		3/4		3/4		3/4		3/4	
4	106,170	4	116,592	4	127,014	4	137,436	4	147,478	4		4		4		4		4	
1/4	106,387	1/4	116,809	1/4	127,231	1/4	137,653	1/4	147,605	1/4		1/4		1/4		1/4		1/4	
1/2	106,604	1/2	117,026	1/2	127,448	1/2	137,871	1/2	147,732	1/2		1/2		1/2		1/2		1/2	
3/4	106,821	3/4	117,244	3/4	127,666	3/4	138,088	3/4	147,858	3/4		3/4		3/4		3/4		3/4	
5	107,039	5	117,461	5	127,883	5	138,305	5	147,949	5		5		5		5		5	
1/4	107,256	1/4	117,678	1/4	128,100	1/4	138,522	1/4	148,039	1/4		1/4		1/4		1/4		1/4	
1/2	107,473	1/2	117,895	1/2	128,317	1/2	138,739	1/2	148,130	1/2		1/2		1/2		1/2		1/2	
3/4	107,690	3/4	118,112	3/4	128,534	3/4	138,956	3/4	148,220	3/4		3/4		3/4		3/4		3/4	
6	107,907	6	118,329	6	128,751	6	139,173	6	148,275	6		6		6		6		6	
1/4	108,124	1/4	118,546	1/4	128,968	1/4	139,390	1/4	148,329	1/4		1/4		1/4		1/4		1/4	
1/2	108,341	1/2	118,763	1/2	129,185	1/2	139,608	1/2	148,383	1/2		1/2		1/2		1/2		1/2	
3/4	108,558	3/4	118,981	3/4	129,403	3/4	139,825	3/4	148,437	3/4		3/4		3/4		3/4		3/4	
7	108,776	7	119,198	7	129,620	7	140,042	7	148,455	7		7		7		7		7	
1/4	108,993	1/4	119,415	1/4	129,837	1/4	140,259	1/4	148,474	1/4		1/4		1/4		1/4		1/4	
1/2	109,210	1/2	119,632	1/2	130,054	1/2	140,476	1/2	148,492	1/2		1/2		1/2		1/2		1/2	
3/4	109,427	3/4	119,849	3/4	130,271	3/4	140,693	3/4	148,510	3/4		3/4		3/4		3/4		3/4	
8	109,644	8	120,066	8	130,488	8	140,910	8		8		8		8		8		8	
1/4	109,861	1/4	120,283	1/4	130,705	1/4	141,127	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,078	1/2	120,500	1/2	130,922	1/2	141,345	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,295	3/4	120,718	3/4	131,140	3/4	141,562	3/4		3/4		3/4		3/4		3/4		3/4	
9	110,513	9	120,935	9	131,357	9	141,779	9		9		9		9		9		9	
1/4	110,730	1/4	121,152	1/4	131,574	1/4	141,996	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,947	1/2	121,369	1/2	131,791	1/2	142,213	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,164	3/4	121,586	3/4	132,008	3/4	142,430	3/4		3/4		3/4		3/4		3/4		3/4	
10	111,381	10	121,803	10	132,225	10	142,647	10		10		10		10		10		10	
1/4	111,598	1/4	122,020	1/4	132,442	1/4	142,864	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,815	1/2	122,237	1/2	132,659	1/2	143,082	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	112,032	3/4	122,455	3/4	132,877	3/4	143,299	3/4		3/4		3/4		3/4		3/4		3/4	
11	112,250	11	122,672	11	133,094	11	143,516	11		11		11		11		11		11	
1/4	112,467	1/4	122,889	1/4	133,311	1/4	143,733	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	112,684	1/2	123,106	1/2	133,528	1/2	143,950	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	112,901	3/4	123,323	3/4	133,745	3/4	144,167	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED: 9/26/03 BY: BB/JW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-4 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	59,832	0	48,338	0	36,855	0	25,381	0	13,888	0	2,395	0		0		0		0	
1/4	59,592	1/4	48,098	1/4	36,616	1/4	25,142	1/4	13,649	1/4	2,156	1/4		1/4		1/4		1/4	
1/2	59,353	1/2	47,859	1/2	36,377	1/2	24,902	1/2	13,409	1/2	1,916	1/2		1/2		1/2		1/2	
3/4	59,113	3/4	47,620	3/4	36,139	3/4	24,663	3/4	13,170	3/4	1,707	3/4		3/4		3/4		3/4	
1	58,874	1	47,380	1	35,900	1	24,423	1	12,930	1	1,497	1		1		1		1	
1/4	58,634	1/4	47,141	1/4	35,661	1/4	24,184	1/4	12,691	1/4	1,288	1/4		1/4		1/4		1/4	
1/2	58,395	1/2	46,902	1/2	35,423	1/2	23,945	1/2	12,451	1/2	1,078	1/2		1/2		1/2		1/2	
3/4	58,156	3/4	46,662	3/4	35,184	3/4	23,705	3/4	12,212	3/4	928	3/4		3/4		3/4		3/4	
2	57,916	2	46,423	2	34,945	2	23,466	2	11,973	2	779	2		2		2		2	
1/4	57,677	1/4	46,183	1/4	34,707	1/4	23,226	1/4	11,733	1/4	629	1/4		1/4		1/4		1/4	
1/2	57,437	1/2	45,944	1/2	34,468	1/2	22,987	1/2	11,494	1/2	479	1/2		1/2		1/2		1/2	
3/4	57,198	3/4	45,704	3/4	34,229	3/4	22,747	3/4	11,254	3/4	390	3/4		3/4		3/4		3/4	
3	56,958	3	45,465	3	33,990	3	22,508	3	11,015	3	300	3		3		3		3	
1/4	56,719	1/4	45,225	1/4	33,752	1/4	22,268	1/4	10,775	1/4	210	1/4		1/4		1/4		1/4	
1/2	56,479	1/2	44,986	1/2	33,513	1/2	22,029	1/2	10,536	1/2	120	1/2		1/2		1/2		1/2	
3/4	56,240	3/4	44,747	3/4	33,274	3/4	21,790	3/4	10,296	3/4	90	3/4		3/4		3/4		3/4	
4	56,001	4	44,507	4	33,036	4	21,550	4	10,057	4	60	4		4		4		4	
1/4	55,761	1/4	44,268	1/4	32,797	1/4	21,311	1/4	9,818	1/4	31	1/4		1/4		1/4		1/4	
1/2	55,522	1/2	44,028	1/2	32,558	1/2	21,071	1/2	9,578	1/2		1/2		1/2		1/2		1/2	
3/4	55,282	3/4	43,789	3/4	32,320	3/4	20,832	3/4	9,339	3/4		3/4		3/4		3/4		3/4	
5	55,043	5	43,549	5	32,081	5	20,592	5	9,099	5		5		5		5		5	
1/4	54,803	1/4	43,310	1/4	31,842	1/4	20,353	1/4	8,860	1/4		1/4		1/4		1/4		1/4	
1/2	54,564	1/2	43,070	1/2	31,604	1/2	20,113	1/2	8,620	1/2		1/2		1/2		1/2		1/2	
3/4	54,324	3/4	42,831	3/4	31,365	3/4	19,874	3/4	8,381	3/4		3/4		3/4		3/4		3/4	
6	54,085	6	42,592	6	31,126	6	19,635	6	8,142	6		6		6		6		6	
1/4	53,846	1/4	42,352	1/4	30,887	1/4	19,395	1/4	7,902	1/4		1/4		1/4		1/4		1/4	
1/2	53,606	1/2	42,113	1/2	30,649	1/2	19,156	1/2	7,663	1/2		1/2		1/2		1/2		1/2	
3/4	53,367	3/4	41,873	3/4	30,409	3/4	18,916	3/4	7,423	3/4		3/4		3/4		3/4		3/4	
7	53,127	7	41,634	7	30,170	7	18,677	7	7,184	7		7		7		7		7	
1/4	52,888	1/4	41,394	1/4	29,930	1/4	18,437	1/4	6,944	1/4		1/4		1/4		1/4		1/4	
1/2	52,648	1/2	41,155	1/2	29,691	1/2	18,198	1/2	6,705	1/2		1/2		1/2		1/2		1/2	
3/4	52,409	3/4	40,915	3/4	29,452	3/4	17,959	3/4	6,465	3/4		3/4		3/4		3/4		3/4	
8	52,169	8	40,676	8	29,212	8	17,719	8	6,226	8		8		8		8		8	
1/4	51,930	1/4	40,437	1/4	28,973	1/4	17,480	1/4	5,987	1/4		1/4		1/4		1/4		1/4	
1/2	51,691	1/2	40,197	1/2	28,733	1/2	17,240	1/2	5,747	1/2		1/2		1/2		1/2		1/2	
3/4	51,451	3/4	39,958	3/4	28,494	3/4	17,001	3/4	5,508	3/4		3/4		3/4		3/4		3/4	
9	51,212	9	39,720	9	28,254	9	16,761	9	5,268	9		9		9		9		9	
1/4	50,972	1/4	39,481	1/4	28,015	1/4	16,522	1/4	5,029	1/4		1/4		1/4		1/4		1/4	
1/2	50,733	1/2	39,242	1/2	27,776	1/2	16,282	1/2	4,789	1/2		1/2		1/2		1/2		1/2	
3/4	50,493	3/4	39,003	3/4	27,536	3/4	16,043	3/4	4,550	3/4		3/4		3/4		3/4		3/4	
10	50,254	10	38,765	10	27,297	10	15,804	10	4,310	10		10		10		10		10	
1/4	50,014	1/4	38,526	1/4	27,057	1/4	15,564	1/4	4,071	1/4		1/4		1/4		1/4		1/4	
1/2	49,775	1/2	38,287	1/2	26,818	1/2	15,325	1/2	3,832	1/2		1/2		1/2		1/2		1/2	
3/4	49,535	3/4	38,048	3/4	26,578	3/4	15,085	3/4	3,592	3/4		3/4		3/4		3/4		3/4	
11	49,296	11	37,810	11	26,339	11	14,846	11	3,353	11		11		11		11		11	
1/4	49,057	1/4	37,571	1/4	26,099	1/4	14,606	1/4	3,113	1/4		1/4		1/4		1/4		1/4	
1/2	48,817	1/2	37,332	1/2	25,860	1/2	14,367	1/2	2,874	1/2		1/2		1/2		1/2		1/2	
3/4	48,578	3/4	37,094	3/4	25,621	3/4	14,127	3/4	2,634	3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BR/JW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-4 3/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0		0	148,443	0	138,632	0	128,167	0	117,702	0	107,237	0	96,772	0	86,307	0	75,842	0	65,377
1/4	1/4	1/4	148,316	1/4	138,514	1/4	127,731	1/4	117,266	1/4	106,801	1/4	96,336	1/4	85,871	1/4	75,406	1/4	64,941
1/2	1/2	1/2	148,189	1/2	138,416	1/2	127,513	1/2	117,048	1/2	106,583	1/2	96,118	1/2	85,653	1/2	75,188	1/2	64,723
3/4	3/4	3/4	148,062	3/4	137,978	3/4	127,513	3/4	117,048	3/4	106,583	3/4	96,118	3/4	85,653	3/4	75,188	3/4	64,723
1	1	1	147,934	1	137,760	1	127,077	1	116,612	1	106,147	1	95,682	1	85,435	1	74,970	1	64,505
1/4	1/4	1/4	147,771	1/4	137,542	1/4	126,859	1/4	116,324	1/4	105,929	1/4	95,464	1/4	85,217	1/4	74,752	1/4	64,287
1/2	1/2	1/2	147,607	1/2	137,324	1/2	126,641	1/2	116,176	1/2	105,711	1/2	95,246	1/2	84,999	1/2	74,534	1/2	64,059
3/4	3/4	3/4	147,444	3/4	137,106	3/4	126,441	3/4	115,958	3/4	105,493	3/4	95,026	3/4	84,781	3/4	74,316	3/4	63,851
2	2	2	147,280	2	136,888	2	126,223	2	115,740	2	105,275	2	94,810	2	84,563	2	74,098	2	63,633
3/8	3/8	3/8	147,116	3/8	136,724	3/8	126,005	3/8	115,522	3/8	105,057	3/8	94,592	3/8	84,345	3/8	73,880	3/8	63,415
1/2	1/2	1/2	146,952	1/2	136,560	1/2	125,789	1/2	115,304	1/2	104,839	1/2	94,374	1/2	84,127	1/2	73,662	1/2	63,197
3/4	3/4	3/4	146,788	3/4	136,396	3/4	125,619	3/4	115,086	3/4	104,673	3/4	94,209	3/4	83,974	3/4	73,444	3/4	62,979
3	3	3	146,624	3	136,232	3	125,455	3	114,868	3	104,509	3	94,043	3	83,809	3	73,276	3	62,761
1/4	1/4	1/4	146,460	1/4	136,068	1/4	125,291	1/4	114,704	1/4	104,339	1/4	93,878	1/4	83,643	1/4	73,112	1/4	62,543
1/2	1/2	1/2	146,296	1/2	135,904	1/2	125,127	1/2	114,540	1/2	104,173	1/2	93,712	1/2	83,477	1/2	72,948	1/2	62,325
3/4	3/4	3/4	146,132	3/4	135,740	3/4	124,963	3/4	114,376	3/4	104,007	3/4	93,546	3/4	83,311	3/4	72,784	3/4	62,107
4	4	4	145,968	4	135,576	4	124,799	4	114,212	4	103,841	4	93,380	4	83,145	4	72,620	4	61,889
1/4	1/4	1/4	145,804	1/4	135,412	1/4	124,635	1/4	114,048	1/4	103,675	1/4	93,214	1/4	82,979	1/4	72,456	1/4	61,671
1/2	1/2	1/2	145,640	1/2	135,248	1/2	124,471	1/2	113,884	1/2	103,509	1/2	93,048	1/2	82,813	1/2	72,292	1/2	61,452
3/4	3/4	3/4	145,476	3/4	135,084	3/4	124,307	3/4	113,720	3/4	103,343	3/4	92,882	3/4	82,647	3/4	72,128	3/4	61,234
5	5	5	145,312	5	134,920	5	124,143	5	113,556	5	103,177	5	92,716	5	82,481	5	71,964	5	61,016
1/4	1/4	1/4	145,148	1/4	134,756	1/4	123,979	1/4	113,392	1/4	103,011	1/4	92,550	1/4	82,315	1/4	71,799	1/4	60,798
1/2	1/2	1/2	144,984	1/2	134,592	1/2	123,815	1/2	113,228	1/2	102,845	1/2	92,384	1/2	82,149	1/2	71,634	1/2	60,580
3/4	3/4	3/4	144,820	3/4	134,428	3/4	123,649	3/4	113,064	3/4	102,679	3/4	92,218	3/4	81,983	3/4	71,469	3/4	60,362
6	6	6	144,656	6	134,264	6	123,483	6	112,900	6	102,513	6	92,052	6	81,817	6	71,304	6	60,144
1/4	1/4	1/4	144,492	1/4	134,100	1/4	123,317	1/4	112,736	1/4	102,347	1/4	91,886	1/4	81,651	1/4	71,139	1/4	59,926
1/2	1/2	1/2	144,328	1/2	133,936	1/2	123,151	1/2	112,572	1/2	102,181	1/2	91,720	1/2	81,485	1/2	70,974	1/2	59,708
3/4	3/4	3/4	144,164	3/4	133,772	3/4	122,985	3/4	112,408	3/4	102,015	3/4	91,554	3/4	81,319	3/4	70,809	3/4	59,490
7	7	7	144,000	7	133,608	7	122,819	7	112,244	7	101,849	7	91,388	7	81,153	7	70,644	7	59,272
1/4	1/4	1/4	143,836	1/4	133,444	1/4	122,653	1/4	112,080	1/4	101,683	1/4	91,222	1/4	80,987	1/4	70,478	1/4	59,054
1/2	1/2	1/2	143,672	1/2	133,280	1/2	122,487	1/2	111,916	1/2	101,517	1/2	91,056	1/2	80,821	1/2	70,313	1/2	58,836
3/4	3/4	3/4	143,508	3/4	133,116	3/4	122,321	3/4	111,752	3/4	101,351	3/4	90,895	3/4	80,655	3/4	70,148	3/4	58,618
8	8	8	143,344	8	132,952	8	122,155	8	111,588	8	101,185	8	90,729	8	80,489	8	70,012	8	58,400
1/4	1/4	1/4	143,180	1/4	132,788	1/4	121,989	1/4	111,424	1/4	101,019	1/4	90,563	1/4	80,323	1/4	69,846	1/4	58,182
1/2	1/2	1/2	143,016	1/2	132,624	1/2	121,823	1/2	111,260	1/2	100,853	1/2	90,397	1/2	80,157	1/2	69,680	1/2	57,964
3/4	3/4	3/4	142,852	3/4	132,460	3/4	121,657	3/4	111,096	3/4	100,687	3/4	90,231	3/4	80,011	3/4	69,514	3/4	57,746
9	9	9	142,688	9	132,296	9	121,491	9	110,932	9	100,521	9	90,065	9	79,845	9	69,348	9	57,528
1/4	1/4	1/4	142,524	1/4	132,132	1/4	121,325	1/4	110,768	1/4	100,355	1/4	89,899	1/4	79,679	1/4	69,182	1/4	57,310
1/2	1/2	1/2	142,360	1/2	131,968	1/2	121,159	1/2	110,604	1/2	100,189	1/2	89,733	1/2	79,513	1/2	69,016	1/2	57,092
3/4	3/4	3/4	142,196	3/4	131,804	3/4	120,993	3/4	110,440	3/4	100,023	3/4	89,567	3/4	79,347	3/4	68,850	3/4	56,874
10	10	10	142,032	10	131,640	10	120,827	10	110,276	10	99,857	10	89,401	10	79,181	10	68,684	10	56,656
1/4	1/4	1/4	141,868	1/4	131,476	1/4	120,661	1/4	110,112	1/4	99,691	1/4	89,235	1/4	79,015	1/4	68,518	1/4	56,438
1/2	1/2	1/2	141,704	1/2	131,312	1/2	120,495	1/2	109,948	1/2	99,525	1/2	89,069	1/2	78,849	1/2	68,352	1/2	56,220
3/4	3/4	3/4	141,540	3/4	131,148	3/4	120,329	3/4	109,784	3/4	99,359	3/4	88,903	3/4	78,683	3/4	68,186	3/4	56,002
11	11	11	141,376	11	130,984	11	120,163	11	109,619	11	99,193	11	88,737	11	78,517	11	68,020	11	55,784
1/4	1/4	1/4	141,212	1/4	130,820	1/4	120,010	1/4	109,454	1/4	99,027	1/4	88,571	1/4	78,351	1/4	67,854	1/4	55,566
1/2	1/2	1/2	141,048	1/2	130,656	1/2	119,842	1/2	109,289	1/2	98,861	1/2	88,405	1/2	78,185	1/2	67,688	1/2	55,348
3/4	3/4	3/4	140,884	3/4	130,492	3/4	119,677	3/4	109,124	3/4	98,695	3/4	88,239	3/4	78,019	3/4	67,522	3/4	55,130

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MPMS GAUGE DEVICE.
 NOTE: GAUGE POINT LOCATED 0 - 9" OFF CENTERLINE AND 28" - 4" FORWARD OF AFT BULKHEAD.
 NOTE: NO TANK CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BB/JW
 DATE COMPUTED: 9/30/03 BY: WHF
 DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.		
0	54,912	0	44,447	0	33,990	0	23,546	0	13,082	0	2,617	0		0		0		0			
1/4	54,694	1/4	44,229	1/4	33,773	1/4	23,328	1/4	12,864	1/4	2,399	1/4		1/4		1/4		1/4			
1/2	54,476	1/2	44,011	1/2	33,556	1/2	23,110	1/2	12,645	1/2	2,181	1/2		1/2		1/2		1/2			
3/4	54,258	3/4	43,793	3/4	33,338	3/4	22,892	3/4	12,427	3/4	1,963	3/4		3/4		3/4		3/4			
1	54,040	1	43,575	1	33,121	1	22,674	1	12,209	1	1,745	1		1		1		1			
1/4	53,822	1/4	43,357	1/4	32,904	1/4	22,456	1/4	11,991	1/4	1,554	1/4		1/4		1/4		1/4			
1/2	53,604	1/2	43,139	1/2	32,686	1/2	22,238	1/2	11,773	1/2	1,363	1/2		1/2		1/2		1/2			
3/4	53,386	3/4	42,921	3/4	32,469	3/4	22,020	3/4	11,555	3/4	1,172	3/4		3/4		3/4		3/4			
2	53,168	2	42,703	2	32,252	2	21,802	2	11,337	2	982	2		2		2		2			
1/4	52,950	1/4	42,485	1/4	32,035	1/4	21,584	1/4	11,119	1/4	845	1/4		1/4		1/4		1/4			
1/2	52,732	1/2	42,267	1/2	31,817	1/2	21,365	1/2	10,901	1/2	709	1/2		1/2		1/2		1/2			
3/4	52,514	3/4	42,049	3/4	31,600	3/4	21,148	3/4	10,683	3/4	573	3/4		3/4		3/4		3/4			
3	52,296	3	41,831	3	31,383	3	20,930	3	10,465	3	437	3		3		3		3			
1/4	52,078	1/4	41,613	1/4	31,166	1/4	20,712	1/4	10,247	1/4	355	1/4		1/4		1/4		1/4			
1/2	51,860	1/2	41,394	1/2	30,948	1/2	20,494	1/2	10,029	1/2	273	1/2		1/2		1/2		1/2			
3/4	51,642	3/4	41,176	3/4	30,731	3/4	20,276	3/4	9,811	3/4	191	3/4		3/4		3/4		3/4			
4	51,423	4	40,958	4	30,514	4	20,058	4	9,593	4	110	4		4		4		4			
1/4	51,205	1/4	40,740	1/4	30,297	1/4	19,840	1/4	9,375	1/4	82	1/4		1/4		1/4		1/4			
1/2	50,987	1/2	40,522	1/2	30,079	1/2	19,622	1/2	9,157	1/2	55	1/2		1/2		1/2		1/2			
3/4	50,769	3/4	40,304	3/4	29,862	3/4	19,404	3/4	8,939	3/4	28	3/4		3/4		3/4		3/4			
5	50,551	5	40,086	5	29,645	5	19,186	5	8,721	5		5		5		5		5			
1/4	50,333	1/4	39,868	1/4	29,427	1/4	18,968	1/4	8,503	1/4		1/4		1/4		1/4		1/4			
1/2	50,115	1/2	39,650	1/2	29,210	1/2	18,750	1/2	8,285	1/2		1/2		1/2		1/2		1/2			
3/4	49,897	3/4	39,432	3/4	28,993	3/4	18,532	3/4	8,067	3/4		3/4		3/4		3/4		3/4			
6	49,679	6	39,214	6	28,776	6	18,314	6	7,849	6		6		6		6		6			
1/4	49,461	1/4	38,996	1/4	28,558	1/4	18,096	1/4	7,631	1/4		1/4		1/4		1/4		1/4			
1/2	49,243	1/2	38,778	1/2	28,341	1/2	17,878	1/2	7,413	1/2		1/2		1/2		1/2		1/2			
3/4	49,025	3/4	38,560	3/4	28,124	3/4	17,660	3/4	7,195	3/4		3/4		3/4		3/4		3/4			
7	48,807	7	38,342	7	27,907	7	17,442	7	6,977	7		7		7		7		7			
1/4	48,589	1/4	38,124	1/4	27,689	1/4	17,224	1/4	6,759	1/4		1/4		1/4		1/4		1/4			
1/2	48,371	1/2	37,906	1/2	27,471	1/2	17,006	1/2	6,541	1/2		1/2		1/2		1/2		1/2			
3/4	48,153	3/4	37,688	3/4	27,253	3/4	16,788	3/4	6,323	3/4		3/4		3/4		3/4		3/4			
8	47,935	8	37,470	8	27,035	8	16,570	8	6,105	8		8		8		8		8			
1/4	47,717	1/4	37,252	1/4	26,817	1/4	16,352	1/4	5,887	1/4		1/4		1/4		1/4		1/4			
1/2	47,499	1/2	37,034	1/2	26,599	1/2	16,134	1/2	5,669	1/2		1/2		1/2		1/2		1/2			
3/4	47,281	3/4	36,816	3/4	26,380	3/4	15,916	3/4	5,451	3/4		3/4		3/4		3/4		3/4			
9	47,063	9	36,598	9	26,162	9	15,698	9	5,233	9		9		9		9		9			
1/4	46,845	1/4	36,381	1/4	25,944	1/4	15,480	1/4	5,015	1/4		1/4		1/4		1/4		1/4			
1/2	46,627	1/2	36,163	1/2	25,726	1/2	15,262	1/2	4,797	1/2		1/2		1/2		1/2		1/2			
3/4	46,409	3/4	35,945	3/4	25,508	3/4	15,044	3/4	4,579	3/4		3/4		3/4		3/4		3/4			
10	46,191	10	35,727	10	25,290	10	14,826	10	4,361	10		10		10		10		10			
1/4	45,973	1/4	35,511	1/4	25,072	1/4	14,608	1/4	4,143	1/4		1/4		1/4		1/4		1/4			
1/2	45,755	1/2	35,294	1/2	24,854	1/2	14,390	1/2	3,925	1/2		1/2		1/2		1/2		1/2			
3/4	45,537	3/4	35,077	3/4	24,636	3/4	14,172	3/4	3,707	3/4		3/4		3/4		3/4		3/4			
11	45,319	11	34,860	11	24,418	11	13,954	11	3,489	11		11		11		11		11			
1/4	45,101	1/4	34,642	1/4	24,200	1/4	13,736	1/4	3,271	1/4		1/4		1/4		1/4		1/4			
1/2	44,883	1/2	34,425	1/2	23,982	1/2	13,518	1/2	3,053	1/2		1/2		1/2		1/2		1/2			
3/4	44,665	3/4	34,208	3/4	23,764	3/4	13,300	3/4	2,835	3/4		3/4		3/4		3/4		3/4			

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BB/JW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUED: 9/30/03

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS		GAUGE HEIGHT 17'-4 3/4"							
12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.
54,711	44,289	33,868	23,450	13,028	2,606				
54,494	44,072	33,651	23,232	12,811	2,389				
54,277	43,855	33,434	23,015	12,594	2,172				
54,060	43,638	33,217	22,798	12,376	1,955				
53,843	43,421	33,000	22,581	12,159	1,738				
53,625	43,203	32,783	22,364	11,942	1,548				
53,408	42,986	32,566	22,147	11,725	1,358				
53,191	42,769	32,349	21,930	11,508	1,168				
52,974	42,552	32,132	21,713	11,291	978				
52,757	42,335	31,915	21,496	11,074	842				
52,540	42,118	31,698	21,278	10,857	706				
52,323	41,901	31,481	21,061	10,639	571				
52,106	41,684	31,264	20,844	10,422	435				
51,888	41,466	31,047	20,627	10,205	353				
51,671	41,249	30,830	20,410	9,988	272				
51,454	41,032	30,613	20,193	9,771	191				
51,237	40,815	30,396	19,976	9,554	109				
51,020	40,598	30,179	19,759	9,337	82				
50,803	40,381	29,962	19,541	9,120	55				
50,586	40,164	29,745	19,324	8,903	28				
50,369	39,947	29,528	19,107	8,685					
50,151	39,729	29,311	18,890	8,468					
49,934	39,512	29,094	18,673	8,251					
49,717	39,295	28,877	18,456	8,034					
49,500	39,078	28,660	18,239	7,817					
49,283	38,861	28,443	18,022	7,600					
49,066	38,644	28,226	17,804	7,383					
48,849	38,427	28,009	17,587	7,166					
48,632	38,209	27,792	17,370	6,948					
48,414	37,992	27,575	17,153	6,731					
48,197	37,775	27,358	16,936	6,514					
47,980	37,558	27,141	16,719	6,297					
47,763	37,341	26,924	16,502	6,080					
47,546	37,124	26,706	16,285	5,863					
47,329	36,907	26,489	16,067	5,646					
47,112	36,690	26,272	15,850	5,429					
46,895	36,472	26,055	15,633	5,211					
46,677	36,255	25,838	15,416	4,994					
46,460	36,038	25,621	15,199	4,777					
46,243	35,821	25,404	14,982	4,560					
46,026	35,604	25,187	14,765	4,343					
45,809	35,387	24,969	14,548	4,126					
45,592	35,170	24,752	14,331	3,909					
45,375	34,953	24,535	14,113	3,692					
45,158	34,736	24,318	13,896	3,475					
44,940	34,519	24,101	13,679	3,257					
44,723	34,302	23,884	13,462	3,040					
44,506	34,085	23,667	13,245	2,823					

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 9/26/03 BY: BR/JW
DATE COMPUTED: 9/30/03 BY: WHF
DATE ISSUE: 9/30/03

INTERTEK - CALEB BRETT