



BARGE "CBC-109"

CANAL BARGE COMPANY


HULL NO. 4393


CORRECTION TABLE FOR TRIM AFT.			
FOR INNAGE GAUGES ONLY			
TRIM	TANK NO. 1	TANK NO. 2	TANK NO. 3
0'-6"	(-) 0'- 0 1/8"	NIL	NIL
1'-0"	(-) 0'- 0 1/4"	(+) 0'- 0 1/8"	NIL
1'-6"	(-) 0'- 0 1/4"	(+) 0'- 0 1/8"	NIL
2'-0"	(-) 0' - 0 3/8"	(+) 0'- 0 1/8"	NIL
2'-6"	(-) 0'- 0 1/2"	(+) 0'- 0 1/4"	NIL
3'-0"	(-) 0'- 0 5/8"	(+) 0'- 0 1/4"	NIL
3'-6"	(-) 0'- 0 3/4"	(+) 0'- 0 1/4"	NIL
4'-0"	(-) 0'- 0 7/8"	(+) 0'- 0 1/4"	NIL
4'-6"	(-) 0'- 0 7/8"	(+) 0' - 0 3/8"	(+) 0'- 0 1/8"
5'-0"	(-) 0' - 1"	(+) 0' - 0 3/8"	(+) 0'- 0 1/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 8/27/01 BY: 
INSPECTORATE AMERICA CORPORATION



**BARGE "CBC-109"
CANAL BARGE COMPANY**

INNAGE TABLE

TANK NO.

1

HULL NO. 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	82	9,646	21,062	32,447	43,859	55,275	66,691	78,107	89,523	100,939	112,355	123,771	135,187	146,603	158,019
1/4	105	9,884	21,300	32,684	44,097	55,513	66,929	78,345	89,761	101,177	112,593	124,009	135,425	146,841	158,257
1/2	172	10,122	21,538	32,922	44,335	55,751	67,167	78,583	89,999	101,415	112,831	124,247	135,663	147,079	158,494
3/4	240	10,360	21,756	33,158	44,572	55,988	67,404	78,820	90,236	101,652	113,068	124,484	135,900	147,316	158,732
1	308	10,597	22,013	33,395	44,810	56,226	67,642	79,058	90,474	101,890	113,306	124,722	136,138	147,554	158,970
1/4	376	10,835	22,251	33,632	45,048	56,464	67,880	79,296	90,712	102,128	113,544	124,960	136,376	147,792	159,208
1/2	490	11,073	22,489	33,870	45,286	56,702	68,118	79,534	90,950	102,366	113,782	125,198	136,614	148,030	159,426
3/4	603	11,311	22,727	34,108	45,524	56,940	68,356	79,772	91,188	102,604	114,020	125,436	136,852	148,268	159,644
2	716	11,549	22,965	34,346	45,762	57,178	68,594	80,010	91,426	102,842	114,258	125,674	137,090	148,506	159,862
1/4	829	11,787	23,203	34,583	45,999	57,415	68,831	80,247	91,663	103,079	114,491	125,911	137,327	148,743	160,080
1/2	988	12,024	23,440	34,821	46,237	57,653	69,069	80,485	91,901	103,317	114,733	126,149	137,565	148,981	160,258
3/4	1,146	12,262	23,678	35,059	46,475	57,891	69,307	80,723	92,139	103,555	114,971	126,387	137,803	149,219	160,437
3	1,305	12,500	23,916	35,297	46,713	58,129	69,545	80,961	92,377	103,793	115,209	126,625	138,041	149,457	160,615
1/4	1,464	12,738	24,154	35,535	46,951	58,367	69,783	81,199	92,615	104,031	115,447	126,863	138,279	149,695	160,794
1/2	1,667	12,976	24,391	35,773	47,189	58,605	70,021	81,437	92,853	104,269	115,685	127,101	138,517	149,933	160,932
3/4	1,871	13,214	24,628	36,010	47,426	58,842	70,258	81,674	93,090	104,506	115,922	127,338	138,754	150,170	161,071
4	2,075	13,451	24,865	36,248	47,664	59,080	70,496	81,912	93,328	104,744	116,160	127,576	138,992	150,408	161,210
1/4	2,279	13,689	25,102	36,486	47,902	59,318	70,734	82,150	93,566	104,982	116,398	127,814	139,230	150,646	161,348
1/2	2,511	13,927	25,339	36,724	48,140	59,556	70,972	82,388	93,804	105,220	116,636	128,052	139,468	150,884	161,488
3/4	2,749	14,165	25,576	36,962	48,378	59,794	71,210	82,626	94,042	105,458	116,874	128,290	139,706	151,122	161,547
5	2,987	14,403	25,813	37,200	48,616	59,032	71,448	82,864	94,280	105,696	117,112	128,528	139,944	151,359	161,646
1/4	3,225	14,641	26,050	37,437	48,853	60,269	71,685	83,101	94,517	105,933	117,349	128,765	140,181	151,597	161,745
1/2	3,462	14,878	26,287	37,675	49,091	60,507	71,923	83,339	94,755	106,171	117,587	129,003	140,419	151,835	161,804
3/4	3,700	15,116	26,524	37,913	49,329	60,745	72,161	83,577	94,993	106,409	117,825	129,241	140,657	152,073	161,864
6	3,938	15,354	26,760	38,151	49,567	60,983	72,399	83,815	95,231	106,647	118,063	129,479	140,895	152,311	161,923
1/4	4,176	15,592	26,997	38,389	49,805	61,221	72,637	84,053	95,469	106,885	118,301	129,717	141,133	152,549	161,983
1/2	4,414	15,830	27,234	38,627	50,043	61,459	72,875	84,291	95,707	107,123	118,539	129,955	141,371	152,786	162,003
3/4	4,652	16,068	27,471	38,864	50,280	61,696	73,112	84,528	95,944	107,360	118,776	130,192	141,608	153,024	162,022
7	4,889	16,305	27,708	39,102	50,518	61,934	73,350	84,766	96,182	107,598	119,014	130,430	141,846	153,262	162,042
1/4	5,127	16,543	27,945	39,340	50,756	62,172	73,588	85,004	96,420	107,836	119,252	130,668	142,084	153,500	162,062
1/2	5,365	16,781	28,182	39,578	50,994	62,410	73,826	85,242	96,658	108,074	119,490	130,906	142,322	153,738	162,082
3/4	5,603	17,019	28,419	39,816	51,232	62,648	74,064	85,480	96,896	108,312	119,728	131,144	142,560	153,976	162,102
8	5,841	17,257	28,656	40,054	51,470	62,886	74,302	85,718	97,134	108,550	119,966	131,382	142,798	154,213	162,122
1/4	6,079	17,495	28,893	40,291	51,707	63,123	74,539	85,955	97,371	108,787	120,203	131,619	143,035	154,451	162,142
1/2	6,316	17,732	29,130	40,529	51,945	63,361	74,777	86,193	97,609	109,025	120,441	131,857	143,273	154,689	162,162
3/4	6,554	17,970	29,367	40,767	52,183	63,599	75,015	86,431	97,847	109,263	120,679	132,095	143,511	154,927	162,182
9	6,792	18,208	29,604	41,005	52,421	63,837	75,253	86,669	98,085	109,501	120,917	132,333	143,749	155,165	162,202
1/4	7,030	18,446	29,841	41,243	52,659	64,075	75,491	86,907	98,323	109,739	121,155	132,571	143,987	155,403	162,222
1/2	7,268	18,684	30,078	41,481	52,897	64,313	75,729	87,145	98,561	109,977	121,393	132,809	144,225	155,640	162,242
3/4	7,506	18,922	30,315	41,718	53,134	64,550	75,966	87,382	98,798	110,214	121,630	133,046	144,462	155,878	162,262
10	7,743	19,159	30,552	41,956	53,372	64,788	76,204	87,620	99,036	110,452	121,868	133,284	144,700	156,116	162,282
1/4	7,981	19,397	30,789	42,194	53,610	65,026	76,442	87,858	99,274	110,690	122,106	133,522	144,938	156,354	162,302
1/2	8,219	19,635	31,026	42,432	53,848	65,264	76,680	88,096	99,512	110,928	122,344	133,760	145,176	156,592	162,322
3/4	8,457	19,873	31,263	42,670	54,086	65,502	76,918	88,334	99,750	111,166	122,582	133,998	145,414	156,830	162,342
11	8,695	20,111	31,500	42,908	54,324	65,740	77,156	88,572	99,988	111,404	122,820	134,236	145,652	157,067	162,362
1/4	8,933	20,349	31,737	43,145	54,561	65,977	77,393	88,809	100,225	111,641	123,057	134,471	145,889	157,305	162,382
1/2	9,170	20,586	31,973	43,383	54,799	66,215	77,631	89,047	100,463	111,879	123,295	134,711	146,127	157,543	162,402
3/4	9,408	20,824	32,210	43,621	55,037	66,453	77,869	89,285	100,701	112,117	123,533	134,949	146,365	157,781	162,422

CAPACITIES GIVEN IN US GALLONS

* CAPACITY BELOW STRIKE POINT
LOCATED NEAR CENTER OF TANK)

REFERENCE GAUGE HEIGHT: 16'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]

INSPECTORATE AMERICA CORPORATION

STRAPPED: 8/27/01



BARGE "CBC-109"
CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.
2

HULL NO. 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	79	0	20,084	0	41,821	0	63,592	0	85,363	0	107,134	0	128,904	0	150,675
1/4	100	1/4	20,311	1/4	42,048	1/4	63,819	1/4	85,590	1/4	107,361	1/4	129,131	1/4	150,902
1/2	165	1/2	20,537	1/2	42,275	1/2	64,046	1/2	85,816	1/2	107,587	1/2	129,358	1/2	151,129
3/4	230	3/4	20,764	3/4	42,502	3/4	64,272	3/4	86,043	3/4	107,814	3/4	129,585	3/4	151,359
1	295	1	20,991	1	42,728	1	64,499	1	86,270	1	108,041	1	129,811	1	151,582
1/4	359	1/4	21,218	1/4	42,955	1/4	64,726	1/4	86,497	1/4	108,267	1/4	130,038	1/4	151,809
1/2	467	1/2	21,445	1/2	43,182	1/2	64,953	1/2	86,723	1/2	108,494	1/2	130,265	1/2	152,017
3/4	575	3/4	21,671	3/4	43,409	3/4	65,179	3/4	86,950	3/4	108,721	3/4	130,492	3/4	152,225
2	683	2	21,898	2	43,635	2	65,406	2	87,177	2	108,948	2	130,719	2	152,433
1/4	791	1/4	22,125	1/4	43,862	1/4	65,633	1/4	87,404	1/4	109,175	1/4	130,945	1/4	152,641
1/2	943	1/2	22,352	1/2	44,089	1/2	65,860	1/2	87,631	1/2	109,401	1/2	131,172	1/2	152,811
3/4	1,094	3/4	22,578	3/4	44,316	3/4	66,087	3/4	87,857	3/4	109,628	3/4	131,399	3/4	152,981
3	1,245	3	22,805	3	44,543	3	66,313	3	88,084	3	109,855	3	131,626	3	153,151
1/4	1,396	1/4	23,032	1/4	44,769	1/4	66,540	1/4	88,311	1/4	110,082	1/4	131,852	1/4	153,321
1/2	1,591	1/2	23,258	1/2	44,996	1/2	66,767	1/2	88,538	1/2	110,308	1/2	132,079	1/2	153,453
3/4	1,785	3/4	23,484	3/4	45,223	3/4	66,994	3/4	88,764	3/4	110,535	3/4	132,306	3/4	153,585
4	1,979	4	23,710	4	45,450	4	67,220	4	88,991	4	110,762	4	132,533	4	153,718
1/4	2,174	1/4	23,936	1/4	45,676	1/4	67,447	1/4	89,218	1/4	110,989	1/4	132,760	1/4	153,850
1/2	2,395	1/2	24,162	1/2	45,903	1/2	67,674	1/2	89,445	1/2	111,216	1/2	132,986	1/2	153,945
3/4	2,622	3/4	24,388	3/4	46,130	3/4	67,901	3/4	89,672	3/4	111,442	3/4	133,213	3/4	154,039
5	2,849	5	24,614	5	46,357	5	68,128	5	89,898	5	111,669	5	133,440	5	154,134
1/4	3,075	1/4	24,840	1/4	46,584	1/4	68,354	1/4	90,125	1/4	111,896	1/4	133,667	1/4	154,228
1/2	3,302	1/2	25,065	1/2	46,810	1/2	68,581	1/2	90,352	1/2	112,123	1/2	133,893	1/2	154,285
3/4	3,529	3/4	25,291	3/4	47,037	3/4	68,808	3/4	90,579	3/4	112,349	3/4	134,120	3/4	154,341
6	3,756	6	25,517	6	47,264	6	69,035	6	90,805	6	112,576	6	134,347	6	154,398
1/4	3,983	1/4	25,743	1/4	47,491	1/4	69,261	1/4	91,032	1/4	112,803	1/4	134,574	1/4	154,455
1/2	4,209	1/2	25,969	1/2	47,717	1/2	69,488	1/2	91,259	1/2	113,030	1/2	134,801	1/2	154,474
3/4	4,436	3/4	26,195	3/4	47,944	3/4	69,715	3/4	91,486	3/4	113,257	3/4	135,027	3/4	154,493
7	4,663	7	26,421	7	48,171	7	69,942	7	91,713	7	113,483	7	135,254	7	154,511
1/4	4,890	1/4	26,647	1/4	48,398	1/4	70,169	1/4	91,939	1/4	113,710	1/4	135,481	1/4	154,530
1/2	5,116	1/2	26,873	1/2	48,625	1/2	70,395	1/2	92,166	1/2	113,937	1/2	135,708	1/2	154,549
3/4	5,343	3/4	27,099	3/4	48,851	3/4	70,622	3/4	92,393	3/4	114,164	3/4	135,934	3/4	154,568
8	5,570	8	27,325	8	49,078	8	70,849	8	92,620	8	114,390	8	136,161	8	154,587
1/4	5,797	1/4	27,551	1/4	49,305	1/4	71,076	1/4	92,846	1/4	114,617	1/4	136,388	1/4	154,606
1/2	6,024	1/2	27,777	1/2	49,532	1/2	71,302	1/2	93,073	1/2	114,844	1/2	136,615	1/2	154,625
3/4	6,250	3/4	28,003	3/4	49,758	3/4	71,529	3/4	93,300	3/4	115,071	3/4	136,842	3/4	154,644
9	6,477	9	28,229	9	49,985	9	71,756	9	93,527	9	115,298	9	137,068	9	154,663
1/4	6,704	1/4	28,455	1/4	50,212	1/4	71,983	1/4	93,754	1/4	115,524	1/4	137,295	1/4	154,682
1/2	6,931	1/2	28,681	1/2	50,439	1/2	72,210	1/2	93,980	1/2	115,751	1/2	137,522	1/2	154,701
3/4	7,157	3/4	28,907	3/4	50,666	3/4	72,436	3/4	94,207	3/4	115,978	3/4	137,749	3/4	154,720
10	7,384	10	29,132	10	50,892	10	72,663	10	94,434	10	116,205	10	137,976	10	154,739
1/4	7,611	1/4	29,358	1/4	51,119	1/4	72,890	1/4	94,661	1/4	116,432	1/4	138,202	1/4	154,758
1/2	7,838	1/2	29,584	1/2	51,346	1/2	73,117	1/2	94,887	1/2	116,658	1/2	138,429	1/2	154,777
3/4	8,065	3/4	29,810	3/4	51,573	3/4	73,343	3/4	95,114	3/4	116,885	3/4	138,656	3/4	154,796
11	8,291	11	30,036	11	51,799	11	73,570	11	95,341	11	117,112	11	138,883	11	154,815
1/4	8,518	1/4	30,262	1/4	52,026	1/4	73,797	1/4	95,568	1/4	117,339	1/4	139,109	1/4	154,834
1/2	8,745	1/2	30,488	1/2	52,253	1/2	74,024	1/2	95,795	1/2	117,565	1/2	139,336	1/2	154,853
3/4	8,972	3/4	30,714	3/4	52,480	3/4	74,251	3/4	96,021	3/4	117,792	3/4	139,563	3/4	154,872

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 8/27/01

• CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 16-11 3/4" (RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



**BARGE "CBC-109"
CANAL BARGE COMPANY**

INNAGE TABLE

**TANK NO.
3**

HULL NO. 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.
0	57	0	8,891	0	19,679	0	30,461	0	41,248	0	52,036	0	62,823	0	73,611	0	84,399	0	95,186	0	105,974	0	116,762	0	127,549	0	138,337	0	149,125
1/4	78	1/4	9,116	1/4	19,904	1/4	30,686	1/4	41,473	1/4	52,260	1/4	63,048	1/4	73,836	1/4	84,623	1/4	95,410	1/4	106,198	1/4	116,985	1/4	127,772	1/4	138,560	1/4	149,348
1/2	100	1/2	9,341	1/2	20,128	1/2	30,915	1/2	41,698	1/2	52,485	1/2	63,273	1/2	74,060	1/2	84,848	1/2	95,636	1/2	106,424	1/2	117,211	1/2	127,999	1/2	138,787	1/2	149,574
3/4	164	3/4	9,565	3/4	20,353	3/4	31,135	3/4	41,922	3/4	52,710	3/4	63,498	3/4	74,285	3/4	85,073	3/4	95,861	3/4	106,648	3/4	117,436	3/4	128,224	3/4	139,011	3/4	149,799
1	228	1	9,790	1	20,578	1	31,360	1	42,147	1	52,935	1	63,722	1	74,510	1	85,298	1	96,085	1	106,873	1	117,661	1	128,448	1	139,236	1	150,024
1/4	292	1/4	10,015	1/4	20,803	1/4	31,589	1/4	42,376	1/4	53,164	1/4	63,951	1/4	74,739	1/4	85,526	1/4	96,313	1/4	107,100	1/4	117,888	1/4	128,675	1/4	139,463	1/4	150,250
1/2	356	1/2	10,240	1/2	21,027	1/2	31,814	1/2	42,601	1/2	53,390	1/2	64,177	1/2	74,964	1/2	85,752	1/2	96,539	1/2	107,326	1/2	118,114	1/2	128,901	1/2	139,688	1/2	150,475
3/4	463	3/4	10,464	3/4	21,252	3/4	32,034	3/4	42,821	3/4	53,609	3/4	64,397	3/4	75,184	3/4	85,971	3/4	96,759	3/4	107,546	3/4	118,334	3/4	129,121	3/4	139,908	3/4	150,695
1	570	1	10,689	1	21,477	1	32,258	1	43,046	1	53,834	1	64,621	1	75,409	1	86,197	1	96,984	1	107,772	1	118,560	1	129,347	1	140,135	1	150,922
1/4	677	1/4	10,914	1/4	21,702	1/4	32,483	1/4	43,271	1/4	54,058	1/4	64,846	1/4	75,634	1/4	86,421	1/4	97,209	1/4	107,997	1/4	118,784	1/4	129,572	1/4	140,360	1/4	151,147
1/2	784	1/2	11,139	1/2	21,926	1/2	32,708	1/2	43,495	1/2	54,283	1/2	65,071	1/2	75,858	1/2	86,646	1/2	97,434	1/2	108,221	1/2	119,009	1/2	129,797	1/2	140,584	1/2	151,371
3/4	934	3/4	11,363	3/4	22,151	3/4	32,933	3/4	43,720	3/4	54,508	3/4	65,296	3/4	76,083	3/4	86,871	3/4	97,659	3/4	108,446	3/4	119,234	3/4	130,022	3/4	140,809	3/4	151,596
1	1,084	1	11,588	1	22,376	1	33,157	1	43,945	1	54,733	1	65,520	1	76,308	1	87,096	1	97,883	1	108,671	1	119,459	1	130,246	1	141,034	1	151,821
1/4	1,234	1/4	11,813	1/4	22,601	1/4	33,382	1/4	44,170	1/4	54,957	1/4	65,745	1/4	76,533	1/4	87,320	1/4	98,108	1/4	108,896	1/4	119,683	1/4	130,471	1/4	141,259	1/4	152,046
1/2	1,384	1/2	12,038	1/2	22,825	1/2	33,607	1/2	44,394	1/2	55,182	1/2	65,970	1/2	76,757	1/2	87,545	1/2	98,332	1/2	109,120	1/2	119,908	1/2	130,696	1/2	141,483	1/2	152,270
3/4	1,576	3/4	12,262	3/4	23,050	3/4	33,832	3/4	44,619	3/4	55,407	3/4	66,195	3/4	76,982	3/4	87,770	3/4	98,558	3/4	109,345	3/4	120,133	3/4	130,921	3/4	141,708	3/4	152,495
1	1,769	1	12,487	1	23,275	1	34,056	1	44,844	1	55,632	1	66,419	1	77,207	1	87,995	1	98,782	1	109,570	1	120,358	1	131,145	1	141,933	1	152,720
1/4	1,962	1/4	12,712	1/4	23,499	1/4	34,281	1/4	45,069	1/4	55,856	1/4	66,644	1/4	77,432	1/4	88,219	1/4	99,007	1/4	109,795	1/4	120,583	1/4	131,370	1/4	142,158	1/4	152,945
1/2	2,154	1/2	12,937	1/2	23,724	1/2	34,506	1/2	45,293	1/2	56,081	1/2	66,869	1/2	77,656	1/2	88,444	1/2	99,232	1/2	110,019	1/2	120,807	1/2	131,595	1/2	142,382	1/2	153,169
3/4	2,374	3/4	13,161	3/4	23,948	3/4	34,731	3/4	45,518	3/4	56,306	3/4	67,094	3/4	77,881	3/4	88,669	3/4	99,456	3/4	110,244	3/4	121,032	3/4	131,819	3/4	142,607	3/4	153,394
1	2,598	1	13,386	1	24,173	1	34,955	1	45,743	1	56,531	1	67,318	1	78,106	1	88,894	1	99,681	1	110,469	1	121,257	1	132,044	1	142,832	1	153,619
1/4	2,823	1/4	13,611	1/4	24,397	1/4	35,180	1/4	45,968	1/4	56,756	1/4	67,543	1/4	78,331	1/4	89,118	1/4	99,906	1/4	110,694	1/4	121,481	1/4	132,269	1/4	143,057	1/4	153,844
1/2	3,048	1/2	13,836	1/2	24,622	1/2	35,405	1/2	46,192	1/2	56,980	1/2	67,768	1/2	78,555	1/2	89,343	1/2	100,131	1/2	110,918	1/2	121,706	1/2	132,494	1/2	143,281	1/2	154,068
3/4	3,273	3/4	14,060	3/4	24,847	3/4	35,629	3/4	46,417	3/4	57,205	3/4	67,992	3/4	78,780	3/4	89,568	3/4	100,355	3/4	111,143	3/4	121,931	3/4	132,718	3/4	143,506	3/4	154,293
1	3,497	1	14,285	1	25,071	1	35,854	1	46,642	1	57,430	1	68,217	1	79,005	1	89,793	1	100,580	1	111,368	1	122,156	1	132,943	1	143,731	1	154,518
1/4	3,722	1/4	14,510	1/4	25,296	1/4	36,079	1/4	46,867	1/4	57,654	1/4	68,442	1/4	79,230	1/4	90,017	1/4	100,805	1/4	111,593	1/4	122,381	1/4	133,168	1/4	143,956	1/4	154,743
1/2	3,947	1/2	14,735	1/2	25,520	1/2	36,304	1/2	47,091	1/2	57,877	1/2	68,665	1/2	79,459	1/2	90,242	1/2	101,030	1/2	111,817	1/2	122,605	1/2	133,393	1/2	144,180	1/2	154,967
3/4	4,172	3/4	14,959	3/4	25,745	3/4	36,528	3/4	47,316	3/4	58,104	3/4	68,891	3/4	79,679	3/4	90,467	3/4	101,254	3/4	112,042	3/4	122,830	3/4	133,617	3/4	144,405	3/4	155,192
1	4,396	1	15,184	1	25,970	1	36,753	1	47,541	1	58,329	1	69,116	1	79,904	1	90,692	1	101,479	1	112,267	1	123,055	1	133,842	1	144,630	1	155,417
1/4	4,621	1/4	15,409	1/4	26,194	1/4	36,978	1/4	47,766	1/4	58,553	1/4	69,341	1/4	80,129	1/4	90,916	1/4	101,704	1/4	112,492	1/4	123,279	1/4	134,067	1/4	144,855	1/4	155,642
1/2	4,846	1/2	15,634	1/2	26,419	1/2	37,203	1/2	47,990	1/2	58,778	1/2	69,566	1/2	80,353	1/2	91,141	1/2	101,929	1/2	112,717	1/2	123,504	1/2	134,292	1/2	145,079	1/2	155,866
3/4	5,071	3/4	15,858	3/4	26,643	3/4	37,427	3/4	48,215	3/4	59,003	3/4	69,790	3/4	80,578	3/4	91,366	3/4	102,153	3/4	112,941	3/4	123,729	3/4	134,516	3/4	145,304	3/4	156,091
1	5,295	1	16,083	1	26,868	1	37,652	1	48,440	1	59,228	1	70,015	1	80,803	1	91,590	1	102,378	1	113,166	1	123,953	1	134,741	1	145,529	1	156,316
1/4	5,520	1/4	16,308	1/4	27,093	1/4	37,877	1/4	48,665	1/4	59,452	1/4	70,240	1/4	81,028	1/4	91,815	1/4	102,603	1/4	113,391	1/4	124,178	1/4	134,966	1/4	145,754	1/4	156,541
1/2	5,745	1/2	16,533	1/2	27,317	1/2	38,102	1/2	48,889	1/2	59,677	1/2	70,465	1/2	81,252	1/2	92,040	1/2	102,828	1/2	113,615	1/2	124,403	1/2	135,191	1/2	145,978	1/2	156,765
3/4	5,970	3/4	16,757	3/4	27,542	3/4	38,326	3/4	49,114	3/4	59,902	3/4	70,689	3/4	81,477	3/4	92,265	3/4	103,052	3/4	113,840	3/4	124,628	3/4	135,415	3/4	146,203	3/4	156,990
1	6,194	1	16,982	1	27,766	1	38,551	1	49,339	1	60,126	1	70,914	1	81,702	1	92,489	1	103,277	1	114,065	1	124,852	1	135,640	1	146,428	1	157,215



BARGE "CBC-109"
CANAL BARGE COMPANY

OUTAGE TABLE

TANK NO. **1**

HULL NO. 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	157,305	145,889	134,473	123,057	111,641	100,225	88,809	77,393	65,977	54,561	43,145	31,730	20,314	8,933	0
1/4	157,067	145,652	134,236	122,820	111,404	100,000	88,572	77,156	65,740	54,324	42,908	31,500	20,111	8,695	0
1/2	156,830	145,414	133,998	122,582	111,166	99,750	88,334	76,918	65,502	54,086	42,670	31,263	19,873	8,457	0
3/4	156,592	145,176	133,760	122,344	110,928	99,512	88,096	76,680	65,264	53,848	42,432	31,026	19,635	8,219	0
1	156,354	144,938	133,522	122,106	110,690	99,274	87,858	76,442	65,028	53,612	42,196	30,789	19,397	7,981	0
1/4	156,116	144,700	133,284	121,868	110,452	99,036	87,620	76,204	64,808	53,372	41,956	30,552	19,159	7,743	0
1/2	155,878	144,462	133,046	121,630	110,214	98,798	87,382	75,966	64,550	53,134	41,718	30,315	18,922	7,506	0
3/4	155,640	144,224	132,808	121,392	109,977	98,561	87,145	75,729	64,313	52,897	41,481	30,078	18,684	7,268	0
2	155,402	143,987	132,571	121,155	109,739	98,323	86,907	75,491	64,075	52,659	41,243	29,841	18,446	7,030	0
1/4	155,165	143,749	132,333	120,917	109,501	98,085	86,669	75,253	63,837	52,421	41,005	29,604	18,208	6,792	0
1/2	154,927	143,511	132,095	120,679	109,263	97,847	86,431	75,015	63,599	52,183	40,767	29,367	17,970	6,554	0
3/4	154,689	143,273	131,857	120,441	109,025	97,609	86,193	74,777	63,361	51,945	40,529	29,130	17,732	6,316	0
3	154,451	143,035	131,619	120,203	108,787	97,371	85,955	74,539	63,123	51,707	40,291	28,893	17,495	6,079	0
1/4	154,213	142,798	131,382	119,966	108,550	97,134	85,718	74,302	62,886	51,470	40,054	28,656	17,257	5,841	0
1/2	153,976	142,560	131,144	119,728	108,312	96,896	85,480	74,064	62,648	51,232	39,816	28,419	17,019	5,603	0
3/4	153,738	142,322	130,906	119,490	108,074	96,658	85,242	73,826	62,410	50,994	39,578	28,182	16,781	5,365	0
4	153,500	142,084	130,668	119,252	107,836	96,420	85,004	73,588	62,172	50,756	39,340	27,945	16,543	5,127	0
1/4	153,262	141,846	130,430	119,014	107,598	96,182	84,766	73,350	61,934	50,518	39,102	27,708	16,305	4,889	0
1/2	153,024	141,608	130,192	118,776	107,360	95,944	84,528	73,112	61,696	50,280	38,864	27,471	16,068	4,652	0
3/4	152,786	141,371	129,955	118,539	107,123	95,707	84,291	72,875	61,459	50,043	38,627	27,234	15,830	4,414	0
5	152,549	141,133	129,717	118,301	106,885	95,469	84,053	72,637	61,221	49,805	38,389	27,000	15,592	4,176	0
1/4	152,311	140,895	129,479	118,063	106,647	95,231	83,815	72,399	60,983	49,567	38,151	26,760	15,354	3,938	0
1/2	152,073	140,657	129,241	117,825	106,409	94,993	83,577	72,161	60,745	49,329	37,913	26,524	15,116	3,700	0
3/4	151,835	140,419	129,003	117,587	106,171	94,755	83,339	71,923	60,507	49,091	37,675	26,287	14,878	3,462	0
6	151,597	140,181	128,765	117,349	105,933	94,517	83,101	71,685	60,269	48,853	37,437	26,050	14,641	3,225	0
1/4	151,359	139,944	128,528	117,112	105,696	94,280	82,864	71,448	60,032	48,616	37,200	25,813	14,403	2,987	0
1/2	151,122	139,706	128,290	116,874	105,458	94,042	82,626	71,210	59,794	48,378	36,962	25,576	14,165	2,749	0
3/4	150,884	139,468	128,052	116,636	105,220	93,804	82,388	70,972	59,556	48,140	36,724	25,339	13,927	2,511	0
7	150,646	139,230	127,814	116,398	104,982	93,566	82,150	70,734	59,318	47,902	36,486	25,102	13,689	2,279	0
1/4	150,408	138,992	127,576	116,160	104,744	93,328	81,912	70,496	59,080	47,664	36,248	24,865	13,451	2,045	0
1/2	150,170	138,754	127,338	115,922	104,506	93,090	81,674	70,258	58,842	47,426	36,010	24,628	13,214	1,811	0
3/4	149,932	138,517	127,101	115,685	104,269	92,853	81,437	70,021	58,605	47,189	35,773	24,391	12,976	1,573	0
8	149,695	138,279	126,863	115,447	104,031	92,615	81,199	69,783	58,367	46,951	35,535	24,154	12,738	1,335	0
1/4	149,457	138,041	126,625	115,209	103,793	92,377	80,961	69,545	58,129	46,713	35,297	23,917	12,500	1,100	0
1/2	149,219	137,803	126,387	114,971	103,555	92,139	80,723	69,307	57,891	46,475	35,059	23,678	12,262	876	0
3/4	148,981	137,565	126,149	114,733	103,317	91,901	80,485	69,069	57,653	46,237	34,821	23,440	12,024	642	0
9	148,743	137,327	125,911	114,495	103,079	91,663	80,247	68,831	57,415	45,999	34,583	23,203	11,787	407	0
1/4	148,506	137,090	125,674	114,258	102,842	91,426	80,010	68,594	57,178	45,762	34,346	22,965	11,549	176	0
1/2	148,268	136,852	125,436	114,020	102,604	91,188	79,772	68,356	56,940	45,524	34,108	22,727	11,311	146	0
3/4	148,030	136,614	125,198	113,782	102,366	90,950	79,534	68,118	56,702	45,286	33,870	22,489	11,073	90	0
10	147,792	136,376	124,960	113,544	102,128	90,712	79,296	67,880	56,464	45,048	33,632	22,251	10,835	66	0
1/4	147,554	136,138	124,722	113,306	101,890	90,474	79,058	67,642	56,226	44,810	33,395	22,013	10,597	42	0
1/2	147,316	135,900	124,484	113,068	101,652	90,236	78,820	67,404	55,988	44,572	33,158	21,776	10,360	18	0
3/4	147,079	135,663	124,247	112,831	101,415	90,000	78,583	67,167	55,751	44,335	32,921	21,538	10,122	1	0
11	146,841	135,425	124,009	112,593	101,177	89,761	78,345	66,929	55,513	44,097	32,684	21,300	9,884	105	0
1/4	146,603	135,187	123,771	112,355	100,939	89,523	78,107	66,691	55,275	43,859	32,447	21,062	9,646	82	0
1/2	146,365	134,949	123,533	112,117	100,701	89,285	77,869	66,453	55,037	43,621	32,210	20,824	9,408	58	0
3/4	146,127	134,711	123,295	111,879	100,463	89,047	77,631	66,215	54,799	43,383	31,973	20,586	9,170	34	0

CAPACITIES GIVEN IN US GALLONS

STRAPPED: 827/01

REFERENCE GAUGE HEIGHT: 16'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION



BARGE "CBC-109"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
2

HULL NO. 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	150,448	150,448	139,563	128,678	117,792	106,907	96,021	85,136	74,251	63,365	52,480	41,594	30,714	19,857	0
1/4	150,222	150,222	139,336	128,452	117,566	106,680	95,795	84,909	74,024	63,138	52,253	41,368	30,488	19,630	8,745
1/2	149,995	149,995	139,109	128,224	117,339	106,453	95,568	84,682	73,797	62,912	52,026	41,141	30,262	19,404	8,518
3/4	149,768	149,768	138,883	127,997	117,112	106,226	95,341	84,456	73,570	62,685	51,799	40,914	30,036	19,177	8,291
1	149,541	149,541	138,656	127,770	116,885	106,000	95,114	84,229	73,343	62,458	51,573	40,687	29,810	18,950	8,065
1/4	149,314	149,314	138,429	127,544	116,658	105,773	94,887	84,002	73,117	62,231	51,346	40,461	29,584	18,723	7,838
1/2	149,088	149,088	138,202	127,317	116,432	105,546	94,661	83,775	72,890	62,005	51,119	40,234	29,358	18,496	7,611
3/4	148,861	148,861	137,976	127,090	116,205	105,319	94,434	83,549	72,663	61,778	50,892	40,007	29,132	18,270	7,384
2	148,634	148,634	137,749	126,863	115,978	105,093	94,207	83,322	72,436	61,551	50,666	39,780	28,907	18,043	7,157
1/4	148,407	148,407	137,522	126,637	115,751	104,866	93,980	83,095	72,210	61,324	50,439	39,553	28,681	17,816	6,931
1/2	148,181	148,181	137,295	126,410	115,524	104,639	93,754	82,868	71,983	61,097	50,212	39,327	28,455	17,589	6,704
3/4	147,954	147,954	137,068	126,183	115,298	104,412	93,527	82,641	71,756	60,871	49,985	39,100	28,229	17,363	6,477
3	147,727	147,727	136,842	125,956	115,071	104,185	93,300	82,415	71,529	60,644	49,758	38,873	28,003	17,136	6,250
1/4	147,500	147,500	136,615	125,729	114,844	103,959	93,073	82,188	71,302	60,417	49,532	38,646	27,777	16,909	6,024
1/2	147,273	147,273	136,388	125,503	114,617	103,732	92,846	81,961	71,076	60,190	49,305	38,420	27,551	16,682	5,797
3/4	147,047	147,047	136,161	125,276	114,390	103,505	92,620	81,734	70,849	59,964	49,078	38,193	27,325	16,455	5,570
4	146,820	146,820	135,934	125,049	114,164	103,278	92,393	81,508	70,622	59,737	48,851	37,966	27,099	16,229	5,343
1/4	146,593	146,593	135,708	124,822	113,937	103,052	92,166	81,281	70,395	59,510	48,625	37,739	26,873	16,002	5,116
1/2	146,366	146,366	135,481	124,596	113,710	102,825	91,939	81,054	70,169	59,283	48,398	37,512	26,647	15,775	4,890
3/4	146,140	146,140	135,254	124,369	113,483	102,598	91,713	80,827	69,942	59,056	48,171	37,286	26,421	15,548	4,663
5	145,913	145,913	135,027	124,142	113,257	102,371	91,486	80,600	69,715	58,830	47,944	37,059	26,195	15,322	4,436
1/4	145,686	145,686	134,801	123,915	113,030	102,144	91,259	80,374	69,488	58,603	47,717	36,832	25,969	15,095	4,209
1/2	145,459	145,459	134,574	123,688	112,803	101,918	91,032	80,147	69,261	58,376	47,491	36,605	25,743	14,868	3,983
3/4	145,232	145,232	134,347	123,462	112,576	101,691	90,805	79,920	69,035	58,149	47,264	36,379	25,517	14,641	3,756
6	145,006	145,006	134,120	123,235	112,349	101,464	90,579	79,693	68,808	57,923	47,037	36,152	25,291	14,414	3,529
1/4	144,779	144,779	133,893	123,008	112,123	101,237	90,352	79,467	68,581	57,696	46,810	35,925	25,065	14,188	3,302
1/2	144,552	144,552	133,666	122,781	111,896	101,011	90,125	79,240	68,354	57,469	46,584	35,698	24,840	13,961	3,075
3/4	144,325	144,325	133,440	122,555	111,669	100,784	89,898	79,013	68,128	57,243	46,357	35,471	24,614	13,734	2,849
7	144,099	144,099	133,213	122,328	111,442	100,557	89,672	78,786	67,901	57,015	46,130	35,245	24,388	13,507	2,622
1/4	143,872	143,872	132,986	122,101	111,216	100,330	89,445	78,559	67,674	56,789	45,903	35,018	24,162	13,280	2,395
1/2	143,645	143,645	132,760	121,874	110,989	100,103	89,218	78,333	67,447	56,562	45,676	34,791	23,936	13,054	2,174
3/4	143,418	143,418	132,533	121,647	110,762	99,877	88,991	78,106	67,220	56,335	45,450	34,564	23,710	12,827	1,979
8	143,191	143,191	132,306	121,421	110,535	99,650	88,764	77,879	66,994	56,108	45,223	34,338	23,484	12,600	1,785
1/4	142,965	142,965	132,079	121,194	110,308	99,423	88,538	77,652	66,767	55,882	44,996	34,111	23,258	12,373	1,591
1/2	142,738	142,738	131,852	120,967	109,175	99,196	88,311	77,426	66,540	55,655	44,769	33,884	23,032	12,147	1,396
3/4	142,511	142,511	131,626	120,740	109,855	98,970	88,084	77,199	66,313	55,428	44,543	33,657	22,805	11,920	1,245
9	142,284	142,284	131,399	120,514	109,628	98,743	87,857	76,972	66,087	55,201	44,316	33,430	22,578	11,693	1,094
1/4	142,058	142,058	131,172	120,287	109,401	98,516	87,631	76,745	65,860	54,974	44,089	33,204	22,352	11,466	943
1/2	141,831	141,831	130,945	120,060	109,175	98,289	87,404	76,518	65,633	54,748	43,862	32,977	22,125	11,239	791
3/4	141,604	141,604	130,719	119,833	108,948	98,062	87,177	76,292	65,406	54,521	43,635	32,750	21,898	11,013	683
10	141,377	141,377	130,492	119,606	108,721	97,836	86,950	76,065	65,179	54,294	43,409	32,523	21,671	10,786	575
1/4	141,150	141,150	130,265	119,380	108,494	97,609	86,723	75,838	64,953	54,068	43,182	32,296	21,445	10,559	467
1/2	140,924	140,924	130,038	119,153	108,267	97,382	86,497	75,611	64,726	53,840	42,955	32,070	21,218	10,332	359
3/4	140,697	140,697	129,811	118,926	108,041	97,155	86,270	75,385	64,499	53,614	42,728	31,844	20,991	10,106	295
11	140,470	140,470	129,585	118,699	107,814	96,929	86,043	75,158	64,272	53,387	42,502	31,618	20,764	9,879	230
1/4	140,243	140,243	129,358	118,473	107,587	96,702	85,816	74,931	64,046	53,160	42,275	31,392	20,537	9,652	165
1/2	140,017	140,017	129,131	118,246	107,360	96,475	85,590	74,704	63,819	52,933	42,048	31,166	20,311	9,425	100
3/4	139,790	139,790	128,904	118,019	107,134	96,248	85,363	74,477	63,592	52,707	41,821	30,940	20,084	9,198	79

STRAPPED: 8/27/01

REFERENCE GAUGE HEIGHT: 16'-11 3/4" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION



INSPECTORATE
ISO 9002 ACCREDITED

**BARGE "CBC-109"
CANAL BARGE COMPANY**

OUTAGE TABLE

TANK NO.

3

HULL NO 4393

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	148,675	148,675	137,888	127,100	116,312	105,525	94,737	83,949	73,162	62,374	51,586	40,799	30,012	19,225	8,442
1/4	148,450	148,450	137,663	126,875	116,087	105,300	94,512	83,724	72,937	62,149	51,361	40,574	29,788	19,005	8,217
1/2	148,226	148,226	137,438	126,650	115,863	105,075	94,287	83,500	72,712	61,924	51,137	40,349	29,563	18,780	7,992
3/4	148,001	148,001	137,213	126,426	115,638	104,850	94,063	83,275	72,487	61,700	50,912	40,124	29,338	18,555	7,768
1	147,776	147,776	136,989	126,201	115,413	104,626	93,838	83,050	72,263	61,475	50,687	39,900	29,114	18,330	7,543
1/4	147,552	147,552	136,764	125,976	115,189	104,401	93,613	82,826	72,038	61,250	50,463	39,675	28,889	18,106	7,318
1/2	147,327	147,327	136,539	125,751	114,964	104,176	93,388	82,601	71,813	61,025	50,238	39,450	28,665	17,881	7,093
3/4	147,102	147,102	136,314	125,527	114,739	103,951	93,164	82,376	71,588	60,801	50,013	39,225	28,440	17,656	6,869
2	146,877	146,877	136,090	125,302	114,514	103,727	92,939	82,151	71,364	60,576	49,788	39,000	28,215	17,432	6,644
1/4	146,653	146,653	135,865	125,077	114,290	103,502	92,714	81,927	71,139	60,351	49,564	38,776	27,991	17,207	6,419
1/2	146,428	146,428	135,640	124,852	114,065	103,277	92,489	81,702	70,914	60,126	49,339	38,551	27,766	16,982	6,194
3/4	146,203	146,203	135,415	124,628	113,840	103,052	92,265	81,477	70,689	59,902	49,114	38,326	27,542	16,757	5,970
3	145,978	145,978	135,191	124,403	113,615	102,828	92,040	81,252	70,465	59,677	48,889	38,102	27,317	16,533	5,745
1/4	145,754	145,754	134,966	124,178	113,391	102,603	91,815	81,028	70,240	59,452	48,665	37,877	27,093	16,308	5,520
1/2	145,529	145,529	134,741	123,953	113,166	102,378	91,590	80,803	70,015	59,228	48,440	37,652	26,868	16,083	5,295
3/4	145,304	145,304	134,516	123,729	112,941	102,153	91,366	80,578	69,790	59,003	48,215	37,427	26,643	15,858	5,071
4	145,079	145,079	134,292	123,504	112,716	101,929	91,141	80,353	69,566	58,778	47,990	37,203	26,419	15,634	4,846
1/4	144,855	144,855	134,067	123,279	112,492	101,704	90,916	80,129	69,341	58,553	47,766	36,978	26,194	15,409	4,621
1/2	144,630	144,630	133,842	123,055	112,267	101,479	90,692	79,904	69,116	58,329	47,541	36,753	25,970	15,184	4,396
3/4	144,405	144,405	133,617	122,830	112,042	101,254	90,467	79,679	68,891	58,104	47,316	36,528	25,745	14,959	4,172
5	144,180	144,180	133,393	122,605	111,817	101,030	90,242	79,454	68,667	57,879	47,091	36,304	25,520	14,735	3,947
1/4	143,956	143,956	133,168	122,380	111,593	100,805	90,017	79,230	68,442	57,654	46,867	36,079	25,296	14,510	3,722
1/2	143,731	143,731	132,943	122,156	111,368	100,580	89,793	79,005	68,217	57,430	46,642	35,854	25,071	14,285	3,497
3/4	143,506	143,506	132,718	121,931	111,143	100,355	89,568	78,780	67,992	57,205	46,417	35,629	24,847	14,060	3,273
6	143,281	143,281	132,494	121,706	110,918	100,131	89,343	78,555	67,768	56,980	46,192	35,405	24,622	13,836	3,048
1/4	143,057	143,057	132,269	121,481	110,694	100,906	89,118	78,331	67,543	56,755	45,968	35,180	24,397	13,611	2,823
1/2	142,832	142,832	132,044	121,257	110,469	100,680	88,894	78,106	67,318	56,531	45,743	34,955	24,173	13,386	2,598
3/4	142,607	142,607	131,819	121,032	110,244	100,456	88,669	77,881	67,094	56,306	45,518	34,731	23,948	13,161	2,374
7	142,382	142,382	131,595	120,807	110,019	99,232	88,444	77,656	66,869	56,081	45,293	34,506	23,724	12,937	2,154
1/4	142,158	142,158	131,370	120,582	109,795	99,007	88,219	77,432	66,644	55,856	45,069	34,281	23,499	12,712	1,962
1/2	141,933	141,933	131,145	120,358	109,570	98,782	87,995	77,207	66,419	55,632	44,844	34,056	23,275	12,487	1,769
3/4	141,708	141,708	130,921	120,133	109,345	98,558	87,770	76,982	66,195	55,407	44,619	33,832	23,050	12,262	1,576
8	141,483	141,483	130,696	119,908	109,120	98,333	87,545	76,757	65,970	55,182	44,394	33,607	22,825	12,038	1,384
1/4	141,259	141,259	130,471	119,683	108,896	98,108	87,320	76,533	65,745	54,957	44,170	33,382	22,601	11,813	1,234
1/2	141,034	141,034	130,246	119,459	108,671	97,883	87,096	76,308	65,520	54,733	43,945	33,157	22,376	11,588	1,084
3/4	140,809	140,809	130,022	119,234	108,446	97,659	86,871	76,083	65,296	54,508	43,720	32,933	22,151	11,363	934
9	140,584	140,584	129,797	118,999	108,221	97,434	86,646	75,858	65,071	54,283	43,495	32,708	21,926	11,139	784
1/4	140,360	140,360	129,572	118,784	107,997	97,209	86,421	75,634	64,846	54,058	43,271	32,483	21,702	10,914	677
1/2	140,135	140,135	129,347	118,560	107,772	96,984	86,197	75,409	64,621	53,834	43,046	32,258	21,477	10,689	570
3/4	139,910	139,910	129,123	118,335	107,547	96,760	85,972	75,184	64,397	53,609	42,821	32,034	21,252	10,464	463
10	139,685	139,685	128,898	118,110	107,323	96,535	85,747	74,960	64,172	53,384	42,597	31,809	21,027	10,240	356
1/4	139,461	139,461	128,673	117,885	107,098	96,310	85,522	74,735	63,947	53,159	42,372	31,584	20,803	10,015	292
1/2	139,236	139,236	128,448	117,660	106,873	96,085	85,298	74,510	63,722	52,935	42,147	31,360	20,578	9,790	228
3/4	139,011	139,011	128,224	117,436	106,648	95,861	85,073	74,285	63,498	52,710	41,922	31,135	20,353	9,565	164
11	138,787	138,787	127,999	117,211	106,424	95,636	84,848	74,061	63,273	52,485	41,698	30,911	20,128	9,341	100
1/4	138,563	138,563	127,774	116,986	106,199	95,411	84,623	73,836	63,048	52,260	41,473	30,686	19,904	9,116	78
1/2	138,337	138,337	127,549	116,762	105,974	95,186	84,399	73,611	62,823	52,036	41,248	30,461	19,679	8,891	57
3/4	138,112	138,112	127,325	116,537	105,749	94,962	84,174	73,386	62,599	51,811	41,023	30,237	19,454	8,667	34

STRAPPED: 82701

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 16'-11 1/2" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

