

RGE "CBC 121"
HULL NO. 01

TANK NO. 1
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	55	0	9,949	0	21,489	0	33,021	0	44,528	0	56,060	0	67,591	0	79,123	0	90,654	0	102,186
1/4	65	1/4	10,189	1/4	21,729	1/4	33,261	1/4	44,769	1/4	56,300	1/4	67,832	1/4	79,363	1/4	90,895	1/4	102,426
1/2	95	1/2	10,430	1/2	21,970	1/2	33,501	1/2	45,009	1/2	56,540	1/2	68,072	1/2	79,603	1/2	91,135	1/2	102,666
3/4	145	3/4	10,670	3/4	22,210	3/4	33,740	3/4	45,249	3/4	56,781	3/4	68,312	3/4	79,844	3/4	91,375	3/4	102,907
1	215	1	10,910	1	22,450	1	33,980	1	45,489	1	57,021	1	68,552	1	80,084	1	91,615	1	103,147
1/4	306	1/4	11,151	1/4	22,691	1/4	34,219	1/4	45,730	1/4	57,261	1/4	68,793	1/4	80,324	1/4	91,856	1/4	103,387
1/2	416	1/2	11,391	1/2	22,931	1/2	34,459	1/2	45,970	1/2	57,501	1/2	69,033	1/2	80,564	1/2	92,096	1/2	103,627
3/4	546	3/4	11,632	3/4	23,172	3/4	34,699	3/4	46,210	3/4	57,742	3/4	69,273	3/4	80,805	3/4	92,336	3/4	103,868
2	696	2	11,872	2	23,412	2	34,938	2	46,450	2	57,982	2	69,513	2	81,045	2	92,576	2	104,108
1/4	867	1/4	12,112	1/4	23,652	1/4	35,178	1/4	46,690	1/4	58,222	1/4	69,754	1/4	81,285	1/4	92,817	1/4	104,348
1/2	1,057	1/2	12,353	1/2	23,893	1/2	35,417	1/2	46,931	1/2	58,462	1/2	69,994	1/2	81,526	1/2	93,057	1/2	104,588
3/4	1,267	3/4	12,593	3/4	24,133	3/4	35,657	3/4	47,171	3/4	58,702	3/4	70,234	3/4	81,766	3/4	93,297	3/4	104,829
3	1,498	3	12,834	3	24,374	3	35,897	3	47,411	3	58,943	3	70,474	3	82,006	3	93,537	3	105,069
1/4	2,691	1/4	13,074	1/4	24,614	1/4	36,136	1/4	47,651	1/4	59,183	1/4	70,714	1/4	82,246	1/4	93,778	1/4	105,309
1/2	2,930	1/2	13,315	1/2	24,855	1/2	36,376	1/2	47,892	1/2	59,423	1/2	70,955	1/2	82,486	1/2	94,018	1/2	105,549
3/4	3,169	3/4	13,555	3/4	25,095	3/4	36,616	3/4	48,132	3/4	59,663	3/4	71,195	3/4	82,726	3/4	94,258	3/4	105,790
4	2,452	4	13,795	4	25,335	4	36,855	4	48,372	4	59,904	4	71,435	4	82,967	4	94,498	4	106,030
1/4	3,646	1/4	14,036	1/4	25,576	1/4	37,095	1/4	48,612	1/4	60,144	1/4	71,675	1/4	83,207	1/4	94,738	1/4	106,270
1/2	3,885	1/2	14,276	1/2	25,816	1/2	37,334	1/2	48,853	1/2	60,384	1/2	71,916	1/2	83,447	1/2	94,979	1/2	106,510
3/4	4,123	3/4	14,517	3/4	26,056	3/4	37,574	3/4	49,093	3/4	60,624	3/4	72,156	3/4	83,687	3/4	95,219	3/4	106,750
5	3,407	5	14,757	5	26,297	5	37,814	5	49,333	5	60,865	5	72,396	5	83,928	5	95,459	5	106,991
1/4	3,646	1/4	14,997	1/4	26,537	1/4	38,053	1/4	49,573	1/4	61,105	1/4	72,636	1/4	84,169	1/4	95,699	1/4	107,231
1/2	3,885	1/2	15,238	1/2	26,777	1/2	38,293	1/2	49,814	1/2	61,345	1/2	72,877	1/2	84,408	1/2	95,940	1/2	107,471
3/4	4,123	3/4	15,478	3/4	27,017	3/4	38,532	3/4	50,054	3/4	61,585	3/4	73,117	3/4	84,648	3/4	96,180	3/4	107,711
6	4,347	6	15,719	6	27,257	6	38,772	6	50,294	6	61,826	6	73,357	6	84,889	6	96,420	6	107,952
1/4	4,571	1/4	15,959	1/4	27,498	1/4	39,012	1/4	50,534	1/4	62,066	1/4	73,597	1/4	85,129	1/4	96,660	1/4	108,192
1/2	4,794	1/2	16,200	1/2	27,738	1/2	39,251	1/2	50,775	1/2	62,306	1/2	73,838	1/2	85,369	1/2	96,901	1/2	108,432
3/4	5,018	3/4	16,440	3/4	27,978	3/4	39,491	3/4	51,015	3/4	62,546	3/4	74,078	3/4	85,609	3/4	97,141	3/4	108,672
7	5,241	7	16,680	7	28,218	7	39,730	7	51,255	7	62,787	7	74,318	7	85,850	7	97,381	7	108,913
1/4	5,465	1/4	16,921	1/4	28,459	1/4	39,970	1/4	51,495	1/4	63,027	1/4	74,558	1/4	86,090	1/4	97,621	1/4	109,153
1/2	5,689	1/2	17,161	1/2	28,699	1/2	40,210	1/2	51,736	1/2	63,267	1/2	74,799	1/2	86,330	1/2	97,862	1/2	109,393
3/4	5,912	3/4	17,402	3/4	28,939	3/4	40,449	3/4	51,976	3/4	63,507	3/4	75,039	3/4	86,570	3/4	98,102	3/4	109,633
8	6,136	8	17,642	8	29,179	8	40,689	8	52,216	8	63,748	8	75,279	8	86,811	8	98,342	8	109,874
1/4	6,359	1/4	17,882	1/4	29,420	1/4	40,928	1/4	52,456	1/4	63,988	1/4	75,519	1/4	87,051	1/4	98,582	1/4	110,114
1/2	6,583	1/2	18,123	1/2	29,660	1/2	41,168	1/2	52,696	1/2	64,228	1/2	75,760	1/2	87,291	1/2	98,823	1/2	110,354
3/4	6,823	3/4	18,363	3/4	29,900	3/4	41,408	3/4	52,937	3/4	64,468	3/4	76,000	3/4	87,531	3/4	99,063	3/4	110,594
9	7,064	9	18,604	9	30,140	9	41,647	9	53,177	9	64,708	9	76,240	9	87,772	9	99,303	9	110,835
1/4	7,304	1/4	18,844	1/4	30,381	1/4	41,887	1/4	53,417	1/4	64,949	1/4	76,480	1/4	88,012	1/4	99,543	1/4	111,075
1/2	7,545	1/2	19,085	1/2	30,621	1/2	42,127	1/2	53,657	1/2	65,189	1/2	76,720	1/2	88,252	1/2	99,784	1/2	111,315
3/4	7,785	3/4	19,325	3/4	30,861	3/4	42,366	3/4	53,898	3/4	65,429	3/4	76,961	3/4	88,492	3/4	100,024	3/4	111,555
10	8,025	10	19,565	10	31,101	10	42,606	10	54,138	10	65,669	10	77,201	10	88,732	10	99,303	10	111,796
1/4	8,266	1/4	19,806	1/4	31,342	1/4	42,847	1/4	54,378	1/4	65,910	1/4	77,441	1/4	88,973	1/4	100,504	1/4	112,036
1/2	8,506	1/2	20,046	1/2	31,582	1/2	43,087	1/2	54,618	1/2	66,150	1/2	77,681	1/2	89,213	1/2	100,744	1/2	112,276
3/4	8,747	3/4	20,287	3/4	31,822	3/4	43,327	3/4	54,859	3/4	66,390	3/4	77,922	3/4	89,453	3/4	100,985	3/4	112,516
11	8,987	11	20,527	11	32,062	11	43,567	11	55,099	11	66,630	11	78,162	11	89,693	11	101,225	11	112,756
1/4	9,228	1/4	20,767	1/4	32,303	1/4	43,808	1/4	55,339	1/4	66,871	1/4	78,402	1/4	89,934	1/4	101,465	1/4	112,997
1/2	9,468	1/2	21,008	1/2	32,542	1/2	44,048	1/2	55,579	1/2	67,111	1/2	78,642	1/2	90,174	1/2	101,705	1/2	113,237
3/4	9,708	3/4	21,248	3/4	32,782	3/4	44,288	3/4	55,820	3/4	67,351	3/4	78,883	3/4	90,414	3/4	101,946	3/4	113,477

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT: IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
 DATE COMPUTED: 4/29/04 BY: WHF
 DATE ISSUED: 5/3/04



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.	IN	FT.
0	113,717	0	125,249	0	136,780	0	148,312	0	159,844	0	171,376	0	182,908	0	194,440	0	205,972	0	217,504	0
1/4	113,958	1/4	125,489	1/4	137,021	1/4	148,552	1/4	160,084	1/4	171,616	1/4	183,148	1/4	194,680	1/4	206,212	1/4	217,744	1/4
1/2	114,198	1/2	125,729	1/2	137,261	1/2	148,792	1/2	160,324	1/2	171,856	1/2	183,388	1/2	194,920	1/2	206,452	1/2	217,984	1/2
3/4	114,438	3/4	125,970	3/4	137,501	3/4	149,033	3/4	160,564	3/4	172,096	3/4	183,628	3/4	195,160	3/4	206,692	3/4	218,224	3/4
1	114,678	1	126,210	1	137,741	1	149,273	1	160,804	1	172,336	1	183,868	1	195,400	1	206,932	1	218,464	1
1/4	114,919	1/4	126,450	1/4	137,982	1/4	149,513	1/4	161,045	1/4	172,577	1/4	184,109	1/4	195,641	1/4	207,173	1/4	218,705	1/4
1/2	115,159	1/2	126,690	1/2	138,222	1/2	149,753	1/2	161,284	1/2	172,816	1/2	184,348	1/2	195,880	1/2	207,412	1/2	218,944	1/2
3/4	115,399	3/4	126,931	3/4	138,462	3/4	149,994	3/4	161,525	3/4	173,057	3/4	184,589	3/4	196,121	3/4	207,653	3/4	219,185	3/4
2	115,639	2	127,171	2	138,702	2	150,234	2	161,766	2	173,298	2	184,830	2	196,362	2	207,894	2	219,426	2
1/4	115,880	1/4	127,411	1/4	138,943	1/4	150,474	1/4	162,006	1/4	173,538	1/4	185,070	1/4	196,602	1/4	208,134	1/4	219,666	1/4
1/2	116,120	1/2	127,651	1/2	139,183	1/2	150,714	1/2	162,246	1/2	173,778	1/2	185,310	1/2	196,842	1/2	208,374	1/2	219,908	1/2
3/4	116,360	3/4	127,892	3/4	139,423	3/4	150,955	3/4	162,487	3/4	174,019	3/4	185,551	3/4	197,083	3/4	208,615	3/4	220,150	3/4
3	116,600	3	128,132	3	139,663	3	151,195	3	162,727	3	174,259	3	185,791	3	197,323	3	208,857	3	220,390	3
1/4	116,841	1/4	128,372	1/4	139,904	1/4	151,435	1/4	162,968	1/4	174,500	1/4	186,032	1/4	197,564	1/4	209,096	1/4	220,630	1/4
1/2	117,081	1/2	128,612	1/2	140,144	1/2	151,675	1/2	163,207	1/2	174,739	1/2	186,271	1/2	197,803	1/2	209,335	1/2	220,870	1/2
3/4	117,321	3/4	128,853	3/4	140,384	3/4	151,916	3/4	163,448	3/4	174,981	3/4	186,513	3/4	198,045	3/4	209,575	3/4	221,110	3/4
4	117,561	4	129,093	4	140,624	4	152,156	4	163,689	4	175,221	4	186,753	4	198,285	4	209,815	4	221,350	4
1/4	117,802	1/4	129,333	1/4	140,865	1/4	152,396	1/4	163,930	1/4	175,462	1/4	186,994	1/4	198,526	1/4	210,055	1/4	221,590	1/4
1/2	118,042	1/2	129,573	1/2	141,105	1/2	152,636	1/2	164,171	1/2	175,703	1/2	187,235	1/2	198,767	1/2	210,295	1/2	221,830	1/2
3/4	118,282	3/4	129,814	3/4	141,345	3/4	152,877	3/4	164,412	3/4	175,944	3/4	187,477	3/4	199,008	3/4	210,535	3/4	222,070	3/4
5	118,522	5	130,054	5	141,585	5	153,117	5	164,653	5	176,185	5	187,717	5	199,249	5	210,780	5	222,310	5
1/4	118,762	1/4	130,294	1/4	141,826	1/4	153,357	1/4	164,894	1/4	176,426	1/4	187,959	1/4	199,490	1/4	211,020	1/4	222,550	1/4
1/2	119,003	1/2	130,534	1/2	142,066	1/2	153,597	1/2	165,136	1/2	176,668	1/2	188,200	1/2	199,732	1/2	211,260	1/2	222,790	1/2
3/4	119,243	3/4	130,774	3/4	142,306	3/4	153,838	3/4	165,377	3/4	176,909	3/4	188,441	3/4	200,073	3/4	211,500	3/4	223,030	3/4
6	119,483	6	131,015	6	142,546	6	154,078	6	165,618	6	177,150	6	188,682	6	200,213	6	211,740	6	223,270	6
1/4	119,723	1/4	131,255	1/4	142,786	1/4	154,318	1/4	165,858	1/4	177,390	1/4	188,914	1/4	200,453	1/4	211,980	1/4	223,510	1/4
1/2	119,964	1/2	131,495	1/2	143,027	1/2	154,558	1/2	166,098	1/2	177,630	1/2	189,194	1/2	200,693	1/2	212,220	1/2	223,750	1/2
3/4	120,204	3/4	131,735	3/4	143,267	3/4	154,798	3/4	166,338	3/4	177,871	3/4	189,427	3/4	200,937	3/4	212,460	3/4	224,090	3/4
7	120,444	7	131,976	7	143,507	7	155,039	7	166,577	7	178,109	7	189,641	7	201,177	7	212,700	7	224,330	7
1/4	120,684	1/4	132,216	1/4	143,747	1/4	155,279	1/4	166,817	1/4	178,341	1/4	189,873	1/4	201,417	1/4	212,940	1/4	224,570	1/4
1/2	120,925	1/2	132,456	1/2	143,988	1/2	155,519	1/2	167,057	1/2	178,581	1/2	190,113	1/2	201,657	1/2	213,180	1/2	224,810	1/2
3/4	121,165	3/4	132,696	3/4	144,228	3/4	155,759	3/4	167,297	3/4	178,821	3/4	190,353	3/4	201,907	3/4	213,420	3/4	225,050	3/4
8	121,405	8	132,937	8	144,468	8	155,917	8	167,536	8	179,059	8	190,592	8	202,125	8	213,660	8	225,290	8
1/4	121,645	1/4	133,177	1/4	144,708	1/4	156,156	1/4	167,775	1/4	179,298	1/4	190,831	1/4	202,365	1/4	213,900	1/4	225,530	1/4
1/2	121,886	1/2	133,417	1/2	144,949	1/2	156,394	1/2	168,013	1/2	179,536	1/2	191,071	1/2	202,605	1/2	214,140	1/2	225,770	1/2
3/4	122,126	3/4	133,657	3/4	145,189	3/4	156,632	3/4	168,252	3/4	179,775	3/4	191,291	3/4	202,845	3/4	214,380	3/4	226,010	3/4
9	122,366	9	133,898	9	145,429	9	156,871	9	168,491	9	180,014	9	191,533	9	203,085	9	214,620	9	226,250	9
1/4	122,606	1/4	134,138	1/4	145,669	1/4	157,107	1/4	168,730	1/4	180,253	1/4	191,776	1/4	203,325	1/4	214,860	1/4	226,490	1/4
1/2	122,847	1/2	134,378	1/2	145,910	1/2	157,345	1/2	168,973	1/2	180,495	1/2	192,018	1/2	203,565	1/2	215,100	1/2	226,730	1/2
3/4	123,087	3/4	134,618	3/4	146,150	3/4	157,585	3/4	169,213	3/4	180,737	3/4	192,258	3/4	203,805	3/4	215,340	3/4	226,970	3/4
10	123,327	10	134,859	10	146,390	10	157,816	10	169,446	10	180,979	10	192,501	10	204,041	10	215,580	10	227,210	10
1/4	123,567	1/4	135,099	1/4	146,630	1/4	158,057	1/4	169,685	1/4	181,211	1/4	192,741	1/4	204,281	1/4	215,820	1/4	227,450	1/4
1/2	123,808	1/2	135,339	1/2	146,871	1/2	158,292	1/2	170,013	1/2	181,536	1/2	193,061	1/2	204,521	1/2	216,060	1/2	227,690	1/2
3/4	124,048	3/4	135,579	3/4	147,111	3/4	158,527	3/4	170,253	3/4	181,775	3/4	193,299	3/4	204,761	3/4	216,300	3/4	227,930	3/4
11	124,288	11	135,820	11	147,351	11	158,758	11	170,494	11	182,017	11	193,541	11	205,081	11	216,540	11	228,170	11
1/4	124,528	1/4	136,060	1/4	147,591	1/4	159,000	1/4	170,735	1/4	182,258	1/4	193,781	1/4	205,321	1/4	216,780	1/4	228,410	1/4
1/2	124,768	1/2	136,300	1/2	147,832	1/2	159,231	1/2	170,976	1/2	182,499	1/2	194,023	1/2	205,561	1/2	217,020	1/2	228,650	1/2
3/4	125,009	3/4	136,540	3/4	148,072	3/4	159,462	3/4	171,217	3/4	182,740	3/4	194,263	3/4	205,801	3/4	217,260	3/4	228,890	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/3/04

INTERTEK - CALEB BRETT



CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	101,978	0	112,299	0	122,619	0	132,939	0	141,759	0		0		0					0
1/4	102,193	1/4	112,514	1/4	122,834	1/4	133,154	1/4	141,786	1/4			1/4						1/4
1/2	102,408	1/2	112,729	1/2	123,049	1/2	133,369	1/2		1/2			1/2						1/2
3/4	102,623	3/4	112,944	3/4	123,264	3/4	133,584	3/4		3/4			3/4						3/4
1	102,838	1	113,159	1	123,479	1	133,799	1		1			1						1
1/4	103,053	1/4	113,374	1/4	123,694	1/4	134,014	1/4		1/4			1/4						1/4
1/2	103,268	1/2	113,589	1/2	123,909	1/2	134,229	1/2		1/2			1/2						1/2
3/4	103,483	3/4	113,804	3/4	124,124	3/4	134,444	3/4		3/4			3/4						3/4
2	103,698	2	114,019	2	124,339	2	134,659	2		2			2						2
1/4	103,913	1/4	114,234	1/4	124,554	1/4	134,874	1/4		1/4			1/4						1/4
1/2	104,128	1/2	114,449	1/2	124,769	1/2	135,089	1/2		1/2			1/2						1/2
3/4	104,343	3/4	114,664	3/4	124,984	3/4	135,304	3/4		3/4			3/4						3/4
3	104,558	3	114,879	3	125,199	3	135,519	3		3			3						3
1/4	104,774	1/4	115,094	1/4	125,414	1/4	135,734	1/4		1/4			1/4						1/4
1/2	104,989	1/2	115,309	1/2	125,629	1/2	135,949	1/2		1/2			1/2						1/2
3/4	105,204	3/4	115,524	3/4	125,844	3/4	136,164	3/4		3/4			3/4						3/4
4	105,419	4	115,739	4	126,059	4	136,379	4		4			4						4
1/4	105,634	1/4	115,954	1/4	126,274	1/4	136,594	1/4		1/4			1/4						1/4
1/2	105,849	1/2	116,169	1/2	126,489	1/2	136,809	1/2		1/2			1/2						1/2
3/4	106,064	3/4	116,384	3/4	126,704	3/4	137,024	3/4		3/4			3/4						3/4
5	106,279	5	116,599	5	126,919	5	137,239	5		5			5						5
1/4	106,494	1/4	116,814	1/4	127,134	1/4	137,454	1/4		1/4			1/4						1/4
1/2	106,709	1/2	117,029	1/2	127,349	1/2	137,669	1/2		1/2			1/2						1/2
3/4	106,924	3/4	117,244	3/4	127,564	3/4	137,884	3/4		3/4			3/4						3/4
6	107,139	6	117,459	6	127,779	6	138,099	6		6			6						6
1/4	107,354	1/4	117,674	1/4	127,994	1/4	138,315	1/4		1/4			1/4						1/4
1/2	107,569	1/2	117,889	1/2	128,209	1/2	138,530	1/2		1/2			1/2						1/2
3/4	107,784	3/4	118,104	3/4	128,424	3/4	138,745	3/4		3/4			3/4						3/4
7	107,999	7	118,319	7	128,639	7	138,960	7		7			7						7
1/4	108,214	1/4	118,534	1/4	128,854	1/4	139,175	1/4		1/4			1/4						1/4
1/2	108,429	1/2	118,749	1/2	129,069	1/2	139,390	1/2		1/2			1/2						1/2
3/4	108,644	3/4	118,964	3/4	129,284	3/4	139,605	3/4		3/4			3/4						3/4
8	108,859	8	119,179	8	129,499	8	139,820	8		8			8						8
1/4	109,074	1/4	119,394	1/4	129,714	1/4	140,034	1/4		1/4			1/4						1/4
1/2	109,289	1/2	119,609	1/2	129,929	1/2	140,246	1/2		1/2			1/2						1/2
3/4	109,504	3/4	119,824	3/4	130,144	3/4	140,458	3/4		3/4			3/4						3/4
9	109,719	9	120,039	9	130,359	9	140,669	9		9			9						9
1/4	109,934	1/4	120,254	1/4	130,574	1/4	140,879	1/4		1/4			1/4						1/4
1/2	110,149	1/2	120,469	1/2	130,789	1/2	141,089	1/2		1/2			1/2						1/2
3/4	110,364	3/4	120,684	3/4	131,004	3/4	141,299	3/4		3/4			3/4						3/4
10	110,579	10	120,899	10	131,219	10	141,509	10		10			10						10
1/4	110,794	1/4	121,114	1/4	131,434	1/4	141,719	1/4		1/4			1/4						1/4
1/2	111,009	1/2	121,329	1/2	131,649	1/2	141,929	1/2		1/2			1/2						1/2
3/4	111,224	3/4	121,544	3/4	131,864	3/4	142,139	3/4		3/4			3/4						3/4
11	111,439	11	121,759	11	132,079	11	142,349	11		11			11						11
1/4	111,654	1/4	121,974	1/4	132,294	1/4	142,559	1/4		1/4			1/4						1/4
1/2	111,869	1/2	122,189	1/2	132,509	1/2	142,769	1/2		1/2			1/2						1/2
3/4	112,084	3/4	122,404	3/4	132,724	3/4	142,979	3/4		3/4			3/4						3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/3/04

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-00"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	54	0	9,171	0	19,568	0	29,960	0	40,346	0	50,735	0	61,124	0	71,513	0	81,902	0	92,291
1/4	91	1/4	9,387	1/4	19,785	1/4	30,176	1/4	40,562	1/4	50,951	1/4	61,340	1/4	71,730	1/4	82,119	1/4	92,508
1/2	126	1/2	9,604	1/2	20,002	1/2	30,393	1/2	40,779	1/2	51,168	1/2	61,557	1/2	71,946	1/2	82,335	1/2	92,724
3/4	190	3/4	9,821	3/4	20,218	3/4	30,609	3/4	40,995	3/4	51,384	3/4	61,773	3/4	72,162	3/4	82,551	3/4	92,940
1	271	1	10,037	1	20,435	1	30,826	1	41,212	1	51,601	1	61,990	1	72,379	1	82,768	1	93,157
1/4	370	1/4	10,254	1/4	20,651	1/4	31,042	1/4	41,428	1/4	51,817	1/4	62,206	1/4	72,595	1/4	82,984	1/4	93,373
1/2	487	1/2	10,471	1/2	20,868	1/2	31,258	1/2	41,645	1/2	52,034	1/2	62,423	1/2	72,812	1/2	83,201	1/2	93,590
3/4	623	3/4	10,687	3/4	21,085	3/4	31,475	3/4	41,861	3/4	52,250	3/4	62,639	3/4	73,028	3/4	83,417	3/4	93,806
2	776	2	10,904	2	21,301	2	31,691	2	42,077	2	52,466	2	62,856	2	73,245	2	83,634	2	94,023
1/4	948	1/4	11,120	1/4	21,518	1/4	31,907	1/4	42,294	1/4	52,683	1/4	63,072	1/4	73,461	1/4	83,850	1/4	94,239
1/2	1,137	1/2	11,337	1/2	21,734	1/2	32,124	1/2	42,510	1/2	52,899	1/2	63,288	1/2	73,677	1/2	84,067	1/2	94,456
3/4	1,345	3/4	11,554	3/4	21,951	3/4	32,340	3/4	42,727	3/4	53,116	3/4	63,505	3/4	74,028	3/4	84,283	3/4	94,672
3	1,560	3	11,770	3	22,168	3	32,556	3	42,943	3	53,332	3	63,721	3	74,110	3	84,499	3	94,888
1/4	1,775	1/4	11,987	1/4	22,384	1/4	32,773	1/4	43,160	1/4	53,549	1/4	64,033	1/4	74,327	1/4	84,716	1/4	95,105
1/2	1,990	1/2	12,203	1/2	22,601	1/2	32,989	1/2	43,376	1/2	53,765	1/2	64,154	1/2	74,543	1/2	84,932	1/2	95,321
3/4	2,204	3/4	12,420	3/4	22,818	3/4	33,205	3/4	43,592	3/4	53,982	3/4	64,371	3/4	74,760	3/4	85,149	3/4	95,538
4	2,419	4	12,637	4	23,034	4	33,422	4	43,809	4	54,198	4	64,587	4	74,976	4	85,365	4	95,754
1/4	2,634	1/4	12,853	1/4	23,251	1/4	33,638	1/4	44,025	1/4	54,414	1/4	64,803	1/4	75,193	1/4	85,582	1/4	95,971
1/2	2,849	1/2	13,070	1/2	23,467	1/2	33,855	1/2	44,242	1/2	54,631	1/2	65,020	1/2	75,409	1/2	85,798	1/2	96,187
3/4	3,064	3/4	13,287	3/4	23,684	3/4	34,071	3/4	44,458	3/4	54,847	3/4	65,236	3/4	75,625	3/4	86,014	3/4	96,404
5	3,279	5	13,503	5	23,900	5	34,287	5	44,675	5	55,064	5	65,453	5	75,842	5	86,231	5	96,620
1/4	3,494	1/4	13,720	1/4	24,117	1/4	34,504	1/4	44,891	1/4	55,280	1/4	65,669	1/4	76,058	1/4	86,447	1/4	96,836
1/2	3,709	1/2	13,936	1/2	24,333	1/2	34,720	1/2	45,108	1/2	55,497	1/2	65,886	1/2	76,275	1/2	86,664	1/2	97,053
3/4	3,924	3/4	14,153	3/4	24,549	3/4	34,936	3/4	45,324	3/4	55,713	3/4	66,102	3/4	76,491	3/4	86,880	3/4	97,269
6	4,124	6	14,370	6	24,766	6	35,153	6	45,540	6	55,929	6	66,319	6	76,708	6	87,097	6	97,486
1/4	4,323	1/4	14,586	1/4	24,982	1/4	35,369	1/4	45,757	1/4	56,146	1/4	66,535	1/4	76,924	1/4	87,313	1/4	97,702
1/2	4,523	1/2	14,803	1/2	25,199	1/2	35,585	1/2	45,973	1/2	56,362	1/2	66,751	1/2	77,143	1/2	87,530	1/2	97,919
3/4	4,723	3/4	15,019	3/4	25,415	3/4	35,802	3/4	46,190	3/4	56,579	3/4	66,968	3/4	77,357	3/4	87,746	3/4	98,135
7	4,923	7	15,236	7	25,632	7	36,018	7	46,406	7	56,795	7	67,184	7	77,573	7	87,962	7	98,351
1/4	5,122	1/4	15,453	1/4	25,848	1/4	36,234	1/4	46,623	1/4	57,012	1/4	67,401	1/4	77,790	1/4	88,179	1/4	98,568
1/2	5,322	1/2	15,669	1/2	26,064	1/2	36,451	1/2	46,839	1/2	57,228	1/2	67,617	1/2	78,006	1/2	88,395	1/2	98,784
3/4	5,522	3/4	15,886	3/4	26,281	3/4	36,667	3/4	47,056	3/4	57,445	3/4	67,834	3/4	78,223	3/4	88,612	3/4	99,001
8	5,722	8	16,102	8	26,497	8	36,883	8	47,272	8	57,661	8	68,050	8	78,439	8	88,828	8	99,217
1/4	5,922	1/4	16,319	1/4	26,714	1/4	37,100	1/4	47,488	1/4	57,877	1/4	68,266	1/4	78,656	1/4	89,045	1/4	99,434
1/2	6,138	1/2	16,536	1/2	26,930	1/2	37,316	1/2	47,705	1/2	58,094	1/2	68,493	1/2	78,872	1/2	89,261	1/2	99,650
3/4	6,355	3/4	16,752	3/4	27,147	3/4	37,533	3/4	47,921	3/4	58,310	3/4	68,699	3/4	79,088	3/4	89,477	3/4	99,867
9	6,571	9	16,969	9	27,363	9	37,749	9	48,138	9	58,527	9	68,916	9	79,305	9	89,694	9	100,083
1/4	6,789	1/4	17,186	1/4	27,580	1/4	37,965	1/4	48,354	1/4	58,743	1/4	69,132	1/4	79,521	1/4	89,910	1/4	100,299
1/2	7,005	1/2	17,402	1/2	27,796	1/2	38,182	1/2	48,571	1/2	58,960	1/2	69,349	1/2	79,738	1/2	90,127	1/2	100,516
3/4	7,221	3/4	17,619	3/4	28,012	3/4	38,398	3/4	48,787	3/4	59,146	3/4	69,565	3/4	79,954	3/4	90,343	3/4	100,732
10	7,439	10	17,835	10	28,229	10	38,614	10	49,003	10	59,393	10	69,782	10	80,171	10	90,560	10	100,949
1/4	7,655	1/4	18,052	1/4	28,445	1/4	38,831	1/4	49,220	1/4	59,609	1/4	69,998	1/4	80,387	1/4	90,776	1/4	101,165
1/2	7,871	1/2	18,269	1/2	28,662	1/2	39,047	1/2	49,436	1/2	59,825	1/2	70,214	1/2	80,603	1/2	90,993	1/2	101,382
3/4	8,088	3/4	18,485	3/4	28,878	3/4	39,264	3/4	49,653	3/4	60,042	3/4	70,421	3/4	80,820	3/4	91,209	3/4	101,598
11	8,304	11	18,702	11	29,095	11	39,480	11	49,869	11	60,258	11	70,647	11	81,036	11	91,425	11	101,814
1/4	8,521	1/4	18,918	1/4	29,311	1/4	39,697	1/4	50,086	1/4	60,475	1/4	70,864	1/4	81,253	1/4	91,642	1/4	102,031
1/2	8,738	1/2	19,135	1/2	29,527	1/2	39,913	1/2	50,302	1/2	60,691	1/2	71,080	1/2	81,469	1/2	91,858	1/2	102,247
3/4	8,954	3/4	19,352	3/4	29,744	3/4	40,129	3/4	50,519	3/4	60,908	3/4	71,297	3/4	81,686	3/4	92,075	3/4	102,464

NOTE: GAUGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: BARGE POINT - IN CENTER OF TANK
 NOTE: NO TANK CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS TANK IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/29/04 BY: MDL
 DATE COMPUTED 4/29/04 BY: WHF
 DATE ISSUED: 5/3/04

INTERTEK - CALEB BRETT



1 RANGE "CBC 121"
HULL NO. 01

TANK NO. 3
INNAGE TABLE

GAUGE HEIGHT 16'00"

CAPACITIES GIVEN IN WHOLE GALLONS		10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	102,680	0	113,069	0	123,458	0	133,847	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384	0	142,384
1/4	102,897	1/4	113,286	1/4	123,675	1/4	134,064	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	103,113	1/2	113,502	1/2	123,891	1/2	134,280	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	103,330	3/4	113,719	3/4	124,108	3/4	134,497	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
1	103,546	1	113,935	1	124,324	1	134,713	1	142,384	1	142,384	1	142,384	1	142,384	1	142,384	1	142,384	1	142,384
1/4	103,762	1/4	114,151	1/4	124,541	1/4	134,930	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	103,979	1/2	114,368	1/2	124,757	1/2	135,146	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	104,195	3/4	114,584	3/4	124,973	3/4	135,362	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
2	104,412	2	114,801	2	125,190	2	135,579	2	142,384	2	142,384	2	142,384	2	142,384	2	142,384	2	142,384	2	142,384
1/4	104,628	1/4	115,017	1/4	125,406	1/4	135,795	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	104,845	1/2	115,234	1/2	125,623	1/2	136,012	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	105,061	3/4	115,450	3/4	125,839	3/4	136,228	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
3	105,277	3	115,667	3	126,056	3	136,445	3	142,384	3	142,384	3	142,384	3	142,384	3	142,384	3	142,384	3	142,384
1/4	105,494	1/4	115,883	1/4	126,272	1/4	136,661	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	105,710	1/2	116,099	1/2	126,488	1/2	136,878	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	105,927	3/4	116,316	3/4	126,705	3/4	137,094	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
4	106,143	4	116,532	4	126,921	4	137,310	4	142,384	4	142,384	4	142,384	4	142,384	4	142,384	4	142,384	4	142,384
1/4	106,360	1/4	116,749	1/4	127,138	1/4	137,527	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	106,576	1/2	116,965	1/2	127,354	1/2	137,743	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	106,793	3/4	117,182	3/4	127,571	3/4	137,960	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
5	107,009	5	117,398	5	127,787	5	138,176	5	142,384	5	142,384	5	142,384	5	142,384	5	142,384	5	142,384	5	142,384
1/4	107,225	1/4	117,614	1/4	128,004	1/4	138,393	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	107,442	1/2	117,831	1/2	128,220	1/2	138,609	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	107,658	3/4	118,047	3/4	128,436	3/4	138,825	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
6	107,875	6	118,264	6	128,653	6	139,042	6	142,384	6	142,384	6	142,384	6	142,384	6	142,384	6	142,384	6	142,384
1/4	108,091	1/4	118,480	1/4	128,869	1/4	139,258	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	108,308	1/2	118,697	1/2	129,086	1/2	139,475	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	108,524	3/4	118,913	3/4	129,302	3/4	139,691	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
7	108,741	7	119,130	7	129,519	7	139,908	7	142,384	7	142,384	7	142,384	7	142,384	7	142,384	7	142,384	7	142,384
1/4	108,957	1/4	119,346	1/4	129,735	1/4	140,124	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	109,173	1/2	119,562	1/2	129,951	1/2	140,341	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	109,390	3/4	119,779	3/4	130,168	3/4	140,546	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
8	109,606	8	119,995	8	130,384	8	140,741	8	142,384	8	142,384	8	142,384	8	142,384	8	142,384	8	142,384	8	142,384
1/4	109,823	1/4	120,212	1/4	130,601	1/4	140,925	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	110,039	1/2	120,428	1/2	130,817	1/2	141,098	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	110,256	3/4	120,645	3/4	131,034	3/4	141,260	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
9	110,472	9	120,861	9	131,250	9	141,412	9	142,384	9	142,384	9	142,384	9	142,384	9	142,384	9	142,384	9	142,384
1/4	110,688	1/4	121,078	1/4	131,467	1/4	141,552	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	110,905	1/2	121,294	1/2	131,683	1/2	141,682	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	111,121	3/4	121,510	3/4	131,899	3/4	141,801	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
10	111,338	10	121,727	10	132,116	10	141,909	10	142,384	10	142,384	10	142,384	10	142,384	10	142,384	10	142,384	10	142,384
1/4	111,554	1/4	121,943	1/4	132,332	1/4	142,007	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	111,771	1/2	122,160	1/2	132,549	1/2	142,093	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	111,987	3/4	122,376	3/4	132,765	3/4	142,169	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384
11	112,204	11	122,593	11	132,982	11	142,233	11	142,384	11	142,384	11	142,384	11	142,384	11	142,384	11	142,384	11	142,384
1/4	112,420	1/4	122,809	1/4	133,198	1/4	142,287	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384	1/4	142,384
1/2	112,636	1/2	123,025	1/2	133,415	1/2	142,331	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384	1/2	142,384
3/4	112,853	3/4	123,242	3/4	133,631	3/4	142,363	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384	3/4	142,384

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

INTERTEK - CALEB BRETT

</

RGE "CBC 121"
HULL NO. 01

TANK NO. 1
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 16' 0 1/4"

IN	2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED TO DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXCESSIVE HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
 DATE COMPUTED: 4/20/04 BY: WHF
 DATE RE-ISSUED: 5/7/04
 FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT



RGE "CBC 121"
HULL NO. 01

TANK NO. 1
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'0 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	44,769	0	33,261	0	21,729	0	10,189	0	65	0	0	0	0	0	0	0	0	0	0
1/4	44,528	1/4	33,021	1/4	21,489	1/4	9,949	1/4	55	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	44,288	1/2	32,782	1/2	21,248	1/2	9,708	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44,048	3/4	32,542	3/4	21,008	3/4	9,468	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	43,808	1	32,303	1	20,767	1	9,228	1		1	1	1	1	1	1	1	1	1	1
1/4	43,567	1/4	32,062	1/4	20,527	1/4	8,987	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	43,327	1/2	31,822	1/2	20,287	1/2	8,747	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	43,087	3/4	31,582	3/4	20,046	3/4	8,506	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	42,847	2	31,342	2	19,806	2	8,266	2		2	2	2	2	2	2	2	2	2	2
1/4	42,606	1/4	31,101	1/4	19,565	1/4	8,025	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	42,366	1/2	30,861	1/2	19,325	1/2	7,785	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	42,127	3/4	30,621	3/4	19,085	3/4	7,545	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	41,887	3	30,381	3	18,844	3	7,304	3		3	3	3	3	3	3	3	3	3	3
1/4	41,647	1/4	30,140	1/4	18,604	1/4	7,064	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	41,408	1/2	29,900	1/2	18,363	1/2	6,823	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	41,168	3/4	29,660	3/4	18,123	3/4	6,583	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	40,928	4	29,420	4	17,882	4	6,359	4		4	4	4	4	4	4	4	4	4	4
1/4	40,689	1/4	29,179	1/4	17,642	1/4	6,136	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	40,449	1/2	28,939	1/2	17,402	1/2	5,912	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	40,210	3/4	28,699	3/4	17,161	3/4	5,689	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	39,970	5	28,459	5	16,921	5	5,465	5		5	5	5	5	5	5	5	5	5	5
1/4	39,730	1/4	28,218	1/4	16,680	1/4	5,241	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,491	1/2	27,978	1/2	16,440	1/2	5,018	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,251	3/4	27,738	3/4	16,200	3/4	4,794	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	39,012	6	27,498	6	15,959	6	4,571	6		6	6	6	6	6	6	6	6	6	6
1/4	38,772	1/4	27,257	1/4	15,719	1/4	4,347	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,532	1/2	27,017	1/2	15,478	1/2	4,123	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,293	3/4	26,777	3/4	15,238	3/4	3,898	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	38,053	7	26,537	7	14,997	7	3,646	7		7	7	7	7	7	7	7	7	7	7
1/4	37,814	1/4	26,297	1/4	14,757	1/4	3,407	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,574	1/2	26,056	1/2	14,517	1/2	3,169	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,334	3/4	25,816	3/4	14,276	3/4	2,930	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	37,095	8	25,576	8	14,036	8	2,691	8		8	8	8	8	8	8	8	8	8	8
1/4	36,855	1/4	25,335	1/4	13,795	1/4	2,452	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,616	1/2	25,095	1/2	13,555	1/2	2,214	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,376	3/4	24,855	3/4	13,315	3/4	1,975	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	36,136	9	24,614	9	13,074	9	1,736	9		9	9	9	9	9	9	9	9	9	9
1/4	35,897	1/4	24,374	1/4	12,834	1/4	1,498	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,657	1/2	24,133	1/2	12,593	1/2	1,261	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,417	3/4	23,893	3/4	12,353	3/4	1,057	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	35,178	10	23,652	10	12,112	10	867	10		10	10	10	10	10	10	10	10	10	10
1/4	34,938	1/4	23,412	1/4	11,872	1/4	696	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,699	1/2	23,172	1/2	11,632	1/2	546	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,459	3/4	22,931	3/4	11,391	3/4	416	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	34,219	11	22,691	11	11,151	11	306	11		11	11	11	11	11	11	11	11	11	11
1/4	33,980	1/4	22,450	1/4	10,910	1/4	215	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,740	1/2	22,210	1/2	10,670	1/2	145	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,501	3/4	21,970	3/4	10,430	3/4	95	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 4/20/04 BY: MDL
DATE COMPUTED: 4/28/04 BY: WHF
DATE ISSUED: 5/7/04
FOR ULLAGE GAUGE HEIGHT
FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT



**1 RGE "CBC 121"
HULL NO. 01**

**TANK NO. 2
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0 1/4"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	141,786	0	133,154	0	122,834	0	112,514	0	102,193	0	91,873	0	81,553	0	71,233	0	60,912	0	50,592
1/4	141,759	1/4	132,939	1/4	122,619	1/4	112,299	1/4	101,978	1/4	91,658	1/4	81,338	1/4	71,017	-1/4	60,697	1/4	50,377
1/2	141,720	1/2	132,724	1/2	122,404	1/2	112,084	1/2	101,763	1/2	91,443	1/2	81,123	1/2	70,802	-1/2	60,482	1/2	50,162
3/4	141,671	3/4	132,509	3/4	122,189	3/4	111,869	3/4	101,548	3/4	91,228	3/4	80,908	3/4	70,587	3/4	60,267	3/4	49,947
1	141,610	1	132,294	1	121,974	1	111,654	1	101,333	1	91,013	1	80,693	1	70,372	1	60,052	1	49,732
1/4	141,539	1/4	132,079	1/4	121,759	1/4	111,439	1/4	101,118	1/4	90,798	1/4	80,478	1/4	70,157	-1/4	59,837	1/4	49,517
1/2	141,456	1/2	131,864	1/2	121,544	1/2	111,224	1/2	100,903	1/2	90,583	1/2	80,263	1/2	69,942	-1/2	59,622	1/2	49,302
3/4	141,363	3/4	131,649	3/4	121,329	3/4	111,009	3/4	100,688	3/4	90,368	3/4	80,048	3/4	69,727	3/4	59,407	3/4	49,087
2	141,258	2	131,434	2	121,114	2	110,794	2	100,473	2	90,153	2	79,833	2	69,512	2	59,192	2	48,872
3/3	141,142	1/4	131,219	1/4	120,899	1/4	110,579	1/4	100,258	1/4	89,938	1/4	79,618	1/4	69,297	-1/4	58,977	1/4	48,657
1/2	141,016	1/2	131,004	1/2	120,684	1/2	110,364	1/2	100,043	1/2	89,723	1/2	79,403	1/2	69,082	-1/2	58,762	1/2	48,442
3/4	140,878	3/4	130,789	3/4	120,469	3/4	110,149	3/4	99,828	3/4	89,508	3/4	79,188	3/4	68,867	3/4	58,547	3/4	48,227
3	140,729	3	130,574	3	120,254	3	109,934	3	99,613	3	89,293	3	78,973	3	68,652	3	58,332	3	48,012
1/4	140,569	1/4	130,359	1/4	120,039	1/4	109,719	1/4	99,398	1/4	89,078	1/4	78,758	1/4	68,437	-1/4	58,117	1/4	47,797
1/2	140,398	1/2	130,144	1/2	119,824	1/2	109,504	1/2	99,183	1/2	88,863	1/2	78,543	1/2	68,222	-1/2	57,902	1/2	47,582
3/4	140,216	3/4	129,929	3/4	119,609	3/4	109,289	3/4	98,968	3/4	88,648	3/4	78,328	3/4	68,007	3/4	57,687	3/4	47,367
4	140,024	4	129,714	4	119,394	4	109,074	4	98,753	4	88,433	4	78,113	4	67,792	4	57,472	4	47,152
1/4	139,820	1/4	129,499	1/4	119,179	1/4	108,859	1/4	98,538	1/4	88,218	1/4	77,898	1/4	67,577	-1/4	57,257	1/4	46,937
1/2	139,605	1/2	129,284	1/2	118,964	1/2	108,644	1/2	98,323	1/2	88,003	1/2	77,683	1/2	67,362	-1/2	57,042	1/2	46,722
3/4	139,390	3/4	129,069	3/4	118,749	3/4	108,429	3/4	98,108	3/4	87,788	3/4	77,468	3/4	67,147	3/4	56,827	3/4	46,507
5	139,175	5	128,854	5	118,534	5	108,214	5	97,893	5	87,573	5	77,253	5	66,932	5	56,612	5	46,292
1/4	138,960	1/4	128,639	1/4	118,319	1/4	107,999	1/4	97,678	1/4	87,358	1/4	77,038	1/4	66,717	-1/4	56,397	1/4	46,077
1/2	138,745	1/2	128,424	1/2	118,104	1/2	107,784	1/2	97,463	1/2	87,143	1/2	76,823	1/2	66,502	-1/2	56,182	1/2	45,862
3/4	138,530	3/4	128,209	3/4	117,889	3/4	107,569	3/4	97,248	3/4	86,928	3/4	76,608	3/4	66,287	3/4	55,967	3/4	45,647
6	138,315	6	127,994	6	117,674	6	107,354	6	97,033	6	86,713	6	76,393	6	66,072	6	55,752	6	45,432
1/4	138,099	1/4	127,779	1/4	117,459	1/4	107,139	1/4	96,818	1/4	86,498	1/4	76,178	1/4	65,857	-1/4	55,537	1/4	45,217
1/2	137,884	1/2	127,564	1/2	117,244	1/2	106,924	1/2	96,603	1/2	86,283	1/2	75,963	1/2	65,642	-1/2	55,322	1/2	45,002
3/4	137,669	3/4	127,349	3/4	117,029	3/4	106,709	3/4	96,388	3/4	86,068	3/4	75,748	3/4	65,427	3/4	55,107	3/4	44,787
7	137,454	7	127,134	7	116,814	7	106,494	7	96,173	7	85,853	7	75,533	7	65,212	7	54,892	7	44,572
1/4	137,239	1/4	126,919	1/4	116,599	1/4	106,279	1/4	95,958	1/4	85,638	1/4	75,318	1/4	64,997	-1/4	54,677	1/4	44,357
1/2	137,024	1/2	126,704	1/2	116,384	1/2	106,064	1/2	95,743	1/2	85,423	1/2	75,103	1/2	64,782	-1/2	54,462	1/2	44,142
3/4	136,809	3/4	126,489	3/4	116,169	3/4	105,849	3/4	95,528	3/4	85,208	3/4	74,888	3/4	64,567	3/4	54,247	3/4	43,927
8	136,594	8	126,274	8	115,954	8	105,634	8	95,313	8	84,993	8	74,673	8	64,352	8	54,032	8	43,712
1/4	136,379	1/4	126,059	1/4	115,739	1/4	105,419	1/4	95,098	1/4	84,778	1/4	74,458	1/4	64,137	-1/4	53,817	1/4	43,497
1/2	136,164	1/2	125,844	1/2	115,524	1/2	105,204	1/2	94,883	1/2	84,563	1/2	74,243	1/2	63,922	-1/2	53,602	1/2	43,282
3/4	135,949	3/4	125,629	3/4	115,309	3/4	104,989	3/4	94,668	3/4	84,348	3/4	74,028	3/4	63,707	3/4	53,387	3/4	43,067
9	135,734	9	125,414	9	115,094	9	104,774	9	94,453	9	84,133	9	73,813	9	63,492	9	53,172	9	42,852
1/4	135,519	1/4	125,199	1/4	114,879	1/4	104,558	1/4	94,238	1/4	83,918	1/4	73,598	1/4	63,277	-1/4	52,957	1/4	42,637
1/2	135,304	1/2	124,984	1/2	114,664	1/2	104,343	1/2	94,023	1/2	83,703	1/2	73,383	1/2	63,062	-1/2	52,742	1/2	42,422
3/4	135,089	3/4	124,769	3/4	114,449	3/4	104,129	3/4	93,808	3/4	83,488	3/4	73,168	3/4	62,847	3/4	52,527	3/4	42,207
10	134,874	10	124,554	10	114,234	10	103,913	10	93,593	10	83,273	10	72,953	10	62,632	10	52,312	10	41,992
1/4	134,659	1/4	124,339	1/4	114,019	1/4	103,698	1/4	93,378	1/4	83,058	1/4	72,738	1/4	62,417	-1/4	52,097	1/4	41,777
1/2	134,444	1/2	124,124	1/2	113,804	1/2	103,483	1/2	93,163	1/2	82,843	1/2	72,523	1/2	62,202	-1/2	51,882	1/2	41,562
3/4	134,229	3/4	123,909	3/4	113,589	3/4	103,268	3/4	92,948	3/4	82,628	3/4	72,308	3/4	61,987	3/4	51,667	3/4	41,347
11	134,014	11	123,694	11	113,374	11	103,053	11	92,733	11	82,413	11	72,093	11	61,772	11	51,452	11	41,132
1/4	133,799	1/4	123,479	1/4	113,159	1/4	102,838	1/4	92,518	1/4	82,198	1/4	71,878	1/4	61,557	-1/4	51,237	1/4	40,917
1/2	133,584	1/2	123,264	1/2	112,944	1/2	102,623	1/2	92,303	1/2	81,983	1/2	71,663	1/2	61,342	-1/2	51,022	1/2	40,702
3/4	133,369	3/4	123,049	3/4	112,729	3/4	102,403	3/4	92,088	3/4	81,768	3/4	71,448	3/4	61,127	3/4	50,807	3/4	40,487

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
 NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/2004 BY: MCL
 DATE COMPUTED: 4/29/04 BY: WHF
 DATE ISSUED: 5/7/04
 FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'0 1/4"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	40,272	0	29,974	0	19,653	0	9,324	0	81	0	0	0	0	0	0	0	0	0	0
1/4	40,057	1/4	29,760	1/4	19,438	1/4	9,109	1/4	54	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,842	1/2	29,545	1/2	19,223	1/2	8,894	1/2	8,594	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,627	3/4	29,331	3/4	19,008	3/4	8,679	3/4	8,479	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	39,412	1	29,116	1	18,792	1	8,464	1	8,264	1	1	1	1	1	1	1	1	1	1
1/4	39,197	1/4	28,901	1/4	18,577	1/4	8,249	1/4	8,049	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,982	1/2	28,686	1/2	18,362	1/2	8,033	1/2	7,833	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,767	3/4	28,471	3/4	18,147	3/4	7,818	3/4	7,618	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	38,552	2	28,256	2	17,932	2	7,603	2	7,403	2	2	2	2	2	2	2	2	2	2
1/4	38,337	1/4	28,041	1/4	17,717	1/4	7,388	1/4	7,188	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,122	1/2	27,826	1/2	17,501	1/2	7,173	1/2	6,973	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,907	3/4	27,611	3/4	17,286	3/4	6,957	3/4	6,757	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	37,693	3	27,396	3	17,071	3	6,742	3	6,542	3	3	3	3	3	3	3	3	3	3
1/4	37,478	1/4	27,181	1/4	16,856	1/4	6,527	1/4	6,327	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,264	1/2	26,966	1/2	16,641	1/2	6,312	1/2	6,112	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,049	3/4	26,751	3/4	16,425	3/4	6,097	3/4	5,897	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	36,835	4	26,536	4	16,210	4	5,881	4	5,681	4	4	4	4	4	4	4	4	4	4
1/4	36,621	1/4	26,321	1/4	15,995	1/4	5,663	1/4	5,463	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,406	1/2	26,106	1/2	15,780	1/2	5,445	1/2	5,245	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,192	3/4	25,891	3/4	15,565	3/4	5,226	3/4	5,026	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	35,977	5	25,676	5	15,350	5	5,008	5	4,808	5	5	5	5	5	5	5	5	5	5
1/4	35,763	1/4	25,461	1/4	15,134	1/4	4,790	1/4	4,590	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,549	1/2	25,246	1/2	14,919	1/2	4,571	1/2	4,371	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,334	3/4	25,031	3/4	14,704	3/4	4,353	3/4	4,153	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	35,120	6	24,816	6	14,489	6	4,135	6	3,935	6	6	6	6	6	6	6	6	6	6
1/4	34,905	1/4	24,601	1/4	14,274	1/4	3,916	1/4	3,716	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,691	1/2	24,386	1/2	14,058	1/2	3,698	1/2	3,498	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,477	3/4	24,171	3/4	13,843	3/4	3,484	3/4	3,284	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	34,262	7	23,956	7	13,628	7	3,271	7	3,071	7	7	7	7	7	7	7	7	7	7
1/4	34,048	1/4	23,741	1/4	13,413	1/4	3,053	1/4	2,853	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,833	1/2	23,526	1/2	13,198	1/2	2,834	1/2	2,634	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,619	3/4	23,311	3/4	12,983	3/4	2,617	3/4	2,417	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	33,404	8	23,096	8	12,767	8	2,404	8	2,204	8	8	8	8	8	8	8	8	8	8
1/4	33,190	1/4	22,881	1/4	12,552	1/4	2,186	1/4	1,986	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,976	1/2	22,666	1/2	12,337	1/2	1,967	1/2	1,767	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,761	3/4	22,451	3/4	12,122	3/4	1,750	3/4	1,550	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	32,547	9	22,235	9	11,907	9	1,533	9	1,333	9	9	9	9	9	9	9	9	9	9
1/4	32,332	1/4	22,020	1/4	11,691	1/4	1,315	1/4	1,115	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,118	1/2	21,805	1/2	11,476	1/2	1,097	1/2	997	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,904	3/4	21,590	3/4	11,261	3/4	979	3/4	779	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	31,689	10	21,375	10	11,046	10	942	10	742	10	10	10	10	10	10	10	10	10	10
1/4	31,475	1/4	21,159	1/4	10,831	1/4	724	1/4	524	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,260	1/2	20,944	1/2	10,616	1/2	696	1/2	496	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,046	3/4	20,729	3/4	10,400	3/4	668	3/4	468	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	30,832	11	20,514	11	10,185	11	638	11	438	11	11	11	11	11	11	11	11	11	11
1/4	30,617	1/4	20,299	1/4	9,970	1/4	609	1/4	409	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30,403	1/2	20,084	1/2	9,755	1/2	581	1/2	381	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	30,188	3/4	19,868	3/4	9,540	3/4	552	3/4	352	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY

INTERTEK - CALEB BRETT

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED 4/29/04 BY: WHF
DATE ISSUED 5/7/04
FOR GAUGE HEIGHT CORRECTION

RGE "CBC 121"
HULL NO. 01

TANK NO. 3
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0"

IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	142,384	0	133,847	0	123,458	0	113,069	0	102,680	0	92,291	0	81,902	0	71,513	0	61,124	0	50,735
1/4	142,363	1/4	133,631	1/4	123,242	1/4	112,853	1/4	102,464	1/4	92,075	1/4	81,686	1/4	71,297	1/4	60,908	1/4	50,519
1/2	142,331	1/2	133,415	1/2	123,025	1/2	112,636	1/2	102,247	1/2	91,858	1/2	81,469	1/2	71,080	1/2	60,691	1/2	50,302
3/4	142,287	3/4	133,198	3/4	122,809	3/4	112,420	3/4	102,031	3/4	91,642	3/4	81,253	3/4	70,864	3/4	60,475	3/4	50,086
1	142,233	1	132,982	1	122,593	1	112,204	1	101,814	1	91,425	1	81,036	1	70,647	1	60,258	1	49,869
1/4	142,169	1/4	132,765	1/4	122,376	1/4	111,987	1/4	101,598	1/4	91,209	1/4	80,820	1/4	70,431	1/4	60,042	1/4	49,653
1/2	142,093	1/2	132,549	1/2	122,160	1/2	111,771	1/2	101,382	1/2	90,993	1/2	80,603	1/2	70,214	1/2	59,825	1/2	49,436
3/4	142,007	3/4	132,332	3/4	121,943	3/4	111,554	3/4	101,165	3/4	90,776	3/4	80,387	3/4	69,998	3/4	59,609	3/4	49,220
2	141,909	2	132,116	2	121,727	2	111,338	2	100,949	2	90,560	2	80,171	2	69,782	2	59,393	2	49,003
1/4	141,801	1/4	131,899	1/4	121,510	1/4	111,121	1/4	100,732	1/4	90,343	1/4	79,954	1/4	69,565	1/4	59,176	1/4	48,787
1/2	141,682	1/2	131,683	1/2	121,294	1/2	110,905	1/2	100,516	1/2	90,127	1/2	79,738	1/2	69,349	1/2	58,960	1/2	48,571
3/4	141,552	3/4	131,467	3/4	121,078	3/4	110,688	3/4	100,299	3/4	89,910	3/4	79,521	3/4	69,132	3/4	58,743	3/4	48,354
3	141,412	3	131,250	3	120,861	3	110,472	3	100,083	3	89,694	3	79,305	3	68,916	3	58,527	3	48,138
1/4	141,260	1/4	131,034	1/4	120,645	1/4	110,256	1/4	99,867	1/4	89,477	1/4	79,088	1/4	68,699	1/4	58,310	1/4	47,921
1/2	141,098	1/2	130,817	1/2	120,428	1/2	110,039	1/2	99,650	1/2	89,261	1/2	78,872	1/2	68,483	1/2	58,094	1/2	47,705
3/4	140,925	3/4	130,601	3/4	120,212	3/4	109,823	3/4	99,434	3/4	89,045	3/4	78,656	3/4	68,266	3/4	57,877	3/4	47,488
4	140,741	4	130,384	4	119,995	4	109,606	4	99,217	4	88,828	4	78,439	4	68,050	4	57,661	4	47,272
1/4	140,546	1/4	130,168	1/4	119,779	1/4	109,390	1/4	99,001	1/4	88,612	1/4	78,223	1/4	67,834	1/4	57,445	1/4	47,056
1/2	140,341	1/2	129,951	1/2	119,562	1/2	109,173	1/2	98,784	1/2	88,395	1/2	78,006	1/2	67,617	1/2	57,228	1/2	46,839
3/4	140,124	3/4	129,735	3/4	119,346	3/4	108,957	3/4	98,568	3/4	88,179	3/4	77,790	3/4	67,401	3/4	57,012	3/4	46,623
5	139,908	5	129,519	5	119,130	5	108,741	5	98,351	5	87,962	5	77,573	5	67,184	5	56,795	5	46,406
1/4	139,691	1/4	129,302	1/4	118,913	1/4	108,524	1/4	98,135	1/4	87,746	1/4	77,357	1/4	66,968	1/4	56,579	1/4	46,190
1/2	139,475	1/2	129,086	1/2	118,697	1/2	108,308	1/2	97,919	1/2	87,530	1/2	77,140	1/2	66,751	1/2	56,362	1/2	45,973
3/4	139,258	3/4	128,869	3/4	118,480	3/4	108,091	3/4	97,702	3/4	87,313	3/4	76,924	3/4	66,535	3/4	56,146	3/4	45,757
6	139,042	6	128,653	6	118,264	6	107,875	6	97,486	6	87,097	6	76,708	6	66,319	6	55,929	6	45,540
1/4	138,825	1/4	128,436	1/4	118,047	1/4	107,658	1/4	97,269	1/4	86,880	1/4	76,491	1/4	66,102	1/4	55,713	1/4	45,324
1/2	138,609	1/2	128,220	1/2	117,831	1/2	107,442	1/2	97,053	1/2	86,664	1/2	76,275	1/2	65,886	1/2	55,497	1/2	45,108
3/4	138,393	3/4	128,004	3/4	117,614	3/4	107,225	3/4	96,836	3/4	86,447	3/4	76,058	3/4	65,669	3/4	55,280	3/4	44,891
7	138,176	7	127,787	7	117,398	7	107,009	7	96,620	7	86,231	7	75,842	7	65,453	7	55,064	7	44,675
1/4	137,960	1/4	127,571	1/4	117,182	1/4	106,793	1/4	96,404	1/4	86,014	1/4	75,625	1/4	65,236	1/4	54,847	1/4	44,458
1/2	137,743	1/2	127,354	1/2	116,965	1/2	106,576	1/2	96,187	1/2	85,798	1/2	75,409	1/2	65,020	1/2	54,631	1/2	44,242
3/4	137,527	3/4	127,138	3/4	116,749	3/4	106,360	3/4	95,971	3/4	85,582	3/4	75,193	3/4	64,803	3/4	54,414	3/4	44,025
8	137,310	8	126,921	8	116,532	8	106,143	8	95,754	8	85,365	8	74,976	8	64,587	8	54,198	8	43,809
1/4	137,094	1/4	126,705	1/4	116,316	1/4	105,927	1/4	95,538	1/4	85,149	1/4	74,760	1/4	64,371	1/4	53,982	1/4	43,592
1/2	136,878	1/2	126,488	1/2	116,099	1/2	105,710	1/2	95,321	1/2	84,932	1/2	74,543	1/2	64,154	1/2	53,765	1/2	43,376
3/4	136,661	3/4	126,272	3/4	115,883	3/4	105,494	3/4	95,105	3/4	84,716	3/4	74,327	3/4	63,938	3/4	53,549	3/4	43,160
9	136,445	9	126,056	9	115,667	9	105,277	9	94,888	9	84,499	9	74,110	9	63,721	9	53,332	9	42,943
1/4	136,228	1/4	125,839	1/4	115,450	1/4	105,061	1/4	94,672	1/4	84,283	1/4	73,894	1/4	63,505	1/4	53,116	1/4	42,727
1/2	136,012	1/2	125,623	1/2	115,234	1/2	104,845	1/2	94,456	1/2	84,067	1/2	73,677	1/2	63,288	1/2	52,899	1/2	42,510
3/4	135,795	3/4	125,406	3/4	115,017	3/4	104,628	3/4	94,239	3/4	83,850	3/4	73,461	3/4	63,072	3/4	52,683	3/4	42,294
10	135,579	10	125,190	10	114,801	10	104,412	10	94,023	10	83,634	10	73,245	10	62,856	10	52,466	10	42,077
1/4	135,362	1/4	124,973	1/4	114,584	1/4	104,195	1/4	93,806	1/4	83,417	1/4	73,028	1/4	62,639	1/4	52,250	1/4	41,861
1/2	135,146	1/2	124,757	1/2	114,368	1/2	103,979	1/2	93,590	1/2	83,201	1/2	72,812	1/2	62,423	1/2	52,034	1/2	41,645
3/4	134,930	3/4	124,541	3/4	114,151	3/4	103,762	3/4	93,373	3/4	82,984	3/4	72,595	3/4	62,206	3/4	51,817	3/4	41,428
11	134,713	11	124,324	11	113,935	11	103,546	11	93,157	11	82,768	11	72,379	11	61,990	11	51,601	11	41,212
1/4	134,497	1/4	124,108	1/4	113,719	1/4	103,330	1/4	92,940	1/4	82,551	1/4	72,162	1/4	61,773	1/4	51,384	1/4	40,995
1/2	134,280	1/2	123,891	1/2	113,502	1/2	103,113	1/2	92,724	1/2	82,335	1/2	71,946	1/2	61,557	1/2	51,168	1/2	40,779
3/4	134,064	3/4	123,675	3/4	113,286	3/4	102,897	3/4	92,508	3/4	82,119	3/4	71,730	3/4	61,340	3/4	50,951	3/4	40,562

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMPS CHAPTER 2.7.
 NOTE: GAUGE POINT LOCATED IN CENTER OF TANK.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO EXCESSIVE HEIGHT OF TANK SHELL.
 NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

RGE "CBC 99"
HULL NO. 03-2993

TANK NO. 3
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0"

IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	40,346	0	29,960	0	19,568	0	9,171	0	54	0	0	0	0	0	0	0	0	0	0
1/4	40,129	1/4	29,744	1/4	19,352	1/4	8,954	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,913	1/2	29,527	1/2	19,135	1/2	8,738	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	39,697	3/4	29,311	3/4	18,918	3/4	8,521	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	39,480	1	29,095	1	18,702	1	8,304	1		1	1	1	1	1	1	1	1	1	1
1/4	39,264	1/4	28,878	1/4	18,485	1/4	8,088	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	39,047	1/2	28,662	1/2	18,269	1/2	7,871	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	38,831	3/4	28,445	3/4	18,052	3/4	7,655	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	38,614	2	28,229	2	17,835	2	7,438	2		2	2	2	2	2	2	2	2	2	2
1/4	38,398	1/4	28,012	1/4	17,619	1/4	7,221	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38,182	1/2	27,796	1/2	17,402	1/2	7,005	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,965	3/4	27,580	3/4	17,186	3/4	6,788	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	37,749	3	27,363	3	16,969	3	6,571	3		3	3	3	3	3	3	3	3	3	3
1/4	37,533	1/4	27,147	1/4	16,752	1/4	6,355	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,316	1/2	26,930	1/2	16,536	1/2	6,138	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,100	3/4	26,714	3/4	16,319	3/4	5,922	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	36,883	4	26,497	4	16,102	4	5,705	4		4	4	4	4	4	4	4	4	4	4
1/4	36,667	1/4	26,281	1/4	15,886	1/4	5,488	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,451	1/2	26,064	1/2	15,669	1/2	5,272	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,234	3/4	25,848	3/4	15,453	3/4	5,055	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	36,018	5	25,632	5	15,236	5	4,838	5		5	5	5	5	5	5	5	5	5	5
1/4	35,802	1/4	25,415	1/4	15,019	1/4	4,622	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,585	1/2	25,199	1/2	14,803	1/2	4,405	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,369	3/4	24,982	3/4	14,586	3/4	4,188	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	35,153	6	24,766	6	14,370	6	3,972	6		6	6	6	6	6	6	6	6	6	6
1/4	34,936	1/4	24,549	1/4	14,153	1/4	3,755	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,720	1/2	24,333	1/2	13,936	1/2	3,538	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,504	3/4	24,117	3/4	13,720	3/4	3,322	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	34,287	7	23,900	7	13,503	7	3,105	7		7	7	7	7	7	7	7	7	7	7
1/4	34,071	1/4	23,684	1/4	13,287	1/4	2,888	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,855	1/2	23,467	1/2	13,070	1/2	2,672	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,638	3/4	23,251	3/4	12,853	3/4	2,455	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	33,422	8	23,034	8	12,637	8	2,238	8		8	8	8	8	8	8	8	8	8	8
1/4	33,205	1/4	22,818	1/4	12,420	1/4	2,022	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,989	1/2	22,601	1/2	12,203	1/2	1,805	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,773	3/4	22,384	3/4	11,987	3/4	1,588	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	32,556	9	22,168	9	11,770	9	1,372	9		9	9	9	9	9	9	9	9	9	9
1/4	32,340	1/4	21,951	1/4	11,554	1/4	1,155	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,124	1/2	21,734	1/2	11,337	1/2	938	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,907	3/4	21,518	3/4	11,120	3/4	722	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	31,691	10	21,301	10	10,904	10	505	10		10	10	10	10	10	10	10	10	10	10
1/4	31,475	1/4	21,085	1/4	10,687	1/4	288	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,258	1/2	20,868	1/2	10,471	1/2	72	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,042	3/4	20,651	3/4	10,254	3/4	-144	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	30,826	11	20,435	11	10,037	11	-330	11		11	11	11	11	11	11	11	11	11	11
1/4	30,609	1/4	20,218	1/4	9,821	1/4	-516	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30,393	1/2	20,002	1/2	9,604	1/2	-702	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	30,176	3/4	19,785	3/4	9,387	3/4	-888	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED 4/29/04 BY: WHF
DATE ISSUED: 5/7/04
FOR GAUGE HEIGHT CORRECTION

INTERTEK - CALEB BRETT



RGE "CBC 121"
HULL NO. 01

TANK NO. 2
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16' 0 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	54	0	9,109	0	19,438	0	29,760	0	40,057	0	50,377	0	60,697	0	71,017	0	81,338	0	91,658
1/4	81	1/4	9,324	1/4	19,653	1/4	29,974	1/4	40,272	1/4	50,592	1/4	60,912	1/4	71,233	1/4	81,553	1/4	91,873
1/2	126	1/2	9,540	1/2	19,868	1/2	30,188	1/2	40,487	1/2	50,807	1/2	61,127	1/2	71,448	1/2	81,768	1/2	92,088
3/4	189	3/4	9,755	3/4	20,084	3/4	30,403	3/4	40,702	3/4	51,022	3/4	61,342	3/4	71,663	3/4	81,983	3/4	92,303
1	269	1	9,970	1	20,299	1	30,617	1	40,917	1	51,237	1	61,557	1	71,878	1	82,198	1	92,518
1/4	368	1/4	10,185	1/4	20,514	1/4	30,832	1/4	41,132	1/4	51,452	1/4	61,772	1/4	72,093	1/4	82,413	1/4	92,733
1/2	484	1/2	10,400	1/2	20,729	1/2	31,046	1/2	41,347	1/2	51,667	1/2	61,987	1/2	72,308	1/2	82,628	1/2	92,948
3/4	619	3/4	10,616	3/4	20,944	3/4	31,260	3/4	41,562	3/4	51,882	3/4	62,202	3/4	72,523	3/4	82,843	3/4	93,163
2	771	2	10,831	2	21,159	2	31,475	2	41,777	2	52,097	2	62,417	2	72,738	2	83,058	2	93,378
1/4	942	1/4	11,046	1/4	21,375	1/4	31,689	1/4	41,992	1/4	52,312	1/4	62,632	1/4	72,953	1/4	83,273	1/4	93,593
1/2	1,130	1/2	11,261	1/2	21,580	1/2	31,904	1/2	42,207	1/2	52,527	1/2	62,847	1/2	73,168	1/2	83,488	1/2	93,808
3/4	1,336	3/4	11,476	3/4	21,805	3/4	32,118	3/4	42,422	3/4	52,742	3/4	63,062	3/4	73,383	3/4	83,703	3/4	94,023
3	1,550	3	11,691	3	22,020	3	32,332	3	42,637	3	52,957	3	63,277	3	73,598	3	83,918	3	94,238
1/4	1,763	1/4	11,907	1/4	22,235	1/4	32,547	1/4	42,852	1/4	53,172	1/4	63,492	1/4	73,813	1/4	84,133	1/4	94,453
1/2	1,977	1/2	12,122	1/2	22,451	1/2	32,761	1/2	43,067	1/2	53,387	1/2	63,707	1/2	74,028	1/2	84,348	1/2	94,668
3/4	2,190	3/4	12,337	3/4	22,666	3/4	32,976	3/4	43,282	3/4	53,602	3/4	63,922	3/4	74,243	3/4	84,563	3/4	94,883
4	2,404	4	12,552	4	22,881	4	33,190	4	43,497	4	53,817	4	64,137	4	74,458	4	84,778	4	95,098
1/4	2,617	1/4	12,767	1/4	23,096	1/4	33,404	1/4	43,712	1/4	54,032	1/4	64,352	1/4	74,673	1/4	84,993	1/4	95,313
1/2	2,831	1/2	12,983	1/2	23,311	1/2	33,611	1/2	43,927	1/2	54,247	1/2	64,567	1/2	74,888	1/2	85,208	1/2	95,528
3/4	3,044	3/4	13,198	3/4	23,526	3/4	33,823	3/4	44,142	3/4	54,462	3/4	64,792	3/4	75,103	3/4	85,423	3/4	95,743
5	3,258	5	13,413	5	23,741	5	34,038	5	44,357	5	54,677	5	64,997	5	75,318	5	85,638	5	95,958
1/4	3,471	1/4	13,628	1/4	23,956	1/4	34,262	1/4	44,572	1/4	54,892	1/4	65,212	1/4	75,533	1/4	85,853	1/4	96,173
1/2	3,684	1/2	13,843	1/2	24,171	1/2	34,477	1/2	44,787	1/2	55,107	1/2	65,427	1/2	75,748	1/2	86,068	1/2	96,388
3/4	3,898	3/4	14,058	3/4	24,386	3/4	34,691	3/4	44,992	3/4	55,322	3/4	65,642	3/4	75,963	3/4	86,288	3/4	96,608
6	4,096	6	14,274	6	24,601	6	34,905	6	45,217	6	55,537	6	65,857	6	76,178	6	86,498	6	96,818
1/4	4,295	1/4	14,489	1/4	24,816	1/4	35,120	1/4	45,432	1/4	55,752	1/4	66,072	1/4	76,393	1/4	86,713	1/4	97,033
1/2	4,493	1/2	14,704	1/2	25,031	1/2	35,334	1/2	45,647	1/2	55,967	1/2	66,297	1/2	76,608	1/2	86,928	1/2	97,248
3/4	4,691	3/4	14,919	3/4	25,246	3/4	35,549	3/4	45,862	3/4	56,182	3/4	66,522	3/4	76,823	3/4	87,143	3/4	97,463
7	4,890	7	15,134	7	25,461	7	35,763	7	46,077	7	56,397	7	66,717	7	77,038	7	87,358	7	97,678
1/4	5,088	1/4	15,350	1/4	25,676	1/4	35,977	1/4	46,292	1/4	56,612	1/4	66,932	1/4	77,253	1/4	87,573	1/4	97,893
1/2	5,286	1/2	15,565	1/2	25,891	1/2	36,192	1/2	46,507	1/2	56,827	1/2	67,147	1/2	77,468	1/2	87,788	1/2	98,108
3/4	5,485	3/4	15,780	3/4	26,106	3/4	36,406	3/4	46,722	3/4	57,042	3/4	67,362	3/4	77,683	3/4	88,003	3/4	98,323
8	5,683	8	15,995	8	26,321	8	36,621	8	46,937	8	57,257	8	67,577	8	77,898	8	88,218	8	98,538
1/4	5,881	1/4	16,210	1/4	26,536	1/4	36,835	1/4	47,152	1/4	57,472	1/4	67,792	1/4	78,113	1/4	88,433	1/4	98,753
1/2	6,097	1/2	16,425	1/2	26,751	1/2	37,049	1/2	47,367	1/2	57,687	1/2	68,007	1/2	78,329	1/2	88,648	1/2	98,968
3/4	6,312	3/4	16,641	3/4	26,966	3/4	37,264	3/4	47,582	3/4	57,902	3/4	68,222	3/4	78,543	3/4	88,863	3/4	99,183
9	6,527	9	16,856	9	27,181	9	37,478	9	47,797	9	58,117	9	68,437	9	78,758	9	89,078	9	99,398
1/4	6,742	1/4	17,071	1/4	27,396	1/4	37,693	1/4	48,012	1/4	58,332	1/4	68,652	1/4	79,013	1/4	89,293	1/4	99,613
1/2	6,957	1/2	17,286	1/2	27,611	1/2	37,907	1/2	48,227	1/2	58,547	1/2	68,867	1/2	79,188	1/2	89,508	1/2	99,828
3/4	7,173	3/4	17,501	3/4	27,826	3/4	38,122	3/4	48,442	3/4	58,762	3/4	69,082	3/4	79,403	3/4	89,723	3/4	100,043
10	7,388	10	17,717	10	28,041	10	38,337	10	48,657	10	59,077	10	69,297	10	79,613	10	89,938	10	100,258
1/4	7,603	1/4	17,932	1/4	28,256	1/4	38,552	1/4	48,872	1/4	59,192	1/4	69,512	1/4	79,833	1/4	90,153	1/4	100,473
1/2	7,818	1/2	18,147	1/2	28,471	1/2	38,767	1/2	49,087	1/2	59,407	1/2	69,727	1/2	80,043	1/2	90,368	1/2	100,688
3/4	8,033	3/4	18,362	3/4	28,686	3/4	38,982	3/4	49,302	3/4	59,622	3/4	69,942	3/4	80,263	3/4	90,583	3/4	100,903
11	8,249	11	18,577	11	28,901	11	39,197	11	49,517	11	59,837	11	70,157	11	80,478	11	90,798	11	101,118
1/4	8,464	1/4	18,792	1/4	29,116	1/4	39,412	1/4	49,732	1/4	60,052	1/4	70,372	1/4	80,693	1/4	91,013	1/4	101,333
1/2	8,679	1/2	19,008	1/2	29,331	1/2	39,627	1/2	49,947	1/2	60,267	1/2	70,597	1/2	80,908	1/2	91,228	1/2	101,548
3/4	8,894	3/4	19,223	3/4	29,545	3/4	39,842	3/4	50,162	3/4	60,482	3/4	70,822	3/4	81,123	3/4	91,443	3/4	101,763

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: GAUGE POINT: IN CENTER OF TANK.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK SHELL.
NOTE: CAPACITY TABLE REFLECTS GAUGING ON DATUM, LOCATED 1 1/2" ABOVE TANK BOTTOM.

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED 4/20/04 BY: MDL
DATE COMPUTED: 4/29/04 BY: WHF
DATE ISSUED: 5/2/04

INTERTEK - CALEB BRETT