

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 16'-9"											
IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.	IN	12 FT.				
0		0	152,280	0	140,176	0	128,073	0	115,970	0	103,867	0	91,764	0	79,661	0	67,558	0	55,454				
1/4		1/4	152,028	1/4	139,924	1/4	127,821	1/4	115,718	1/4	103,615	1/4	91,512	1/4	79,409	1/4	67,305	1/4	55,202				
1/2		1/2	151,775	1/2	139,672	1/2	127,569	1/2	115,466	1/2	103,363	1/2	91,260	1/2	79,156	1/2	67,053	1/2	54,950				
3/4		3/4	151,523	3/4	139,420	3/4	127,317	3/4	115,214	3/4	103,111	3/4	91,007	3/4	78,904	3/4	66,801	3/4	54,698				
1		1	151,271	1	139,168	1	127,065	1	114,962	1	102,858	1	90,755	1	78,652	1	66,549	1	54,446				
1/4		1/4	151,019	1/4	138,916	1/4	126,813	1/4	114,709	1/4	102,606	1/4	90,503	1/4	78,400	1/4	66,297	1/4	54,194				
1/2		1/2	150,767	1/2	138,664	1/2	126,560	1/2	114,457	1/2	102,354	1/2	90,251	1/2	78,148	1/2	66,045	1/2	53,941				
3/4		3/4	150,515	3/4	138,411	3/4	126,308	3/4	114,205	3/4	102,102	3/4	89,999	3/4	77,896	3/4	65,792	3/4	53,689				
2		2	150,262	2	138,159	2	126,056	2	113,953	2	101,850	2	89,747	2	77,643	2	65,540	2	53,437				
1/4		1/4	150,010	1/4	137,907	1/4	125,804	1/4	113,701	1/4	101,598	1/4	89,495	1/4	77,391	1/4	65,288	1/4	53,185				
1/2		1/2	149,758	1/2	137,655	1/2	125,552	1/2	113,449	1/2	101,346	1/2	89,242	1/2	77,139	1/2	65,036	1/2	52,933				
3/4		3/4	149,506	3/4	137,403	3/4	125,300	3/4	113,197	3/4	101,093	3/4	88,990	3/4	76,887	3/4	64,784	3/4	52,681				
3		3	149,254	3	137,151	3	125,048	3	112,944	3	100,841	3	88,738	3	76,635	3	64,532	3	52,429				
1/4		1/4	149,002	1/4	136,899	1/4	124,795	1/4	112,692	1/4	100,589	1/4	88,486	1/4	76,383	1/4	64,280	1/4	52,176				
1/2		1/2	148,750	1/2	136,646	1/2	124,543	1/2	112,440	1/2	100,337	1/2	88,234	1/2	76,131	1/2	64,027	1/2	51,924				
3/4		3/4	148,497	3/4	136,394	3/4	124,291	3/4	112,189	3/4	100,085	3/4	87,982	3/4	75,878	3/4	63,775	3/4	51,672				
4		4	148,245	4	136,142	4	124,039	4	111,936	4	99,833	4	87,729	4	75,626	4	63,523	4	51,420				
1/4		1/4	147,993	1/4	135,890	1/4	123,787	1/4	111,684	1/4	99,580	1/4	87,477	1/4	75,374	1/4	63,271	1/4	51,168				
1/2		1/2	147,741	1/2	135,638	1/2	123,535	1/2	111,431	1/2	99,328	1/2	87,225	1/2	75,122	1/2	63,019	1/2	50,916				
3/4		3/4	147,489	3/4	135,386	3/4	123,282	3/4	111,179	3/4	99,076	3/4	86,973	3/4	74,870	3/4	62,767	3/4	50,664				
5		5	147,237	5	135,134	5	123,030	5	110,927	5	98,824	5	86,721	5	74,618	5	62,515	5	50,411				
1/4		1/4	146,985	1/4	134,881	1/4	122,778	1/4	110,675	1/4	98,572	1/4	86,469	1/4	74,366	1/4	62,262	1/4	50,159				
1/2		1/2	146,732	1/2	134,629	1/2	122,526	1/2	110,423	1/2	98,320	1/2	86,217	1/2	74,113	1/2	62,010	1/2	49,907				
3/4		3/4	146,480	3/4	134,377	3/4	122,274	3/4	110,171	3/4	98,068	3/4	85,964	3/4	73,861	3/4	61,758	3/4	49,655				
6		6	146,228	6	134,125	6	122,022	6	109,919	6	97,815	6	85,712	6	73,609	6	61,506	6	49,403				
1/4		1/4	145,976	1/4	133,873	1/4	121,770	1/4	109,666	1/4	97,563	1/4	85,460	1/4	73,357	1/4	61,254	1/4	49,151				
1/2		1/2	145,724	1/2	133,621	1/2	121,517	1/2	109,414	1/2	97,311	1/2	85,208	1/2	73,105	1/2	61,002	1/2	48,898				
3/4		3/4	145,472	3/4	133,368	3/4	121,265	3/4	109,162	3/4	97,059	3/4	84,956	3/4	72,853	3/4	60,749	3/4	48,646				
7		7	145,219	7	133,116	7	121,013	7	108,910	7	96,807	7	84,704	7	72,601	7	60,497	7	48,394				
1/4		1/4	144,967	1/4	132,864	1/4	120,761	1/4	108,658	1/4	96,555	1/4	84,452	1/4	72,348	1/4	60,245	1/4	48,142				
1/2		1/2	144,715	1/2	132,612	1/2	120,509	1/2	108,406	1/2	96,303	1/2	84,199	1/2	72,096	1/2	59,993	1/2	47,890				
3/4		3/4	144,463	3/4	132,360	3/4	120,257	3/4	108,154	3/4	96,050	3/4	83,947	3/4	71,844	3/4	59,741	3/4	47,638				
8		8	144,211	8	132,108	8	120,005	8	107,901	8	95,798	8	83,695	8	71,592	8	59,489	8	47,386				
1/4		1/4	143,959	1/4	131,856	1/4	119,752	1/4	107,649	1/4	95,546	1/4	83,443	1/4	71,340	1/4	59,237	1/4	47,133				
1/2		1/2	143,707	1/2	131,603	1/2	119,500	1/2	107,397	1/2	95,294	1/2	83,191	1/2	71,088	1/2	58,984	1/2	46,881				
3/4		3/4	143,454	3/4	131,351	3/4	119,248	3/4	107,145	3/4	95,042	3/4	82,939	3/4	70,835	3/4	58,732	3/4	46,629				
9		9	143,202	9	131,099	9	118,996	9	106,893	9	94,790	9	82,686	9	70,583	9	58,480	9	46,377				
1/4		1/4	142,950	1/4	130,847	1/4	118,744	1/4	106,641	1/4	94,537	1/4	82,434	1/4	70,331	1/4	58,228	1/4	46,125				
1/2		1/2	142,698	1/2	130,595	1/2	118,492	1/2	106,389	1/2	94,285	1/2	82,182	1/2	70,079	1/2	57,976	1/2	45,873				
3/4		3/4	142,446	3/4	130,343	3/4	118,240	3/4	106,136	3/4	94,033	3/4	81,930	3/4	69,827	3/4	57,724	3/4	45,621				
10		10	142,194	10	130,091	10	117,987	10	105,884	10	93,781	10	81,678	10	69,575	10	57,472	10	45,368				
1/4		1/4	141,942	1/4	129,839	1/4	117,735	1/4	105,632	1/4	93,529	1/4	81,426	1/4	69,323	1/4	57,219	1/4	45,116				
1/2		1/2	141,689	1/2	129,586	1/2	117,483	1/2	105,380	1/2	93,277	1/2	81,174	1/2	69,070	1/2	56,967	1/2	44,864				
3/4		3/4	141,437	3/4	129,334	3/4	117,231	3/4	105,128	3/4	93,025	3/4	80,921	3/4	68,818	3/4	56,715	3/4	44,612				
11		11	141,185	11	129,082	11	116,979	11	104,876	11	92,772	11	80,669	11	68,566	11	56,463	11	44,360				
1/4		1/4	140,933	1/4	128,830	1/4	116,727	1/4	104,623	1/4	92,520	1/4	80,415	1/4	68,314	1/4	56,211	1/4	44,108				
1/2		1/2	140,681	1/2	128,578	1/2	116,474	1/2	104,371	1/2	92,268	1/2	80,165	1/2	68,062	1/2	55,959	1/2	43,856				
3/4		3/4	140,429	3/4	128,325	3/4	116,222	3/4	104,119	3/4	92,016	3/4	79,913	3/4	67,810	3/4	55,707	3/4	43,603				

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "AMC" CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 2'-0" OFF CENTERLINE AND 19'-3" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/05 BY: KS-RF
DATE COMPUTED: 4/3/05 BY: DR
DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Dale A. Row

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-0"

	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.	22 FT.
0	43,351	0	31,248	0	19,145	0	7,049	0	0	0
1/4	40,996	1/4	30,996	1/4	18,893	1/4	6,798	1/4	1/4	1/4
1/2	42,847	1/2	30,744	1/2	18,641	1/2	6,547	1/2	1/2	1/2
3/4	42,595	3/4	30,492	3/4	18,389	3/4	6,296	3/4	3/4	3/4
1	42,343	1	30,239	1	18,136	1	6,045	1	1	1
1/4	42,090	1/4	29,987	1/4	17,884	1/4	5,794	1/4	1/4	1/4
1/2	41,838	1/2	29,735	1/2	17,632	1/2	5,543	1/2	1/2	1/2
3/4	41,586	3/4	29,483	3/4	17,380	3/4	5,292	3/4	3/4	3/4
2	41,334	2	29,231	2	17,128	2	5,041	2	2	2
1/4	41,082	1/4	28,979	1/4	16,876	1/4	4,790	1/4	1/4	1/4
1/2	40,830	1/2	28,727	1/2	16,623	1/2	4,539	1/2	1/2	1/2
3/4	40,578	3/4	28,474	3/4	16,371	3/4	4,288	3/4	3/4	3/4
3	40,325	3	28,222	3	16,119	3	4,037	3	3	3
1/4	40,073	1/4	27,970	1/4	15,867	1/4	3,786	1/4	1/4	1/4
1/2	39,821	1/2	27,718	1/2	15,615	1/2	3,535	1/2	1/2	1/2
3/4	39,569	3/4	27,466	3/4	15,363	3/4	3,284	3/4	3/4	3/4
4	39,317	4	27,214	4	15,110	4	3,033	4	4	4
1/4	39,065	1/4	26,962	1/4	14,858	1/4	2,782	1/4	1/4	1/4
1/2	38,813	1/2	26,709	1/2	14,606	1/2	2,531	1/2	1/2	1/2
3/4	38,560	3/4	26,457	3/4	14,354	3/4	2,304	3/4	3/4	3/4
5	38,308	5	26,205	5	14,102	5	2,077	5	5	5
1/4	38,056	1/4	25,953	1/4	13,850	1/4	1,851	1/4	1/4	1/4
1/2	37,804	1/2	25,701	1/2	13,598	1/2	1,624	1/2	1/2	1/2
3/4	37,552	3/4	25,449	3/4	13,345	3/4	1,447	3/4	3/4	3/4
6	37,300	6	25,196	6	13,093	6	1,271	6	6	6
1/4	37,047	1/4	24,944	1/4	12,841	1/4	1,094	1/4	1/4	1/4
1/2	36,795	1/2	24,692	1/2	12,589	1/2	918	1/2	1/2	1/2
3/4	36,543	3/4	24,440	3/4	12,337	3/4	792	3/4	3/4	3/4
7	36,291	7	24,188	7	12,085	7	666	7	7	7
1/4	36,039	1/4	23,936	1/4	11,833	1/4	540	1/4	1/4	1/4
1/2	35,787	1/2	23,684	1/2	11,580	1/2	414	1/2	1/2	1/2
3/4	35,535	3/4	23,431	3/4	11,328	3/4	338	3/4	3/4	3/4
8	35,282	8	23,179	8	11,076	8	263	8	8	8
1/4	35,030	1/4	22,927	1/4	10,824	1/4	187	1/4	1/4	1/4
1/2	34,778	1/2	22,675	1/2	10,572	1/2	112	1/2	1/2	1/2
3/4	34,526	3/4	22,423	3/4	10,320	3/4	86	3/4	3/4	3/4
9	34,274	9	22,171	9	10,068	9	61	9	9	9
1/4	34,022	1/4	21,919	1/4	9,815	1/4	35	1/4	1/4	1/4
1/2	33,770	1/2	21,666	1/2	9,563	1/2	10	1/2	1/2	1/2
3/4	33,517	3/4	21,414	3/4	9,311	3/4	0	3/4	3/4	3/4
10	33,265	10	21,162	10	9,059	10	0	10	10	10
1/4	33,013	1/4	20,910	1/4	8,807	1/4	0	1/4	1/4	1/4
1/2	32,761	1/2	20,658	1/2	8,555	1/2	0	1/2	1/2	1/2
3/4	32,509	3/4	20,406	3/4	8,304	3/4	0	3/4	3/4	3/4
11	32,257	11	20,153	11	8,053	11	0	11	11	11
1/4	32,004	1/4	19,901	1/4	7,802	1/4	0	1/4	1/4	1/4
1/2	31,752	1/2	19,649	1/2	7,551	1/2	0	1/2	1/2	1/2
3/4	31,500	3/4	19,397	3/4	7,300	3/4	0	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/27/05 BY: KS-RF
 DATE COMPUTED: 4/3/05 BY: DR
 DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Bill A. Row

BARGE "C" 202"

2 PORT
 ULLAGE TABLE

GAUGE HEIGHT 16'-3 3/8"

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	84,502	0	77,644	0	70,786	0	63,929	0	57,071	0	50,213	0	43,356	0	36,498	0	29,640	0	22,782	0
1/4	1/4	84,359	1/4	77,501	1/4	70,644	1/4	63,786	1/4	56,928	1/4	50,071	1/4	43,213	1/4	36,355	1/4	29,497	1/4	22,639	1/4
1/2	1/2	84,216	1/2	77,358	1/2	70,501	1/2	63,643	1/2	56,785	1/2	49,928	1/2	43,070	1/2	36,212	1/2	29,355	1/2	22,497	1/2
3/4	3/4	84,073	3/4	77,216	3/4	70,358	3/4	63,500	3/4	56,643	3/4	49,785	3/4	42,927	3/4	36,069	3/4	29,212	3/4	22,354	3/4
1	1	83,930	1	77,073	1	70,215	1	63,357	1	56,500	1	49,642	1	42,784	1	35,927	1	29,069	1	22,109	1
1/4	1/4	83,788	1/4	76,930	1/4	70,072	1/4	63,214	1/4	56,357	1/4	49,499	1/4	42,641	1/4	35,784	1/4	28,926	1/4	21,964	1/4
1/2	1/2	83,645	1/2	76,787	1/2	69,929	1/2	63,072	1/2	56,214	1/2	49,356	1/2	42,499	1/2	35,641	1/2	28,783	1/2	21,821	1/2
3/4	3/4	83,502	3/4	76,644	3/4	69,786	3/4	62,929	3/4	56,071	3/4	49,213	3/4	42,356	3/4	35,498	3/4	28,640	3/4	21,678	3/4
2	2	83,359	2	76,501	2	69,644	2	62,786	2	55,928	2	49,070	2	42,213	2	35,355	2	28,497	2	21,534	2
1/4	1/4	83,216	1/4	76,358	1/4	69,501	1/4	62,643	1/4	55,785	1/4	48,928	1/4	42,070	1/4	35,212	1/4	28,355	1/4	21,390	1/4
1/2	1/2	83,073	1/2	76,215	1/2	69,358	1/2	62,500	1/2	55,642	1/2	48,785	1/2	41,927	1/2	35,069	1/2	28,212	1/2	21,247	1/2
3/4	3/4	82,930	3/4	76,073	3/4	69,215	3/4	62,357	3/4	55,500	3/4	48,642	3/4	41,784	3/4	34,926	3/4	28,069	3/4	21,104	3/4
3	3	82,787	3	75,930	3	69,072	3	62,214	3	55,357	3	48,499	3	41,641	3	34,784	3	27,926	3	20,961	3
1/4	1/4	82,645	1/4	75,787	1/4	68,929	1/4	62,072	1/4	55,214	1/4	48,356	1/4	41,498	1/4	34,641	1/4	27,783	1/4	20,818	1/4
1/2	1/2	82,502	1/2	75,644	1/2	68,786	1/2	61,929	1/2	55,071	1/2	48,213	1/2	41,356	1/2	34,498	1/2	27,640	1/2	20,675	1/2
3/4	3/4	82,359	3/4	75,501	3/4	68,643	3/4	61,786	3/4	54,928	3/4	48,070	3/4	41,213	3/4	34,355	3/4	27,497	3/4	20,532	3/4
4	4	82,216	4	75,358	4	68,501	4	61,643	4	54,785	4	47,928	4	41,070	4	34,212	4	27,354	4	20,389	4
1/4	1/4	82,073	1/4	75,215	1/4	68,358	1/4	61,500	1/4	54,642	1/4	47,785	1/4	40,927	1/4	34,069	1/4	27,212	1/4	20,246	1/4
1/2	1/2	81,930	1/2	75,073	1/2	68,215	1/2	61,357	1/2	54,499	1/2	47,642	1/2	40,784	1/2	33,926	1/2	27,069	1/2	20,103	1/2
3/4	3/4	81,787	3/4	74,930	3/4	68,072	3/4	61,214	3/4	54,357	3/4	47,499	3/4	40,641	3/4	33,784	3/4	26,926	3/4	19,960	3/4
5	5	81,644	5	74,787	5	67,929	5	61,071	5	54,214	5	47,356	5	40,498	5	33,641	5	26,783	5	19,817	5
1/4	1/4	81,502	1/4	74,644	1/4	67,786	1/4	60,929	1/4	54,071	1/4	47,213	1/4	40,355	1/4	33,498	1/4	26,640	1/4	19,674	1/4
1/2	1/2	81,359	1/2	74,501	1/2	67,643	1/2	60,786	1/2	53,928	1/2	47,070	1/2	40,213	1/2	33,355	1/2	26,497	1/2	19,531	1/2
3/4	3/4	81,216	3/4	74,358	3/4	67,501	3/4	60,643	3/4	53,785	3/4	46,927	3/4	40,070	3/4	33,212	3/4	26,354	3/4	19,388	3/4
6	6	81,073	6	74,215	6	67,358	6	60,500	6	53,642	6	46,785	6	39,927	6	33,069	6	26,212	6	19,245	6
1/4	1/4	80,930	1/4	74,072	1/4	67,215	1/4	60,357	1/4	53,499	1/4	46,642	1/4	39,784	1/4	32,926	1/4	26,069	1/4	19,102	1/4
1/2	1/2	80,787	1/2	73,930	1/2	67,072	1/2	60,214	1/2	53,357	1/2	46,499	1/2	39,641	1/2	32,783	1/2	25,926	1/2	18,959	1/2
3/4	3/4	80,644	3/4	73,787	3/4	66,929	3/4	60,071	3/4	53,214	3/4	46,356	3/4	39,498	3/4	32,641	3/4	25,783	3/4	18,816	3/4
7	7	80,502	7	73,644	7	66,786	7	59,928	7	53,071	7	46,213	7	39,355	7	32,498	7	25,640	7	18,673	7
1/4	1/4	80,359	1/4	73,501	1/4	66,643	1/4	59,786	1/4	52,928	1/4	46,070	1/4	39,213	1/4	32,355	1/4	25,497	1/4	18,530	1/4
1/2	1/2	80,216	1/2	73,358	1/2	66,500	1/2	59,643	1/2	52,785	1/2	45,927	1/2	39,070	1/2	32,212	1/2	25,354	1/2	18,387	1/2
3/4	3/4	80,073	3/4	73,215	3/4	66,358	3/4	59,500	3/4	52,642	3/4	45,784	3/4	38,927	3/4	32,069	3/4	25,211	3/4	18,244	3/4
8	8	79,930	8	73,072	8	66,215	8	59,357	8	52,499	8	45,642	8	38,784	8	31,926	8	25,069	8	18,101	8
1/4	1/4	79,787	1/4	72,930	1/4	66,072	1/4	59,214	1/4	52,356	1/4	45,499	1/4	38,641	1/4	31,783	1/4	24,926	1/4	17,958	1/4
1/2	1/2	79,644	1/2	72,787	1/2	65,929	1/2	59,071	1/2	52,214	1/2	45,356	1/2	38,498	1/2	31,641	1/2	24,783	1/2	17,815	1/2
3/4	3/4	79,501	3/4	72,644	3/4	65,786	3/4	58,928	3/4	52,071	3/4	45,213	3/4	38,355	3/4	31,498	3/4	24,640	3/4	17,672	3/4
9	9	79,359	9	72,501	9	65,643	9	58,786	9	51,928	9	45,070	9	38,212	9	31,355	9	24,497	9	17,529	9
1/4	1/4	79,216	1/4	72,358	1/4	65,500	1/4	58,643	1/4	51,785	1/4	44,927	1/4	38,070	1/4	31,212	1/4	24,354	1/4	17,386	1/4
1/2	1/2	79,073	1/2	72,215	1/2	65,357	1/2	58,500	1/2	51,642	1/2	44,784	1/2	37,927	1/2	31,069	1/2	24,211	1/2	17,243	1/2
3/4	3/4	78,930	3/4	72,072	3/4	65,215	3/4	58,357	3/4	51,499	3/4	44,642	3/4	37,784	3/4	30,926	3/4	24,068	3/4	17,100	3/4
10	10	78,787	10	71,929	10	65,072	10	58,214	10	51,356	10	44,499	10	37,641	10	30,783	10	23,926	10	16,957	10
1/4	1/4	78,644	1/4	71,787	1/4	64,786	1/4	58,071	1/4	51,214	1/4	44,356	1/4	37,498	1/4	30,640	1/4	23,783	1/4	16,814	1/4
1/2	1/2	78,501	1/2	71,644	1/2	64,643	1/2	57,928	1/2	51,071	1/2	44,213	1/2	37,355	1/2	30,498	1/2	23,640	1/2	16,671	1/2
3/4	3/4	78,359	3/4	71,501	3/4	64,500	3/4	57,785	3/4	50,928	3/4	44,070	3/4	37,212	3/4	30,355	3/4	23,497	3/4	16,528	3/4
11	11	78,216	11	71,358	11	64,357	11	57,643	11	50,785	11	43,927	11	37,070	11	30,212	11	23,354	11	16,385	11
1/4	1/4	78,073	1/4	71,215	1/4	64,215	1/4	57,500	1/4	50,642	1/4	43,784	1/4	36,927	1/4	30,069	1/4	23,211	1/4	16,242	1/4
1/2	1/2	77,930	1/2	71,072	1/2	64,072	1/2	57,357	1/2	50,499	1/2	43,641	1/2	36,784	1/2	29,926	1/2	23,068	1/2	16,100	1/2
3/4	3/4	77,787	3/4	70,929	3/4	64,072	3/4	57,214	3/4	50,356	3/4	43,499	3/4	36,641	3/4	29,783	3/4	22,926	3/4	15,957	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

Dale A. Brown

DATE STRAPPED: 3/27/85 BY: KS-RF
 DATE COMPUTED: 4/3/85 BY: DR
 DATE ISSUED: 4/3/85

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH NIPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M.M.C." CLOSED GAUGING DEVICE.
 NOTE: GAUGE POINT LOCATED 14'-0" OFF CENTERLINE AND 21'-4" FORWARD OF AFT BULKHEAD.
 NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

BARGE "C" 202"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,783	0	15,925	0	9,067	0	2,222	0	2,080	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,640	1/4	15,782	1/4	8,924	1/4	2,080	1/4	1,938	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,497	1/2	15,639	1/2	8,782	1/2	1,938	1/2	1,795	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,354	3/4	15,496	3/4	8,639	3/4	1,795	3/4	1,653	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	22,211	1	15,354	1	8,496	1	1,653	1	1,511	1	1	1	1	1	1	1	1	1	1	1	1
1/4	22,068	1/4	15,211	1/4	8,353	1/4	1,511	1/4	1,376	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,925	1/2	15,068	1/2	8,210	1/2	1,376	1/2	1,247	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,783	3/4	14,925	3/4	8,067	3/4	1,247	3/4	1,118	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	21,640	1	14,782	1	7,924	1	1,118	1	990	1	1	1	1	1	1	1	1	1	1	1	1
1/4	21,497	1/4	14,639	1/4	7,781	1/4	990	1/4	875	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,354	1/2	14,496	1/2	7,639	1/2	875	1/2	755	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,211	3/4	14,353	3/4	7,496	3/4	755	3/4	675	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	21,068	1	14,211	1	7,353	1	675	1	575	1	1	1	1	1	1	1	1	1	1	1	1
1/4	20,925	1/4	14,068	1/4	7,210	1/4	575	1/4	525	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,783	1/2	13,925	1/2	7,067	1/2	525	1/2	445	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,640	3/4	13,782	3/4	6,924	3/4	445	3/4	375	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	20,497	1	13,639	1	6,781	1	375	1	315	1	1	1	1	1	1	1	1	1	1	1	1
1/4	20,354	1/4	13,496	1/4	6,639	1/4	315	1/4	265	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,211	1/2	13,353	1/2	6,496	1/2	265	1/2	225	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,068	3/4	13,210	3/4	6,353	3/4	225	3/4	195	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	19,925	1	13,068	1	6,210	1	195	1	175	1	1	1	1	1	1	1	1	1	1	1	1
1/4	19,782	1/4	12,925	1/4	6,067	1/4	175	1/4	155	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,640	1/2	12,782	1/2	5,924	1/2	155	1/2	145	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,497	3/4	12,639	3/4	5,781	3/4	145	3/4	135	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	19,354	1	12,496	1	5,638	1	135	1	125	1	1	1	1	1	1	1	1	1	1	1	1
1/4	19,211	1/4	12,353	1/4	5,496	1/4	125	1/4	115	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,068	1/2	12,210	1/2	5,353	1/2	115	1/2	105	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,925	3/4	12,068	3/4	5,210	3/4	105	3/4	95	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	18,782	1	11,925	1	5,067	1	95	1	85	1	1	1	1	1	1	1	1	1	1	1	1
1/4	18,639	1/4	11,782	1/4	4,924	1/4	85	1/4	75	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	18,497	1/2	11,639	1/2	4,782	1/2	75	1/2	65	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,354	3/4	11,496	3/4	4,639	3/4	65	3/4	55	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	18,211	1	11,353	1	4,497	1	55	1	45	1	1	1	1	1	1	1	1	1	1	1	1
1/4	18,068	1/4	11,210	1/4	4,355	1/4	45	1/4	35	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,925	1/2	11,067	1/2	4,213	1/2	35	1/2	25	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,782	3/4	10,925	3/4	4,071	3/4	25	3/4	15	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	17,639	1	10,782	1	3,928	1	15	1	5	1	1	1	1	1	1	1	1	1	1	1	1
1/4	17,497	1/4	10,639	1/4	3,786	1/4	5	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,354	1/2	10,496	1/2	3,644	1/2	0	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,211	3/4	10,353	3/4	3,502	3/4	0	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	17,068	1	10,210	1	3,360	1	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1
1/4	16,925	1/4	10,067	1/4	3,217	1/4	0	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,782	1/2	9,925	1/2	3,075	1/2	0	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,639	3/4	9,782	3/4	2,933	3/4	0	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	16,496	1	9,639	1	2,791	1	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1
1/4	16,354	1/4	9,496	1/4	2,649	1/4	0	1/4	0	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,211	1/2	9,353	1/2	2,506	1/2	0	1/2	0	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,068	3/4	9,210	3/4	2,364	3/4	0	3/4	0	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/27/85 BY: KS-RF
 DATE COMPUTED: 4/3/85 BY: DR
 DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

Bill G. Row

BARGE "CJC 202"

**2 STBD
ULLAGE TABLE**

GAUGE HEIGHT 16'-4 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	84,203	0	77,381	0	70,559	0	63,738	0	56,916	0	50,094	0	43,272	0	36,450	0	29,628	0	22,806	0
1/4	1/4	84,081	1/4	77,239	1/4	70,417	1/4	63,595	1/4	56,773	1/4	49,952	1/4	43,130	1/4	36,308	1/4	29,486	1/4	22,664	1/4
1/2	1/2	83,919	1/2	77,097	1/2	70,275	1/2	63,453	1/2	56,631	1/2	49,809	1/2	42,987	1/2	36,166	1/2	29,344	1/2	22,522	1/2
3/4	3/4	83,777	3/4	76,955	3/4	70,133	3/4	63,311	3/4	56,489	3/4	49,667	3/4	42,845	3/4	36,023	3/4	29,202	3/4	22,380	3/4
1	1	83,635	1	76,813	1	70,011	1	63,169	1	56,347	1	49,525	1	42,703	1	35,881	1	29,059	1	22,238	1
1/4	1/4	83,493	1/4	76,671	1/4	69,849	1/4	63,027	1/4	56,205	1/4	49,383	1/4	42,561	1/4	35,739	1/4	28,917	1/4	22,096	1/4
1/2	1/2	83,351	1/2	76,529	1/2	69,707	1/2	62,885	1/2	56,063	1/2	49,241	1/2	42,419	1/2	35,597	1/2	28,775	1/2	21,954	1/2
3/4	3/4	83,208	3/4	76,386	3/4	69,565	3/4	62,743	3/4	55,921	3/4	49,099	3/4	42,277	3/4	35,455	3/4	28,633	3/4	21,812	3/4
2	2	83,066	2	76,244	2	69,422	2	62,601	2	55,779	2	48,957	2	42,135	2	35,313	2	28,491	2	21,670	2
1/4	1/4	82,924	1/4	76,102	1/4	69,280	1/4	62,458	1/4	55,636	1/4	48,815	1/4	41,993	1/4	35,171	1/4	28,349	1/4	21,528	1/4
1/2	1/2	82,782	1/2	75,960	1/2	69,138	1/2	62,316	1/2	55,494	1/2	48,672	1/2	41,851	1/2	35,029	1/2	28,207	1/2	21,386	1/2
3/4	3/4	82,640	3/4	75,818	3/4	68,996	3/4	62,174	3/4	55,352	3/4	48,530	3/4	41,708	3/4	34,896	3/4	28,065	3/4	21,244	3/4
3 1/8	3 1/8	82,498	3	75,676	3	68,854	3	62,032	3	55,210	3	48,388	3	41,566	3	34,744	3	27,922	3	21,102	3
1/4	1/4	82,356	1/4	75,534	1/4	68,712	1/4	61,890	1/4	55,068	1/4	48,246	1/4	41,424	1/4	34,602	1/4	27,780	1/4	20,960	1/4
1/2	1/2	82,214	1/2	75,392	1/2	68,570	1/2	61,748	1/2	54,926	1/2	48,104	1/2	41,282	1/2	34,460	1/2	27,638	1/2	20,818	1/2
3/4	3/4	82,071	3/4	75,250	3/4	68,428	3/4	61,606	3/4	54,784	3/4	47,962	3/4	41,140	3/4	34,318	3/4	27,496	3/4	20,676	3/4
4	4	81,929	4	75,107	4	68,285	4	61,464	4	54,642	4	47,820	4	40,998	4	34,176	4	27,354	4	20,534	4
1/4	1/4	81,787	1/4	74,965	1/4	68,143	1/4	61,321	1/4	54,499	1/4	47,678	1/4	40,856	1/4	34,034	1/4	27,212	1/4	20,392	1/4
1/2	1/2	81,645	1/2	74,823	1/2	68,001	1/2	61,179	1/2	54,357	1/2	47,536	1/2	40,714	1/2	33,892	1/2	27,070	1/2	20,250	1/2
3/4	3/4	81,503	3/4	74,681	3/4	67,859	3/4	61,037	3/4	54,215	3/4	47,393	3/4	40,571	3/4	33,749	3/4	26,928	3/4	20,108	3/4
5	5	81,361	5	74,539	5	67,717	5	60,895	5	54,073	5	47,251	5	40,429	5	33,607	5	26,786	5	19,966	5
1/4	1/4	81,219	1/4	74,397	1/4	67,575	1/4	60,753	1/4	53,931	1/4	47,109	1/4	40,287	1/4	33,465	1/4	26,644	1/4	19,824	1/4
1/2	1/2	81,077	1/2	74,255	1/2	67,433	1/2	60,611	1/2	53,789	1/2	46,967	1/2	40,145	1/2	33,323	1/2	26,502	1/2	19,682	1/2
3/4	3/4	80,934	3/4	74,113	3/4	67,291	3/4	60,469	3/4	53,647	3/4	46,825	3/4	40,003	3/4	33,181	3/4	26,360	3/4	19,540	3/4
6	6	80,792	6	73,970	6	67,148	6	60,327	6	53,505	6	46,683	6	39,861	6	33,039	6	26,218	6	19,398	6
1/4	1/4	80,650	1/4	73,828	1/4	67,006	1/4	60,184	1/4	53,362	1/4	46,541	1/4	39,719	1/4	32,897	1/4	26,076	1/4	19,256	1/4
1/2	1/2	80,508	1/2	73,686	1/2	66,864	1/2	60,042	1/2	53,220	1/2	46,398	1/2	39,577	1/2	32,755	1/2	25,934	1/2	19,114	1/2
3/4	3/4	80,366	3/4	73,544	3/4	66,722	3/4	59,900	3/4	53,078	3/4	46,256	3/4	39,434	3/4	32,612	3/4	25,792	3/4	18,972	3/4
7	7	80,224	7	73,402	7	66,580	7	59,758	7	52,936	7	46,114	7	39,292	7	32,470	7	25,650	7	18,830	7
1/4	1/4	80,082	1/4	73,260	1/4	66,438	1/4	59,616	1/4	52,794	1/4	45,972	1/4	39,150	1/4	32,328	1/4	25,508	1/4	18,688	1/4
1/2	1/2	80,040	1/2	73,118	1/2	66,296	1/2	59,474	1/2	52,652	1/2	45,830	1/2	39,008	1/2	32,186	1/2	25,366	1/2	18,546	1/2
3/4	3/4	79,977	3/4	72,976	3/4	66,154	3/4	59,332	3/4	52,510	3/4	45,688	3/4	38,866	3/4	32,044	3/4	25,224	3/4	18,404	3/4
8	8	79,835	8	72,833	8	66,011	8	59,210	8	52,368	8	45,546	8	38,724	8	31,902	8	25,082	8	18,262	8
1/4	1/4	79,693	1/4	72,691	1/4	65,869	1/4	59,047	1/4	52,226	1/4	45,404	1/4	38,582	1/4	31,760	1/4	24,940	1/4	18,120	1/4
1/2	1/2	79,551	1/2	72,549	1/2	65,727	1/2	58,905	1/2	52,083	1/2	45,261	1/2	38,440	1/2	31,618	1/2	24,798	1/2	17,978	1/2
3/4	3/4	79,409	3/4	72,407	3/4	65,585	3/4	58,763	3/4	51,941	3/4	45,119	3/4	38,297	3/4	31,475	3/4	24,656	3/4	17,836	3/4
9	9	79,267	9	72,265	9	65,443	9	58,621	9	51,799	9	44,977	9	38,155	9	31,333	9	24,514	9	17,694	9
1/4	1/4	79,125	1/4	72,123	1/4	65,301	1/4	58,479	1/4	51,657	1/4	44,835	1/4	38,013	1/4	31,191	1/4	24,372	1/4	17,552	1/4
1/2	1/2	78,983	1/2	71,981	1/2	65,159	1/2	58,337	1/2	51,515	1/2	44,693	1/2	37,871	1/2	31,049	1/2	24,230	1/2	17,410	1/2
3/4	3/4	78,841	3/4	71,839	3/4	65,017	3/4	58,215	3/4	51,373	3/4	44,551	3/4	37,729	3/4	30,907	3/4	24,088	3/4	17,268	3/4
10	10	78,699	10	71,696	10	64,874	10	58,053	10	51,231	10	44,409	10	37,587	10	30,765	10	23,946	10	17,126	10
1/4	1/4	78,557	1/4	71,554	1/4	64,732	1/4	57,910	1/4	51,089	1/4	44,267	1/4	37,445	1/4	30,623	1/4	23,804	1/4	17,084	1/4
1/2	1/2	78,415	1/2	71,412	1/2	64,590	1/2	57,768	1/2	50,946	1/2	44,124	1/2	37,303	1/2	30,481	1/2	23,662	1/2	16,942	1/2
3/4	3/4	78,273	3/4	71,270	3/4	64,448	3/4	57,626	3/4	50,804	3/4	43,982	3/4	37,160	3/4	30,339	3/4	23,520	3/4	16,800	3/4
11	11	78,129	11	71,128	11	64,306	11	57,484	11	50,662	11	43,840	11	37,018	11	30,196	11	23,378	11	16,658	11
1/4	1/4	77,987	1/4	70,984	1/4	64,164	1/4	57,342	1/4	50,520	1/4	43,698	1/4	36,876	1/4	30,054	1/4	23,236	1/4	16,516	1/4
1/2	1/2	77,845	1/2	70,842	1/2	64,022	1/2	57,200	1/2	50,378	1/2	43,556	1/2	36,734	1/2	29,912	1/2	23,094	1/2	16,374	1/2
3/4	3/4	77,703	3/4	70,702	3/4	63,880	3/4	57,058	3/4	50,236	3/4	43,414	3/4	36,592	3/4	29,770	3/4	22,952	3/4	16,232	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MAMC" CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 10'-7" OFF CENTERLINE AND 21'-4" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

Bill A. Brown

BARGE "COCO 202"

**2 STBD
ULLAGE TABLE**

GAUGE HEIGHT: 16'-4 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,806	0	15,984	0	9,162	0	2,352	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,864	1/4	15,842	1/4	9,020	1/4	2,210	1/4	2,210	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,522	1/2	15,700	1/2	8,878	1/2	2,069	1/2	1,927	1/2	1,786	1/2	1,645	1/2	1,503	1/2	1,368	1/2	1,240	1/2	1,113
3/4	22,380	3/4	15,558	3/4	8,736	3/4	1,927	3/4	1,786	3/4	1,645	3/4	1,503	3/4	1,368	3/4	1,240	3/4	1,113	3/4	985
1	22,237	1	15,416	1	8,594	1	1,786	1	1,645	1	1,503	1	1,368	1	1,240	1	1,113	1	985	1	871
1/4	22,095	1/4	15,273	1/4	8,452	1/4	1,645	1/4	1,503	1/4	1,368	1/4	1,240	1/4	1,113	1/4	985	1/4	871	1/4	771
1/2	21,953	1/2	15,131	1/2	8,309	1/2	1,503	1/2	1,368	1/2	1,240	1/2	1,113	1/2	985	1/2	871	1/2	771	1/2	672
3/4	21,811	3/4	14,989	3/4	8,167	3/4	1,368	3/4	1,240	3/4	1,113	3/4	985	3/4	871	3/4	771	3/4	672	3/4	573
1	21,669	1	14,847	1	8,025	1	1,240	1	1,113	1	985	1	871	1	771	1	672	1	573	1	487
1/4	21,527	1/4	14,705	1/4	7,883	1/4	1,113	1/4	985	1/4	871	1/4	771	1/4	672	1/4	573	1/4	487	1/4	416
1/2	21,385	1/2	14,563	1/2	7,741	1/2	985	1/2	871	1/2	771	1/2	672	1/2	573	1/2	487	1/2	416	1/2	345
3/4	21,243	3/4	14,421	3/4	7,599	3/4	871	3/4	771	3/4	672	3/4	573	3/4	487	3/4	416	3/4	345	3/4	345
1	21,100	1	14,279	1	7,457	1	771	1	672	1	573	1	487	1	416	1	345	1	345	1	345
1/4	20,958	1/4	14,136	1/4	7,315	1/4	672	1/4	573	1/4	487	1/4	416	1/4	345	1/4	345	1/4	345	1/4	345
1/2	20,816	1/2	13,994	1/2	7,172	1/2	573	1/2	487	1/2	416	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	20,674	3/4	13,852	3/4	7,030	3/4	487	3/4	416	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	20,532	1	13,710	1	6,888	1	416	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	20,390	1/4	13,568	1/4	6,746	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	20,248	1/2	13,426	1/2	6,604	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	20,106	3/4	13,284	3/4	6,462	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	19,963	1	13,142	1	6,320	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	19,821	1/4	12,999	1/4	6,178	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	19,679	1/2	12,857	1/2	6,035	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	19,537	3/4	12,715	3/4	5,893	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	19,395	1	12,573	1	5,751	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	19,253	1/4	12,431	1/4	5,609	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	19,111	1/2	12,289	1/2	5,467	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	18,969	3/4	12,147	3/4	5,325	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	18,827	1	12,005	1	5,183	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	18,684	1/4	11,862	1/4	5,041	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	18,542	1/2	11,720	1/2	4,898	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	18,400	3/4	11,578	3/4	4,757	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	18,258	1	11,436	1	4,615	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	18,116	1/4	11,294	1/4	4,474	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	17,974	1/2	11,152	1/2	4,332	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	17,832	3/4	11,010	3/4	4,191	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	17,690	1	10,868	1	4,049	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	17,547	1/4	10,725	1/4	3,908	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	17,405	1/2	10,583	1/2	3,766	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	17,263	3/4	10,441	3/4	3,625	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	17,121	1	10,299	1	3,484	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	16,979	1/4	10,157	1/4	3,342	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	16,837	1/2	10,015	1/2	3,201	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	16,695	3/4	9,873	3/4	3,059	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345
1	16,553	1	9,731	1	2,918	1	345	1	345	1	345	1	345	1	345	1	345	1	345	1	345
1/4	16,410	1/4	9,589	1/4	2,776	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345	1/4	345
1/2	16,268	1/2	9,446	1/2	2,635	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345	1/2	345
3/4	16,126	3/4	9,304	3/4	2,493	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345	3/4	345

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

Bill S. Row

GAUGE HEIGHT 16'-3 7/8"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	23,035	0	16,187	0	9,340	0	2,503	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,893	1/4	16,045	1/4	9,197	1/4	2,361	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,750	1/2	15,902	1/2	9,054	1/2	2,219	1/2	2,077	1/2	1,935	1/2	1,793	1/2	1,651	1/2	1,509	1/2	1,374	1/2	1,245
3/4	22,607	3/4	15,759	3/4	8,912	3/4	1,935	3/4	1,793	3/4	1,651	3/4	1,509	3/4	1,374	3/4	1,245	3/4	1,117	3/4	988
1	22,465	1	15,617	1	8,769	1	1,793	1	1,651	1	1,509	1	1,374	1	1,245	1	1,117	1	988	1	874
1/4	22,322	1/4	15,474	1/4	8,626	1/4	1,651	1/4	1,509	1/4	1,374	1/4	1,245	1/4	1,117	1/4	988	1/4	874	1/4	774
1/2	22,179	1/2	15,331	1/2	8,484	1/2	1,509	1/2	1,374	1/2	1,245	1/2	1,117	1/2	988	1/2	874	1/2	774	1/2	675
3/4	22,037	3/4	15,189	3/4	8,341	3/4	1,374	3/4	1,245	3/4	1,117	3/4	988	3/4	874	3/4	774	3/4	675	3/4	575
2	21,894	2	15,046	2	8,198	2	1,245	2	1,117	2	988	2	874	2	774	2	675	2	575	2	475
1/4	21,751	1/4	14,903	1/4	8,056	1/4	1,117	1/4	988	1/4	874	1/4	774	1/4	675	1/4	575	1/4	475	1/4	375
1/2	21,609	1/2	14,761	1/2	7,913	1/2	988	1/2	874	1/2	774	1/2	675	1/2	575	1/2	475	1/2	375	1/2	275
3/4	21,466	3/4	14,618	3/4	7,770	3/4	874	3/4	774	3/4	675	3/4	575	3/4	475	3/4	375	3/4	275	3/4	175
3	21,323	3	14,475	3	7,628	3	774	3	675	3	575	3	475	3	375	3	275	3	175	3	75
1/4	21,181	1/4	14,333	1/4	7,485	1/4	675	1/4	575	1/4	475	1/4	375	1/4	275	1/4	175	1/4	75	1/4	0
1/2	21,038	1/2	14,190	1/2	7,342	1/2	575	1/2	475	1/2	375	1/2	275	1/2	175	1/2	75	1/2	0	1/2	0
3/4	20,895	3/4	14,047	3/4	7,200	3/4	475	3/4	375	3/4	275	3/4	175	3/4	75	3/4	0	3/4	0	3/4	0
4	20,753	4	13,905	4	7,057	4	375	4	275	4	175	4	75	4	0	4	0	4	0	4	0
1/4	20,610	1/4	13,762	1/4	6,914	1/4	275	1/4	175	1/4	75	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	20,467	1/2	13,620	1/2	6,772	1/2	175	1/2	75	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	20,325	3/4	13,477	3/4	6,629	3/4	75	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
5	20,182	5	13,334	5	6,486	5	0	5	0	5	0	5	0	5	0	5	0	5	0	5	0
1/4	20,039	1/4	13,192	1/4	6,344	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,897	1/2	13,049	1/2	6,201	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,754	3/4	12,906	3/4	6,058	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
6	19,611	6	12,764	6	5,916	6	0	6	0	6	0	6	0	6	0	6	0	6	0	6	0
1/4	19,469	1/4	12,621	1/4	5,773	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	19,326	1/2	12,478	1/2	5,630	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	19,183	3/4	12,336	3/4	5,488	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
7	19,041	7	12,193	7	5,345	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0
1/4	18,898	1/4	12,050	1/4	5,202	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,755	1/2	11,908	1/2	5,060	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,613	3/4	11,765	3/4	4,917	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
8	18,470	8	11,622	8	4,775	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0
1/4	18,327	1/4	11,480	1/4	4,633	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,185	1/2	11,337	1/2	4,491	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,042	3/4	11,194	3/4	4,349	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
9	17,899	9	11,052	9	4,207	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0
1/4	17,757	1/4	10,909	1/4	4,065	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,614	1/2	10,766	1/2	3,923	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,471	3/4	10,624	3/4	3,781	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
10	17,329	10	10,481	10	3,639	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0
1/4	17,186	1/4	10,338	1/4	3,497	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,043	1/2	10,196	1/2	3,355	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,901	3/4	10,053	3/4	3,213	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
11	16,758	11	9,910	11	3,071	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0
1/4	16,615	1/4	9,768	1/4	2,929	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,473	1/2	9,625	1/2	2,787	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,330	3/4	9,482	3/4	2,645	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

Paul S. Row

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-6"

IN	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.
0	0	0	0	0	0	0	0	0	0	0
1/4	85,004	84,861	84,718	84,575	84,432	84,289	84,146	83,999	83,856	83,713
1/2	84,718	84,575	84,432	84,289	84,146	83,999	83,856	83,713	83,570	83,427
3/4	84,432	84,289	84,146	83,999	83,856	83,713	83,570	83,427	83,284	83,141
1	84,146	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855
1/4	84,290	84,147	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998
1/2	84,147	83,999	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855
3/4	84,005	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855	82,712
2	83,856	83,713	83,570	83,427	83,284	83,141	82,998	82,855	82,712	82,569
1/4	83,719	83,576	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432
1/2	83,576	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432	82,289
3/4	83,433	83,290	83,147	83,004	82,861	82,718	82,575	82,432	82,289	82,146
3	83,291	83,148	82,999	82,856	82,713	82,570	82,427	82,284	82,141	81,998
1/4	83,148	82,999	82,856	82,713	82,570	82,427	82,284	82,141	81,998	81,855
1/2	83,005	82,863	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719
3/4	82,863	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576
4	82,720	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433
1/4	82,577	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433	81,290
1/2	82,434	82,291	82,148	82,005	81,862	81,719	81,576	81,433	81,290	81,147
3/4	82,292	82,149	82,006	81,863	81,720	81,577	81,434	81,291	81,148	81,005
5	82,149	82,006	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862
1/4	82,006	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862	80,719
1/2	81,863	81,720	81,577	81,434	81,291	81,148	81,005	80,862	80,719	80,576
3/4	81,721	81,578	81,435	81,292	81,149	81,006	80,863	80,720	80,577	80,434
6	81,578	81,435	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291
1/4	81,435	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291	80,148
1/2	81,292	81,149	81,006	80,863	80,720	80,577	80,434	80,291	80,148	80,005
3/4	81,150	81,007	80,864	80,721	80,578	80,435	80,292	80,149	80,006	79,863
7	81,007	80,864	80,721	80,578	80,435	80,292	80,149	80,006	79,863	79,720
1/4	80,864	80,721	80,578	80,435	80,292	80,149	80,006	79,863	79,720	79,577
1/2	80,721	80,578	80,435	80,292	80,149	80,006	79,863	79,720	79,577	79,434
3/4	80,579	80,436	80,293	80,150	80,007	79,864	79,721	79,578	79,435	79,292
8	80,436	80,293	80,150	80,007	79,864	79,721	79,578	79,435	79,292	79,149
1/4	80,293	80,150	80,007	79,864	79,721	79,578	79,435	79,292	79,149	79,006
1/2	80,150	80,007	79,864	79,721	79,578	79,435	79,292	79,149	79,006	78,863
3/4	80,008	79,865	79,722	79,579	79,436	79,293	79,150	79,007	88,864	88,721
9	79,865	79,722	79,579	79,436	79,293	79,150	79,007	88,864	88,721	88,578
1/4	79,722	79,579	79,436	79,293	79,150	79,007	88,864	88,721	88,578	88,435
1/2	79,579	79,436	79,293	79,150	79,007	88,864	88,721	88,578	88,435	88,292
3/4	79,436	79,293	79,150	79,007	88,864	88,721	88,578	88,435	88,292	88,149
10	79,294	79,151	79,008	88,865	88,722	88,579	88,436	88,293	88,150	88,007
1/4	79,151	79,008	88,865	88,722	88,579	88,436	88,293	88,150	88,007	87,864
1/2	79,008	88,866	88,723	88,580	88,437	88,294	88,151	88,008	87,865	87,722
3/4	88,866	88,723	88,580	88,437	88,294	88,151	88,008	87,865	87,722	87,579
11	88,723	88,580	88,437	88,294	88,151	88,008	87,865	87,722	87,579	87,436
1/4	88,580	88,437	88,294	88,151	88,008	87,865	87,722	87,579	87,436	87,293
1/2	88,437	88,294	88,151	88,008	87,865	87,722	87,579	87,436	87,293	87,150
3/4	88,294	88,151	88,008	87,865	87,722	87,579	87,436	87,293	87,150	87,007
12	88,151	88,008	87,865	87,722	87,579	87,436	87,293	87,150	87,007	86,864
1/4	88,008	87,865	87,722	87,579	87,436	87,293	87,150	87,007	86,864	86,721
1/2	87,865	87,722	87,579	87,436	87,293	87,150	87,007	86,864	86,721	86,578
3/4	87,722	87,579	87,436	87,293	87,150	87,007	86,864	86,721	86,578	86,435
13	87,579	87,436	87,293	87,150	87,007	86,864	86,721	86,578	86,435	86,292
1/4	87,436	87,293	87,150	87,007	86,864	86,721	86,578	86,435	86,292	86,149
1/2	87,293	87,150	87,007	86,864	86,721	86,578	86,435	86,292	86,149	86,006
3/4	87,150	87,007	86,864	86,721	86,578	86,435	86,292	86,149	86,006	85,863
14	87,007	86,864	86,721	86,578	86,435	86,292	86,149	86,006	85,863	85,720
1/4	86,864	86,721	86,578	86,435	86,292	86,149	86,006	85,863	85,720	85,577
1/2	86,721	86,578	86,435	86,292	86,149	86,006	85,863	85,720	85,577	85,434
3/4	86,579	86,436	86,293	86,150	86,007	85,864	85,721	85,578	85,435	85,292
15	86,436	86,293	86,150	86,007	85,864	85,721	85,578	85,435	85,292	85,149
1/4	86,293	86,150	86,007	85,864	85,721	85,578	85,435	85,292	85,149	85,006
1/2	86,150	86,007	85,864	85,721	85,578	85,435	85,292	85,149	85,006	84,863
3/4	86,008	85,865	85,722	85,579	85,436	85,293	85,150	85,007	84,864	84,721
16	85,865	85,722	85,579	85,436	85,293	85,150	85,007	84,864	84,721	84,578
1/4	85,722	85,579	85,436	85,293	85,150	85,007	84,864	84,721	84,578	84,435
1/2	85,579	85,436	85,293	85,150	85,007	84,864	84,721	84,578	84,435	84,292
3/4	85,436	85,293	85,150	85,007	84,864	84,721	84,578	84,435	84,292	84,149
17	85,293	85,150	85,007	84,864	84,721	84,578	84,435	84,292	84,149	84,006
1/4	85,150	85,007	84,864	84,721	84,578	84,435	84,292	84,149	84,006	83,863
1/2	85,007	84,864	84,721	84,578	84,435	84,292	84,149	84,006	83,863	83,720
3/4	84,864	84,721	84,578	84,435	84,292	84,149	84,006	83,863	83,720	83,577
18	84,721	84,578	84,435	84,292	84,149	84,006	83,863	83,720	83,577	83,434
1/4	84,578	84,435	84,292	84,149	84,006	83,863	83,720	83,577	83,434	83,291
1/2	84,435	84,292	84,149	84,006	83,863	83,720	83,577	83,434	83,291	83,148
3/4	84,292	84,149	84,006	83,863	83,720	83,577	83,434	83,291	83,148	83,005
19	84,149	84,006	83,863	83,720	83,577	83,434	83,291	83,148	83,005	82,862
1/4	84,006	83,863	83,720	83,577	83,434	83,291	83,148	83,005	82,862	82,719
1/2	83,863	83,720	83,577	83,434	83,291	83,148	83,005	82,862	82,719	82,576
3/4	83,720	83,577	83,434	83,291	83,148	83,005	82,862	82,719	82,576	82,433
20	83,577	83,434	83,291	83,148	83,005	82,862	82,719	82,576	82,433	82,290
1/4	83,434	83,291	83,148	83,005	82,862	82,719	82,576	82,433	82,290	82,147
1/2	83,291	83,148	83,005	82,862	82,719	82,576	82,433	82,290	82,147	82,004
3/4	83,148	83,005	82,862	82,719	82,576	82,433	82,290	82,147	82,004	81,861
21	83,005	82,862	82,719	82,576	82,433	82,290	82,147	82,004	81,861	81,718
1/4	82,862	82,719	82,576	82,433	82,290	82,147	82,004	81,861	81,718	81,575
1/2	82,719	82,576	82,433	82,290	82,147	82,004	81,861	81,718	81,575	81,432
3/4	82,576	82,433	82,290	82,147	82,004	81,861	81,718	81,575	81,432	81,289
22	82,433	82,290	82,147	82,004	81,861	81,718	81,575			

BARGE "Cbv 202"

3 STBD
ULLAGE TABLE

GAUGE HEIGHT 16'-5"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	23,335	0	16,463	0	9,631	0	2,789	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	23,192	1/4	16,340	1/4	9,488	1/4	2,646	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,050	1/2	16,197	1/2	9,345	1/2	2,504	1/2	2,504	1/2	2,362	1/2	2,220	1/2	2,078	1/2	1,936	1/2	1,794	1/2	1,652
3/4	22,907	3/4	16,055	3/4	9,203	3/4	2,362	3/4	2,220	3/4	2,078	3/4	1,936	3/4	1,794	3/4	1,652	3/4	1,510	3/4	1,374
1	22,764	1	15,912	1	9,060	1	2,220	1	2,078	1	1,936	1	1,794	1	1,652	1	1,510	1	1,374	1	1,246
1/4	22,621	1/4	15,769	1/4	8,917	1/4	2,078	1/4	1,936	1/4	1,794	1/4	1,652	1/4	1,510	1/4	1,374	1/4	1,246	1/4	1,117
1/2	22,479	1/2	15,626	1/2	8,774	1/2	1,936	1/2	1,794	1/2	1,652	1/2	1,510	1/2	1,374	1/2	1,246	1/2	1,117	1/2	989
3/4	22,336	3/4	15,484	3/4	8,632	3/4	1,794	3/4	1,652	3/4	1,510	3/4	1,374	3/4	1,246	3/4	1,117	3/4	989	3/4	875
2	22,193	2	15,341	2	8,489	2	1,652	2	1,510	2	1,374	2	1,246	2	1,117	2	989	2	875	2	775
1/4	22,050	1/4	15,198	1/4	8,346	1/4	1,510	1/4	1,374	1/4	1,246	1/4	1,117	1/4	989	1/4	875	1/4	775	1/4	7490
1/2	21,908	1/2	15,055	1/2	8,203	1/2	1,374	1/2	1,246	1/2	1,117	1/2	989	1/2	875	1/2	775	1/2	7490	1/2	7347
3/4	21,765	3/4	14,913	3/4	8,061	3/4	1,246	3/4	1,117	3/4	989	3/4	875	3/4	775	3/4	7490	3/4	7347	3/4	7204
3	21,622	3	14,770	3	7,918	3	1,117	3	989	3	875	3	775	3	7490	3	7347	3	7204	3	7061
1/4	21,479	1/4	14,627	1/4	7,775	1/4	989	1/4	875	1/4	775	1/4	7490	1/4	7347	1/4	7204	1/4	7061	1/4	6,919
1/2	21,337	1/2	14,484	1/2	7,632	1/2	875	1/2	775	1/2	7490	1/2	7347	1/2	7204	1/2	7061	1/2	6,919	1/2	6,776
3/4	21,194	3/4	14,342	3/4	7,490	3/4	775	3/4	7490	3/4	7347	3/4	7204	3/4	7061	3/4	6,919	3/4	6,776	3/4	6,633
4	21,051	4	14,199	4	7,347	4	7490	4	7347	4	7204	4	7061	4	6,919	4	6,776	4	6,633	4	6,490
1/4	20,908	1/4	14,056	1/4	7,204	1/4	7347	1/4	7204	1/4	7061	1/4	6,919	1/4	6,776	1/4	6,633	1/4	6,490	1/4	6,348
1/2	20,766	1/2	13,913	1/2	7,061	1/2	7204	1/2	7061	1/2	6,919	1/2	6,776	1/2	6,633	1/2	6,490	1/2	6,348	1/2	6,205
3/4	20,623	3/4	13,771	3/4	6,919	3/4	7061	3/4	6,919	3/4	6,776	3/4	6,633	3/4	6,490	3/4	6,348	3/4	6,205	3/4	6,062
5	20,480	5	13,628	5	6,776	5	6,919	5	6,776	5	6,633	5	6,490	5	6,348	5	6,205	5	6,062	5	5,919
1/4	20,337	1/4	13,485	1/4	6,633	1/4	6,776	1/4	6,633	1/4	6,490	1/4	6,348	1/4	6,205	1/4	6,062	1/4	5,919	1/4	5,777
1/2	20,194	1/2	13,342	1/2	6,490	1/2	6,633	1/2	6,490	1/2	6,348	1/2	6,205	1/2	6,062	1/2	5,919	1/2	5,777	1/2	5,634
3/4	20,052	3/4	13,200	3/4	6,348	3/4	6,490	3/4	6,348	3/4	6,205	3/4	6,062	3/4	5,919	3/4	5,777	3/4	5,634	3/4	5,491
6	19,909	6	13,057	6	6,205	6	6,348	6	6,205	6	6,062	6	5,919	6	5,777	6	5,634	6	5,491	6	5,348
1/4	19,766	1/4	12,914	1/4	6,062	1/4	6,205	1/4	6,062	1/4	5,919	1/4	5,777	1/4	5,634	1/4	5,491	1/4	5,348	1/4	5,206
1/2	19,623	1/2	12,771	1/2	5,919	1/2	6,062	1/2	5,919	1/2	5,777	1/2	5,634	1/2	5,491	1/2	5,348	1/2	5,206	1/2	5,063
3/4	19,481	3/4	12,628	3/4	5,777	3/4	6,062	3/4	5,777	3/4	5,634	3/4	5,491	3/4	5,348	3/4	5,206	3/4	5,063	3/4	4,920
7	19,339	7	12,486	7	5,634	7	5,777	7	5,634	7	5,491	7	5,348	7	5,206	7	5,063	7	4,920	7	4,778
1/4	19,195	1/4	12,343	1/4	5,491	1/4	5,634	1/4	5,491	1/4	5,348	1/4	5,206	1/4	5,063	1/4	4,920	1/4	4,778	1/4	4,636
1/2	19,052	1/2	12,200	1/2	5,348	1/2	5,491	1/2	5,348	1/2	5,206	1/2	5,063	1/2	4,920	1/2	4,778	1/2	4,636	1/2	4,493
3/4	18,910	3/4	12,058	3/4	5,206	3/4	5,348	3/4	5,206	3/4	5,063	3/4	4,920	3/4	4,778	3/4	4,636	3/4	4,493	3/4	4,351
8	18,767	8	11,915	8	5,063	8	5,206	8	5,063	8	4,920	8	4,778	8	4,636	8	4,493	8	4,351	8	4,209
1/4	18,624	1/4	11,772	1/4	4,920	1/4	5,063	1/4	4,920	1/4	4,778	1/4	4,636	1/4	4,493	1/4	4,351	1/4	4,209	1/4	4,067
1/2	18,481	1/2	11,629	1/2	4,778	1/2	4,920	1/2	4,778	1/2	4,636	1/2	4,493	1/2	4,351	1/2	4,209	1/2	4,067	1/2	3,925
3/4	18,339	3/4	11,487	3/4	4,636	3/4	4,778	3/4	4,636	3/4	4,493	3/4	4,351	3/4	4,209	3/4	4,067	3/4	3,925	3/4	3,783
9	18,196	9	11,344	9	4,493	9	4,636	9	4,493	9	4,351	9	4,209	9	4,067	9	3,925	9	3,783	9	3,641
1/4	18,053	1/4	11,201	1/4	4,351	1/4	4,493	1/4	4,351	1/4	4,209	1/4	4,067	1/4	3,925	1/4	3,783	1/4	3,641	1/4	3,500
1/2	17,910	1/2	11,058	1/2	4,209	1/2	4,351	1/2	4,209	1/2	4,067	1/2	3,925	1/2	3,783	1/2	3,641	1/2	3,500	1/2	3,357
3/4	17,768	3/4	10,916	3/4	4,067	3/4	4,209	3/4	4,067	3/4	3,925	3/4	3,783	3/4	3,641	3/4	3,500	3/4	3,357	3/4	3,215
10	17,625	10	10,773	10	3,925	10	4,067	10	3,925	10	3,783	10	3,641	10	3,500	10	3,357	10	3,215	10	3,073
1/4	17,482	1/4	10,630	1/4	3,783	1/4	3,925	1/4	3,783	1/4	3,641	1/4	3,500	1/4	3,357	1/4	3,215	1/4	3,073	1/4	2,931
1/2	17,339	1/2	10,487	1/2	3,641	1/2	3,783	1/2	3,641	1/2	3,500	1/2	3,357	1/2	3,215	1/2	3,073	1/2	2,931	1/2	2,789
3/4	17,197	3/4	10,345	3/4	3,499	3/4	3,641	3/4	3,499	3/4	3,357	3/4	3,215	3/4	3,073	3/4	2,931	3/4	2,789	3/4	2,646
11	17,054	11	10,202	11	3,357	11	3,499	11	3,357	11	3,215	11	3,073	11	2,931	11	2,789	11	2,646	11	2,504
1/4	16,911	1/4	10,059	1/4	3,215	1/4	3,357	1/4	3,215	1/4	3,073	1/4	2,931	1/4	2,789	1/4	2,646	1/4	2,504	1/4	2,362
1/2	16,768	1/2	9,916	1/2	3,073	1/2	3,215	1/2	3,073	1/2	2,931	1/2	2,789	1/2	2,646	1/2	2,504	1/2	2,362	1/2	2,220
3/4	16,626	3/4	9,774	3/4	2,931	3/4	3,073	3/4	2,931	3/4	2,789	3/4	2,646	3/4	2,504	3/4	2,362	3/4	2,220	3/4	2,078

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
 OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

Bill A. Row

DATE STRAPPED: 3/27/05 BY: KS-RF
 DATE COMPUTED: 4/3/05 BY: DR
 DATE ISSUED: 4/3/05

BARGE "C-202"

**TANK NO. 4
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-9 3/4"

H	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	174,495	1/4	174,495	1/4	160,695	1/4	146,894	1/4	133,094	1/4	119,294	1/4	105,493	1/4	91,693	1/4	77,892	1/4	64,092
1/2	174,208	1/2	174,208	1/2	160,407	1/2	146,607	1/2	132,806	1/2	119,006	1/2	105,206	1/2	91,405	1/2	77,605	1/2	63,804
3/4	173,920	3/4	173,920	3/4	160,120	3/4	146,319	3/4	132,519	3/4	118,719	3/4	104,918	3/4	91,118	3/4	77,317	3/4	63,517
1	173,633	1	173,633	1	159,832	1	146,032	1	132,231	1	118,431	1	104,631	1	90,830	1	77,030	1	63,230
1/4	173,345	1/4	173,345	1/4	159,545	1/4	145,744	1/4	131,944	1/4	118,144	1/4	104,343	1/4	90,543	1/4	76,742	1/4	62,942
1/2	173,058	1/2	173,058	1/2	159,257	1/2	145,457	1/2	131,656	1/2	117,856	1/2	104,056	1/2	90,255	1/2	76,455	1/2	62,654
3/4	172,770	3/4	172,770	3/4	158,970	3/4	145,169	3/4	131,369	3/4	117,569	3/4	103,768	3/4	89,968	3/4	76,167	3/4	62,367
1	172,483	1	172,483	1	158,682	1	144,882	1	131,081	1	117,281	1	103,481	1	89,680	1	75,880	1	62,079
1/4	172,195	1/4	172,195	1/4	158,395	1/4	144,594	1/4	130,794	1/4	116,994	1/4	103,193	1/4	89,393	1/4	75,593	1/4	61,792
1/2	171,908	1/2	171,908	1/2	158,107	1/2	144,307	1/2	130,506	1/2	116,706	1/2	102,906	1/2	89,105	1/2	75,305	1/2	61,504
3/4	171,620	3/4	171,620	3/4	157,820	3/4	144,019	3/4	130,219	3/4	116,419	3/4	102,618	3/4	88,818	3/4	75,017	3/4	61,217
1	171,333	1	171,333	1	157,532	1	143,732	1	129,931	1	116,131	1	102,331	1	88,530	1	74,730	1	60,929
1/4	171,045	1/4	171,045	1/4	157,245	1/4	143,444	1/4	129,644	1/4	115,844	1/4	102,043	1/4	88,243	1/4	74,442	1/4	60,642
1/2	170,758	1/2	170,758	1/2	156,957	1/2	143,157	1/2	129,356	1/2	115,556	1/2	101,756	1/2	87,955	1/2	74,155	1/2	60,354
3/4	170,470	3/4	170,470	3/4	156,670	3/4	142,869	3/4	129,069	3/4	115,269	3/4	101,468	3/4	87,668	3/4	73,867	3/4	60,067
1	170,183	1	170,183	1	156,382	1	142,582	1	128,781	1	114,981	1	101,181	1	87,380	1	73,580	1	59,779
1/4	169,895	1/4	169,895	1/4	156,095	1/4	142,294	1/4	128,494	1/4	114,693	1/4	100,893	1/4	87,093	1/4	73,292	1/4	59,492
1/2	169,608	1/2	169,608	1/2	155,807	1/2	142,007	1/2	128,206	1/2	114,406	1/2	100,606	1/2	86,805	1/2	73,005	1/2	59,204
3/4	169,320	3/4	169,320	3/4	155,520	3/4	141,719	3/4	127,919	3/4	114,118	3/4	100,318	3/4	86,518	3/4	72,717	3/4	58,917
1	169,033	1	169,033	1	155,232	1	141,432	1	127,631	1	113,831	1	100,031	1	86,230	1	72,430	1	58,629
1/4	168,745	1/4	168,745	1/4	154,945	1/4	141,144	1/4	127,344	1/4	113,543	1/4	99,743	1/4	85,943	1/4	72,142	1/4	58,342
1/2	168,458	1/2	168,458	1/2	154,657	1/2	140,857	1/2	127,056	1/2	113,256	1/2	99,456	1/2	85,655	1/2	71,855	1/2	58,054
3/4	168,170	3/4	168,170	3/4	154,370	3/4	140,569	3/4	126,769	3/4	112,968	3/4	99,168	3/4	85,368	3/4	71,567	3/4	57,767
1	167,883	1	167,883	1	154,082	1	140,282	1	126,481	1	112,681	1	98,880	1	85,080	1	71,280	1	57,480
1/4	167,595	1/4	167,595	1/4	153,795	1/4	139,994	1/4	126,194	1/4	112,394	1/4	98,593	1/4	84,793	1/4	70,992	1/4	57,192
1/2	167,308	1/2	167,308	1/2	153,507	1/2	139,707	1/2	125,906	1/2	112,106	1/2	98,305	1/2	84,505	1/2	70,705	1/2	56,904
3/4	167,020	3/4	167,020	3/4	153,220	3/4	139,419	3/4	125,619	3/4	111,818	3/4	98,018	3/4	84,218	3/4	70,417	3/4	56,617
1	166,732	1	166,732	1	152,932	1	139,132	1	125,331	1	111,531	1	97,730	1	83,930	1	70,130	1	56,329
1/4	166,445	1/4	166,445	1/4	152,645	1/4	138,844	1/4	125,044	1/4	111,243	1/4	97,443	1/4	83,643	1/4	69,842	1/4	56,042
1/2	166,157	1/2	166,157	1/2	152,357	1/2	138,557	1/2	124,756	1/2	110,956	1/2	97,155	1/2	83,355	1/2	69,555	1/2	55,754
3/4	165,870	3/4	165,870	3/4	152,070	3/4	138,269	3/4	124,469	3/4	110,668	3/4	96,868	3/4	83,068	3/4	69,267	3/4	55,467
1	165,582	1	165,582	1	151,782	1	137,982	1	124,181	1	110,381	1	96,580	1	82,780	1	68,980	1	55,179
1/4	165,295	1/4	165,295	1/4	151,495	1/4	137,694	1/4	123,894	1/4	110,093	1/4	96,293	1/4	82,493	1/4	68,692	1/4	54,892
1/2	165,007	1/2	165,007	1/2	151,207	1/2	137,407	1/2	123,606	1/2	109,806	1/2	96,005	1/2	82,205	1/2	68,405	1/2	54,604
3/4	164,720	3/4	164,720	3/4	150,920	3/4	137,119	3/4	123,319	3/4	109,518	3/4	95,718	3/4	81,917	3/4	68,117	3/4	54,317
1	164,432	1	164,432	1	150,632	1	136,832	1	123,031	1	109,231	1	95,430	1	81,630	1	67,830	1	54,029
1/4	164,145	1/4	164,145	1/4	150,345	1/4	136,544	1/4	122,744	1/4	108,943	1/4	95,143	1/4	81,342	1/4	67,542	1/4	53,742
1/2	163,857	1/2	163,857	1/2	150,057	1/2	136,257	1/2	122,456	1/2	108,656	1/2	94,855	1/2	81,055	1/2	67,255	1/2	53,454
3/4	163,570	3/4	163,570	3/4	149,769	3/4	135,969	3/4	122,169	3/4	108,368	3/4	94,568	3/4	80,767	3/4	66,967	3/4	53,167
1	163,282	1	163,282	1	149,482	1	135,682	1	121,881	1	108,081	1	94,280	1	80,480	1	66,680	1	52,879
1/4	163,000	1/4	163,000	1/4	149,194	1/4	135,394	1/4	121,594	1/4	107,793	1/4	93,993	1/4	80,192	1/4	66,393	1/4	52,592
1/2	162,707	1/2	162,707	1/2	148,907	1/2	135,107	1/2	121,306	1/2	107,506	1/2	93,705	1/2	79,905	1/2	66,105	1/2	52,304
3/4	162,420	3/4	162,420	3/4	148,619	3/4	134,819	3/4	121,019	3/4	107,218	3/4	93,418	3/4	79,617	3/4	65,817	3/4	52,017
1	162,132	1	162,132	1	148,332	1	134,532	1	120,731	1	106,931	1	93,131	1	79,330	1	65,530	1	51,729
1/4	161,845	1/4	161,845	1/4	148,044	1/4	134,244	1/4	120,444	1/4	106,644	1/4	92,843	1/4	79,042	1/4	65,242	1/4	51,442
1/2	161,557	1/2	161,557	1/2	147,757	1/2	133,957	1/2	120,156	1/2	106,356	1/2	92,555	1/2	78,755	1/2	64,955	1/2	51,154
3/4	161,270	3/4	161,270	3/4	147,469	3/4	133,669	3/4	119,869	3/4	106,069	3/4	92,268	3/4	78,467	3/4	64,667	3/4	50,867
1	160,982	1	160,982	1	147,182	1	133,382	1	119,581	1	105,781	1	91,980	1	78,180	1	64,379	1	50,579

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M.M.C." CLOSED GAUGING DEVICE.
NOTE: GAUGE POINT LOCATED 1'-6" OFF CENTERLINE AND 19'-5" FORWARD OF AFT BULKHEAD.
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 3/27/05 BY: KS-RF
DATE COMPUTED: 4/3/05 BY: DR
DATE ISSUED: 4/3/05

CERTIFIED TANK CALIBRATION, INC.

Dale A. Rose

CAPACITIES GIVEN IN WHOLE GALLONS

13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	50,292	0	36,491	0	22,691	0	8,894	0		0		0		0		0		0	
1/4	50,004	1/4	36,204	1/4	22,403	1/4	8,608	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49,717	1/2	35,916	1/2	22,116	1/2	8,322	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	49,429	3/4	35,629	3/4	21,828	3/4	8,036	3/4		3/4		3/4		3/4		3/4		3/4	
1	49,142	1	35,341	1	21,541	1	7,750	1		1		1		1		1		1	
1/4	48,854	1/4	35,054	1/4	21,253	1/4	7,464	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48,567	1/2	34,766	1/2	20,966	1/2	7,177	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	48,279	3/4	34,479	3/4	20,678	3/4	6,891	3/4		3/4		3/4		3/4		3/4		3/4	
2	47,991	2	34,191	2	20,391	2	6,605	2		2		2		2		2		2	
1/4	47,704	1/4	33,904	1/4	20,103	1/4	6,319	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	47,416	1/2	33,616	1/2	19,816	1/2	6,033	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	47,129	3/4	33,329	3/4	19,528	3/4	5,747	3/4		3/4		3/4		3/4		3/4		3/4	
3	46,841	3	33,041	3	19,241	3	5,460	3		3		3		3		3		3	
1/4	46,554	1/4	32,754	1/4	18,953	1/4	5,174	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	46,266	1/2	32,466	1/2	18,666	1/2	4,888	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45,979	3/4	32,179	3/4	18,378	3/4	4,602	3/4		3/4		3/4		3/4		3/4		3/4	
4	45,691	4	31,891	4	18,091	4	4,316	4		4		4		4		4		4	
1/4	45,404	1/4	31,604	1/4	17,803	1/4	4,030	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	45,116	1/2	31,316	1/2	17,516	1/2	3,743	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44,829	3/4	31,028	3/4	17,228	3/4	3,457	3/4		3/4		3/4		3/4		3/4		3/4	
5	44,541	5	30,741	5	16,941	5	3,171	5		5		5		5		5		5	
1/4	44,254	1/4	30,453	1/4	16,653	1/4	2,885	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	43,966	1/2	30,166	1/2	16,366	1/2	2,626	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	43,679	3/4	29,878	3/4	16,078	3/4	2,367	3/4		3/4		3/4		3/4		3/4		3/4	
6	43,391	6	29,591	6	15,791	6	2,109	6		6		6		6		6		6	
1/4	43,104	1/4	29,303	1/4	15,503	1/4	1,850	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42,816	1/2	29,016	1/2	15,216	1/2	1,647	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42,529	3/4	28,728	3/4	14,928	3/4	1,447	3/4		3/4		3/4		3/4		3/4		3/4	
7	42,241	7	28,441	7	14,641	7	1,246	7		7		7		7		7		7	
1/4	41,954	1/4	28,153	1/4	14,353	1/4	1,045	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	41,666	1/2	27,866	1/2	14,065	1/2	901	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	41,379	3/4	27,578	3/4	13,778	3/4	758	3/4		3/4		3/4		3/4		3/4		3/4	
8	41,091	8	27,291	8	13,490	8	614	8		8		8		8		8		8	
1/4	40,804	1/4	27,003	1/4	13,203	1/4	470	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	40,516	1/2	26,716	1/2	12,915	1/2	384	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	40,229	3/4	26,428	3/4	12,628	3/4	298	3/4		3/4		3/4		3/4		3/4		3/4	
9	39,941	9	26,141	9	12,340	9	212	9		9		9		9		9		9	
1/4	39,654	1/4	25,853	1/4	12,053	1/4	126	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	39,366	1/2	25,566	1/2	11,765	1/2	97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	39,079	3/4	25,278	3/4	11,478	3/4	68	3/4		3/4		3/4		3/4		3/4		3/4	
10	38,791	10	24,991	10	11,190	10		10		10		10		10		10		10	
1/4	38,504	1/4	24,703	1/4	10,903	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	38,216	1/2	24,416	1/2	10,615	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	37,929	3/4	24,128	3/4	10,328	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	37,641	11	23,841	11	10,040	11		11		11		11		11		11		11	
1/4	37,354	1/4	23,553	1/4	9,753	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	37,066	1/2	23,266	1/2	9,467	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	36,779	3/4	22,978	3/4	9,181	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

GAUGE HEIGHT 16'-9 3/4"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 3/27/85 BY: KS-RF
DATE COMPUTED: 4/3/85 BY: DR
DATE ISSUED: 4/3/85

CERTIFIED TANK CALIBRATION, INC.

Bill A. Rose