

**BARGE "L.C.C 205"**

**TANK NO. 1  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.
0	150,455	0	150,455	0	139,346	0	128,238	0	114,129	0	102,021	0	89,912	0	77,804	0	65,695	0	53,587
1/4	150,203	1/4	150,203	1/4	139,094	1/4	127,986	1/4	113,877	1/4	101,769	1/4	89,660	1/4	77,552	1/4	65,443	1/4	53,335
1/2	149,950	1/2	149,950	1/2	138,842	1/2	127,733	1/2	113,625	1/2	101,516	1/2	89,408	1/2	77,299	1/2	65,199	1/2	53,082
3/4	149,698	3/4	149,698	3/4	138,590	3/4	127,481	3/4	113,373	3/4	101,264	3/4	89,156	3/4	77,047	3/4	64,939	3/4	52,830
1	149,446	1	149,446	1	138,337	1	127,229	1	113,120	1	101,012	1	88,903	1	76,795	1	64,686	1	52,578
1/4	149,194	1/4	149,194	1/4	138,085	1/4	127,085	1/4	112,868	1/4	100,760	1/4	88,651	1/4	76,543	1/4	64,434	1/4	52,326
1/2	148,941	1/2	148,941	1/2	137,833	1/2	126,833	1/2	112,616	1/2	100,507	1/2	88,399	1/2	76,290	1/2	64,182	1/2	52,073
3/4	148,689	3/4	148,689	3/4	137,581	3/4	126,581	3/4	112,364	3/4	100,255	3/4	88,147	3/4	76,038	3/4	63,930	3/4	51,821
2	148,437	2	148,437	2	137,328	2	126,328	2	112,111	2	100,003	2	87,894	2	75,786	2	63,677	2	51,569
1/4	148,185	1/4	148,185	1/4	137,076	1/4	126,076	1/4	111,859	1/4	99,751	1/4	87,642	1/4	75,534	1/4	63,425	1/4	51,317
1/2	147,932	1/2	147,932	1/2	136,824	1/2	125,824	1/2	111,607	1/2	99,498	1/2	87,390	1/2	75,281	1/2	63,173	1/2	51,064
3/4	147,680	3/4	147,680	3/4	136,572	3/4	125,572	3/4	111,355	3/4	99,246	3/4	87,138	3/4	75,029	3/4	62,921	3/4	50,812
3 1/8	157,588	3 1/8	147,428	3 1/8	135,319	3 1/8	123,211	3 1/8	111,102	3 1/8	98,994	3 1/8	86,985	3 1/8	74,777	3 1/8	62,668	3 1/8	50,560
1/4	157,555	1/4	147,176	1/4	135,067	1/4	122,959	1/4	110,850	1/4	98,742	1/4	86,733	1/4	74,525	1/4	62,416	1/4	50,308
1/2	157,505	1/2	146,923	1/2	134,815	1/2	122,706	1/2	110,598	1/2	98,489	1/2	86,481	1/2	74,272	1/2	62,164	1/2	49,803
3/4	157,429	3/4	146,671	3/4	134,563	3/4	122,454	3/4	110,346	3/4	98,237	3/4	86,229	3/4	74,020	3/4	61,911	3/4	49,551
4	157,354	4	146,419	4	134,310	4	122,202	4	110,093	4	97,985	4	85,976	4	73,768	4	61,659	4	49,298
1/4	157,278	1/4	146,167	1/4	134,058	1/4	121,949	1/4	109,841	1/4	97,732	1/4	85,724	1/4	73,515	1/4	61,407	1/4	49,046
1/2	157,177	1/2	145,914	1/2	133,806	1/2	121,697	1/2	109,589	1/2	97,480	1/2	85,472	1/2	73,263	1/2	61,155	1/2	48,794
3/4	157,051	3/4	145,662	3/4	133,553	3/4	121,445	3/4	109,336	3/4	97,228	3/4	85,220	3/4	73,011	3/4	60,902	3/4	48,542
5	156,925	5	145,410	5	133,301	5	121,193	5	109,084	5	96,976	5	84,967	5	72,759	5	60,650	5	48,290
1/4	156,849	1/4	145,157	1/4	133,049	1/4	120,940	1/4	108,832	1/4	96,723	1/4	84,715	1/4	72,506	1/4	60,398	1/4	48,038
1/2	156,723	1/2	144,905	1/2	132,797	1/2	120,688	1/2	108,580	1/2	96,471	1/2	84,463	1/2	72,254	1/2	60,146	1/2	47,785
3/4	156,647	3/4	144,653	3/4	132,544	3/4	120,436	3/4	108,327	3/4	96,219	3/4	84,210	3/4	72,002	3/4	59,893	3/4	47,533
6	156,521	6	144,401	6	132,292	6	120,184	6	108,075	6	95,967	6	83,958	6	71,750	6	59,641	6	47,280
1/4	156,445	1/4	144,148	1/4	132,040	1/4	119,931	1/4	107,823	1/4	95,714	1/4	83,706	1/4	71,497	1/4	59,389	1/4	47,028
1/2	156,369	1/2	143,896	1/2	131,788	1/2	119,679	1/2	107,571	1/2	95,462	1/2	83,454	1/2	71,245	1/2	59,137	1/2	46,776
3/4	156,293	3/4	143,644	3/4	131,536	3/4	119,427	3/4	107,318	3/4	95,210	3/4	83,202	3/4	70,993	3/4	58,884	3/4	46,524
7	155,462	7	143,392	7	131,283	7	119,175	7	107,066	7	94,958	7	82,949	7	70,741	7	58,632	7	46,272
1/4	155,386	1/4	143,139	1/4	131,031	1/4	118,922	1/4	106,814	1/4	94,705	1/4	82,697	1/4	70,488	1/4	58,380	1/4	46,020
1/2	155,310	1/2	142,887	1/2	130,779	1/2	118,670	1/2	106,562	1/2	94,453	1/2	82,445	1/2	70,236	1/2	58,128	1/2	45,768
3/4	155,234	3/4	142,635	3/4	130,526	3/4	118,418	3/4	106,309	3/4	94,201	3/4	82,192	3/4	69,984	3/4	57,875	3/4	45,516
8	154,491	8	142,383	8	130,274	8	118,166	8	106,057	8	93,949	8	81,940	8	69,732	8	57,623	8	45,264
1/4	154,415	1/4	142,130	1/4	130,022	1/4	117,913	1/4	105,805	1/4	93,696	1/4	81,688	1/4	69,479	1/4	57,371	1/4	45,012
1/2	154,339	1/2	141,878	1/2	129,770	1/2	117,661	1/2	105,553	1/2	93,444	1/2	81,436	1/2	69,227	1/2	57,119	1/2	44,760
3/4	154,263	3/4	141,626	3/4	129,517	3/4	117,409	3/4	105,300	3/4	93,192	3/4	81,184	3/4	68,975	3/4	56,866	3/4	44,508
9	153,520	9	141,374	9	129,265	9	117,157	9	105,048	9	92,940	9	80,931	9	68,723	9	56,614	9	44,256
1/4	153,444	1/4	141,121	1/4	129,013	1/4	116,904	1/4	104,796	1/4	92,687	1/4	80,679	1/4	68,470	1/4	56,362	1/4	44,004
1/2	153,368	1/2	140,869	1/2	128,761	1/2	116,652	1/2	104,544	1/2	92,435	1/2	80,427	1/2	68,218	1/2	56,110	1/2	43,752
3/4	153,292	3/4	140,617	3/4	128,508	3/4	116,400	3/4	104,291	3/4	92,183	3/4	80,174	3/4	67,966	3/4	55,857	3/4	43,499
10	152,549	10	140,365	10	128,256	10	116,148	10	104,039	10	91,930	10	79,822	10	67,713	10	55,605	10	43,247
1/4	152,473	1/4	140,112	1/4	128,004	1/4	115,895	1/4	103,787	1/4	91,678	1/4	79,570	1/4	67,461	1/4	55,353	1/4	43,000
1/2	152,397	1/2	139,860	1/2	127,751	1/2	115,643	1/2	103,534	1/2	91,426	1/2	79,317	1/2	67,209	1/2	55,100	1/2	42,748
3/4	152,321	3/4	139,608	3/4	127,499	3/4	115,389	3/4	103,282	3/4	91,174	3/4	79,065	3/4	66,964	3/4	54,848	3/4	42,496
11	151,578	11	139,355	11	127,247	11	115,138	11	103,030	11	90,921	11	78,813	11	66,704	11	54,596	11	42,244
1/4	151,502	1/4	139,103	1/4	126,992	1/4	114,886	1/4	102,778	1/4	90,669	1/4	78,561	1/4	66,452	1/4	54,344	1/4	42,000
1/2	151,426	1/2	138,851	1/2	126,742	1/2	114,634	1/2	102,525	1/2	90,417	1/2	78,308	1/2	66,200	1/2	54,091	1/2	41,748
3/4	151,350	3/4	138,599	3/4	126,490	3/4	114,382	3/4	102,273	3/4	90,165	3/4	78,056	3/4	65,948	3/4	53,839	3/4	41,496

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**CERTIFIED TANK CALIBRATION, INC.**

*Dale A. Brown*

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M/M/C" GAUGING DEVICE.  
NOTE: GAUGE POINT LOCATED 2'-0" OFF CENTERLINE AND 18'-3" FORWARD OF AFT BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
0	41,478	0	29,370	0	17,261	0	5,169	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	41,228	1/4	29,118	1/4	17,009	1/4	4,918	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	40,974	1/2	28,865	1/2	16,757	1/2	4,667	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	40,722	3/4	28,613	3/4	16,505	3/4	4,416	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
1	40,469	1	28,361	1	16,252	1	4,164	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	40,217	1/4	28,109	1/4	16,000	1/4	3,913	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	39,965	1/2	27,856	1/2	15,748	1/2	3,662	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	39,713	3/4	27,604	3/4	15,496	3/4	3,411	3/4	2	2	2	2	2	2	2	2	2	2	2	2	2
2	39,460	2	27,352	2	15,243	2	3,160	2	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	39,208	1/4	27,100	1/4	14,991	1/4	2,909	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	38,956	1/2	26,847	1/2	14,739	1/2	2,658	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	38,704	3/4	26,595	3/4	14,487	3/4	2,419	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
3	38,451	3	26,343	3	14,234	3	2,192	3	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	38,199	1/4	26,091	1/4	13,982	1/4	1,965	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	37,947	1/2	25,838	1/2	13,730	1/2	1,738	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	37,694	3/4	25,586	3/4	13,477	3/4	1,536	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
4	37,442	4	25,334	4	13,225	4	1,360	4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	37,190	1/4	25,081	1/4	12,973	1/4	1,183	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	36,938	1/2	24,829	1/2	12,721	1/2	1,006	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	36,685	3/4	24,577	3/4	12,468	3/4	855	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
5	36,433	5	24,325	5	12,216	5	729	5	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	36,181	1/4	24,072	1/4	11,964	1/4	603	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	35,929	1/2	23,820	1/2	11,712	1/2	477	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	35,676	3/4	23,568	3/4	11,459	3/4	376	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
6	35,424	6	23,316	6	11,207	6	301	6	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	35,172	1/4	23,063	1/4	10,955	1/4	225	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	34,920	1/2	22,811	1/2	10,703	1/2	149	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	34,667	3/4	22,559	3/4	10,450	3/4	99	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
7	34,415	7	22,307	7	10,198	7	74	7	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	34,163	1/4	22,054	1/4	9,946	1/4	49	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	33,911	1/2	21,802	1/2	9,694	1/2	36	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	33,658	3/4	21,550	3/4	9,441	3/4	36	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
8	33,406	8	21,298	8	9,189	8	36	8	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	33,154	1/4	21,045	1/4	8,937	1/4	36	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	32,902	1/2	20,793	1/2	8,685	1/2	36	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	32,649	3/4	20,541	3/4	8,433	3/4	36	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
9	32,397	9	20,289	9	8,182	9	36	9	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	32,145	1/4	20,036	1/4	7,931	1/4	36	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	31,892	1/2	19,784	1/2	7,680	1/2	36	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	31,640	3/4	19,532	3/4	7,429	3/4	36	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
10	31,388	10	19,279	10	7,177	10	36	10	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	31,136	1/4	19,027	1/4	6,926	1/4	36	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	30,883	1/2	18,775	1/2	6,675	1/2	36	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	30,631	3/4	18,523	3/4	6,424	3/4	36	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1
11	30,379	11	18,270	11	6,173	11	36	11	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	30,127	1/4	18,018	1/4	5,922	1/4	36	1/4	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	29,874	1/2	17,766	1/2	5,671	1/2	36	1/2	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	29,622	3/4	17,514	3/4	5,420	3/4	36	3/4	1	1	1	1	1	1	1	1	1	1	1	1	1

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

*Dale A. Row*

**BARGE "C... 205"**

**2 PORT  
ULLAGE TABLE**

Gauge Height: 16'-2 1/8"

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.		12 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	83,591	0	76,749	0	69,907	0	63,066	0	56,224	0	49,383	0	42,541	0	35,700	0	28,858	0	22,016	0
1/4	1/4	83,448	1/4	76,607	1/4	69,765	1/4	62,923	1/4	56,082	1/4	49,240	1/4	42,399	1/4	35,557	1/4	28,716	1/4	21,874	1/4
1/2	1/2	83,306	1/2	76,464	1/2	69,622	1/2	62,781	1/2	55,939	1/2	49,090	1/2	42,256	1/2	35,415	1/2	28,573	1/2	21,730	1/2
3/4	3/4	83,163	3/4	76,321	3/4	69,480	3/4	62,638	3/4	55,797	3/4	48,955	3/4	42,114	3/4	35,272	3/4	28,430	3/4	21,587	3/4
1	1	83,021	1	76,179	1	69,337	1	62,496	1	55,654	1	48,813	1	41,971	1	35,129	1	28,288	1	21,445	1
1/4	1/4	82,878	1/4	76,036	1/4	69,195	1/4	62,353	1/4	55,512	1/4	48,670	1/4	41,829	1/4	34,987	1/4	28,145	1/4	21,302	1/4
1/2	1/2	82,735	1/2	75,894	1/2	69,052	1/2	62,211	1/2	55,369	1/2	48,528	1/2	41,686	1/2	34,844	1/2	28,003	1/2	21,159	1/2
3/4	3/4	82,593	3/4	75,751	3/4	68,910	3/4	62,068	3/4	55,227	3/4	48,385	3/4	41,543	3/4	34,702	3/4	27,860	3/4	21,016	3/4
2	2	82,450	2	75,609	2	68,767	2	61,926	2	55,084	2	48,242	2	41,401	2	34,559	2	27,718	2	20,873	2
1/4	1/4	82,308	1/4	75,466	1/4	68,625	1/4	61,783	1/4	54,942	1/4	48,100	1/4	41,258	1/4	34,417	1/4	27,575	1/4	20,730	1/4
1/2	1/2	82,165	1/2	75,324	1/2	68,482	1/2	61,641	1/2	54,799	1/2	47,957	1/2	41,116	1/2	34,274	1/2	27,433	1/2	20,587	1/2
3/4	3/4	82,023	3/4	75,181	3/4	68,340	3/4	61,498	3/4	54,656	3/4	47,815	3/4	40,973	3/4	34,132	3/4	27,290	3/4	20,444	3/4
3	3	81,880	3	75,039	3	68,197	3	61,356	3	54,514	3	47,672	3	40,831	3	33,989	3	27,148	3	20,302	3
1/4	1/4	81,738	1/4	74,896	1/4	68,055	1/4	61,213	1/4	54,371	1/4	47,530	1/4	40,688	1/4	33,847	1/4	27,005	1/4	19,959	1/4
1/2	1/2	81,595	1/2	74,754	1/2	67,912	1/2	61,070	1/2	54,229	1/2	47,387	1/2	40,546	1/2	33,704	1/2	26,863	1/2	19,816	1/2
3/4	3/4	81,453	3/4	74,611	3/4	67,769	3/4	60,928	3/4	54,086	3/4	47,245	3/4	40,403	3/4	33,562	3/4	26,720	3/4	19,673	3/4
4	4	81,310	4	74,469	4	67,627	4	60,785	4	53,944	4	47,102	4	40,261	4	33,419	4	26,578	4	19,530	4
1/4	1/4	81,168	1/4	74,326	1/4	67,484	1/4	60,643	1/4	53,801	1/4	46,960	1/4	40,118	1/4	33,277	1/4	26,435	1/4	19,387	1/4
1/2	1/2	81,025	1/2	74,183	1/2	67,342	1/2	60,500	1/2	53,659	1/2	46,817	1/2	40,075	1/2	33,134	1/2	26,292	1/2	19,244	1/2
3/4	3/4	80,883	3/4	74,041	3/4	67,199	3/4	60,358	3/4	53,516	3/4	46,675	3/4	39,933	3/4	32,991	3/4	26,150	3/4	19,101	3/4
5	5	80,740	5	73,898	5	67,057	5	60,215	5	53,374	5	46,532	5	39,791	5	32,849	5	26,007	5	18,958	5
1/4	1/4	80,597	1/4	73,756	1/4	66,914	1/4	60,073	1/4	53,231	1/4	46,390	1/4	39,648	1/4	32,706	1/4	25,865	1/4	18,815	1/4
1/2	1/2	80,455	1/2	73,613	1/2	66,772	1/2	59,930	1/2	53,089	1/2	46,247	1/2	39,505	1/2	32,564	1/2	25,722	1/2	18,672	1/2
3/4	3/4	80,312	3/4	73,471	3/4	66,629	3/4	59,788	3/4	52,946	3/4	46,105	3/4	39,363	3/4	32,421	3/4	25,579	3/4	18,529	3/4
6	6	80,170	6	73,328	6	66,487	6	59,645	6	52,804	6	45,962	6	39,220	6	32,279	6	25,437	6	18,386	6
1/4	1/4	80,027	1/4	73,186	1/4	66,344	1/4	59,503	1/4	52,661	1/4	45,819	1/4	39,078	1/4	32,136	1/4	25,295	1/4	18,243	1/4
1/2	1/2	79,885	1/2	73,043	1/2	66,202	1/2	59,360	1/2	52,518	1/2	45,677	1/2	38,935	1/2	31,994	1/2	25,152	1/2	18,100	1/2
3/4	3/4	79,742	3/4	72,901	3/4	66,059	3/4	59,218	3/4	52,376	3/4	45,534	3/4	38,792	3/4	31,851	3/4	25,010	3/4	17,957	3/4
7	7	79,600	7	72,758	7	65,917	7	59,075	7	52,233	7	45,392	7	38,650	7	31,709	7	24,867	7	17,814	7
1/4	1/4	79,457	1/4	72,616	1/4	65,774	1/4	58,932	1/4	52,091	1/4	45,249	1/4	38,508	1/4	31,566	1/4	24,725	1/4	17,671	1/4
1/2	1/2	79,315	1/2	72,473	1/2	65,631	1/2	58,790	1/2	51,948	1/2	45,107	1/2	38,365	1/2	31,424	1/2	24,582	1/2	17,528	1/2
3/4	3/4	79,172	3/4	72,331	3/4	65,489	3/4	58,647	3/4	51,806	3/4	44,964	3/4	38,223	3/4	31,281	3/4	24,440	3/4	17,385	3/4
8	8	79,030	8	72,188	8	65,346	8	58,505	8	51,663	8	44,822	8	38,080	8	31,139	8	24,297	8	17,242	8
1/4	1/4	78,887	1/4	72,045	1/4	65,204	1/4	58,362	1/4	51,521	1/4	44,679	1/4	37,938	1/4	31,096	1/4	24,154	1/4	17,099	1/4
1/2	1/2	78,745	1/2	71,903	1/2	65,061	1/2	58,220	1/2	51,378	1/2	44,537	1/2	37,795	1/2	30,953	1/2	24,012	1/2	16,956	1/2
3/4	3/4	78,602	3/4	71,760	3/4	64,919	3/4	58,077	3/4	51,236	3/4	44,394	3/4	37,653	3/4	30,811	3/4	23,869	3/4	16,813	3/4
9	9	78,459	9	71,618	9	64,776	9	57,935	9	51,093	9	44,252	9	37,510	9	30,668	9	23,727	9	16,670	9
1/4	1/4	78,317	1/4	71,475	1/4	64,634	1/4	57,792	1/4	50,951	1/4	44,109	1/4	37,367	1/4	30,526	1/4	23,584	1/4	16,527	1/4
1/2	1/2	78,174	1/2	71,333	1/2	64,491	1/2	57,650	1/2	50,808	1/2	43,967	1/2	37,224	1/2	30,383	1/2	23,442	1/2	16,384	1/2
3/4	3/4	78,032	3/4	71,190	3/4	64,349	3/4	57,507	3/4	50,666	3/4	43,824	3/4	37,081	3/4	30,240	3/4	23,299	3/4	16,241	3/4
10	10	77,889	10	71,048	10	64,206	10	57,365	10	50,523	10	43,681	10	36,940	10	29,998	10	23,157	10	16,098	10
1/4	1/4	77,747	1/4	70,905	1/4	64,064	1/4	57,222	1/4	50,380	1/4	43,539	1/4	36,797	1/4	29,856	1/4	23,014	1/4	15,955	1/4
1/2	1/2	77,604	1/2	70,763	1/2	63,921	1/2	57,080	1/2	50,238	1/2	43,396	1/2	36,655	1/2	29,713	1/2	22,872	1/2	15,812	1/2
3/4	3/4	77,462	3/4	70,620	3/4	63,779	3/4	56,937	3/4	50,095	3/4	43,254	3/4	36,512	3/4	29,571	3/4	22,729	3/4	15,669	3/4
11	11	77,319	11	70,478	11	63,636	11	56,794	11	49,953	11	43,111	11	36,370	11	29,428	11	22,587	11	15,526	11
1/4	1/4	77,177	1/4	70,335	1/4	63,494	1/4	56,652	1/4	49,810	1/4	42,969	1/4	36,227	1/4	29,286	1/4	22,444	1/4	15,383	1/4
1/2	1/2	77,034	1/2	70,193	1/2	63,351	1/2	56,510	1/2	49,668	1/2	42,826	1/2	36,084	1/2	29,143	1/2	22,302	1/2	15,240	1/2
3/4	3/4	76,892	3/4	70,050	3/4	63,208	3/4	56,367	3/4	49,525	3/4	42,684	3/4	35,942	3/4	29,001	3/4	22,159	3/4	15,097	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**CERTIFIED TANK CALIBRATION, INC.**

*Bill A. Brown*

DATE STRAPPED: 7/17/95 BY: KS-RF  
DATE COMPUTED: 7/18/95 BY: DR  
DATE ISSUED: 7/18/95

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MNC" GAUGING DEVICE.  
NOTE: GAUGE POINT LOCATED 13'-8" OFF CENTERLINE AND 21'-0" FORWARD OF AFT BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

**BARGE "C 205"**

**2 PORT ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,016	0	15,175	0	8,333	0	1,507	0		0		0		0		0		0		0	
1/4	21,874	1/4	15,032	1/4	8,191	1/4	1,374	1/4	1,374	1/4	1,374	1/4	1,374	1/4	1,374	1/4	1,374	1/4	1,374	1/4	1,374
1/2	21,731	1/2	14,890	1/2	8,048	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244
3/4	21,589	3/4	14,747	3/4	7,906	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116
1	21,446	1	14,605	1	7,763	1	987	1	987	1	987	1	987	1	987	1	987	1	987	1	987
1/4	21,304	1/4	14,462	1/4	7,621	1/4	873	1/4	873	1/4	873	1/4	873	1/4	873	1/4	873	1/4	873	1/4	873
1/2	21,161	1/2	14,320	1/2	7,478	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774
3/4	21,019	3/4	14,177	3/4	7,336	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674
2	20,876	2	14,035	2	7,193	2	574	2	574	2	574	2	574	2	574	2	574	2	574	2	574
1/4	20,734	1/4	13,892	1/4	7,051	1/4	524	1/4	524	1/4	524	1/4	524	1/4	524	1/4	524	1/4	524	1/4	524
1/2	20,591	1/2	13,750	1/2	6,908	1/2	474	1/2	474	1/2	474	1/2	474	1/2	474	1/2	474	1/2	474	1/2	474
3/4	20,449	3/4	13,607	3/4	6,765	3/4	424	3/4	424	3/4	424	3/4	424	3/4	424	3/4	424	3/4	424	3/4	424
3	20,306	3	13,464	3	6,623	3	374	3	374	3	374	3	374	3	374	3	374	3	374	3	374
1/4	20,164	1/4	13,322	1/4	6,480	1/4	324	1/4	324	1/4	324	1/4	324	1/4	324	1/4	324	1/4	324	1/4	324
1/2	20,021	1/2	13,179	1/2	6,338	1/2	274	1/2	274	1/2	274	1/2	274	1/2	274	1/2	274	1/2	274	1/2	274
3/4	19,878	3/4	13,037	3/4	6,195	3/4	224	3/4	224	3/4	224	3/4	224	3/4	224	3/4	224	3/4	224	3/4	224
4	19,736	4	12,894	4	6,053	4	174	4	174	4	174	4	174	4	174	4	174	4	174	4	174
1/4	19,593	1/4	12,752	1/4	5,910	1/4	124	1/4	124	1/4	124	1/4	124	1/4	124	1/4	124	1/4	124	1/4	124
1/2	19,451	1/2	12,609	1/2	5,768	1/2	74	1/2	74	1/2	74	1/2	74	1/2	74	1/2	74	1/2	74	1/2	74
3/4	19,308	3/4	12,467	3/4	5,625	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
5	19,166	5	12,324	5	5,483	5	24	5	24	5	24	5	24	5	24	5	24	5	24	5	24
1/4	19,023	1/4	12,182	1/4	5,340	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	18,881	1/2	12,039	1/2	5,198	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	18,738	3/4	11,897	3/4	5,055	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
6	18,596	6	11,754	6	4,913	6	24	6	24	6	24	6	24	6	24	6	24	6	24	6	24
1/4	18,453	1/4	11,612	1/4	4,770	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	18,311	1/2	11,469	1/2	4,628	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	18,168	3/4	11,327	3/4	4,487	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
7	18,026	7	11,184	7	4,345	7	24	7	24	7	24	7	24	7	24	7	24	7	24	7	24
1/4	17,883	1/4	11,041	1/4	4,203	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	17,740	1/2	10,899	1/2	4,061	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	17,598	3/4	10,756	3/4	3,919	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
8	17,455	8	10,614	8	3,777	8	24	8	24	8	24	8	24	8	24	8	24	8	24	8	24
1/4	17,313	1/4	10,471	1/4	3,635	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	17,170	1/2	10,329	1/2	3,494	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	17,028	3/4	10,186	3/4	3,352	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
9	16,885	9	10,044	9	3,210	9	24	9	24	9	24	9	24	9	24	9	24	9	24	9	24
1/4	16,743	1/4	9,901	1/4	3,068	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	16,600	1/2	9,759	1/2	2,926	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	16,458	3/4	9,616	3/4	2,784	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
10	16,315	10	9,474	10	2,642	10	24	10	24	10	24	10	24	10	24	10	24	10	24	10	24
1/4	16,173	1/4	9,331	1/4	2,500	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	16,030	1/2	9,189	1/2	2,359	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	15,888	3/4	9,046	3/4	2,217	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24
11	15,745	11	8,903	11	2,075	11	24	11	24	11	24	11	24	11	24	11	24	11	24	11	24
1/4	15,602	1/4	8,761	1/4	1,933	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24	1/4	24
1/2	15,460	1/2	8,618	1/2	1,791	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24	1/2	24
3/4	15,317	3/4	8,476	3/4	1,649	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24	3/4	24

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

CERTIFIED TANK CALIBRATION, INC.

*Paul S. Row*

**BARGE "CUC 205"**

**2 STBD  
ULLAGE TABLE**

GAUGE HEIGHT: 16'-3 3/8"

CAPACITIES GIVEN IN WHOLE GALLONS																				
M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.	
0	83,801	0	76,972	0	70,142	0	63,312	0	56,483	0	49,653	0	42,823	0	35,993	0	29,164	0	22,334	0
1/4	83,659	1/4	76,829	1/4	70,000	1/4	63,170	1/4	56,340	1/4	49,511	1/4	42,681	1/4	35,851	1/4	29,021	1/4	22,191	1/4
1/2	83,517	1/2	76,687	1/2	69,857	1/2	63,028	1/2	56,198	1/2	49,368	1/2	42,539	1/2	35,709	1/2	28,879	1/2	22,049	1/2
3/4	83,374	3/4	76,545	3/4	69,715	3/4	62,885	3/4	56,056	3/4	49,226	3/4	42,396	3/4	35,567	3/4	28,737	3/4	21,910	3/4
1	83,232	1	76,402	1	69,573	1	62,743	1	55,913	1	49,084	1	42,254	1	35,424	1	28,585	1	21,761	1
1/4	83,090	1/4	76,260	1/4	69,430	1/4	62,601	1/4	55,771	1/4	48,941	1/4	42,114	1/4	35,282	1/4	28,452	1/4	21,619	1/4
1/2	82,948	1/2	76,118	1/2	69,288	1/2	62,461	1/2	55,629	1/2	48,799	1/2	41,989	1/2	35,140	1/2	28,310	1/2	21,479	1/2
3/4	82,805	3/4	75,976	3/4	69,146	3/4	62,316	3/4	55,487	3/4	48,657	3/4	41,827	3/4	34,997	3/4	28,168	3/4	21,328	3/4
2	82,663	2	75,833	2	69,004	2	62,174	2	55,344	2	48,515	2	41,685	2	34,855	2	28,025	2	21,186	2
1/4	82,521	1/4	75,691	1/4	68,861	1/4	62,032	1/4	55,202	1/4	48,372	1/4	41,543	1/4	34,713	1/4	27,883	1/4	21,044	1/4
1/2	82,378	1/2	75,549	1/2	68,719	1/2	61,889	1/2	55,060	1/2	48,230	1/2	41,400	1/2	34,571	1/2	27,741	1/2	20,902	1/2
3/4	82,236	3/4	75,406	3/4	68,577	3/4	61,747	3/4	54,917	3/4	48,088	3/4	41,258	3/4	34,428	3/4	27,599	3/4	20,760	3/4
3	82,094	3	75,264	3	68,434	3	61,605	3	54,775	3	47,945	3	41,116	3	34,286	3	27,456	3	20,618	3
1/4	81,952	1/4	75,122	1/4	68,292	1/4	61,462	1/4	54,633	1/4	47,803	1/4	40,973	1/4	34,144	1/4	27,314	1/4	20,476	1/4
1/2	81,809	1/2	74,980	1/2	68,150	1/2	61,320	1/2	54,491	1/2	47,661	1/2	40,831	1/2	34,001	1/2	27,172	1/2	20,334	1/2
3/4	81,667	3/4	74,837	3/4	68,008	3/4	61,178	3/4	54,348	3/4	47,519	3/4	40,689	3/4	33,859	3/4	27,029	3/4	20,192	3/4
4	81,525	4	74,695	4	67,865	4	61,036	4	54,206	4	47,376	4	40,547	4	33,717	4	26,887	4	20,050	4
1/4	81,382	1/4	74,553	1/4	67,723	1/4	60,893	1/4	54,064	1/4	47,234	1/4	40,404	1/4	33,575	1/4	26,745	1/4	19,908	1/4
1/2	81,240	1/2	74,410	1/2	67,581	1/2	60,751	1/2	53,921	1/2	47,092	1/2	40,262	1/2	33,432	1/2	26,603	1/2	19,766	1/2
3/4	81,098	3/4	74,268	3/4	67,438	3/4	60,609	3/4	53,779	3/4	46,949	3/4	40,120	3/4	33,290	3/4	26,460	3/4	19,624	3/4
5	80,956	5	74,126	5	67,296	5	60,466	5	53,637	5	46,807	5	39,977	5	33,148	5	26,318	5	19,482	5
1/4	80,813	1/4	73,984	1/4	67,154	1/4	60,324	1/4	53,495	1/4	46,665	1/4	39,835	1/4	33,005	1/4	26,176	1/4	19,340	1/4
1/2	80,671	1/2	73,841	1/2	67,012	1/2	60,182	1/2	53,352	1/2	46,523	1/2	39,693	1/2	32,863	1/2	26,033	1/2	19,198	1/2
3/4	80,529	3/4	73,698	3/4	66,869	3/4	60,040	3/4	53,210	3/4	46,380	3/4	39,551	3/4	32,721	3/4	25,891	3/4	19,056	3/4
6	80,386	6	73,557	6	66,727	6	59,897	6	53,068	6	46,238	6	39,408	6	32,579	6	25,749	6	18,914	6
1/4	80,244	1/4	73,414	1/4	66,585	1/4	59,755	1/4	52,925	1/4	46,096	1/4	39,266	1/4	32,436	1/4	25,607	1/4	18,772	1/4
1/2	80,102	1/2	73,272	1/2	66,442	1/2	59,613	1/2	52,783	1/2	45,953	1/2	39,124	1/2	32,294	1/2	25,464	1/2	18,630	1/2
3/4	79,960	3/4	73,130	3/4	66,300	3/4	59,470	3/4	52,641	3/4	45,811	3/4	38,981	3/4	32,152	3/4	25,322	3/4	18,488	3/4
7	79,817	7	72,988	7	66,158	7	59,328	7	52,499	7	45,669	7	38,839	7	32,009	7	25,180	7	18,346	7
1/4	79,675	1/4	72,845	1/4	66,016	1/4	59,186	1/4	52,356	1/4	45,527	1/4	38,697	1/4	31,867	1/4	25,037	1/4	18,204	1/4
1/2	79,533	1/2	72,703	1/2	65,873	1/2	59,044	1/2	52,214	1/2	45,384	1/2	38,555	1/2	31,725	1/2	24,895	1/2	18,062	1/2
3/4	79,390	3/4	72,561	3/4	65,731	3/4	58,901	3/4	52,072	3/4	45,242	3/4	38,412	3/4	31,583	3/4	24,753	3/4	17,920	3/4
8	79,248	8	72,418	8	65,589	8	58,759	8	51,929	8	45,100	8	38,270	8	31,440	8	24,611	8	17,778	8
1/4	79,106	1/4	72,276	1/4	65,446	1/4	58,617	1/4	51,787	1/4	44,957	1/4	38,128	1/4	31,298	1/4	24,468	1/4	17,636	1/4
1/2	78,964	1/2	72,134	1/2	65,304	1/2	58,475	1/2	51,645	1/2	44,815	1/2	37,985	1/2	31,156	1/2	24,326	1/2	17,494	1/2
3/4	78,821	3/4	71,992	3/4	65,162	3/4	58,332	3/4	51,503	3/4	44,673	3/4	37,843	3/4	31,013	3/4	24,184	3/4	17,352	3/4
9	78,679	9	71,849	9	65,020	9	58,190	9	51,360	9	44,531	9	37,701	9	30,871	9	24,041	9	17,210	9
1/4	78,537	1/4	71,707	1/4	64,877	1/4	58,048	1/4	51,218	1/4	44,388	1/4	37,559	1/4	30,729	1/4	23,899	1/4	17,068	1/4
1/2	78,394	1/2	71,565	1/2	64,735	1/2	57,905	1/2	51,076	1/2	44,246	1/2	37,416	1/2	30,587	1/2	23,757	1/2	16,926	1/2
3/4	78,252	3/4	71,422	3/4	64,593	3/4	57,763	3/4	50,933	3/4	44,104	3/4	37,274	3/4	30,444	3/4	23,615	3/4	16,784	3/4
10	78,110	10	71,280	10	64,450	10	57,621	10	50,791	10	43,961	10	37,132	10	30,302	10	23,472	10	16,642	10
1/4	77,968	1/4	71,138	1/4	64,308	1/4	57,479	1/4	50,647	1/4	43,819	1/4	36,989	1/4	30,160	1/4	23,330	1/4	16,500	1/4
1/2	77,825	1/2	70,996	1/2	64,166	1/2	57,336	1/2	50,507	1/2	43,677	1/2	36,847	1/2	30,017	1/2	23,188	1/2	16,358	1/2
3/4	77,683	3/4	70,853	3/4	64,024	3/4	57,194	3/4	50,364	3/4	43,535	3/4	36,705	3/4	29,875	3/4	23,045	3/4	16,216	3/4
11	77,541	11	70,711	11	63,881	11	57,052	11	50,222	11	43,393	11	36,563	11	29,733	11	22,903	11	16,074	11
1/4	77,398	1/4	70,569	1/4	63,739	1/4	56,909	1/4	50,080	1/4	43,250	1/4	36,420	1/4	29,591	1/4	22,761	1/4	15,932	1/4
1/2	77,256	1/2	70,426	1/2	63,597	1/2	56,767	1/2	49,937	1/2	43,108	1/2	36,278	1/2	29,448	1/2	22,619	1/2	15,790	1/2
3/4	77,114	3/4	70,284	3/4	63,454	3/4	56,625	3/4	49,795	3/4	42,965	3/4	36,136	3/4	29,306	3/4	22,476	3/4	15,648	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

**CERTIFIED TANK CALIBRATION, INC.**

*Bill S. Row*

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "M/MC" GAUGING DEVICE.  
NOTE: GAUGE POINT LOCATED 10'-10" OFF CENTERLINE AND 21'-0" FORWARD OF ART BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 7/17/95 BY: KS-RF  
DATE COMPUTED: 7/18/95 BY: DR  
DATE ISSUED: 7/18/95

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,394	0	15,504	0	8,675	0	1,859	0		0		0		0		0		0		0	
1/4	22,192	1/4	15,362	1/4	8,532	1/4	1,717	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	22,049	1/2	15,220	1/2	8,390	1/2	1,576	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,907	3/4	15,077	3/4	8,248	3/4	1,437	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1	21,765	1	14,935	1	8,105	1	1,306	1		1		1		1		1		1		1	
1/4	21,623	1/4	14,793	1/4	7,963	1/4	1,178	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	21,480	1/2	14,651	1/2	7,821	1/2	1,050	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	21,338	3/4	14,508	3/4	7,679	3/4	929	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2	21,196	2	14,366	2	7,536	2	822	2		2		2		2		2		2		2	
1/4	21,053	1/4	14,224	1/4	7,394	1/4	723	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20,911	1/2	14,081	1/2	7,252	1/2	623	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	20,769	3/4	13,939	3/4	7,109	3/4	531	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3	20,627	3	13,797	3	6,967	3	452	3		3		3		3		3		3		3	
1/4	20,484	1/4	13,655	1/4	6,825	1/4	381	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	20,342	1/2	13,512	1/2	6,683	1/2	346	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	20,200	3/4	13,370	3/4	6,540	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4	20,057	4	13,228	4	6,398	4		4		4		4		4		4		4		4	
1/4	19,915	1/4	13,085	1/4	6,256	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	19,773	1/2	12,943	1/2	6,113	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19,631	3/4	12,801	3/4	5,971	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5	19,488	5	12,659	5	5,829	5		5		5		5		5		5		5		5	
1/4	19,346	1/4	12,516	1/4	5,687	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	19,204	1/2	12,374	1/2	5,544	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	19,061	3/4	12,232	3/4	5,402	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	18,919	6	12,089	6	5,260	6		6		6		6		6		6		6		6	
1/4	18,777	1/4	11,947	1/4	5,117	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	18,635	1/2	11,805	1/2	4,975	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	18,492	3/4	11,663	3/4	4,833	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	18,350	7	11,520	7	4,691	7		7		7		7		7		7		7		7	
1/4	18,208	1/4	11,378	1/4	4,550	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	18,065	1/2	11,236	1/2	4,408	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	17,923	3/4	11,093	3/4	4,266	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	17,781	8	10,951	8	4,125	8		8		8		8		8		8		8		8	
1/4	17,639	1/4	10,809	1/4	3,983	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	17,496	1/2	10,667	1/2	3,842	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	17,354	3/4	10,524	3/4	3,700	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	17,212	9	10,382	9	3,558	9		9		9		9		9		9		9		9	
1/4	17,069	1/4	10,240	1/4	3,417	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	16,927	1/2	10,097	1/2	3,275	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	16,785	3/4	9,955	3/4	3,133	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	16,643	10	9,813	10	2,992	10		10		10		10		10		10		10		10	
1/4	16,500	1/4	9,671	1/4	2,850	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	16,358	1/2	9,528	1/2	2,709	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	16,216	3/4	9,386	3/4	2,567	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	16,073	11	9,244	11	2,425	11		11		11		11		11		11		11		11	
1/4	15,931	1/4	9,101	1/4	2,284	1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	15,789	1/2	8,959	1/2	2,142	1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	15,647	3/4	8,817	3/4	2,001	3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

*Bill A. Rose*

**BARGE "Cyc 205"**

**3 PORT ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 16'-2 1/8"							
M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.
0	83,210	0	76,400	0	69,590	0	62,779	0	55,969	0	49,158	0	42,348	0	35,537	0	28,727		
1/4	83,069	1/4	76,258	1/4	69,448	1/4	62,637	1/4	55,827	1/4	49,016	1/4	42,206	1/4	35,395	1/4	28,585		
1/2	82,927	1/2	76,116	1/2	69,306	1/2	62,495	1/2	55,685	1/2	48,874	1/2	42,064	1/2	35,253	1/2	28,443		
3/4	82,785	3/4	75,974	3/4	69,164	3/4	62,353	3/4	55,543	3/4	48,733	3/4	41,922	3/4	35,112	3/4	28,301		
1	82,643	1	75,832	1	69,022	1	62,212	1	55,401	1	48,591	1	41,780	1	34,970	1	28,159		
1/4	82,501	1/4	75,691	1/4	68,880	1/4	62,070	1/4	55,259	1/4	48,449	1/4	41,638	1/4	34,828	1/4	28,017		
1/2	82,359	1/2	75,549	1/2	68,738	1/2	61,928	1/2	55,117	1/2	48,307	1/2	41,496	1/2	34,686	1/2	27,875		
3/4	82,217	3/4	75,407	3/4	68,596	3/4	61,786	3/4	54,975	3/4	48,165	3/4	41,355	3/4	34,544	3/4	27,734		
2	82,075	2	75,265	2	68,454	2	61,644	2	54,834	2	48,023	2	41,213	2	34,402	2	27,592		
3/8	81,934	3/8	75,123	3/8	68,313	3/8	61,502	3/8	54,692	3/8	47,881	3/8	41,071	3/8	34,260	3/8	27,450		
1/2	81,792	1/2	74,981	1/2	68,171	1/2	61,360	1/2	54,550	1/2	47,739	1/2	40,929	1/2	34,118	1/2	27,308		
3/4	81,650	3/4	74,839	3/4	68,029	3/4	61,218	3/4	54,408	3/4	47,597	3/4	40,787	3/4	33,977	3/4	27,166		
3	81,508	3	74,697	3	67,887	3	61,076	3	54,266	3	47,456	3	40,645	3	33,835	3	27,024		
1/4	81,366	1/4	74,556	1/4	67,745	1/4	60,935	1/4	54,124	1/4	47,314	1/4	40,503	1/4	33,693	1/4	26,882		
1/2	81,224	1/2	74,414	1/2	67,603	1/2	60,793	1/2	53,982	1/2	47,172	1/2	40,361	1/2	33,551	1/2	26,740		
3/4	81,082	3/4	74,272	3/4	67,461	3/4	60,651	3/4	53,840	3/4	47,030	3/4	40,219	3/4	33,409	3/4	26,599		
4	80,940	4	74,130	4	67,319	4	60,509	4	53,698	4	46,888	4	40,078	4	33,267	4	26,457		
1/4	80,798	1/4	73,988	1/4	67,178	1/4	60,367	1/4	53,557	1/4	46,746	1/4	39,936	1/4	33,125	1/4	26,315		
1/2	80,657	1/2	73,846	1/2	67,036	1/2	60,225	1/2	53,415	1/2	46,604	1/2	39,794	1/2	32,983	1/2	26,173		
3/4	80,515	3/4	73,704	3/4	66,894	3/4	60,083	3/4	53,273	3/4	46,462	3/4	39,652	3/4	32,841	3/4	26,031		
5	80,373	5	73,562	5	66,752	5	59,941	5	53,131	5	46,320	5	39,510	5	32,700	5	25,889		
1/4	80,231	1/4	73,420	1/4	66,610	1/4	59,800	1/4	52,999	1/4	46,179	1/4	39,368	1/4	32,558	1/4	25,747		
1/2	80,089	1/2	73,278	1/2	66,468	1/2	59,658	1/2	52,857	1/2	46,037	1/2	39,226	1/2	32,416	1/2	25,605		
3/4	79,947	3/4	73,137	3/4	66,326	3/4	59,516	3/4	52,715	3/4	45,895	3/4	39,084	3/4	32,274	3/4	25,463		
6	79,805	6	72,995	6	66,184	6	59,374	6	52,573	6	45,753	6	38,942	6	32,132	6	25,322		
1/4	79,663	1/4	72,853	1/4	66,042	1/4	59,232	1/4	52,432	1/4	45,611	1/4	38,801	1/4	31,990	1/4	25,180		
1/2	79,521	1/2	72,711	1/2	65,901	1/2	59,090	1/2	52,290	1/2	45,469	1/2	38,659	1/2	31,848	1/2	25,038		
3/4	79,380	3/4	72,569	3/4	65,759	3/4	58,948	3/4	52,148	3/4	45,327	3/4	38,517	3/4	31,706	3/4	24,896		
7	79,238	7	72,427	7	65,617	7	58,806	7	51,996	7	45,185	7	38,375	7	31,564	7	24,754		
1/4	79,096	1/4	72,285	1/4	65,475	1/4	58,664	1/4	51,854	1/4	45,044	1/4	38,233	1/4	31,423	1/4	24,612		
1/2	78,954	1/2	72,143	1/2	65,333	1/2	58,523	1/2	51,712	1/2	44,902	1/2	38,091	1/2	31,281	1/2	24,470		
3/4	78,812	3/4	72,002	3/4	65,191	3/4	58,381	3/4	51,570	3/4	44,760	3/4	37,949	3/4	31,139	3/4	24,328		
8	78,670	8	71,860	8	65,049	8	58,239	8	51,428	8	44,618	8	37,807	8	30,997	8	24,186		
1/4	78,528	1/4	71,718	1/4	64,907	1/4	58,097	1/4	51,286	1/4	44,476	1/4	37,665	1/4	30,855	1/4	24,045		
1/2	78,386	1/2	71,576	1/2	64,765	1/2	57,955	1/2	51,145	1/2	44,334	1/2	37,524	1/2	30,713	1/2	23,903		
3/4	78,245	3/4	71,434	3/4	64,624	3/4	57,813	3/4	51,003	3/4	44,192	3/4	37,382	3/4	30,571	3/4	23,761		
9	78,103	9	71,292	9	64,482	9	57,671	9	50,861	9	44,050	9	37,240	9	30,429	9	23,619		
1/4	77,961	1/4	71,150	1/4	64,340	1/4	57,529	1/4	50,719	1/4	43,908	1/4	37,098	1/4	30,288	1/4	23,477		
1/2	77,819	1/2	71,008	1/2	64,198	1/2	57,387	1/2	50,577	1/2	43,767	1/2	36,956	1/2	30,146	1/2	23,335		
3/4	77,677	3/4	70,867	3/4	64,056	3/4	57,246	3/4	50,435	3/4	43,625	3/4	36,814	3/4	30,004	3/4	23,193		
10	77,535	10	70,725	10	63,914	10	57,104	10	50,293	10	43,483	10	36,672	10	29,862	10	23,051		
1/4	77,393	1/4	70,583	1/4	63,772	1/4	56,962	1/4	50,151	1/4	43,341	1/4	36,530	1/4	29,720	1/4	22,910		
1/2	77,251	1/2	70,441	1/2	63,630	1/2	56,820	1/2	50,009	1/2	43,199	1/2	36,389	1/2	29,578	1/2	22,768		
3/4	77,109	3/4	70,299	3/4	63,488	3/4	56,678	3/4	49,868	3/4	43,057	3/4	36,247	3/4	29,436	3/4	22,626		
11	76,968	11	70,157	11	63,347	11	56,536	11	49,726	11	42,915	11	36,105	11	29,294	11	22,484		
1/4	76,826	1/4	70,015	1/4	63,205	1/4	56,394	1/4	49,584	1/4	42,773	1/4	35,963	1/4	29,152	1/4	22,342		
1/2	76,684	1/2	69,873	1/2	63,063	1/2	56,252	1/2	49,442	1/2	42,631	1/2	35,821	1/2	29,011	1/2	22,200		
3/4	76,542	3/4	69,731	3/4	62,921	3/4	56,111	3/4	49,300	3/4	42,490	3/4	35,679	3/4	28,869	3/4	22,058		

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MAMC" GAUGING DEVICE.  
NOTE: GAUGE POINT LOCATED 13'-8" OFF CENTERLINE AND 21'-0" FORWARD OF AFT BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

CERTIFIED TANK CALIBRATION, INC.

*Bill A. Rose*

**BARGE "UJC 205"**

**3 PORT  
ULLAGE TABLE**

Gauge Height 16'-2 1/8"

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	21,916	0	15,106	0	8,295	0	1,501	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	21,774	1/4	14,964	1/4	8,154	1/4	1,366	1/4	1,366	1/4	1,366	1/4	1,366	1/4	1,366	1/4	1,366	1/4	1,366	1/4	1,366
1/2	21,633	1/2	14,822	1/2	8,012	1/2	1,238	1/2	1,238	1/2	1,238	1/2	1,238	1/2	1,238	1/2	1,238	1/2	1,238	1/2	1,238
3/4	21,491	3/4	14,680	3/4	7,870	3/4	1,111	3/4	1,111	3/4	1,111	3/4	1,111	3/4	1,111	3/4	1,111	3/4	1,111	3/4	1,111
1	21,349	1	14,538	1	7,728	1	983	1	983	1	983	1	983	1	983	1	983	1	983	1	983
1/4	21,207	1/4	14,396	1/4	7,586	1/4	870	1/4	870	1/4	870	1/4	870	1/4	870	1/4	870	1/4	870	1/4	870
1/2	21,065	1/2	14,255	1/2	7,444	1/2	770	1/2	770	1/2	770	1/2	770	1/2	770	1/2	770	1/2	770	1/2	770
3/4	20,923	3/4	14,113	3/4	7,302	3/4	671	3/4	671	3/4	671	3/4	671	3/4	671	3/4	671	3/4	671	3/4	671
2	20,781	2	13,971	2	7,160	2	572	2	572	2	572	2	572	2	572	2	572	2	572	2	572
1/4	20,639	1/4	13,829	1/4	7,018	1/4	522	1/4	522	1/4	522	1/4	522	1/4	522	1/4	522	1/4	522	1/4	522
1/2	20,497	1/2	13,687	1/2	6,877	1/2	472	1/2	472	1/2	472	1/2	472	1/2	472	1/2	472	1/2	472	1/2	472
3/4	20,356	3/4	13,545	3/4	6,735	3/4	422	3/4	422	3/4	422	3/4	422	3/4	422	3/4	422	3/4	422	3/4	422
3	20,214	3	13,403	3	6,593	3	372	3	372	3	372	3	372	3	372	3	372	3	372	3	372
1/4	20,072	1/4	13,261	1/4	6,451	1/4	322	1/4	322	1/4	322	1/4	322	1/4	322	1/4	322	1/4	322	1/4	322
1/2	19,930	1/2	13,119	1/2	6,309	1/2	272	1/2	272	1/2	272	1/2	272	1/2	272	1/2	272	1/2	272	1/2	272
3/4	19,788	3/4	12,978	3/4	6,167	3/4	222	3/4	222	3/4	222	3/4	222	3/4	222	3/4	222	3/4	222	3/4	222
4	19,646	4	12,836	4	6,025	4	172	4	172	4	172	4	172	4	172	4	172	4	172	4	172
1/4	19,504	1/4	12,694	1/4	5,883	1/4	122	1/4	122	1/4	122	1/4	122	1/4	122	1/4	122	1/4	122	1/4	122
1/2	19,362	1/2	12,552	1/2	5,741	1/2	72	1/2	72	1/2	72	1/2	72	1/2	72	1/2	72	1/2	72	1/2	72
3/4	19,221	3/4	12,410	3/4	5,600	3/4	22	3/4	22	3/4	22	3/4	22	3/4	22	3/4	22	3/4	22	3/4	22
5	19,079	5	12,268	5	5,458	5	0	5	0	5	0	0	0	5	0	0	0	5	0	0	0
1/4	18,937	1/4	12,126	1/4	5,316	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	18,795	1/2	11,984	1/2	5,174	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	18,653	3/4	11,843	3/4	5,032	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
6	18,511	6	11,701	6	4,890	6	0	6	0	6	0	0	0	6	0	0	0	6	0	0	0
1/4	18,369	1/4	11,559	1/4	4,749	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	18,227	1/2	11,417	1/2	4,607	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	18,085	3/4	11,275	3/4	4,466	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
7	17,944	7	11,133	7	4,325	7	0	7	0	7	0	0	0	7	0	0	0	7	0	0	0
1/4	17,802	1/4	10,991	1/4	4,184	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	17,660	1/2	10,849	1/2	4,043	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	17,518	3/4	10,707	3/4	3,901	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
8	17,376	8	10,566	8	3,760	8	0	8	0	8	0	0	0	8	0	0	0	8	0	0	0
1/4	17,234	1/4	10,424	1/4	3,619	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	17,092	1/2	10,282	1/2	3,478	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	16,950	3/4	10,140	3/4	3,336	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
9	16,808	9	9,998	9	3,195	9	0	9	0	9	0	0	0	9	0	0	0	9	0	0	0
1/4	16,667	1/4	9,856	1/4	3,054	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	16,525	1/2	9,714	1/2	2,913	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	16,383	3/4	9,572	3/4	2,772	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
10	16,241	10	9,430	10	2,630	10	0	10	0	10	0	0	0	10	0	0	0	10	0	0	0
1/4	16,099	1/4	9,289	1/4	2,489	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	15,957	1/2	9,147	1/2	2,348	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	15,815	3/4	9,005	3/4	2,207	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0
11	15,673	11	8,863	11	2,065	11	0	11	0	11	0	0	0	11	0	0	0	11	0	0	0
1/4	15,532	1/4	8,721	1/4	1,924	1/4	0	1/4	0	1/4	0	0	0	1/4	0	0	0	1/4	0	0	0
1/2	15,390	1/2	8,579	1/2	1,783	1/2	0	1/2	0	1/2	0	0	0	1/2	0	0	0	1/2	0	0	0
3/4	15,248	3/4	8,437	3/4	1,642	3/4	0	3/4	0	3/4	0	0	0	3/4	0	0	0	3/4	0	0	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

*Paul A. Brown*

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

**BARGE "CBC 205"**

**3 STBD  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-3 3/4"

M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.
0	84,170	0	77,328	0	70,486	0	63,643	0	56,801	0	49,959	0	43,116	0	36,274	0	29,431	0	22,589
1/4	84,028	1/4	77,185	1/4	70,343	1/4	63,501	1/4	56,659	1/4	49,816	1/4	42,974	1/4	36,131	1/4	29,289	1/4	22,446
1/2	83,985	1/2	77,043	1/2	70,200	1/2	63,358	1/2	56,516	1/2	49,673	1/2	42,831	1/2	35,989	1/2	29,145	1/2	22,304
3/4	83,743	3/4	76,900	3/4	70,058	3/4	63,216	3/4	56,373	3/4	49,531	3/4	42,689	3/4	35,846	3/4	29,004	3/4	22,161
1	83,600	1	76,758	1	69,915	1	63,073	1	56,231	1	49,389	1	42,546	1	35,704	1	28,861	1	22,018
1/4	83,458	1/4	76,615	1/4	69,773	1/4	62,930	1/4	56,089	1/4	49,246	1/4	42,403	1/4	35,561	1/4	28,719	1/4	21,875
1/2	83,315	1/2	76,473	1/2	69,630	1/2	62,788	1/2	55,946	1/2	49,103	1/2	42,261	1/2	35,419	1/2	28,576	1/2	21,732
3/4	83,172	3/4	76,330	3/4	69,488	3/4	62,645	3/4	55,803	3/4	48,961	3/4	42,118	3/4	35,276	3/4	28,434	3/4	21,589
1	83,030	1	76,188	1	69,345	1	62,503	1	55,660	1	48,818	1	41,976	1	35,133	1	28,291	1	21,446
1/4	82,887	1/4	76,045	1/4	69,203	1/4	62,360	1/4	55,518	1/4	48,676	1/4	41,833	1/4	34,991	1/4	28,149	1/4	21,303
1/2	82,745	1/2	75,902	1/2	69,060	1/2	62,218	1/2	55,375	1/2	48,533	1/2	41,691	1/2	34,848	1/2	28,006	1/2	21,160
3/4	82,602	3/4	75,760	3/4	68,918	3/4	62,075	3/4	55,233	3/4	48,390	3/4	41,548	3/4	34,706	3/4	27,863	3/4	21,017
1	82,460	1	75,617	1	68,775	1	61,933	1	55,090	1	48,248	1	41,406	1	34,563	1	27,721	1	20,874
1/4	82,317	1/4	75,475	1/4	68,632	1/4	61,790	1/4	54,948	1/4	48,105	1/4	41,263	1/4	34,421	1/4	27,578	1/4	20,731
1/2	82,175	1/2	75,332	1/2	68,490	1/2	61,648	1/2	54,805	1/2	47,963	1/2	41,120	1/2	34,278	1/2	27,436	1/2	20,588
3/4	82,032	3/4	75,190	3/4	68,347	3/4	61,505	3/4	54,663	3/4	47,820	3/4	40,978	3/4	34,136	3/4	27,293	3/4	20,445
1	81,890	1	75,047	1	68,205	1	61,362	1	54,520	1	47,678	1	40,835	1	33,993	1	27,151	1	20,302
1/4	81,747	1/4	74,905	1/4	68,062	1/4	61,220	1/4	54,378	1/4	47,535	1/4	40,693	1/4	33,850	1/4	27,008	1/4	20,159
1/2	81,604	1/2	74,762	1/2	67,920	1/2	61,077	1/2	54,235	1/2	47,393	1/2	40,550	1/2	33,708	1/2	26,866	1/2	20,016
3/4	81,462	3/4	74,620	3/4	67,777	3/4	60,935	3/4	54,092	3/4	47,250	3/4	40,408	3/4	33,565	3/4	26,723	3/4	19,873
1	81,319	1	74,477	1	67,635	1	60,792	1	53,950	1	47,108	1	40,265	1	33,423	1	26,581	1	19,730
1/4	81,177	1/4	74,334	1/4	67,492	1/4	60,650	1/4	53,807	1/4	46,965	1/4	40,123	1/4	33,280	1/4	26,438	1/4	19,587
1/2	81,034	1/2	74,192	1/2	67,350	1/2	60,507	1/2	53,665	1/2	46,822	1/2	39,980	1/2	33,138	1/2	26,295	1/2	19,444
3/4	80,892	3/4	74,049	3/4	67,207	3/4	60,365	3/4	53,522	3/4	46,680	3/4	39,838	3/4	32,995	3/4	26,153	3/4	19,301
1	80,749	1	73,907	1	67,064	1	60,222	1	53,380	1	46,537	1	39,695	1	32,853	1	26,010	1	19,158
1/4	80,607	1/4	73,764	1/4	66,922	1/4	60,080	1/4	53,237	1/4	46,395	1/4	39,552	1/4	32,710	1/4	25,868	1/4	19,015
1/2	80,464	1/2	73,622	1/2	66,779	1/2	59,937	1/2	53,095	1/2	46,252	1/2	39,410	1/2	32,568	1/2	25,725	1/2	18,872
3/4	80,321	3/4	73,479	3/4	66,637	3/4	59,794	3/4	52,952	3/4	46,110	3/4	39,267	3/4	32,425	3/4	25,583	3/4	18,729
1	80,179	1	73,337	1	66,494	1	59,652	1	52,810	1	45,967	1	39,125	1	32,282	1	25,440	1	18,586
1/4	80,036	1/4	73,194	1/4	66,352	1/4	59,509	1/4	52,667	1/4	45,825	1/4	38,982	1/4	32,140	1/4	25,298	1/4	18,443
1/2	79,894	1/2	73,051	1/2	66,209	1/2	59,367	1/2	52,524	1/2	45,682	1/2	38,840	1/2	31,997	1/2	25,155	1/2	18,300
3/4	79,751	3/4	72,909	3/4	66,067	3/4	59,224	3/4	52,382	3/4	45,540	3/4	38,697	3/4	31,855	3/4	25,012	3/4	18,157
1	79,609	1	72,766	1	65,924	1	59,082	1	52,239	1	45,397	1	38,555	1	31,712	1	24,870	1	18,014
1/4	79,466	1/4	72,624	1/4	65,781	1/4	58,939	1/4	52,097	1/4	45,254	1/4	38,412	1/4	31,570	1/4	24,727	1/4	17,871
1/2	79,324	1/2	72,481	1/2	65,639	1/2	58,797	1/2	51,954	1/2	45,112	1/2	38,270	1/2	31,427	1/2	24,585	1/2	17,728
3/4	79,181	3/4	72,339	3/4	65,496	3/4	58,654	3/4	51,812	3/4	44,969	3/4	38,127	3/4	31,285	3/4	24,442	3/4	17,585
1	79,039	1	72,196	1	65,354	1	58,511	1	51,669	1	44,827	1	37,984	1	31,142	1	24,300	1	17,442
1/4	78,896	1/4	72,054	1/4	65,211	1/4	58,369	1/4	51,527	1/4	44,684	1/4	37,842	1/4	31,000	1/4	24,157	1/4	17,299
1/2	78,753	1/2	71,911	1/2	65,069	1/2	58,226	1/2	51,384	1/2	44,542	1/2	37,699	1/2	30,857	1/2	24,015	1/2	17,156
3/4	78,611	3/4	71,769	3/4	64,926	3/4	58,084	3/4	51,241	3/4	44,399	3/4	37,557	3/4	30,714	3/4	23,872	3/4	17,013
1	78,468	1	71,626	1	64,784	1	57,941	1	51,099	1	44,257	1	37,414	1	30,572	1	23,730	1	16,870
1/4	78,326	1/4	71,483	1/4	64,641	1/4	57,799	1/4	50,956	1/4	44,114	1/4	37,272	1/4	30,429	1/4	23,587	1/4	16,727
1/2	78,183	1/2	71,341	1/2	64,499	1/2	57,656	1/2	50,814	1/2	43,971	1/2	37,129	1/2	30,287	1/2	23,444	1/2	16,584
3/4	78,041	3/4	71,198	3/4	64,356	3/4	57,514	3/4	50,671	3/4	43,829	3/4	36,987	3/4	30,144	3/4	23,302	3/4	16,441
1	77,898	1	71,056	1	64,213	1	57,371	1	50,529	1	43,686	1	36,844	1	30,002	1	23,159	1	16,298
1/4	77,756	1/4	70,913	1/4	64,071	1/4	57,229	1/4	50,386	1/4	43,544	1/4	36,701	1/4	29,859	1/4	23,017	1/4	16,155
1/2	77,613	1/2	70,771	1/2	63,928	1/2	57,086	1/2	50,244	1/2	43,401	1/2	36,559	1/2	29,717	1/2	22,874	1/2	16,012
3/4	77,470	3/4	70,628	3/4	63,786	3/4	56,943	3/4	50,101	3/4	43,259	3/4	36,416	3/4	29,574	3/4	22,732	3/4	15,869

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPLETED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH "MAMC" GAUGING DEVICE.  
NOTE: GAUGE POINT LOCATED 10'-0" OFF CENTRALLINE AND 21'-0" FORWARD OF AFT BULKHEAD.  
NOTE: NO TRIM CORRECTION REQUIRED DUE TO GAUGE POINT LOCATED NEAR GEOMETRIC CENTER OF TANK.  
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 7/17/05 BY: KS-RF  
DATE COMPUTED: 7/18/05 BY: DR  
DATE ISSUED: 7/18/05

CERTIFIED TANK CALIBRATION, INC.

*Bill A. Rose*

CAPACITIES GIVEN IN WHOLE GALLONS		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	22,589	0	15,747	0	8,904	0	2,075	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	22,447	1/4	15,604	1/4	8,762	1/4	1,933	1/4	1,933	1/4	1,933	1/4	1,933	1/4	1,933	1/4	1,933	1/4	1,933	1/4	1,933
1/2	22,304	1/2	15,462	1/2	8,619	1/2	1,791	1/2	1,791	1/2	1,791	1/2	1,791	1/2	1,791	1/2	1,791	1/2	1,791	1/2	1,791
3/4	22,161	3/4	15,319	3/4	8,477	3/4	1,649	3/4	1,649	3/4	1,649	3/4	1,649	3/4	1,649	3/4	1,649	3/4	1,649	3/4	1,649
1	22,019	1	15,177	1	8,334	1	1,508	1	1,508	1	1,508	1	1,508	1	1,508	1	1,508	1	1,508	1	1,508
1/4	21,876	1/4	15,034	1/4	8,192	1/4	1,372	1/4	1,372	1/4	1,372	1/4	1,372	1/4	1,372	1/4	1,372	1/4	1,372	1/4	1,372
1/2	21,734	1/2	14,891	1/2	8,049	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244	1/2	1,244
3/4	21,591	3/4	14,749	3/4	7,907	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116	3/4	1,116
2	21,449	2	14,606	2	7,764	2	988	2	988	2	988	2	988	2	988	2	988	2	988	2	988
1/4	21,306	1/4	14,464	1/4	7,621	1/4	874	1/4	874	1/4	874	1/4	874	1/4	874	1/4	874	1/4	874	1/4	874
1/2	21,164	1/2	14,321	1/2	7,479	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774	1/2	774
3/4	21,021	3/4	14,179	3/4	7,336	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674	3/4	674
3	20,879	3	14,036	3	7,194	3	574	3	574	3	574	3	574	3	574	3	574	3	574	3	574
1/4	20,736	1/4	13,894	1/4	7,051	1/4	489	1/4	489	1/4	489	1/4	489	1/4	489	1/4	489	1/4	489	1/4	489
1/2	20,593	1/2	13,751	1/2	6,909	1/2	417	1/2	417	1/2	417	1/2	417	1/2	417	1/2	417	1/2	417	1/2	417
3/4	20,451	3/4	13,609	3/4	6,766	3/4	346	3/4	346	3/4	346	3/4	346	3/4	346	3/4	346	3/4	346	3/4	346
4	20,308	4	13,466	4	6,624	4	274	4	274	4	274	4	274	4	274	4	274	4	274	4	274
1/4	20,166	1/4	13,323	1/4	6,481	1/4	202	1/4	202	1/4	202	1/4	202	1/4	202	1/4	202	1/4	202	1/4	202
1/2	20,023	1/2	13,181	1/2	6,339	1/2	130	1/2	130	1/2	130	1/2	130	1/2	130	1/2	130	1/2	130	1/2	130
3/4	19,881	3/4	13,038	3/4	6,196	3/4	58	3/4	58	3/4	58	3/4	58	3/4	58	3/4	58	3/4	58	3/4	58
5	19,738	5	12,896	5	6,053	5	26	5	26	5	26	5	26	5	26	5	26	5	26	5	26
1/4	19,596	1/4	12,753	1/4	5,911	1/4	19	1/4	19	1/4	19	1/4	19	1/4	19	1/4	19	1/4	19	1/4	19
1/2	19,453	1/2	12,611	1/2	5,768	1/2	12	1/2	12	1/2	12	1/2	12	1/2	12	1/2	12	1/2	12	1/2	12
3/4	19,311	3/4	12,468	3/4	5,626	3/4	5	3/4	5	3/4	5	3/4	5	3/4	5	3/4	5	3/4	5	3/4	5
6	19,168	6	12,326	6	5,483	6	2	6	2	6	2	6	2	6	2	6	2	6	2	6	2
1/4	19,025	1/4	12,183	1/4	5,341	1/4	1	1/4	1	1/4	1	1/4	1	1/4	1	1/4	1	1/4	1	1/4	1
1/2	18,883	1/2	12,041	1/2	5,198	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,740	3/4	11,898	3/4	5,056	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
7	18,598	7	11,755	7	4,913	7	0	7	0	7	0	7	0	7	0	7	0	7	0	7	0
1/4	18,455	1/4	11,613	1/4	4,771	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	18,313	1/2	11,470	1/2	4,629	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	18,170	3/4	11,328	3/4	4,487	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
8	18,028	8	11,185	8	4,345	8	0	8	0	8	0	8	0	8	0	8	0	8	0	8	0
1/4	17,885	1/4	11,043	1/4	4,203	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,742	1/2	10,900	1/2	4,061	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,600	3/4	10,758	3/4	3,920	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
9	17,457	9	10,615	9	3,778	9	0	9	0	9	0	9	0	9	0	9	0	9	0	9	0
1/4	17,315	1/4	10,472	1/4	3,636	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	17,172	1/2	10,330	1/2	3,494	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	17,030	3/4	10,187	3/4	3,352	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
10	16,887	10	10,045	10	3,210	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0
1/4	16,745	1/4	9,902	1/4	3,068	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,602	1/2	9,760	1/2	2,926	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	16,460	3/4	9,617	3/4	2,784	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0
11	16,317	11	9,475	11	2,643	11	0	11	0	11	0	11	0	11	0	11	0	11	0	11	0
1/4	16,174	1/4	9,332	1/4	2,501	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0
1/2	16,032	1/2	9,190	1/2	2,359	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0	1/2	0
3/4	15,889	3/4	9,047	3/4	2,217	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0	3/4	0

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

*Bill A. Rose*

**BARGE "CPC 205"**

**TANK NO. 4  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS		GAUGE HEIGHT 16'-7 1/2"	
IN	OUT	IN	OUT
3/4	171,657	3	154,409
1/4	179,628	1/4	167,925
1/2	179,600	1/2	167,937
3/4	179,514	3/4	167,950
4	179,427	4	167,062
1/4	179,341	1/4	166,487
1/2	179,255	1/2	166,775
3/4	179,111	3/4	166,199
5	178,968	5	165,912
1/4	178,824	1/4	165,624
1/2	178,680	1/2	165,337
3/4	178,479	3/4	165,049
6	178,278	6	164,762
1/4	178,076	1/4	164,474
1/2	177,875	1/2	164,186
3/4	177,616	3/4	163,899
7	177,358	7	163,611
1/4	177,099	1/4	163,324
1/2	176,840	1/2	163,036
3/4	176,582	3/4	162,748
8	176,285	8	162,461
1/4	175,977	1/4	162,173
1/2	175,690	1/2	161,886
3/4	175,402	3/4	161,598
9	175,114	9	161,311
1/4	174,827	1/4	161,023
1/2	174,539	1/2	160,735
3/4	174,252	3/4	160,448
10	173,964	10	160,160
1/4	173,677	1/4	159,873
1/2	173,389	1/2	159,585
3/4	173,101	3/4	159,297
11	172,814	11	159,010
1/4	172,526	1/4	158,722
1/2	172,239	1/2	158,435
3/4	171,951	3/4	158,147
0	171,663	0	157,860
1/4	171,376	1/4	157,572
1/2	171,088	1/2	157,284
3/4	170,801	3/4	156,997
1	170,513	1	156,709
1/4	170,226	1/4	156,422
1/2	169,938	1/2	156,134
3/4	169,650	3/4	155,847
2	169,363	2	155,559
1/4	169,075	1/4	155,271
1/2	168,788	1/2	154,984
3/4	168,500	3/4	154,696
3	168,213	3	154,409
1/4	167,925	1/4	154,121
1/2	167,637	1/2	153,833
3/4	167,350	3/4	153,546
4	167,062	4	153,258
1/4	166,775	1/4	152,971
1/2	166,487	1/2	152,683
3/4	166,199	3/4	152,396
5	165,912	5	152,108
1/4	165,624	1/4	151,820
1/2	165,337	1/2	151,533
3/4	165,049	3/4	151,245
6	164,762	6	150,958
1/4	164,474	1/4	150,670
1/2	164,186	1/2	150,382
3/4	163,899	3/4	150,095
7	163,611	7	149,807
1/4	163,324	1/4	149,520
1/2	163,036	1/2	149,232
3/4	162,748	3/4	148,945
8	162,461	8	148,657
1/4	162,173	1/4	148,369
1/2	161,886	1/2	148,082
3/4	161,598	3/4	147,794
9	161,311	9	147,507
1/4	161,023	1/4	147,219
1/2	160,735	1/2	146,932
3/4	160,448	3/4	146,644
10	160,160	10	146,356
1/4	159,873	1/4	146,069
1/2	159,585	1/2	145,781
3/4	159,297	3/4	145,494
11	159,010	11	145,206
1/4	158,722	1/4	144,918
1/2	158,435	1/2	144,631
3/4	158,147	3/4	144,343
0	157,860	0	144,056
1/4	157,572	1/4	143,768
1/2	157,284	1/2	143,481
3/4	156,997	3/4	143,193
1	156,709	1	142,905
1/4	156,422	1/4	142,618
1/2	156,134	1/2	142,330
3/4	155,847	3/4	142,043
2	155,559	2	141,755
1/4	155,271	1/4	141,467
1/2	154,984	1/2	141,180
3/4	154,696	3/4	140,892
3	154,409	3	140,605
1/4	154,121	1/4	140,317
1/2	153,833	1/2	140,030
3/4	153,546	3/4	139,742
4	153,258	4	139,454
1/4	152,971	1/4	139,167
1/2	152,683	1/2	138,879
3/4	152,396	3/4	138,592
5	152,108	5	138,304
1/4	151,820	1/4	138,016
1/2	151,533	1/2	137,729
3/4	151,245	3/4	137,441
6	150,958	6	137,154
1/4	150,670	1/4	136,866
1/2	150,382	1/2	136,579
3/4	150,095	3/4	136,291
7	149,807	7	136,003
1/4	149,520	1/4	135,716
1/2	149,232	1/2	135,428
3/4	148,945	3/4	135,141
8	148,657	8	134,853
1/4	148,369	1/4	134,566
1/2	148,082	1/2	134,278
3/4	147,794	3/4	133,990
9	147,507	9	133,703
1/4	147,219	1/4	133,415
1/2	146,932	1/2	133,128
3/4	146,644	3/4	132,840
10	146,356	10	132,552
1/4	146,069	1/4	132,265
1/2	145,781	1/2	131,977
3/4	145,494	3/4	131,690
11	145,206	11	131,402
1/4	144,918	1/4	131,115
1/2	144,631	1/2	130,827
3/4	144,343	3/4	130,539
0	144,056	0	130,252
1/4	143,768	1/4	129,964
1/2	143,481	1/2	129,677
3/4	143,193	3/4	129,389
1	142,905	1	129,101
1/4	142,618	1/4	128,814
1/2	142,330	1/2	128,526
3/4	142,043	3/4	128,239
2	141,755	2	127,951
1/4	141,467	1/4	127,664
1/2	141,180	1/2	127,376
3/4	140,892	3/4	127,088
3	140,605	3	126,801
1/4	140,317	1/4	126,513
1/2	140,030	1/2	126,226
3/4	139,742	3/4	125,938
4	139,454	4	125,651
1/4	139,167	1/4	125,363
1/2	138,879	1/2	125,075
3/4	138,592	3/4	124,788
5	138,304	5	124,500
1/4	138,016	1/4	124,213
1/2	137,729	1/2	123,925
3/4	137,441	3/4	123,637
6	137,154	6	123,350
1/4	136,866	1/4	123,062
1/2	136,579	1/2	122,775
3/4	136,291	3/4	122,487
7	136,003	7	122,200
1/4	135,716	1/4	121,912
1/2	135,428	1/2	121,624
3/4	135,141	3/4	121,337
8	134,853	8	121,049
1/4	134,566	1/4	120,762
1/2	134,278	1/2	120,474
3/4	133,990	3/4	120,186
9	133,703	9	119,899
1/4	133,415	1/4	119,611
1/2	133,128	1/2	119,324
3/4	132,840	3/4	119,036
10	132,552	10	118,749
1/4	132,265	1/4	118,461
1/2	131,977	1/2	118,173
3/4	131,690	3/4	117,886
11	131,402	11	117,598
1/4	131,115	1/4	117,311
1/2	130,827	1/2	117,023
3/4	130,539	3/4	116,735
0	130,252	0	116,448
1/4	129,964	1/4	116,160
1/2	129,677	1/2	115,873
3/4	129,389	3/4	115,585
1	129,101	1	115,298
1/4	128,814	1/4	115,010
1/2	128,526	1/2	114,722
3/4	128,239	3/4	114,435
2	127,951	2	114,147
1/4	127,664	1/4	113,860
1/2	127,376	1/2	113,572
3/4	127,088	3/4	113,285
3	126,801	3	112,997
1/4	126,513	1/4	112,709
1/2	126,226	1/2	112,422
3/4	125,938	3/4	112,134
4	125,651	4	111,847
1/4	125,363	1/4	111,559
1/2	125,075	1/2	111,271
3/4	124,788	3/4	110,984
5	124,500	5	110,696
1/4	124,213	1/4	110,409
1/2	123,925	1/2	110,121
3/4	123,637	3/4	109,834
6	123,350	6	109,546
1/4	123,062	1/4	109,258
1/2	122,775	1/2	108,971
3/4	122,487	3/4	108,683
7	122,200	7	108,396
1/4	121,912	1/4	108,108
1/2	121,624	1/2	107,820
3/4	121,337	3/4	107,533
8	121,049	8	107,245
1/4	120,762	1/4	106,958
1/2	120,474	1/2	106,670
3/4	120,186	3/4	106,383
9	119,899	9	106,095
1/4	119,611	1/4	105,807
1/2	119,324	1/2	105,520
3/4	119,036	3/4	105,232
10	118,749	10	104,945
1/4	118,461	1/4	104,657
1/2	118,173	1/2	104,370
3/4	117,886	3/4	104,082
11	117,598	11	103,794
1/4	117,311	1/4	103,507
1/2	117,023	1/2	103,219
3/4	116,735	3/4	102,932
0	116,448	0	102,644
1/4	116,160	1/4	102,356
1/2	115,873	1/2	102,069
3/4	115,585	3/4	101,781
1	115,298	1	101,494
1/4	115,010	1/4	101,206
1/2	114,722	1/2	100,919
3/4	114,435	3/4	100,631
2	114,147	2	100,343
1/4	113,860	1/4	100,056
1/2	113,572	1/2	99,768
3/4	113,285	3/4	99,481
3	112,997	3	99,193
1/4	112,709	1/4	98,905
1/2	112,422	1/2	98,618
3/4	112,134	3/4	98,330
4	111,847	4	98,043
1/4	111,559	1/4	97,755
1/2	111,271	1/2	97,468
3/4	110,984	3/4	97,180
5	110,696	5	96,892
1/4	110,409	1/4	96,605
1/2	110,121	1/2	96,317
3/4	109,834	3/4	96,030
6	109,546	6	95,742
1/4	109,258	1/4	95,454
1/2	108,971	1/2	95,167
3/4	108,683	3/4	94,879
7	108,396	7	94,592
1/4	108,108	1/4	94,304
1/2	107,820	1/2	94,017
3/4	107,533	3/4	93,729
8	107,245	8	93,441
1/4	106,958	1/4	93,154
1/2	106,670	1/2	92,866
3/4	106,383	3/4	92,579
9	106,095	9	92,291
1/4	105,807	1/4	92,004
1/2	105,520	1/2	91,716
3/4	105,232	3/4	91,428
10	104,945	10	91,141
1/4	104,657	1/4	90,853
1/2	104,370	1/2	90,566
3/4	104,082	3/4	90,278
11	103,794	11	89,990
1/4	103,507	1/4	89,703
1/2	103,219	1/2	89,

**BARGE "CBC 205"**

**TANK NO. 4  
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-7 1/2"

	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.	22 FT.
0	47,428	0	33,625	0	19,821	0	6,034	0	0	0
1/4	47,141	1/4	33,337	1/4	19,533	1/4	5,748	1/4	1/4	1/4
1/2	46,853	1/2	33,049	1/2	19,246	1/2	5,462	1/2	1/2	1/2
3/4	46,566	3/4	32,762	3/4	18,958	3/4	5,176	3/4	3/4	3/4
1	46,278	1	32,474	1	18,670	1	4,889	1	1	1
1/4	45,991	1/4	32,187	1/4	18,383	1/4	4,603	1/4	1/4	1/4
1/2	45,703	1/2	31,899	1/2	18,095	1/2	4,317	1/2	1/2	1/2
3/4	45,415	3/4	31,611	3/4	17,808	3/4	4,031	3/4	3/4	3/4
2	45,128	2	31,324	2	17,520	2	3,744	2	2	2
1/4	44,840	1/4	31,036	1/4	17,232	1/4	3,458	1/4	1/4	1/4
1/2	44,553	1/2	30,749	1/2	16,945	1/2	3,172	1/2	1/2	1/2
3/4	44,265	3/4	30,461	3/4	16,657	3/4	2,886	3/4	3/4	3/4
3	43,977	3	30,174	3	16,370	3	2,627	3	3	3
1/4	43,690	1/4	29,886	1/4	16,082	1/4	2,368	1/4	1/4	1/4
1/2	43,402	1/2	29,598	1/2	15,795	1/2	2,109	1/2	1/2	1/2
3/4	43,115	3/4	29,311	3/4	15,507	3/4	1,850	3/4	3/4	3/4
4	42,827	4	29,023	4	15,219	4	1,649	4	4	4
1/4	42,540	1/4	28,736	1/4	14,932	1/4	1,448	1/4	1/4	1/4
1/2	42,252	1/2	28,448	1/2	14,644	1/2	1,247	1/2	1/2	1/2
3/4	41,964	3/4	28,161	3/4	14,357	3/4	1,045	3/4	3/4	3/4
5	41,677	5	27,873	5	14,069	5	902	5	5	5
1/4	41,389	1/4	27,585	1/4	13,781	1/4	758	1/4	1/4	1/4
1/2	41,102	1/2	27,298	1/2	13,494	1/2	614	1/2	1/2	1/2
3/4	40,814	3/4	27,010	3/4	13,206	3/4	470	3/4	3/4	3/4
6	40,527	6	26,723	6	12,919	6	384	6	6	6
1/4	40,239	1/4	26,435	1/4	12,631	1/4	298	1/4	1/4	1/4
1/2	39,951	1/2	26,147	1/2	12,344	1/2	212	1/2	1/2	1/2
3/4	39,664	3/4	25,860	3/4	12,056	3/4	126	3/4	3/4	3/4
7	39,376	7	25,572	7	11,768	7	97	7	7	7
1/4	39,089	1/4	25,285	1/4	11,481	1/4	68	1/4	1/4	1/4
1/2	38,801	1/2	24,997	1/2	11,193	1/2	40	1/2	1/2	1/2
3/4	38,513	3/4	24,710	3/4	10,906	3/4	40	3/4	3/4	3/4
8	38,226	8	24,422	8	10,618	8	8	8	8	8
1/4	37,938	1/4	24,134	1/4	10,330	1/4	8	1/4	1/4	1/4
1/2	37,651	1/2	23,847	1/2	10,043	1/2	8	1/2	1/2	1/2
3/4	37,363	3/4	23,559	3/4	9,755	3/4	8	3/4	3/4	3/4
9	37,076	9	23,272	9	9,469	9	9	9	9	9
1/4	36,788	1/4	22,984	1/4	9,183	1/4	9	1/4	1/4	1/4
1/2	36,500	1/2	22,696	1/2	8,897	1/2	9	1/2	1/2	1/2
3/4	36,213	3/4	22,409	3/4	8,610	3/4	9	3/4	3/4	3/4
10	35,925	10	22,121	10	8,324	10	10	10	10	10
1/4	35,638	1/4	21,834	1/4	8,038	1/4	10	1/4	1/4	1/4
1/2	35,350	1/2	21,546	1/2	7,752	1/2	10	1/2	1/2	1/2
3/4	35,062	3/4	21,259	3/4	7,465	3/4	10	3/4	3/4	3/4
11	34,775	11	20,971	11	7,179	11	11	11	11	11
1/4	34,487	1/4	20,683	1/4	6,893	1/4	11	1/4	1/4	1/4
1/2	34,200	1/2	20,396	1/2	6,607	1/2	11	1/2	1/2	1/2
3/4	33,912	3/4	20,108	3/4	6,320	3/4	11	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 7/17/85 BY: KS-RF  
DATE COMPUTED: 7/18/85 BY: DR  
DATE ISSUED: 7/18/85

CERTIFIED TANK CALIBRATION, INC.

*Bill G. Row*