

CAPACITIES GIVEN IN WHOLE GALLONS		GAUGE HEIGHT - 16" - 3 5/8"																	
IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.	IN	20 FT.	IN	21 FT.
0	49,867	0	37,804	0	25,742	0	13,679	0	1,733	0		0		0		0		0	
1/4	49,615	1/4	37,553	1/4	25,490	1/4	13,428	1/4	1,532	1/4		1/4		1/4		1/4		1/4	
1/2	49,364	1/2	37,301	1/2	25,239	1/2	13,177	1/2	1,356	1/2		1/2		1/2		1/2		1/2	
3/4	49,113	3/4	37,050	3/4	24,988	3/4	12,925	3/4	1,180	3/4		3/4		3/4		3/4		3/4	
1	48,862	1	36,799	1	24,737	1	12,674	1	1,004	1		1		1		1		1	
1/4	48,610	1/4	36,547	1/4	24,485	1/4	12,423	1/4	853	1/4		1/4		1/4		1/4		1/4	
1/2	48,359	1/2	36,296	1/2	24,234	1/2	12,171	1/2	727	1/2		1/2		1/2		1/2		1/2	
3/4	48,108	3/4	36,045	3/4	23,983	3/4	11,920	3/4	602	3/4		3/4		3/4		3/4		3/4	
2	47,856	2	35,794	2	23,731	2	11,669	2	476	2		2		2		2		2	
1/4	47,605	1/4	35,542	1/4	23,480	1/4	11,417	1/4	376	1/4		1/4		1/4		1/4		1/4	
1/2	47,354	1/2	35,291	1/2	23,229	1/2	11,166	1/2	300	1/2		1/2		1/2		1/2		1/2	
3/4	47,102	3/4	35,040	3/4	22,977	3/4	10,915	3/4	225	3/4		3/4		3/4		3/4		3/4	
3	46,851	3	34,788	3	22,726	3	10,663	3	149	3		3		3		3		3	
1/4	46,600	1/4	34,537	1/4	22,475	1/4	10,412	1/4	99	1/4		1/4		1/4		1/4		1/4	
1/2	46,348	1/2	34,286	1/2	22,223	1/2	10,161	1/2	74	1/2		1/2		1/2		1/2		1/2	
3/4	46,097	3/4	34,034	3/4	21,972	3/4	9,910	3/4	61	3/4		3/4		3/4		3/4		3/4	
4	45,846	4	33,783	4	21,721	4	9,658	4		4		4		4		4		4	
1/4	45,595	1/4	33,532	1/4	21,470	1/4	9,407	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	45,343	1/2	33,281	1/2	21,218	1/2	9,156	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45,092	3/4	33,029	3/4	20,967	3/4	8,904	3/4		3/4		3/4		3/4		3/4		3/4	
5	44,841	5	32,778	5	20,716	5	8,653	5		5		5		5		5		5	
1/4	44,589	1/4	32,527	1/4	20,464	1/4	8,402	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	44,338	1/2	32,275	1/2	20,213	1/2	8,152	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44,087	3/4	32,024	3/4	19,962	3/4	7,902	3/4		3/4		3/4		3/4		3/4		3/4	
6	43,835	6	31,773	6	19,710	6	7,652	6		6		6		6		6		6	
1/4	43,584	1/4	31,521	1/4	19,459	1/4	7,402	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	43,333	1/2	31,270	1/2	19,208	1/2	7,152	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	43,081	3/4	31,019	3/4	18,957	3/4	6,902	3/4		3/4		3/4		3/4		3/4		3/4	
7	42,830	7	30,768	7	18,705	7	6,651	7		7		7		7		7		7	
1/4	42,579	1/4	30,516	1/4	18,454	1/4	6,401	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	42,328	1/2	30,265	1/2	18,203	1/2	6,151	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	42,076	3/4	30,014	3/4	17,951	3/4	5,901	3/4		3/4		3/4		3/4		3/4		3/4	
8	41,825	8	29,762	8	17,700	8	5,651	8		8		8		8		8		8	
1/4	41,574	1/4	29,511	1/4	17,449	1/4	5,401	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	41,322	1/2	29,260	1/2	17,197	1/2	5,151	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	41,071	3/4	29,009	3/4	16,946	3/4	4,900	3/4		3/4		3/4		3/4		3/4		3/4	
9	40,820	9	28,757	9	16,695	9	4,650	9		9		9		9		9		9	
1/4	40,568	1/4	28,506	1/4	16,443	1/4	4,400	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	40,317	1/2	28,255	1/2	16,192	1/2	4,150	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	40,066	3/4	28,003	3/4	15,941	3/4	3,900	3/4		3/4		3/4		3/4		3/4		3/4	
10	39,814	10	27,752	10	15,690	10	3,650	10		10		10		10		10		10	
1/4	39,563	1/4	27,501	1/4	15,438	1/4	3,400	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	39,312	1/2	27,249	1/2	15,187	1/2	3,150	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	39,061	3/4	26,998	3/4	14,936	3/4	2,899	3/4		3/4		3/4		3/4		3/4		3/4	
11	38,809	11	26,747	11	14,684	11	2,649	11		11		11		11		11		11	
1/4	38,558	1/4	26,496	1/4	14,433	1/4	2,411	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	38,307	1/2	26,244	1/2	14,182	1/2	2,185	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	38,055	3/4	25,993	3/4	13,930	3/4	1,959	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Bill A. Ben

BARGE "UJC 206"

**2 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 15'-10 3/8"																	
M	N	2 FT.	M	N	3 FT.	M	N	4 FT.	M	N	5 FT.	M	N	6 FT.	M	N	7 FT.	M	N	8 FT.	M	N	9 FT.	M	N	10 FT.	M	N	11 FT.
0	0	88,189	0	0	81,464	0	0	74,617	0	0	67,771	0	0	60,925	0	0	54,079	0	0	47,233	0	0	40,387	0	0	33,540	0	0	26,694
1/4	1/4	88,089	1/4	1/4	81,321	1/4	1/4	74,475	1/4	1/4	67,629	1/4	1/4	60,782	1/4	1/4	53,936	1/4	1/4	47,090	1/4	1/4	40,244	1/4	1/4	33,398	1/4	1/4	26,552
1/2	1/2	87,975	1/2	1/2	81,178	1/2	1/2	74,332	1/2	1/2	67,486	1/2	1/2	60,640	1/2	1/2	53,794	1/2	1/2	46,948	1/2	1/2	40,101	1/2	1/2	33,255	1/2	1/2	26,409
3/4	3/4	87,846	3/4	3/4	81,036	3/4	3/4	74,190	3/4	3/4	67,343	3/4	3/4	60,497	3/4	3/4	53,651	3/4	3/4	46,805	3/4	3/4	39,959	3/4	3/4	33,113	3/4	3/4	26,267
1	1	87,718	1	1	80,893	1	1	74,047	1	1	67,201	1	1	60,355	1	1	53,508	1	1	46,662	1	1	39,816	1	1	32,970	1	1	26,125
1/4	1/4	87,589	1/4	1/4	80,750	1/4	1/4	73,904	1/4	1/4	67,058	1/4	1/4	60,212	1/4	1/4	53,366	1/4	1/4	46,520	1/4	1/4	39,673	1/4	1/4	32,827	1/4	1/4	26,000
1/2	1/2	87,454	1/2	1/2	80,608	1/2	1/2	73,752	1/2	1/2	66,916	1/2	1/2	60,069	1/2	1/2	53,223	1/2	1/2	46,377	1/2	1/2	39,531	1/2	1/2	32,685	1/2	1/2	25,857
3/4	3/4	87,311	3/4	3/4	80,465	3/4	3/4	73,611	3/4	3/4	66,773	3/4	3/4	59,927	3/4	3/4	53,081	3/4	3/4	46,234	3/4	3/4	39,388	3/4	3/4	32,542	3/4	3/4	25,714
2	2	87,169	2	2	80,323	2	2	73,476	2	2	66,630	2	2	59,784	2	2	52,938	2	2	46,092	2	2	39,246	2	2	32,399	2	2	25,571
1/4	1/4	87,026	1/4	1/4	80,180	1/4	1/4	73,334	1/4	1/4	66,488	1/4	1/4	59,641	1/4	1/4	52,795	1/4	1/4	45,949	1/4	1/4	39,103	1/4	1/4	32,257	1/4	1/4	25,428
1/2	1/2	86,883	1/2	1/2	80,037	1/2	1/2	73,191	1/2	1/2	66,345	1/2	1/2	59,499	1/2	1/2	52,653	1/2	1/2	45,807	1/2	1/2	38,960	1/2	1/2	32,114	1/2	1/2	25,285
3/4	3/4	86,741	3/4	3/4	79,895	3/4	3/4	73,049	3/4	3/4	66,202	3/4	3/4	59,356	3/4	3/4	52,510	3/4	3/4	45,664	3/4	3/4	38,818	3/4	3/4	31,972	3/4	3/4	25,142
3	3	86,598	3	3	79,752	3	3	72,906	3	3	66,060	3	3	59,214	3	3	52,367	3	3	45,521	3	3	38,675	3	3	31,829	3	3	25,000
1/4	1/4	86,456	1/4	1/4	79,609	1/4	1/4	72,763	1/4	1/4	65,917	1/4	1/4	59,071	1/4	1/4	52,225	1/4	1/4	45,379	1/4	1/4	38,532	1/4	1/4	31,686	1/4	1/4	24,857
1/2	1/2	86,313	1/2	1/2	79,467	1/2	1/2	72,621	1/2	1/2	65,774	1/2	1/2	58,928	1/2	1/2	52,082	1/2	1/2	45,236	1/2	1/2	38,390	1/2	1/2	31,544	1/2	1/2	24,714
3/4	3/4	86,170	3/4	3/4	79,324	3/4	3/4	72,478	3/4	3/4	65,632	3/4	3/4	58,786	3/4	3/4	51,940	3/4	3/4	45,093	3/4	3/4	38,247	3/4	3/4	31,401	3/4	3/4	24,571
4	4	86,028	4	4	79,182	4	4	72,335	4	4	65,489	4	4	58,643	4	4	51,797	4	4	44,951	4	4	38,105	4	4	31,258	4	4	24,428
1/4	1/4	85,885	1/4	1/4	79,039	1/4	1/4	72,193	1/4	1/4	65,347	1/4	1/4	58,500	1/4	1/4	51,654	1/4	1/4	44,808	1/4	1/4	37,962	1/4	1/4	31,116	1/4	1/4	24,285
1/2	1/2	85,742	1/2	1/2	78,896	1/2	1/2	72,050	1/2	1/2	65,204	1/2	1/2	58,358	1/2	1/2	51,512	1/2	1/2	44,665	1/2	1/2	37,819	1/2	1/2	30,973	1/2	1/2	24,142
3/4	3/4	85,600	3/4	3/4	78,754	3/4	3/4	71,908	3/4	3/4	65,061	3/4	3/4	58,215	3/4	3/4	51,369	3/4	3/4	44,523	3/4	3/4	37,677	3/4	3/4	30,831	3/4	3/4	24,000
5	5	85,457	5	5	78,611	5	5	71,765	5	5	64,919	5	5	58,073	5	5	51,226	5	5	44,380	5	5	37,534	5	5	30,688	5	5	23,857
1/4	1/4	85,315	1/4	1/4	78,468	1/4	1/4	71,622	1/4	1/4	64,776	1/4	1/4	57,930	1/4	1/4	51,084	1/4	1/4	44,238	1/4	1/4	37,391	1/4	1/4	30,545	1/4	1/4	23,714
1/2	1/2	85,172	1/2	1/2	78,326	1/2	1/2	71,480	1/2	1/2	64,633	1/2	1/2	57,787	1/2	1/2	50,941	1/2	1/2	44,095	1/2	1/2	37,249	1/2	1/2	30,403	1/2	1/2	23,571
3/4	3/4	85,029	3/4	3/4	78,183	3/4	3/4	71,337	3/4	3/4	64,491	3/4	3/4	57,645	3/4	3/4	50,799	3/4	3/4	43,952	3/4	3/4	37,106	3/4	3/4	30,260	3/4	3/4	23,428
6	6	84,887	6	6	78,041	6	6	71,194	6	6	64,348	6	6	57,502	6	6	50,656	6	6	43,810	6	6	36,964	6	6	30,117	6	6	23,285
1/4	1/4	84,744	1/4	1/4	77,898	1/4	1/4	71,052	1/4	1/4	64,206	1/4	1/4	57,359	1/4	1/4	50,513	1/4	1/4	43,667	1/4	1/4	36,821	1/4	1/4	29,975	1/4	1/4	23,142
1/2	1/2	84,601	1/2	1/2	77,755	1/2	1/2	70,909	1/2	1/2	64,063	1/2	1/2	57,217	1/2	1/2	50,371	1/2	1/2	43,524	1/2	1/2	36,678	1/2	1/2	29,832	1/2	1/2	23,000
3/4	3/4	84,459	3/4	3/4	77,613	3/4	3/4	70,766	3/4	3/4	63,920	3/4	3/4	57,074	3/4	3/4	50,228	3/4	3/4	43,382	3/4	3/4	36,536	3/4	3/4	29,690	3/4	3/4	22,857
7	7	84,316	7	7	77,470	7	7	70,624	7	7	63,778	7	7	56,932	7	7	50,085	7	7	43,239	7	7	36,393	7	7	29,547	7	7	22,714
1/4	1/4	84,174	1/4	1/4	77,327	1/4	1/4	70,481	1/4	1/4	63,635	1/4	1/4	56,789	1/4	1/4	49,943	1/4	1/4	43,097	1/4	1/4	36,250	1/4	1/4	29,404	1/4	1/4	22,571
1/2	1/2	84,031	1/2	1/2	77,185	1/2	1/2	70,339	1/2	1/2	63,492	1/2	1/2	56,646	1/2	1/2	49,800	1/2	1/2	42,954	1/2	1/2	36,108	1/2	1/2	29,262	1/2	1/2	22,428
3/4	3/4	83,888	3/4	3/4	77,042	3/4	3/4	70,196	3/4	3/4	63,350	3/4	3/4	56,504	3/4	3/4	49,657	3/4	3/4	42,811	3/4	3/4	35,965	3/4	3/4	29,119	3/4	3/4	22,285
8	8	83,746	8	8	76,900	8	8	70,053	8	8	63,207	8	8	56,361	8	8	49,515	8	8	42,669	8	8	35,823	8	8	28,974	8	8	22,142
1/4	1/4	83,603	1/4	1/4	76,757	1/4	1/4	69,911	1/4	1/4	63,065	1/4	1/4	56,218	1/4	1/4	49,372	1/4	1/4	42,526	1/4	1/4	35,680	1/4	1/4	28,834	1/4	1/4	22,000
1/2	1/2	83,460	1/2	1/2	76,614	1/2	1/2	69,768	1/2	1/2	62,922	1/2	1/2	56,076	1/2	1/2	49,230	1/2	1/2	42,383	1/2	1/2	35,537	1/2	1/2	28,691	1/2	1/2	21,857
3/4	3/4	83,318	3/4	3/4	76,472	3/4	3/4	69,625	3/4	3/4	62,779	3/4	3/4	55,933	3/4	3/4	49,087	3/4	3/4	42,241	3/4	3/4	35,395	3/4	3/4	28,548	3/4	3/4	21,714
9	9	83,175	9	9	76,329	9	9	69,483	9	9	62,637	9	9	55,791	9	9	48,944	9	9	42,098	9	9	35,252	9	9	28,406	9	9	21,571
1/4	1/4	83,033	1/4	1/4	76,186	1/4	1/4	69,340	1/4	1/4	62,494	1/4	1/4	55,648	1/4	1/4	48,802	1/4	1/4	41,956	1/4	1/4	35,109	1/4	1/4	28,263	1/4	1/4	21,428
1/2	1/2	82,890	1/2	1/2	76,044	1/2	1/2	69,198	1/2	1/2	62,351	1/2	1/2	55,505	1/2	1/2	48,659	1/2	1/2	41,813	1/2	1/2	34,967	1/2	1/2	28,121	1/2	1/2	21,285
3/4	3/4	82,747	3/4	3/4	75,901	3/4	3/4	69,055	3/4	3/4	62,209	3/4	3/4	55,362	3/4	3/4	48,516	3/4	3/4	41,670	3/4	3/4	34,824	3/4	3/4	27,978	3/4	3/4	21,142
10	10	82,605	10	10	75,758	10	10	68,912	10	10	62,066	10	10	55,220	10	10	48,374	10	10	41,528	10	10	34,682	10	10	27,835	10	10	21,000
1/4	1/4	82,462	1/4	1/4	75,616	1/4	1/4	68,770	1/4	1/4	61,924	1/4	1/4	55,077	1/4	1/4	48,231	1/4	1/4	41,385	1/4	1/4	34,539	1/4	1/4	27,693	1/4	1/4	20,857
1/2	1/2	82,319	1/2	1/2	75,473	1/2	1/2	68,627	1/2	1/2	61,781	1/2	1/2	54,935	1/2	1/2	48,089	1/2	1/2	41,242	1/2	1/2	34,396	1/2	1/2	27,550	1/2	1/2	20,714
3/4	3/4	82,177	3/4	3/4	75,331	3/4	3/4	68,484	3/4	3/4	61,638	3/4	3/4	54,792	3/4	3/4	47,946	3/4	3/4	41,100	3/4	3/4	34,254	3/4	3/4	27,407	3/4	3/4	20,571
11	11	82,034	11	11	75,188	11	11	68,342	11	11	61,496	11	11	54,649	11	11	47,803	11	11	40,957	11	11	34,111	11	11	27,265	11	11	20,428

IN	CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 15'-10 3/8"		
	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.					
0	26,694	0	19,848	0	13,029	0	6,183	0	0	0	0	0	0	0	0
1/4	26,552	1/4	19,706	1/4	12,897	1/4	6,041	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,409	1/2	19,563	1/2	12,744	1/2	5,898	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,266	3/4	19,420	3/4	12,602	3/4	5,756	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,124	1	19,278	1	12,459	1	5,613	1	1	1	1	1	1	1	1
1/4	25,981	1/4	19,135	1/4	12,316	1/4	5,470	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,839	1/2	18,993	1/2	12,174	1/2	5,328	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,696	3/4	18,851	3/4	12,031	3/4	5,185	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	25,553	2	18,710	2	11,898	2	5,042	2	2	2	2	2	2	2	2
1/4	25,411	1/4	18,568	1/4	11,746	1/4	4,900	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,268	1/2	18,426	1/2	11,603	1/2	4,758	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,125	3/4	18,284	3/4	11,461	3/4	4,617	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	24,983	3	18,142	3	11,318	3	4,475	3	3	3	3	3	3	3	3
1/4	24,840	1/4	18,001	1/4	11,175	1/4	4,334	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,698	1/2	17,859	1/2	11,033	1/2	4,193	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,555	3/4	17,717	3/4	10,890	3/4	4,051	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	24,412	4	17,575	4	10,747	4	3,910	4	4	4	4	4	4	4	4
1/4	24,270	1/4	17,433	1/4	10,605	1/4	3,769	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,127	1/2	17,292	1/2	10,462	1/2	3,627	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,984	3/4	17,150	3/4	10,320	3/4	3,486	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	23,842	5	17,008	5	10,177	5	3,345	5	5	5	5	5	5	5	5
1/4	23,699	1/4	16,866	1/4	10,034	1/4	3,204	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,556	1/2	16,724	1/2	9,892	1/2	3,062	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,414	3/4	16,583	3/4	9,749	3/4	2,921	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	23,271	6	16,441	6	9,606	6	2,780	6	6	6	6	6	6	6	6
1/4	23,129	1/4	16,299	1/4	9,464	1/4	2,639	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,986	1/2	16,157	1/2	9,321	1/2	2,497	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,843	3/4	16,015	3/4	9,179	3/4	2,356	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	22,701	7	15,874	7	9,036	7	2,215	7	7	7	7	7	7	7	7
1/4	22,558	1/4	15,732	1/4	8,893	1/4	2,073	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,415	1/2	15,590	1/2	8,751	1/2	1,932	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,273	3/4	15,448	3/4	8,608	3/4	1,791	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	22,130	8	15,306	8	8,465	8	1,649	8	8	8	8	8	8	8	8
1/4	21,988	1/4	15,165	1/4	8,323	1/4	1,508	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,845	1/2	15,023	1/2	8,180	1/2	1,373	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,702	3/4	14,881	3/4	8,038	3/4	1,245	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	21,560	9	14,739	9	7,895	9	1,117	9	9	9	9	9	9	9	9
1/4	21,417	1/4	14,597	1/4	7,752	1/4	988	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,274	1/2	14,455	1/2	7,610	1/2	874	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,132	3/4	14,313	3/4	7,467	3/4	774	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	20,989	10	14,170	10	7,324	10	674	10	10	10	10	10	10	10	10
1/4	20,847	1/4	14,028	1/4	7,182	1/4	575	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,704	1/2	13,885	1/2	7,039	1/2	525	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,561	3/4	13,743	3/4	6,897	3/4	425	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	20,419	11	13,600	11	6,754	11	325	11	11	11	11	11	11	11	11
1/4	20,276	1/4	13,457	1/4	6,611	1/4	225	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,133	1/2	13,315	1/2	6,469	1/2	125	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,991	3/4	13,172	3/4	6,326	3/4	25	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 8/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: ks
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Bill G. Row

CAPACITIES GIVEN IN WHOLE GALLONS		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	88,211	0	81,562	0	74,728	0	67,893	0	61,059	0	54,225	0	47,391	0	40,557	0	33,722	0
1/4	1/4	88,111	1/4	81,419	1/4	74,595	1/4	67,751	1/4	60,917	1/4	54,083	1/4	47,248	1/4	40,414	1/4	33,580	1/4
1/2	1/2	88,012	1/2	81,275	1/2	74,443	1/2	67,609	1/2	60,774	1/2	53,940	1/2	47,106	1/2	40,272	1/2	33,438	1/2
3/4	3/4	87,905	3/4	81,135	3/4	74,300	3/4	67,466	3/4	60,632	3/4	53,798	3/4	46,964	3/4	40,129	3/4	33,295	3/4
1	1	87,784	1	80,992	1	74,158	1	67,324	1	60,490	1	53,655	1	46,829	1	39,987	1	33,153	1
1/4	1/4	87,656	1/4	80,850	1/4	73,973	1/4	67,182	1/4	60,347	1/4	53,513	1/4	46,679	1/4	39,845	1/4	33,010	1/4
1/2	1/2	87,528	1/2	80,708	1/2	73,804	1/2	67,039	1/2	60,205	1/2	53,371	1/2	46,537	1/2	39,702	1/2	32,868	1/2
3/4	3/4	87,396	3/4	80,568	3/4	73,631	3/4	66,897	3/4	60,063	3/4	53,228	3/4	46,394	3/4	39,560	3/4	32,726	3/4
2	2	87,257	2	80,423	2	73,466	2	66,754	2	59,924	2	53,086	2	46,252	2	39,418	2	32,583	2
1/4	1/4	87,115	1/4	80,280	1/4	73,304	1/4	66,612	1/4	59,778	1/4	52,944	1/4	46,109	1/4	39,275	1/4	32,441	1/4
1/2	1/2	86,972	1/2	80,138	1/2	73,146	1/2	66,470	1/2	59,635	1/2	52,801	1/2	45,967	1/2	39,133	1/2	32,299	1/2
3/4	3/4	86,830	3/4	79,996	3/4	73,019	3/4	66,327	3/4	59,493	3/4	52,659	3/4	45,825	3/4	38,990	3/4	32,156	3/4
3	3	86,687	3	79,853	3	72,877	3	66,185	3	59,351	3	52,516	3	45,682	3	38,848	3	32,014	3
1/4	1/4	86,545	1/4	79,711	1/4	72,734	1/4	66,042	1/4	59,208	1/4	52,374	1/4	45,540	1/4	38,706	1/4	31,871	1/4
1/2	1/2	86,403	1/2	79,569	1/2	72,592	1/2	65,900	1/2	59,066	1/2	52,232	1/2	45,397	1/2	38,563	1/2	31,729	1/2
3/4	3/4	86,260	3/4	79,426	3/4	72,450	3/4	65,758	3/4	58,924	3/4	52,089	3/4	45,255	3/4	38,421	3/4	31,587	3/4
4	4	86,118	4	79,284	4	72,307	4	65,615	4	58,781	4	51,947	4	45,113	4	38,279	4	31,444	4
1/4	1/4	85,976	1/4	79,141	1/4	72,165	1/4	65,473	1/4	58,639	1/4	51,805	1/4	44,970	1/4	38,136	1/4	31,302	1/4
1/2	1/2	85,833	1/2	78,999	1/2	72,022	1/2	65,331	1/2	58,496	1/2	51,662	1/2	44,828	1/2	37,994	1/2	31,160	1/2
3/4	3/4	85,691	3/4	78,857	3/4	71,880	3/4	65,188	3/4	58,354	3/4	51,520	3/4	44,686	3/4	37,851	3/4	31,017	3/4
5	5	85,548	5	78,714	5	71,738	5	65,046	5	58,215	5	51,377	5	44,543	5	37,709	5	30,875	5
1/4	1/4	85,406	1/4	78,572	1/4	71,595	1/4	64,903	1/4	58,069	1/4	51,235	1/4	44,401	1/4	37,567	1/4	30,732	1/4
1/2	1/2	85,264	1/2	78,429	1/2	71,453	1/2	64,761	1/2	57,927	1/2	51,093	1/2	44,258	1/2	37,424	1/2	30,590	1/2
3/4	3/4	85,121	3/4	78,287	3/4	71,311	3/4	64,619	3/4	57,784	3/4	50,950	3/4	44,116	3/4	37,282	3/4	30,448	3/4
6	6	84,979	6	78,145	6	71,168	6	64,476	6	57,642	6	50,808	6	43,974	6	37,139	6	30,305	6
1/4	1/4	84,837	1/4	78,002	1/4	71,026	1/4	64,334	1/4	57,500	1/4	50,666	1/4	43,831	1/4	36,997	1/4	30,163	1/4
1/2	1/2	84,694	1/2	77,860	1/2	70,883	1/2	64,192	1/2	57,357	1/2	50,523	1/2	43,689	1/2	36,855	1/2	30,021	1/2
3/4	3/4	84,552	3/4	77,718	3/4	70,741	3/4	64,049	3/4	57,215	3/4	50,381	3/4	43,547	3/4	36,712	3/4	29,878	3/4
7	7	84,409	7	77,575	7	70,599	7	63,907	7	57,073	7	50,238	7	43,404	7	36,570	7	29,736	7
1/4	1/4	84,267	1/4	77,433	1/4	70,456	1/4	63,764	1/4	56,930	1/4	50,096	1/4	43,262	1/4	36,428	1/4	29,593	1/4
1/2	1/2	84,125	1/2	77,290	1/2	70,314	1/2	63,622	1/2	56,789	1/2	49,954	1/2	43,119	1/2	36,285	1/2	29,451	1/2
3/4	3/4	83,982	3/4	77,148	3/4	70,171	3/4	63,480	3/4	56,645	3/4	49,811	3/4	42,977	3/4	36,143	3/4	29,309	3/4
8	8	83,840	8	77,006	8	70,029	8	63,337	8	56,503	8	49,669	8	42,835	8	36,000	8	29,166	8
1/4	1/4	83,698	1/4	76,863	1/4	69,887	1/4	63,195	1/4	56,361	1/4	49,526	1/4	42,692	1/4	35,858	1/4	29,024	1/4
1/2	1/2	83,555	1/2	76,721	1/2	69,744	1/2	63,053	1/2	56,218	1/2	49,384	1/2	42,550	1/2	35,716	1/2	28,881	1/2
3/4	3/4	83,413	3/4	76,579	3/4	69,602	3/4	62,910	3/4	56,076	3/4	49,242	3/4	42,408	3/4	35,573	3/4	28,739	3/4
9	9	83,270	9	76,436	9	69,460	9	62,768	9	55,934	9	49,099	9	42,265	9	35,431	9	28,597	9
1/4	1/4	83,128	1/4	76,294	1/4	69,317	1/4	62,625	1/4	55,791	1/4	48,957	1/4	42,123	1/4	35,289	1/4	28,454	1/4
1/2	1/2	82,986	1/2	76,151	1/2	69,172	1/2	62,483	1/2	55,649	1/2	48,815	1/2	41,980	1/2	35,146	1/2	28,312	1/2
3/4	3/4	82,843	3/4	76,009	3/4	69,032	3/4	62,341	3/4	55,506	3/4	48,672	3/4	41,838	3/4	35,004	3/4	28,170	3/4
10	10	82,701	10	75,867	10	68,890	10	62,198	10	55,364	10	48,530	10	41,696	10	34,861	10	28,027	10
1/4	1/4	82,558	1/4	75,724	1/4	68,748	1/4	62,056	1/4	55,222	1/4	48,387	1/4	41,553	1/4	34,719	1/4	27,885	1/4
1/2	1/2	82,416	1/2	75,582	1/2	68,605	1/2	61,913	1/2	55,079	1/2	48,245	1/2	41,411	1/2	34,577	1/2	27,742	1/2
3/4	3/4	82,274	3/4	75,440	3/4	68,463	3/4	61,771	3/4	54,937	3/4	48,103	3/4	41,268	3/4	34,434	3/4	27,600	3/4
11 1/8	11 1/8	82,131	11 1/8	75,297	11 1/8	68,321	11 1/8	61,629	11 1/8	54,795	11 1/8	47,960	11 1/8	41,126	11 1/8	34,292	11 1/8	27,458	11 1/8
1/4	1/4	81,989	1/4	75,155	1/4	68,178	1/4	61,486	1/4	54,652	1/4	47,818	1/4	40,984	1/4	34,150	1/4	27,315	1/4
1/2	1/2	81,847	1/2	75,012	1/2	68,036	1/2	61,344	1/2	54,510	1/2	47,676	1/2	40,841	1/2	34,007	1/2	27,173	1/2
3/4	3/4	81,704	3/4	74,870	3/4	67,894	3/4	61,202	3/4	54,367	3/4	47,533	3/4	40,699	3/4	33,865	3/4	27,031	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

Bill A. Rose

DATE STRAPPED: 8/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: ks
DATE ISSUED: 8/2/86

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MEMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 8" - 10" OFF CENTERLINE AND 21" - 1" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 15'-11.3/8"

	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.
0	26,888	0	20,054	0	13,220	0	6,386	0	0	0
1/4	26,746	1/4	19,912	1/4	13,078	1/4	6,244	1/4	1/4	1/4
1/2	26,603	1/2	19,769	1/2	12,935	1/2	6,101	1/2	1/2	1/2
3/4	26,461	3/4	19,627	3/4	12,793	3/4	5,959	3/4	3/4	3/4
1	26,319	1	19,484	1	12,651	1	5,817	1	1	1
1/4	26,176	1/4	19,342	1/4	12,508	1/4	5,674	1/4	1/4	1/4
1/2	26,034	1/2	19,200	1/2	12,366	1/2	5,532	1/2	1/2	1/2
3/4	25,892	3/4	19,057	3/4	12,224	3/4	5,399	3/4	3/4	3/4
2	25,749	2	18,915	2	12,081	2	5,247	2	2	2
1/4	25,607	1/4	18,773	1/4	11,939	1/4	5,105	1/4	1/4	1/4
1/2	25,464	1/2	18,630	1/2	11,796	1/2	4,962	1/2	1/2	1/2
3/4	25,322	3/4	18,488	3/4	11,654	3/4	4,820	3/4	3/4	3/4
3	25,180	3	18,345	3	11,512	3	4,679	3	3	3
1/4	25,037	1/4	18,203	1/4	11,369	1/4	4,538	1/4	1/4	1/4
1/2	24,895	1/2	18,061	1/2	11,227	1/2	4,397	1/2	1/2	1/2
3/4	24,752	3/4	17,918	3/4	11,085	3/4	4,256	3/4	3/4	3/4
4	24,610	4	17,776	4	10,942	4	4,115	4	4	4
1/4	24,468	1/4	17,634	1/4	10,800	1/4	3,974	1/4	1/4	1/4
1/2	24,325	1/2	17,491	1/2	10,657	1/2	3,833	1/2	1/2	1/2
3/4	24,183	3/4	17,349	3/4	10,515	3/4	3,692	3/4	3/4	3/4
5	24,041	5	17,207	5	10,373	5	3,551	5	5	5
1/4	23,898	1/4	17,064	1/4	10,230	1/4	3,410	1/4	1/4	1/4
1/2	23,756	1/2	16,922	1/2	10,088	1/2	3,269	1/2	1/2	1/2
3/4	23,613	3/4	16,779	3/4	9,946	3/4	3,127	3/4	3/4	3/4
6	23,471	6	16,637	6	9,803	6	2,986	6	6	6
1/4	23,329	1/4	16,495	1/4	9,661	1/4	2,845	1/4	1/4	1/4
1/2	23,186	1/2	16,352	1/2	9,518	1/2	2,704	1/2	1/2	1/2
3/4	23,044	3/4	16,210	3/4	9,376	3/4	2,563	3/4	3/4	3/4
7	22,902	7	16,068	7	9,234	7	2,422	7	7	7
1/4	22,759	1/4	15,925	1/4	9,091	1/4	2,281	1/4	1/4	1/4
1/2	22,617	1/2	15,783	1/2	8,949	1/2	2,140	1/2	1/2	1/2
3/4	22,474	3/4	15,641	3/4	8,807	3/4	1,999	3/4	3/4	3/4
8	22,332	8	15,498	8	8,664	8	1,858	8	8	8
1/4	22,190	1/4	15,356	1/4	8,522	1/4	1,717	1/4	1/4	1/4
1/2	22,047	1/2	15,213	1/2	8,379	1/2	1,576	1/2	1/2	1/2
3/4	21,905	3/4	15,071	3/4	8,237	3/4	1,438	3/4	3/4	3/4
9	21,763	9	14,929	9	8,095	9	1,307	9	9	9
1/4	21,620	1/4	14,786	1/4	7,952	1/4	1,179	1/4	1/4	1/4
1/2	21,478	1/2	14,644	1/2	7,810	1/2	1,051	1/2	1/2	1/2
3/4	21,335	3/4	14,502	3/4	7,668	3/4	930	3/4	3/4	3/4
10	21,193	10	14,359	10	7,525	10	823	10	10	10
1/4	21,051	1/4	14,217	1/4	7,383	1/4	723	1/4	1/4	1/4
1/2	20,908	1/2	14,074	1/2	7,240	1/2	623	1/2	1/2	1/2
3/4	20,766	3/4	13,932	3/4	7,098	3/4	531	3/4	3/4	3/4
11	20,623	11	13,790	11	6,956	11	453	11	11	11
1/4	20,481	1/4	13,647	1/4	6,813	1/4	381	1/4	1/4	1/4
1/2	20,339	1/2	13,505	1/2	6,671	1/2	316	1/2	1/2	1/2
3/4	20,196	3/4	13,363	3/4	6,528	3/4	258	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: ks
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Paul A. Row

BARGE "COC 206"

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 15" - 10 1/2"							
IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.	IN	10 FT.	IN	11 FT.
0	0	87,977	0	81,292	0	74,466	0	67,639	0	60,812	0	53,986	0	47,159	0	40,332	0	33,506	
1/4	1/4	87,877	1/4	81,150	1/4	74,323	1/4	67,497	1/4	60,670	1/4	53,843	1/4	47,017	1/4	40,190	1/4	33,363	
1/2	1/2	87,778	1/2	81,008	1/2	74,181	1/2	67,355	1/2	60,528	1/2	53,701	1/2	46,874	1/2	40,048	1/2	33,221	
3/4	3/4	87,650	3/4	80,866	3/4	74,039	3/4	67,212	3/4	60,386	3/4	53,559	3/4	46,732	3/4	39,906	3/4	33,079	
1	1	87,522	1	80,723	1	73,897	1	67,070	1	60,243	1	53,417	1	46,590	1	39,763	1	32,937	
1/4	1/4	87,394	1/4	80,581	1/4	73,755	1/4	66,928	1/4	60,101	1/4	53,275	1/4	46,448	1/4	39,621	1/4	32,794	
1/2	1/2	87,266	1/2	80,439	1/2	73,612	1/2	66,786	1/2	59,959	1/2	53,132	1/2	46,306	1/2	39,479	1/2	32,652	
3/4	3/4	87,123	3/4	80,297	3/4	73,470	3/4	66,643	3/4	59,817	3/4	52,990	3/4	46,163	3/4	39,337	3/4	32,510	
2	2	86,981	2	80,155	2	73,328	2	66,501	2	59,675	2	52,848	2	46,021	2	39,194	2	32,368	
1/4	1/4	86,839	1/4	80,012	1/4	73,186	1/4	66,359	1/4	59,532	1/4	52,706	1/4	45,879	1/4	39,052	1/4	32,226	
1/2	1/2	86,697	1/2	79,870	1/2	73,043	1/2	66,217	1/2	59,390	1/2	52,563	1/2	45,737	1/2	38,910	1/2	32,083	
3/4	3/4	86,555	3/4	79,728	3/4	72,901	3/4	66,075	3/4	59,248	3/4	52,421	3/4	45,594	3/4	38,768	3/4	31,941	
3	3	86,412	3	79,586	3	72,759	3	65,932	3	59,106	3	52,279	3	45,452	3	38,626	3	31,799	
1/4	1/4	86,270	1/4	79,443	1/4	72,617	1/4	65,790	1/4	58,963	1/4	52,137	1/4	45,310	1/4	38,483	1/4	31,657	
1/2	1/2	86,128	1/2	79,301	1/2	72,475	1/2	65,648	1/2	58,821	1/2	51,995	1/2	45,168	1/2	38,341	1/2	31,514	
3/4	3/4	85,986	3/4	79,159	3/4	72,332	3/4	65,506	3/4	58,679	3/4	51,852	3/4	45,026	3/4	38,199	3/4	31,372	
4	4	85,843	4	79,017	4	72,190	4	65,363	4	58,537	4	51,710	4	44,883	4	38,057	4	31,230	
1/4	1/4	85,701	1/4	78,875	1/4	72,048	1/4	65,221	1/4	58,395	1/4	51,568	1/4	44,741	1/4	37,914	1/4	31,088	
1/2	1/2	85,559	1/2	78,732	1/2	71,906	1/2	65,079	1/2	58,252	1/2	51,426	1/2	44,599	1/2	37,772	1/2	30,946	
3/4	3/4	85,417	3/4	78,590	3/4	71,763	3/4	64,937	3/4	58,110	3/4	51,283	3/4	44,457	3/4	37,630	3/4	30,803	
5	5	85,275	5	78,448	5	71,621	5	64,795	5	57,968	5	51,141	5	44,314	5	37,488	5	30,661	
1/4	1/4	85,132	1/4	78,306	1/4	71,479	1/4	64,652	1/4	57,826	1/4	50,999	1/4	44,172	1/4	37,346	1/4	30,519	
1/2	1/2	84,990	1/2	78,163	1/2	71,337	1/2	64,510	1/2	57,683	1/2	50,857	1/2	44,030	1/2	37,203	1/2	30,377	
3/4	3/4	84,848	3/4	78,021	3/4	71,195	3/4	64,368	3/4	57,541	3/4	50,714	3/4	43,888	3/4	37,061	3/4	30,234	
6	6	84,706	6	77,879	6	71,052	6	64,226	6	57,399	6	50,572	6	43,746	6	36,919	6	30,092	
1/4	1/4	84,563	1/4	77,737	1/4	70,910	1/4	64,083	1/4	57,257	1/4	50,430	1/4	43,603	1/4	36,777	1/4	29,950	
1/2	1/2	84,421	1/2	77,595	1/2	70,768	1/2	63,941	1/2	57,115	1/2	50,288	1/2	43,461	1/2	36,634	1/2	29,808	
3/4	3/4	84,279	3/4	77,452	3/4	70,626	3/4	63,799	3/4	56,972	3/4	50,146	3/4	43,319	3/4	36,492	3/4	29,666	
7	7	84,137	7	77,310	7	70,483	7	63,657	7	56,830	7	50,003	7	43,177	7	36,350	7	29,523	
1/4	1/4	83,995	1/4	77,168	1/4	70,341	1/4	63,515	1/4	56,688	1/4	49,861	1/4	43,034	1/4	36,208	1/4	29,381	
1/2	1/2	83,852	1/2	77,026	1/2	70,199	1/2	63,372	1/2	56,546	1/2	49,719	1/2	42,892	1/2	36,066	1/2	29,239	
3/4	3/4	83,710	3/4	76,883	3/4	70,057	3/4	63,230	3/4	56,403	3/4	49,577	3/4	42,750	3/4	35,923	3/4	29,097	
8	8	83,568	8	76,741	8	69,915	8	63,088	8	56,261	8	49,434	8	42,608	8	35,781	8	28,954	
1/4	1/4	83,426	1/4	76,599	1/4	69,772	1/4	62,946	1/4	56,119	1/4	49,292	1/4	42,466	1/4	35,639	1/4	28,812	
1/2	1/2	83,283	1/2	76,457	1/2	69,630	1/2	62,803	1/2	55,977	1/2	49,150	1/2	42,323	1/2	35,497	1/2	28,670	
3/4	3/4	83,141	3/4	76,315	3/4	69,488	3/4	62,661	3/4	55,835	3/4	49,008	3/4	42,181	3/4	35,354	3/4	28,528	
9	9	82,999	9	76,172	9	69,346	9	62,519	9	55,692	9	48,866	9	42,039	9	35,212	9	28,386	
1/4	1/4	82,857	1/4	76,030	1/4	69,203	1/4	62,377	1/4	55,550	1/4	48,723	1/4	41,897	1/4	35,070	1/4	28,243	
1/2	1/2	82,715	1/2	75,888	1/2	69,061	1/2	62,235	1/2	55,408	1/2	48,581	1/2	41,754	1/2	34,928	1/2	28,101	
3/4	3/4	82,572	3/4	75,746	3/4	68,919	3/4	62,092	3/4	55,266	3/4	48,439	3/4	41,612	3/4	34,786	3/4	27,959	
10	10	82,430	10	75,603	10	68,777	10	61,950	10	55,123	10	48,297	10	41,470	10	34,643	10	27,817	
1/4	1/4	82,288	1/4	75,461	1/4	68,635	1/4	61,808	1/4	54,981	1/4	48,154	1/4	41,328	1/4	34,501	1/4	27,674	
1/2	1/2	82,146	1/2	75,319	1/2	68,492	1/2	61,666	1/2	54,839	1/2	48,012	1/2	41,186	1/2	34,359	1/2	27,532	
3/4	3/4	82,003	3/4	75,177	3/4	68,350	3/4	61,523	3/4	54,697	3/4	47,870	3/4	41,043	3/4	34,217	3/4	27,390	
11	11	81,861	11	75,035	11	68,208	11	61,381	11	54,555	11	47,728	11	40,901	11	34,074	11	27,248	
1/4	1/4	81,719	1/4	74,892	1/4	68,066	1/4	61,239	1/4	54,412	1/4	47,586	1/4	40,759	1/4	33,932	1/4	27,106	
1/2	1/2	81,577	1/2	74,750	1/2	67,923	1/2	61,097	1/2	54,270	1/2	47,443	1/2	40,617	1/2	33,790	1/2	26,963	
3/4	3/4	81,435	3/4	74,608	3/4	67,781	3/4	60,955	3/4	54,128	3/4	47,301	3/4	40,474	3/4	33,648	3/4	26,821	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 14" 00" OFF CENTERLINE AND 20"-7" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 8/2/06 BY: ks
DATE ISSUED: 8/2/06

CERTIFIED TANK CALIBRATION, INC.

Paul A. Rose

BARGE "C" 206"

**3 PORT
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS

	12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
IN	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
0	26,679	0	19,852	0	13,063	0	6,237	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	26,537	1/4	19,710	1/4	12,921	1/4	6,095	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,394	1/2	19,568	1/2	12,779	1/2	5,952	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,252	3/4	19,427	3/4	12,637	3/4	5,810	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,110	1	19,285	1	12,495	1	5,668	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	25,968	1/4	19,144	1/4	12,352	1/4	5,526	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,826	1/2	19,003	1/2	12,210	1/2	5,384	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,683	3/4	18,862	3/4	12,068	3/4	5,241	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	25,541	2	18,720	2	11,926	2	5,099	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	25,399	1/4	18,579	1/4	11,783	1/4	4,957	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,257	1/2	18,438	1/2	11,641	1/2	4,815	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,114	3/4	18,296	3/4	11,499	3/4	4,674	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	24,972	3	18,155	3	11,357	3	4,533	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	24,830	1/4	18,014	1/4	11,215	1/4	4,392	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,688	1/2	17,873	1/2	11,072	1/2	4,251	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,546	3/4	17,731	3/4	10,930	3/4	4,110	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	24,403	4	17,590	4	10,788	4	3,969	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	24,261	1/4	17,449	1/4	10,646	1/4	3,828	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,119	1/2	17,307	1/2	10,503	1/2	3,688	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,977	3/4	17,166	3/4	10,361	3/4	3,547	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	23,834	5	17,025	5	10,219	5	3,406	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	23,692	1/4	16,884	1/4	10,077	1/4	3,265	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,550	1/2	16,742	1/2	9,935	1/2	3,124	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,408	3/4	16,601	3/4	9,792	3/4	2,983	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	23,266	6	16,460	6	9,650	6	2,842	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	23,123	1/4	16,318	1/4	9,508	1/4	2,701	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,981	1/2	16,177	1/2	9,366	1/2	2,560	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,839	3/4	16,036	3/4	9,223	3/4	2,420	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	22,697	7	15,895	7	9,081	7	2,279	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	22,554	1/4	15,753	1/4	8,939	1/4	2,138	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,412	1/2	15,612	1/2	8,797	1/2	1,997	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,270	3/4	15,471	3/4	8,655	3/4	1,856	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	22,128	8	15,329	8	8,512	8	1,715	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	21,986	1/4	15,188	1/4	8,370	1/4	1,574	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,843	1/2	15,047	1/2	8,228	1/2	1,433	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,701	3/4	14,906	3/4	8,086	3/4	1,305	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	21,559	9	14,764	9	7,943	9	1,177	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	21,417	1/4	14,623	1/4	7,801	1/4	1,049	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,274	1/2	14,482	1/2	7,659	1/2	921	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,132	3/4	14,340	3/4	7,517	3/4	822	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	20,990	10	14,199	10	7,375	10	722	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	20,848	1/4	14,058	1/4	7,232	1/4	623	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,706	1/2	13,917	1/2	7,090	1/2	523	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,563	3/4	13,774	3/4	6,948	3/4	423	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	20,421	11	13,632	11	6,806	11	323	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	20,279	1/4	13,490	1/4	6,663	1/4	223	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,137	1/2	13,348	1/2	6,521	1/2	123	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,994	3/4	13,206	3/4	6,379	3/4	23	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

Gauge Height 15'-10 1/2"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 8/2/86 BY: KS
DATE ISSUED: 8/2/86

CERTIFIED TANK CALIBRATION, INC.

Dale A. Brown

CAPACITIES GIVEN IN WHOLE GALLONS		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	27,317	0	20,465	0	13,613	0	6,760	0	347	0	0	0	0	0	0	0	0	0	0	0	0
1/4	27,175	1/4	20,322	1/4	13,470	1/4	6,617	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	27,032	1/2	20,179	1/2	13,327	1/2	6,475	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,889	3/4	20,037	3/4	13,184	3/4	6,332	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,746	1	19,894	1	13,042	1	6,189	1	347	1	1	1	1	1	1	1	1	1	1	1	1
1/4	26,604	1/4	19,751	1/4	12,899	1/4	6,046	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,461	1/2	19,608	1/2	12,756	1/2	5,904	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,318	3/4	19,466	3/4	12,613	3/4	5,761	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	26,175	2	19,323	2	12,471	2	5,618	2	347	2	2	2	2	2	2	2	2	2	2	2	2
1/4	26,033	1/4	19,180	1/4	12,328	1/4	5,475	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,890	1/2	19,037	1/2	12,185	1/2	5,333	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,747	3/4	18,895	3/4	12,042	3/4	5,190	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	25,604	3	18,752	3	11,900	3	5,047	3	347	3	3	3	3	3	3	3	3	3	3	3	3
1/4	25,462	1/4	18,609	1/4	11,757	1/4	4,904	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,319	1/2	18,466	1/2	11,614	1/2	4,762	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,176	3/4	18,324	3/4	11,471	3/4	4,621	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	25,033	4	18,181	4	11,329	4	4,479	4	347	4	4	4	4	4	4	4	4	4	4	4	4
1/4	24,891	1/4	18,038	1/4	11,186	1/4	4,338	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,748	1/2	17,895	1/2	11,043	1/2	4,197	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,605	3/4	17,753	3/4	10,900	3/4	4,055	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	24,462	5	17,610	5	10,758	5	3,914	5	347	5	5	5	5	5	5	5	5	5	5	5	5
1/4	24,319	1/4	17,467	1/4	10,615	1/4	3,772	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,177	1/2	17,324	1/2	10,472	1/2	3,631	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,034	3/4	17,182	3/4	10,329	3/4	3,489	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	23,891	6	17,039	6	10,186	6	3,348	6	347	6	6	6	6	6	6	6	6	6	6	6	6
1/4	23,748	1/4	16,896	1/4	10,044	1/4	3,207	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,606	1/2	16,753	1/2	9,901	1/2	3,065	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,463	3/4	16,611	3/4	9,758	3/4	2,924	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	23,320	7	16,468	7	9,615	7	2,782	7	347	7	7	7	7	7	7	7	7	7	7	7	7
1/4	23,177	1/4	16,325	1/4	9,473	1/4	2,641	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,035	1/2	16,182	1/2	9,330	1/2	2,499	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,892	3/4	16,040	3/4	9,187	3/4	2,358	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	22,749	8	15,897	8	9,044	8	2,217	8	347	8	8	8	8	8	8	8	8	8	8	8	8
1/4	22,606	1/4	15,754	1/4	8,902	1/4	2,075	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,464	1/2	15,611	1/2	8,759	1/2	1,934	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,321	3/4	15,469	3/4	8,616	3/4	1,792	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	22,178	9	15,326	9	8,473	9	1,651	9	347	9	9	9	9	9	9	9	9	9	9	9	9
1/4	22,035	1/4	15,183	1/4	8,331	1/4	1,510	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,893	1/2	15,040	1/2	8,188	1/2	1,375	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,750	3/4	14,898	3/4	8,045	3/4	1,246	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	21,607	10	14,755	10	7,902	10	1,118	10	347	10	10	10	10	10	10	10	10	10	10	10	10
1/4	21,464	1/4	14,612	1/4	7,760	1/4	989	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,321	1/2	14,469	1/2	7,617	1/2	875	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,179	3/4	14,327	3/4	7,474	3/4	775	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	21,036	11	14,184	11	7,331	11	675	11	347	11	11	11	11	11	11	11	11	11	11	11	11
1/4	20,893	1/4	14,041	1/4	7,188	1/4	575	1/4	347	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,750	1/2	13,898	1/2	7,046	1/2	489	1/2	347	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,608	3/4	13,755	3/4	6,903	3/4	418	3/4	347	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 6/2/06 BY: ks
DATE ISSUED: 6/2/06

CERTIFIED TANK CALIBRATION, INC.

Dale A. Row

BARGE "COC 206"

TANK NO. 4
ULLAGE TABLE

GAUGE HEIGHT: 16'-4 1/8"

CAPACITIES GIVEN IN WHOLE GALLONS		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	179,878	1/4	179,907	1/4	168,295	1/4	154,447	1/4	140,600	1/4	126,752	1/4	112,905	1/4	99,057	1/4	85,210	1/4	71,362	
1/2	1/2	179,820	1/2	179,820	1/2	168,006	1/2	154,159	1/2	140,311	1/2	126,464	1/2	112,616	1/2	98,769	1/2	84,921	1/2	71,074	
3/4	3/4	179,733	3/4	179,733	3/4	167,429	3/4	153,582	3/4	139,734	3/4	125,887	3/4	112,039	3/4	98,192	3/4	84,344	3/4	70,497	
1	1	179,647	1	179,647	1	167,141	1	153,293	1	139,446	1	125,598	1	111,751	1	97,903	1	84,056	1	70,208	
1/4	1/4	179,560	1/4	179,560	1/4	166,852	1/4	153,005	1/4	139,157	1/4	125,310	1/4	111,462	1/4	97,615	1/4	83,767	1/4	69,921	
1/2	1/2	179,445	1/2	179,445	1/2	166,564	1/2	152,716	1/2	138,869	1/2	125,021	1/2	111,174	1/2	97,326	1/2	83,479	1/2	69,631	
3/4	3/4	179,301	3/4	179,301	3/4	166,275	3/4	152,428	3/4	138,580	3/4	124,733	3/4	110,885	3/4	97,038	3/4	83,190	3/4	69,343	
2	2	179,156	2	179,156	2	165,987	2	152,139	2	138,292	2	124,444	2	110,597	2	96,749	2	82,902	2	69,054	
1/4	1/4	179,012	1/4	179,012	1/4	165,698	1/4	151,851	1/4	138,003	1/4	124,156	1/4	110,308	1/4	96,461	1/4	82,613	1/4	68,766	
1/2	1/2	178,839	1/2	178,839	1/2	165,410	1/2	151,562	1/2	137,715	1/2	123,867	1/2	110,020	1/2	96,172	1/2	82,325	1/2	68,477	
3/4	3/4	178,637	3/4	178,637	3/4	165,121	3/4	151,274	3/4	137,426	3/4	123,579	3/4	109,731	3/4	95,884	3/4	82,036	3/4	68,189	
3	3	178,435	3	178,435	3	164,833	3	150,985	3	137,138	3	123,290	3	109,443	3	95,595	3	81,748	3	67,900	
1/4	1/4	178,233	1/4	178,233	1/4	164,544	1/4	150,697	1/4	136,849	1/4	123,002	1/4	109,154	1/4	95,307	1/4	81,459	1/4	67,612	
1/2	1/2	178,002	1/2	178,002	1/2	164,256	1/2	150,408	1/2	136,561	1/2	122,713	1/2	108,866	1/2	95,018	1/2	81,171	1/2	67,323	
3/4	3/4	177,743	3/4	177,743	3/4	163,967	3/4	150,120	3/4	136,272	3/4	122,425	3/4	108,577	3/4	94,730	3/4	80,882	3/4	67,035	
4	4	177,483	4	177,483	4	163,679	4	149,831	4	135,984	4	122,136	4	108,289	4	94,441	4	80,594	4	66,746	
1/4	1/4	177,224	1/4	177,224	1/4	163,390	1/4	149,543	1/4	135,695	1/4	121,848	1/4	108,000	1/4	94,153	1/4	80,305	1/4	66,458	
1/2	1/2	176,950	1/2	176,950	1/2	163,102	1/2	149,254	1/2	135,407	1/2	121,559	1/2	107,712	1/2	93,864	1/2	80,017	1/2	66,169	
3/4	3/4	176,661	3/4	176,661	3/4	162,813	3/4	148,966	3/4	135,118	3/4	121,271	3/4	107,423	3/4	93,576	3/4	79,728	3/4	65,881	
5	5	176,373	5	176,373	5	162,525	5	148,677	5	134,830	5	120,982	5	107,135	5	93,287	5	79,440	5	65,592	
1/4	1/4	176,084	1/4	176,084	1/4	162,237	1/4	148,389	1/4	134,541	1/4	120,694	1/4	106,846	1/4	92,999	1/4	79,151	1/4	65,304	
1/2	1/2	175,796	1/2	175,796	1/2	161,948	1/2	148,100	1/2	134,253	1/2	120,405	1/2	106,558	1/2	92,710	1/2	78,863	1/2	65,015	
3/4	3/4	175,507	3/4	175,507	3/4	161,660	3/4	147,812	3/4	133,964	3/4	120,117	3/4	106,269	3/4	92,422	3/4	78,574	3/4	64,727	
6	6	175,219	6	175,219	6	161,371	6	147,523	6	133,676	6	119,828	6	105,981	6	92,133	6	78,286	6	64,438	
1/4	1/4	174,930	1/4	174,930	1/4	161,083	1/4	147,235	1/4	133,387	1/4	119,540	1/4	105,692	1/4	91,845	1/4	77,997	1/4	64,150	
1/2	1/2	174,642	1/2	174,642	1/2	160,794	1/2	146,947	1/2	133,099	1/2	119,251	1/2	105,404	1/2	91,556	1/2	77,709	1/2	63,861	
3/4	3/4	174,353	3/4	174,353	3/4	160,506	3/4	146,658	3/4	132,810	3/4	118,963	3/4	105,115	3/4	91,268	3/4	77,420	3/4	63,573	
7	7	174,065	7	174,065	7	160,217	7	146,370	7	132,522	7	118,674	7	104,827	7	90,979	7	77,132	7	63,284	
1/4	1/4	173,776	1/4	173,776	1/4	159,929	1/4	146,081	1/4	132,233	1/4	118,386	1/4	104,538	1/4	90,691	1/4	76,843	1/4	62,996	
1/2	1/2	173,488	1/2	173,488	1/2	159,640	1/2	145,793	1/2	131,945	1/2	118,097	1/2	104,250	1/2	90,402	1/2	76,555	1/2	62,707	
3/4	3/4	173,199	3/4	173,199	3/4	159,352	3/4	145,504	3/4	131,657	3/4	117,809	3/4	103,961	3/4	90,114	3/4	76,266	3/4	62,419	
8	8	172,911	8	172,911	8	159,063	8	145,216	8	131,368	8	117,520	8	103,673	8	89,825	8	75,978	8	62,130	
1/4	1/4	172,622	1/4	172,622	1/4	158,775	1/4	144,927	1/4	131,080	1/4	117,232	1/4	103,384	1/4	89,537	1/4	75,689	1/4	61,842	
1/2	1/2	172,334	1/2	172,334	1/2	158,486	1/2	144,639	1/2	130,791	1/2	116,943	1/2	103,096	1/2	89,248	1/2	75,401	1/2	61,553	
3/4	3/4	172,045	3/4	172,045	3/4	158,199	3/4	144,350	3/4	130,503	3/4	116,655	3/4	102,807	3/4	88,960	3/4	75,112	3/4	61,265	
9	9	171,757	9	171,757	9	157,909	9	144,062	9	130,214	9	116,367	9	102,519	9	88,671	9	74,824	9	60,976	
1/4	1/4	171,468	1/4	171,468	1/4	157,621	1/4	143,773	1/4	129,926	1/4	116,078	1/4	102,230	1/4	88,383	1/4	74,535	1/4	60,688	
1/2	1/2	171,180	1/2	171,180	1/2	157,332	1/2	143,485	1/2	129,637	1/2	115,790	1/2	101,942	1/2	88,094	1/2	74,247	1/2	60,399	
3/4	3/4	170,891	3/4	170,891	3/4	157,044	3/4	143,196	3/4	129,349	3/4	115,503	3/4	101,653	3/4	87,806	3/4	73,959	3/4	60,111	
10	10	170,603	10	170,603	10	156,755	10	142,908	10	129,060	10	115,213	10	101,365	10	87,517	10	73,670	10	59,822	
1/4	1/4	170,314	1/4	170,314	1/4	156,467	1/4	142,620	1/4	128,772	1/4	114,924	1/4	101,077	1/4	87,229	1/4	73,381	1/4	59,534	
1/2	1/2	170,026	1/2	170,026	1/2	156,178	1/2	142,331	1/2	128,483	1/2	114,636	1/2	100,788	1/2	86,940	1/2	73,093	1/2	59,245	
3/4	3/4	169,737	3/4	169,737	3/4	155,890	3/4	142,042	3/4	128,195	3/4	114,347	3/4	100,500	3/4	86,652	3/4	72,804	3/4	58,957	
11	11	169,449	11	169,449	11	155,601	11	141,754	11	127,906	11	114,059	11	100,211	11	86,364	11	72,516	11	58,668	
1/4	1/4	169,160	1/4	169,160	1/4	155,313	1/4	141,465	1/4	127,618	1/4	113,770	1/4	99,923	1/4	86,075	1/4	72,227	1/4	58,380	
5/8	5/8	179,950	1/2	169,872	1/2	155,024	1/2	141,177	1/2	127,329	1/2	113,482	1/2	99,634	1/2	85,787	1/2	71,939	1/2	58,091	
3/4	3/4	179,935	3/4	169,853	3/4	154,736	3/4	140,888	3/4	127,041	3/4	113,193	3/4	99,346	3/4	85,498	3/4	71,650	3/4	57,803	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
 NOTE: MMC GAUGE POINT LOCATED 0'-10" OFF CENTERLINE AND 18'-2" FORWARD OF AFT BULKHEAD.
 NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 8/20/06 BY: DR-RL
 DATE COMPUTED: 8/29/06 BY: KS
 DATE ISSUED: 8/29/06

CERTIFIED TANK CALIBRATION, INC.

Bill A. Ross

