

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 16'-4"

M	3 FT.	M	4 FT.	M	5 FT.	M	6 FT.	M	7 FT.	M	8 FT.	M	9 FT.	M	10 FT.	M	11 FT.	M	12 FT.
0	157,247	0	147,213	0	136,112	0	123,010	0	110,909	0	98,808	0	86,707	0	74,606	0	62,505	0	50,404
1/4	157,221	1/4	146,961	1/4	134,859	1/4	122,758	1/4	110,657	1/4	98,556	1/4	86,455	1/4	74,354	1/4	62,253	1/4	50,152
1/2	157,196	1/2	146,709	1/2	134,607	1/2	122,506	1/2	110,405	1/2	98,304	1/2	86,203	1/2	74,102	1/2	62,001	1/2	49,900
3/4	157,121	3/4	146,456	3/4	134,355	3/4	122,254	3/4	110,153	3/4	98,052	3/4	85,951	3/4	73,850	3/4	61,749	3/4	49,647
1	157,045	1	146,204	1	134,103	1	122,002	1	109,901	1	97,800	1	85,699	1	73,598	1	61,496	1	49,395
1/4	156,969	1/4	145,952	1/4	133,851	1/4	121,750	1/4	109,649	1/4	97,548	1/4	85,447	1/4	73,345	1/4	61,244	1/4	49,143
1/2	156,894	1/2	145,700	1/2	133,599	1/2	121,498	1/2	109,397	1/2	97,296	1/2	85,194	1/2	73,093	1/2	60,992	1/2	48,891
3/4	156,768	3/4	145,448	3/4	133,347	3/4	121,246	3/4	109,145	3/4	97,043	3/4	84,942	3/4	72,841	3/4	60,740	3/4	48,639
1	156,642	2	145,196	2	133,095	2	120,994	2	108,892	2	96,791	2	84,690	2	72,589	2	60,488	2	48,387
1/4	156,515	1/4	144,944	1/4	132,843	1/4	120,742	1/4	108,640	1/4	96,539	1/4	84,438	1/4	72,337	1/4	60,236	1/4	48,135
1/2	156,389	1/2	144,692	1/2	132,591	1/2	120,490	1/2	108,388	1/2	96,287	1/2	84,186	1/2	72,085	1/2	59,984	1/2	47,883
3/4	156,213	3/4	144,440	3/4	132,338	3/4	120,237	3/4	108,136	3/4	96,035	3/4	83,934	3/4	71,833	3/4	59,732	3/4	47,631
1	156,036	3	144,187	3	132,086	3	119,985	3	107,884	3	95,783	3	83,682	3	71,581	3	59,480	3	47,378
1/4	155,860	1/4	143,935	1/4	131,834	1/4	119,733	1/4	107,632	1/4	95,531	1/4	83,430	1/4	71,329	1/4	59,227	1/4	47,126
1/2	155,684	1/2	143,683	1/2	131,582	1/2	119,481	1/2	107,380	1/2	95,279	1/2	83,178	1/2	71,076	1/2	58,975	1/2	46,874
3/4	155,457	3/4	143,431	3/4	131,330	3/4	119,229	3/4	107,128	3/4	95,027	3/4	82,925	3/4	70,824	3/4	58,723	3/4	46,622
1	155,230	4	143,179	4	131,078	4	118,977	4	106,876	4	94,775	4	82,673	4	70,572	4	58,471	4	46,370
1/4	155,003	1/4	142,927	1/4	130,826	1/4	118,725	1/4	106,624	1/4	94,522	1/4	82,421	1/4	70,320	1/4	58,219	1/4	46,118
1/2	154,776	1/2	142,675	1/2	130,574	1/2	118,473	1/2	106,371	1/2	94,270	1/2	82,169	1/2	70,068	1/2	57,967	1/2	45,866
3/4	154,524	3/4	142,423	3/4	130,322	3/4	118,220	3/4	106,119	3/4	94,018	3/4	81,917	3/4	69,816	3/4	57,715	3/4	45,614
1	154,272	5	142,171	5	130,069	5	117,968	5	105,867	5	93,766	5	81,665	5	69,564	5	57,463	5	45,362
1/4	154,020	1/4	141,918	1/4	129,817	1/4	117,716	1/4	105,615	1/4	93,514	1/4	81,413	1/4	69,312	1/4	57,211	1/4	45,110
1/2	153,768	1/2	141,666	1/2	129,565	1/2	117,464	1/2	105,363	1/2	93,262	1/2	81,161	1/2	69,060	1/2	56,958	1/2	44,857
3/4	153,515	3/4	141,414	3/4	129,313	3/4	117,212	3/4	105,111	3/4	93,010	3/4	80,909	3/4	68,808	3/4	56,706	3/4	44,605
1	153,263	6	141,162	6	129,061	6	116,960	6	104,859	6	92,758	6	80,657	6	68,555	6	56,454	6	44,353
1/4	153,011	1/4	140,910	1/4	128,809	1/4	116,708	1/4	104,607	1/4	92,506	1/4	80,404	1/4	68,303	1/4	56,202	1/4	44,101
1/2	152,759	1/2	140,658	1/2	128,557	1/2	116,456	1/2	104,355	1/2	92,253	1/2	80,152	1/2	68,051	1/2	55,950	1/2	43,849
3/4	152,507	3/4	140,406	3/4	128,305	3/4	116,204	3/4	104,102	3/4	92,001	3/4	79,900	3/4	67,799	3/4	55,698	3/4	43,597
1	152,255	7	140,154	7	128,053	7	115,951	7	103,850	7	91,749	7	79,648	7	67,547	7	55,446	7	43,345
1/4	152,003	1/4	139,902	1/4	127,801	1/4	115,699	1/4	103,598	1/4	91,497	1/4	79,396	1/4	67,295	1/4	55,194	1/4	43,093
1/2	151,751	1/2	139,650	1/2	127,548	1/2	115,447	1/2	103,346	1/2	91,245	1/2	79,144	1/2	67,043	1/2	54,942	1/2	42,841
3/4	151,499	3/4	139,397	3/4	127,296	3/4	115,195	3/4	103,094	3/4	90,993	3/4	78,892	3/4	66,791	3/4	54,690	3/4	42,588
1	151,246	8	139,145	8	127,044	8	114,943	8	102,842	8	90,741	8	78,640	8	66,539	8	54,437	8	42,336
1/4	150,994	1/4	138,893	1/4	126,792	1/4	114,691	1/4	102,590	1/4	90,489	1/4	78,388	1/4	66,286	1/4	54,185	1/4	42,084
1/2	150,742	1/2	138,641	1/2	126,540	1/2	114,439	1/2	102,338	1/2	90,237	1/2	78,135	1/2	66,034	1/2	53,933	1/2	41,832
3/4	150,490	3/4	138,389	3/4	126,288	3/4	114,187	3/4	102,086	3/4	89,984	3/4	77,883	3/4	65,782	3/4	53,681	3/4	41,580
1	150,238	9	138,137	9	126,036	9	113,935	9	101,834	9	89,732	9	77,631	9	65,530	9	53,429	9	41,328
1/4	149,986	1/4	137,885	1/4	125,784	1/4	113,683	1/4	101,581	1/4	89,480	1/4	77,379	1/4	65,278	1/4	53,177	1/4	41,076
1/2	149,734	1/2	137,633	1/2	125,532	1/2	113,431	1/2	101,329	1/2	89,228	1/2	77,127	1/2	65,026	1/2	52,925	1/2	40,824
3/4	149,482	3/4	137,381	3/4	125,279	3/4	113,178	3/4	101,077	3/4	88,976	3/4	76,875	3/4	64,774	3/4	52,673	3/4	40,572
1	149,230	10	137,128	10	125,027	10	112,926	10	100,825	10	88,724	10	76,623	10	64,522	10	52,421	10	40,319
1/4	148,977	1/4	136,876	1/4	124,775	1/4	112,674	1/4	100,573	1/4	88,472	1/4	76,371	1/4	64,270	1/4	52,169	1/4	40,067
1/2	148,725	1/2	136,624	1/2	124,523	1/2	112,422	1/2	100,321	1/2	88,220	1/2	76,119	1/2	64,017	1/2	51,917	1/2	39,815
3/4	148,473	3/4	136,372	3/4	124,271	3/4	112,170	3/4	100,069	3/4	87,968	3/4	75,867	3/4	63,765	3/4	51,664	3/4	39,563
1	148,221	11	136,120	11	124,019	11	111,918	11	99,817	11	87,716	11	75,614	11	63,513	11	51,412	11	39,311
1/4	147,969	1/4	135,868	1/4	123,767	1/4	111,666	1/4	99,565	1/4	87,463	1/4	75,362	1/4	63,261	1/4	51,160	1/4	39,059
1/2	147,717	1/2	135,616	1/2	123,515	1/2	111,414	1/2	99,312	1/2	87,211	1/2	75,110	1/2	63,009	1/2	50,908	1/2	38,807
3/4	147,465	3/4	135,364	3/4	123,263	3/4	111,161	3/4	99,060	3/4	86,959	3/4	74,858	3/4	62,757	3/4	50,656	3/4	38,555

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAUGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 2'-8" OFF CENTERLINE AND 18'-0" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 7/17/06 BY: KS
DATE ISSUED: 7/17/06

CERTIFIED TANK CALIBRATION, INC.

Dick A. Brown

CAPACITIES GIVEN IN WHOLE GALLONS		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.		22 FT.	
M	W	M	W	M	W	M	W	M	W	M	W	M	W	M	W	M	W	M	W
0	38,303	0	26,202	0	14,101	0	2,078	0	0	0	0	0	0	0	0	0	0	0	0
1/4	38,050	1/4	25,950	1/4	13,849	1/4	1,852	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	37,798	1/2	25,698	1/2	13,597	1/2	1,625	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	37,546	3/4	25,446	3/4	13,345	3/4	1,448	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	37,294	1	25,193	1	13,092	1	1,272	1	1	1	1	1	1	1	1	1	1	1	1
1/4	37,042	1/4	24,941	1/4	12,840	1/4	1,095	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	36,790	1/2	24,689	1/2	12,588	1/2	919	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	36,538	3/4	24,437	3/4	12,336	3/4	793	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	36,286	2	24,185	2	12,084	2	667	2	2	2	2	2	2	2	2	2	2	2	2
1/4	36,034	1/4	23,933	1/4	11,832	1/4	541	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	35,782	1/2	23,681	1/2	11,580	1/2	415	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35,529	3/4	23,429	3/4	11,328	3/4	339	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	35,277	3	23,177	3	11,076	3	263	3	3	3	3	3	3	3	3	3	3	3	3
1/4	35,025	1/4	22,925	1/4	10,824	1/4	189	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	34,773	1/2	22,672	1/2	10,571	1/2	112	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	34,521	3/4	22,420	3/4	10,319	3/4	87	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	34,269	4	22,168	4	10,067	4	62	4	4	4	4	4	4	4	4	4	4	4	4
1/4	34,017	1/4	21,916	1/4	9,815	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33,765	1/2	21,664	1/2	9,563	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	33,513	3/4	21,412	3/4	9,311	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	33,260	5	21,160	5	9,059	5	62	5	5	5	5	5	5	5	5	5	5	5	5
1/4	33,008	1/4	20,908	1/4	8,807	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	32,756	1/2	20,656	1/2	8,555	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	32,504	3/4	20,403	3/4	8,304	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	32,252	6	20,151	6	8,053	6	62	6	6	6	6	6	6	6	6	6	6	6	6
1/4	32,000	1/4	19,899	1/4	7,802	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	31,748	1/2	19,647	1/2	7,551	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	31,496	3/4	19,395	3/4	7,300	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	31,244	7	19,143	7	7,049	7	62	7	7	7	7	7	7	7	7	7	7	7	7
1/4	30,992	1/4	18,891	1/4	6,798	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30,740	1/2	18,639	1/2	6,547	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	30,487	3/4	18,387	3/4	6,296	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	30,235	8	18,135	8	6,045	8	62	8	8	8	8	8	8	8	8	8	8	8	8
1/4	29,983	1/4	17,882	1/4	5,794	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	29,731	1/2	17,630	1/2	5,543	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	29,479	3/4	17,378	3/4	5,292	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	29,227	9	17,126	9	5,042	9	62	9	9	9	9	9	9	9	9	9	9	9	9
1/4	28,975	1/4	16,874	1/4	4,791	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	28,723	1/2	16,622	1/2	4,540	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	28,471	3/4	16,370	3/4	4,289	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	28,219	10	16,118	10	4,038	10	62	10	10	10	10	10	10	10	10	10	10	10	10
1/4	27,967	1/4	15,866	1/4	3,787	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	27,714	1/2	15,614	1/2	3,536	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	27,462	3/4	15,361	3/4	3,285	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	27,210	11	15,109	11	3,034	11	62	11	11	11	11	11	11	11	11	11	11	11	11
1/4	26,958	1/4	14,857	1/4	2,783	1/4	62	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,706	1/2	14,605	1/2	2,532	1/2	62	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,454	3/4	14,353	3/4	2,280	3/4	62	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

GAUGE HEIGHT 16'-4"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES
OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

Bill A. Brown

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 7/17/86 BY: KS
DATE ISSUED: 7/17/86

CAPACITIES GIVEN IN WHOLE GALLONS

	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.
0	26,975	0	20,130	13,312	0	6,468	0	0	0	0
1/4	26,832	1/4	19,987	13,170	1/4	6,325	1/4	1/4	1/4	1/4
1/2	26,690	1/2	19,845	13,027	1/2	6,182	1/2	1/2	1/2	1/2
3/4	26,547	3/4	19,702	12,985	3/4	6,040	3/4	3/4	3/4	3/4
1	26,405	1	19,560	12,742	1	5,897	1	1	1	1
1/4	26,262	1/4	19,417	12,599	1/4	5,755	1/4	1/4	1/4	1/4
1/2	26,119	1/2	19,275	12,457	1/2	5,612	1/2	1/2	1/2	1/2
3/4	25,977	3/4	19,132	12,314	3/4	5,469	3/4	3/4	3/4	3/4
2	25,834	2	18,990	12,172	2	5,327	2	2	2	2
1/4	25,692	1/4	18,848	12,029	1/4	5,184	1/4	1/4	1/4	1/4
1/2	25,549	1/2	18,706	11,886	1/2	5,042	1/2	1/2	1/2	1/2
3/4	25,406	3/4	18,565	11,744	3/4	4,899	3/4	3/4	3/4	3/4
3	25,264	3	18,423	11,601	3	4,757	3	3	3	3
1/4	25,121	1/4	18,281	11,459	1/4	4,616	1/4	1/4	1/4	1/4
1/2	24,979	1/2	18,139	11,316	1/2	4,474	1/2	1/2	1/2	1/2
3/4	24,836	3/4	17,998	11,173	3/4	4,333	3/4	3/4	3/4	3/4
4	24,693	4	17,856	11,031	4	4,192	4	4	4	4
1/4	24,551	1/4	17,714	10,888	1/4	4,051	1/4	1/4	1/4	1/4
1/2	24,408	1/2	17,572	10,746	1/2	3,909	1/2	1/2	1/2	1/2
3/4	24,266	3/4	17,430	10,603	3/4	3,768	3/4	3/4	3/4	3/4
5	24,123	5	17,289	10,460	5	3,627	5	5	5	5
1/4	23,980	1/4	17,147	10,318	1/4	3,486	1/4	1/4	1/4	1/4
1/2	23,838	1/2	17,005	10,175	1/2	3,344	1/2	1/2	1/2	1/2
3/4	23,695	3/4	16,863	10,033	3/4	3,203	3/4	3/4	3/4	3/4
6	23,553	6	16,722	9,890	6	3,062	6	6	6	6
1/4	23,410	1/4	16,580	9,747	1/4	2,921	1/4	1/4	1/4	1/4
1/2	23,267	1/2	16,438	9,605	1/2	2,779	1/2	1/2	1/2	1/2
3/4	23,125	3/4	16,296	9,462	3/4	2,638	3/4	3/4	3/4	3/4
7	22,982	7	16,155	9,320	7	2,497	7	7	7	7
1/4	22,839	1/4	16,013	9,177	1/4	2,355	1/4	1/4	1/4	1/4
1/2	22,697	1/2	15,871	9,034	1/2	2,214	1/2	1/2	1/2	1/2
3/4	22,554	3/4	15,729	8,892	3/4	2,073	3/4	3/4	3/4	3/4
8	22,412	8	15,587	8,749	8	1,932	8	8	8	8
1/4	22,269	1/4	15,446	8,607	1/4	1,790	1/4	1/4	1/4	1/4
1/2	22,126	1/2	15,304	8,464	1/2	1,649	1/2	1/2	1/2	1/2
3/4	21,984	3/4	15,162	8,321	3/4	1,508	3/4	3/4	3/4	3/4
9	21,841	9	15,020	8,179	9	1,373	9	9	9	9
1/4	21,699	1/4	14,879	8,036	1/4	1,245	1/4	1/4	1/4	1/4
1/2	21,556	1/2	14,737	7,894	1/2	1,116	1/2	1/2	1/2	1/2
3/4	21,413	3/4	14,595	7,751	3/4	998	3/4	3/4	3/4	3/4
10	21,271	10	14,453	7,608	10	874	10	10	10	10
1/4	21,128	1/4	14,310	7,466	1/4	774	1/4	1/4	1/4	1/4
1/2	20,986	1/2	14,168	7,323	1/2	674	1/2	1/2	1/2	1/2
3/4	20,843	3/4	14,025	7,181	3/4	574	3/4	3/4	3/4	3/4
11	20,700	11	13,883	7,038	11	525	11	11	11	11
1/4	20,558	1/4	13,740	6,895	1/4	425	1/4	1/4	1/4	1/4
1/2	20,415	1/2	13,598	6,753	1/2	325	1/2	1/2	1/2	1/2
3/4	20,273	3/4	13,455	6,610	3/4	225	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 7/17/06 BY: KS
DATE ISSUED: 7/17/06

CERTIFIED TANK CALIBRATION, INC.

Bill A. Brown

BARGE "LJC 208"

**2 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS										GAUGE HEIGHT 15'-11 5/8"																			
M	N	2 FT.	M	N	3 FT.	M	N	4 FT.	M	N	5 FT.	M	N	6 FT.	M	N	7 FT.	M	N	8 FT.	M	N	9 FT.	M	N	10 FT.	M	N	11 FT.
0	0	88,184	0	0	81,593	0	0	74,769	0	0	67,944	0	0	61,119	0	0	54,294	0	0	47,469	0	0	40,644	0	0	33,819	0	0	26,994
1/4	1/4	88,091	1/4	1/4	81,451	1/4	1/4	74,626	1/4	1/4	67,801	1/4	1/4	60,976	1/4	1/4	54,152	1/4	1/4	47,327	1/4	1/4	40,502	1/4	1/4	33,677	1/4	1/4	26,852
1/2	1/2	87,992	1/2	1/2	81,309	1/2	1/2	74,484	1/2	1/2	67,659	1/2	1/2	60,834	1/2	1/2	54,009	1/2	1/2	47,184	1/2	1/2	40,359	1/2	1/2	33,554	1/2	1/2	26,727
3/4	3/4	87,892	3/4	3/4	81,167	3/4	3/4	74,342	3/4	3/4	67,517	3/4	3/4	60,692	3/4	3/4	53,867	3/4	3/4	47,042	3/4	3/4	40,217	3/4	3/4	33,429	3/4	3/4	26,592
1	1	87,796	1	1	81,025	1	1	74,200	1	1	67,375	1	1	60,550	1	1	53,725	1	1	46,900	1	1	40,075	1	1	33,297	1	1	26,457
1/4	1/4	87,665	1/4	1/4	80,883	1/4	1/4	74,058	1/4	1/4	67,233	1/4	1/4	60,408	1/4	1/4	53,583	1/4	1/4	46,758	1/4	1/4	40,000	1/4	1/4	33,172	1/4	1/4	26,332
1/2	1/2	87,537	1/2	1/2	80,740	1/2	1/2	73,915	1/2	1/2	67,090	1/2	1/2	60,263	1/2	1/2	53,441	1/2	1/2	46,616	1/2	1/2	39,791	1/2	1/2	32,966	1/2	1/2	26,207
3/4	3/4	87,409	3/4	3/4	80,598	3/4	3/4	73,773	3/4	3/4	66,948	3/4	3/4	60,123	3/4	3/4	53,298	3/4	3/4	46,473	3/4	3/4	39,648	3/4	3/4	32,824	3/4	3/4	26,082
2	2	87,277	2	2	80,456	2	2	73,631	2	2	66,806	2	2	59,981	2	2	53,156	2	2	46,331	2	2	39,506	2	2	32,681	2	2	25,957
1/4	1/4	87,199	1/4	1/4	80,314	1/4	1/4	73,489	1/4	1/4	66,664	1/4	1/4	59,839	1/4	1/4	53,014	1/4	1/4	46,189	1/4	1/4	39,364	1/4	1/4	32,539	1/4	1/4	25,832
1/2	1/2	86,997	1/2	1/2	80,172	1/2	1/2	73,347	1/2	1/2	66,522	1/2	1/2	59,697	1/2	1/2	52,872	1/2	1/2	46,047	1/2	1/2	39,222	1/2	1/2	32,397	1/2	1/2	25,707
3/4	3/4	86,854	3/4	3/4	80,029	3/4	3/4	73,204	3/4	3/4	66,380	3/4	3/4	59,555	3/4	3/4	52,730	3/4	3/4	45,905	3/4	3/4	39,080	3/4	3/4	32,255	3/4	3/4	25,572
3	3	86,712	3	3	79,887	3	3	72,920	3	3	66,237	3	3	59,412	3	3	52,587	3	3	45,763	3	3	38,938	3	3	32,113	3	3	25,447
1/4	1/4	86,570	1/4	1/4	79,745	1/4	1/4	72,778	1/4	1/4	66,095	1/4	1/4	59,270	1/4	1/4	52,445	1/4	1/4	45,620	1/4	1/4	38,795	1/4	1/4	31,970	1/4	1/4	25,322
1/2	1/2	86,428	1/2	1/2	79,603	1/2	1/2	72,636	1/2	1/2	65,953	1/2	1/2	59,128	1/2	1/2	52,303	1/2	1/2	45,478	1/2	1/2	38,653	1/2	1/2	31,828	1/2	1/2	25,197
3/4	3/4	86,286	3/4	3/4	79,461	3/4	3/4	72,494	3/4	3/4	65,811	3/4	3/4	58,986	3/4	3/4	52,161	3/4	3/4	45,336	3/4	3/4	38,511	3/4	3/4	31,686	3/4	3/4	25,072
4	4	86,143	4	4	79,319	4	4	72,351	4	4	65,669	4	4	58,844	4	4	52,019	4	4	45,194	4	4	38,369	4	4	31,544	4	4	24,947
1/4	1/4	86,001	1/4	1/4	79,176	1/4	1/4	72,209	1/4	1/4	65,526	1/4	1/4	58,701	1/4	1/4	51,877	1/4	1/4	45,052	1/4	1/4	38,227	1/4	1/4	31,402	1/4	1/4	24,822
1/2	1/2	85,859	1/2	1/2	79,034	1/2	1/2	72,067	1/2	1/2	65,384	1/2	1/2	58,559	1/2	1/2	51,734	1/2	1/2	44,909	1/2	1/2	38,084	1/2	1/2	31,259	1/2	1/2	24,697
3/4	3/4	85,717	3/4	3/4	78,892	3/4	3/4	71,925	3/4	3/4	65,242	3/4	3/4	58,417	3/4	3/4	51,592	3/4	3/4	44,767	3/4	3/4	37,942	3/4	3/4	31,117	3/4	3/4	24,572
5	5	85,575	5	5	78,750	5	5	71,783	5	5	65,100	5	5	58,275	5	5	51,450	5	5	44,625	5	5	37,800	5	5	30,975	5	5	24,447
1/4	1/4	85,433	1/4	1/4	78,608	1/4	1/4	71,636	1/4	1/4	64,958	1/4	1/4	58,133	1/4	1/4	51,308	1/4	1/4	44,483	1/4	1/4	37,658	1/4	1/4	30,833	1/4	1/4	24,322
1/2	1/2	85,290	1/2	1/2	78,465	1/2	1/2	71,498	1/2	1/2	64,815	1/2	1/2	57,991	1/2	1/2	51,165	1/2	1/2	44,341	1/2	1/2	37,516	1/2	1/2	30,691	1/2	1/2	24,197
3/4	3/4	85,148	3/4	3/4	78,323	3/4	3/4	71,356	3/4	3/4	64,673	3/4	3/4	57,848	3/4	3/4	51,023	3/4	3/4	44,198	3/4	3/4	37,374	3/4	3/4	30,549	3/4	3/4	24,072
6	6	85,006	6	6	78,181	6	6	71,214	6	6	64,531	6	6	57,706	6	6	50,881	6	6	44,056	6	6	37,231	6	6	30,406	6	6	23,947
1/4	1/4	84,864	1/4	1/4	78,039	1/4	1/4	71,072	1/4	1/4	64,389	1/4	1/4	57,564	1/4	1/4	50,739	1/4	1/4	43,914	1/4	1/4	37,089	1/4	1/4	30,264	1/4	1/4	23,822
1/2	1/2	84,722	1/2	1/2	77,897	1/2	1/2	70,930	1/2	1/2	64,247	1/2	1/2	57,422	1/2	1/2	50,597	1/2	1/2	43,772	1/2	1/2	36,947	1/2	1/2	30,122	1/2	1/2	23,697
3/4	3/4	84,579	3/4	3/4	77,754	3/4	3/4	70,793	3/4	3/4	64,105	3/4	3/4	57,280	3/4	3/4	50,455	3/4	3/4	43,630	3/4	3/4	36,805	3/4	3/4	30,000	3/4	3/4	23,572
7	7	84,437	7	7	77,612	7	7	70,657	7	7	63,962	7	7	57,137	7	7	50,312	7	7	43,488	7	7	36,663	7	7	29,868	7	7	23,447
1/4	1/4	84,295	1/4	1/4	77,470	1/4	1/4	70,512	1/4	1/4	63,820	1/4	1/4	56,995	1/4	1/4	50,170	1/4	1/4	43,345	1/4	1/4	36,520	1/4	1/4	29,725	1/4	1/4	23,322
1/2	1/2	84,153	1/2	1/2	77,328	1/2	1/2	70,370	1/2	1/2	63,678	1/2	1/2	56,853	1/2	1/2	50,028	1/2	1/2	43,203	1/2	1/2	36,378	1/2	1/2	29,582	1/2	1/2	23,197
3/4	3/4	84,011	3/4	3/4	77,186	3/4	3/4	70,228	3/4	3/4	63,536	3/4	3/4	56,711	3/4	3/4	49,886	3/4	3/4	43,061	3/4	3/4	36,236	3/4	3/4	29,447	3/4	3/4	23,072
8	8	83,868	8	8	77,044	8	8	70,076	8	8	63,394	8	8	56,569	8	8	49,744	8	8	42,919	8	8	36,094	8	8	29,299	8	8	22,947
1/4	1/4	83,726	1/4	1/4	76,901	1/4	1/4	70,019	1/4	1/4	63,251	1/4	1/4	56,426	1/4	1/4	49,602	1/4	1/4	42,777	1/4	1/4	35,952	1/4	1/4	29,157	1/4	1/4	22,822
1/2	1/2	83,584	1/2	1/2	76,759	1/2	1/2	69,934	1/2	1/2	63,109	1/2	1/2	56,284	1/2	1/2	49,459	1/2	1/2	42,634	1/2	1/2	35,809	1/2	1/2	29,014	1/2	1/2	22,697
3/4	3/4	83,442	3/4	3/4	76,617	3/4	3/4	69,792	3/4	3/4	62,967	3/4	3/4	56,142	3/4	3/4	49,317	3/4	3/4	42,492	3/4	3/4	35,667	3/4	3/4	28,872	3/4	3/4	22,572
9	9	83,300	9	9	76,475	9	9	69,650	9	9	62,825	9	9	56,000	9	9	49,175	9	9	42,350	9	9	35,525	9	9	28,727	9	9	22,447
1/4	1/4	83,158	1/4	1/4	76,333	1/4	1/4	69,508	1/4	1/4	62,683	1/4	1/4	55,858	1/4	1/4	49,033	1/4	1/4	42,208	1/4	1/4	35,383	1/4	1/4	28,589	1/4	1/4	22,322
1/2	1/2	83,015	1/2	1/2	76,190	1/2	1/2	69,365	1/2	1/2	62,541	1/2	1/2	55,716	1/2	1/2	48,891	1/2	1/2	42,066	1/2	1/2	35,241	1/2	1/2	28,446	1/2	1/2	22,197
3/4	3/4	82,873	3/4	3/4	76,048	3/4	3/4	69,223	3/4	3/4	62,398	3/4	3/4	55,573	3/4	3/4	48,748	3/4	3/4	41,923	3/4	3/4	35,096	3/4	3/4	28,304	3/4	3/4	22,072
10	10	82,731	10	10	75,906	10	10	69,081	10	10	62,256	10	10	55,431	10	10	48,606	10	10	41,781	10	10	34,956	10	10	28,161	10	10	21,947
1/4	1/4	82,589	1/4	1/4	75,764	1/4	1/4	68,939	1/4	1/4	62,114	1/4	1/4	55,289	1/4	1/4	48,464	1/4	1/4	41,639	1/4	1/4	34,814	1/4	1/4	27,999	1/4	1/4	21,822
1/2	1/2	82,447	1/2	1/2	75,622	1/2	1/2	68,797	1/2	1/2	61,972	1/2	1/2	55,105	1/2	1/2	48,322	1/2	1/2	41,497	1/2	1/2	34,672	1/2	1/2	27,857	1/2	1/2	21,697
3/4	3/4	82,304	3/4	3/4	75,480	3/4	3/4	68,655	3/4	3/4	61,830	3/4	3/4	54,930	3/4	3/4	48,180	3/4	3/4	41,355	3/4	3/4	34,530	3/4	3/4	27,714	3/4	3/4	21,572
11	11	82,162	11	11	75,337	11	11	68,512	11	11	61,687	11	11	54,862	11	11	48,037	11	11	41,213	11	11	34,388	11	11	27,572	11	11	21,447

CAPACITIES GIVEN IN WHOLE GALLONS		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	26,994	0	20,169	0	13,344	0	6,520	0	6,377	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4	0	1/4
1/4	26,852	1/4	20,027	1/4	13,202	1/4	6,377	1/4	6,235	1/4	1/2	1/4	1/4	1/2	1/2	1/4	1/4	1/2	1/2	1/4	1/4
1/2	26,710	1/2	19,885	1/2	13,060	1/2	6,235	1/2	6,093	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	26,567	3/4	19,742	3/4	12,918	3/4	6,093	3/4	5,951	1	1	1	1	1	1	1	1	1	1	1	1
1	26,425	1	19,600	1	12,776	1	5,951	1	5,809	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	26,283	1/4	19,458	1/4	12,634	1/4	5,809	1/4	5,667	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	26,141	1/2	19,316	1/2	12,491	1/2	5,667	1/2	5,524	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	25,999	3/4	19,174	3/4	12,349	3/4	5,524	3/4	5,382	2	2	2	2	2	2	2	2	2	2	2	2
2	25,856	2	19,031	2	12,207	2	5,382	2	5,240	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	25,714	1/4	18,889	1/4	12,065	1/4	5,240	1/4	5,098	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	25,572	1/2	18,747	1/2	11,923	1/2	5,098	1/2	4,956	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	25,430	3/4	18,605	3/4	11,780	3/4	4,956	3/4	4,814	3	3	3	3	3	3	3	3	3	3	3	3
3	25,288	3	18,463	3	11,638	3	4,814	3	4,673	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	25,145	1/4	18,321	1/4	11,496	1/4	4,673	1/4	4,532	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	25,003	1/2	18,178	1/2	11,354	1/2	4,532	1/2	4,391	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	24,861	3/4	18,036	3/4	11,212	3/4	4,391	3/4	4,250	4	4	4	4	4	4	4	4	4	4	4	4
4	24,719	4	17,894	4	11,070	4	4,250	4	4,109	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	24,577	1/4	17,752	1/4	10,927	1/4	4,109	1/4	3,968	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	24,435	1/2	17,610	1/2	10,785	1/2	3,968	1/2	3,827	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	24,292	3/4	17,468	3/4	10,643	3/4	3,827	3/4	3,687	5	5	5	5	5	5	5	5	5	5	5	5
5	24,150	5	17,325	5	10,501	5	3,687	5	3,546	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	24,008	1/4	17,183	1/4	10,359	1/4	3,546	1/4	3,405	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	23,866	1/2	17,041	1/2	10,217	1/2	3,405	1/2	3,264	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	23,724	3/4	16,899	3/4	10,074	3/4	3,264	3/4	3,123	6	6	6	6	6	6	6	6	6	6	6	6
6	23,581	6	16,757	6	9,932	6	3,123	6	2,982	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	23,439	1/4	16,615	1/4	9,790	1/4	2,982	1/4	2,842	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	23,297	1/2	16,472	1/2	9,648	1/2	2,842	1/2	2,701	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	23,155	3/4	16,330	3/4	9,505	3/4	2,701	3/4	2,560	7	7	7	7	7	7	7	7	7	7	7	7
7	23,013	7	16,188	7	9,363	7	2,560	7	2,419	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	22,871	1/4	16,046	1/4	9,221	1/4	2,419	1/4	2,278	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	22,728	1/2	15,904	1/2	9,079	1/2	2,278	1/2	2,137	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	22,586	3/4	15,761	3/4	8,937	3/4	2,137	3/4	1,996	8	8	8	8	8	8	8	8	8	8	8	8
8	22,444	8	15,619	8	8,795	8	1,996	8	1,855	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	22,302	1/4	15,477	1/4	8,652	1/4	1,855	1/4	1,715	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	22,160	1/2	15,335	1/2	8,510	1/2	1,715	1/2	1,574	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	22,017	3/4	15,193	3/4	8,368	3/4	1,574	3/4	1,436	9	9	9	9	9	9	9	9	9	9	9	9
9	21,875	9	15,051	9	8,226	9	1,436	9	1,305	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	21,733	1/4	14,908	1/4	8,084	1/4	1,305	1/4	1,177	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	21,591	1/2	14,766	1/2	7,941	1/2	1,177	1/2	1,049	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	21,449	3/4	14,624	3/4	7,799	3/4	1,049	3/4	928	10	10	10	10	10	10	10	10	10	10	10	10
10	21,306	10	14,482	10	7,657	10	928	10	822	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	21,164	1/4	14,340	1/4	7,515	1/4	822	1/4	722	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	21,022	1/2	14,198	1/2	7,373	1/2	722	1/2	623	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	20,880	3/4	14,055	3/4	7,231	3/4	623	3/4	530	11	11	11	11	11	11	11	11	11	11	11	11
11	20,738	11	13,913	11	7,088	11	530	11	452	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/4	20,596	1/4	13,771	1/4	6,946	1/4	452	1/4	381	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
1/2	20,453	1/2	13,629	1/2	6,804	1/2	381	1/2	345	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3/4	20,311	3/4	13,487	3/4	6,662	3/4	345	3/4													

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 7/17/86 BY: KS
DATE ISSUED: 7/17/86

CERTIFIED TANK CALIBRATION, INC.

Bill A. Row

BARGE "C 208"

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 15'-10 1/2"

IN	2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N	M	N
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	88,253	1/4	81,547	1/4	74,699	1/4	67,851	1/4	61,003	1/4	54,155	1/4	47,307	1/4	40,459	1/4	33,611	1/4	26,763
1/2	1/2	88,153	1/2	81,405	1/2	74,557	1/2	67,709	1/2	60,861	1/2	54,013	1/2	47,165	1/2	40,317	1/2	33,469	1/2	26,621
3/4	3/4	88,053	3/4	81,262	3/4	74,414	3/4	67,566	3/4	60,718	3/4	53,870	3/4	47,022	3/4	40,174	3/4	33,326	3/4	26,478
1	1	87,953	1	80,977	1	74,129	1	67,281	1	60,433	1	53,585	1	46,737	1	39,889	1	33,041	1	26,190
1/4	1/4	87,853	1/4	80,877	1/4	73,989	1/4	67,141	1/4	60,293	1/4	53,445	1/4	46,597	1/4	39,749	1/4	32,901	1/4	26,090
1/2	1/2	87,753	1/2	80,777	1/2	73,889	1/2	67,041	1/2	60,193	1/2	53,345	1/2	46,497	1/2	39,601	1/2	32,799	1/2	25,989
3/4	3/4	87,653	3/4	80,677	3/4	73,789	3/4	66,891	3/4	60,043	3/4	53,195	3/4	46,399	3/4	39,501	3/4	32,699	3/4	25,887
2	2	87,553	2	80,577	2	73,689	2	66,791	2	59,893	2	53,095	2	46,299	2	39,401	2	32,599	2	25,785
1/4	1/4	87,453	1/4	80,477	1/4	73,589	1/4	66,691	1/4	59,793	1/4	52,995	1/4	46,199	1/4	39,301	1/4	32,499	1/4	25,681
1/2	1/2	87,353	1/2	80,377	1/2	73,489	1/2	66,591	1/2	59,693	1/2	52,895	1/2	46,099	1/2	39,201	1/2	32,399	1/2	25,573
3/4	3/4	87,253	3/4	80,277	3/4	73,389	3/4	66,491	3/4	59,593	3/4	52,795	3/4	45,999	3/4	39,101	3/4	32,299	3/4	25,465
3	3	87,153	3	80,177	3	73,289	3	66,391	3	59,493	3	52,695	3	45,899	3	38,901	3	32,199	3	25,357
1/4	1/4	87,053	1/4	80,077	1/4	73,189	1/4	66,291	1/4	59,393	1/4	52,595	1/4	45,799	1/4	38,801	1/4	32,099	1/4	25,249
1/2	1/2	86,953	1/2	79,977	1/2	73,089	1/2	66,191	1/2	59,293	1/2	52,495	1/2	45,699	1/2	38,701	1/2	31,999	1/2	25,141
3/4	3/4	86,853	3/4	79,877	3/4	72,989	3/4	66,091	3/4	59,193	3/4	52,395	3/4	45,599	3/4	38,601	3/4	31,899	3/4	25,033
4	4	86,753	4	79,777	4	72,889	4	65,991	4	59,093	4	52,295	4	45,499	4	38,501	4	31,799	4	24,925
1/4	1/4	86,653	1/4	79,677	1/4	72,789	1/4	65,891	1/4	58,993	1/4	52,195	1/4	45,399	1/4	38,401	1/4	31,699	1/4	24,817
1/2	1/2	86,553	1/2	79,577	1/2	72,689	1/2	65,791	1/2	58,893	1/2	52,095	1/2	45,299	1/2	38,301	1/2	31,599	1/2	24,709
3/4	3/4	86,453	3/4	79,477	3/4	72,589	3/4	65,691	3/4	58,793	3/4	51,995	3/4	45,199	3/4	38,201	3/4	31,499	3/4	24,601
5	5	86,353	5	79,377	5	72,489	5	65,591	5	58,693	5	51,895	5	45,099	5	38,101	5	31,399	5	24,493
1/4	1/4	86,253	1/4	79,277	1/4	72,389	1/4	65,491	1/4	58,593	1/4	51,795	1/4	44,999	1/4	38,001	1/4	31,299	1/4	24,385
1/2	1/2	86,153	1/2	79,177	1/2	72,289	1/2	65,391	1/2	58,493	1/2	51,695	1/2	44,899	1/2	37,901	1/2	31,199	1/2	24,277
3/4	3/4	86,053	3/4	79,077	3/4	72,189	3/4	65,291	3/4	58,393	3/4	51,595	3/4	44,799	3/4	37,801	3/4	31,099	3/4	24,169
6	6	85,953	6	78,977	6	72,089	6	65,191	6	58,293	6	51,495	6	44,699	6	37,701	6	30,999	6	24,061
1/4	1/4	85,853	1/4	78,877	1/4	71,989	1/4	65,091	1/4	58,193	1/4	51,395	1/4	44,599	1/4	37,601	1/4	30,899	1/4	23,953
1/2	1/2	85,753	1/2	78,777	1/2	71,889	1/2	64,991	1/2	58,093	1/2	51,295	1/2	44,499	1/2	37,501	1/2	30,799	1/2	23,845
3/4	3/4	85,653	3/4	78,677	3/4	71,789	3/4	64,891	3/4	57,993	3/4	51,195	3/4	44,399	3/4	37,401	3/4	30,699	3/4	23,737
7	7	85,553	7	78,577	7	71,689	7	64,791	7	57,893	7	51,095	7	44,299	7	37,301	7	30,599	7	23,629
1/4	1/4	85,453	1/4	78,477	1/4	71,589	1/4	64,691	1/4	57,793	1/4	50,995	1/4	44,199	1/4	37,201	1/4	30,499	1/4	23,521
1/2	1/2	85,353	1/2	78,377	1/2	71,489	1/2	64,591	1/2	57,693	1/2	50,895	1/2	44,099	1/2	37,101	1/2	30,399	1/2	23,413
3/4	3/4	85,253	3/4	78,277	3/4	71,389	3/4	64,491	3/4	57,593	3/4	50,795	3/4	43,999	3/4	37,001	3/4	30,299	3/4	23,305
8	8	85,153	8	78,177	8	71,289	8	64,391	8	57,493	8	50,695	8	43,899	8	36,901	8	30,199	8	23,197
1/4	1/4	85,053	1/4	78,077	1/4	71,189	1/4	64,291	1/4	57,393	1/4	50,595	1/4	43,799	1/4	36,801	1/4	30,099	1/4	23,089
1/2	1/2	84,953	1/2	77,977	1/2	71,089	1/2	64,191	1/2	57,293	1/2	50,495	1/2	43,699	1/2	36,701	1/2	29,999	1/2	22,981
3/4	3/4	84,853	3/4	77,877	3/4	70,989	3/4	64,091	3/4	57,193	3/4	50,395	3/4	43,599	3/4	36,601	3/4	29,899	3/4	22,873
9	9	84,753	9	77,777	9	70,889	9	63,991	9	57,093	9	50,295	9	43,499	9	36,501	9	29,799	9	22,765
1/4	1/4	84,653	1/4	77,677	1/4	70,789	1/4	63,891	1/4	56,993	1/4	50,195	1/4	43,399	1/4	36,401	1/4	29,699	1/4	22,657
1/2	1/2	84,553	1/2	77,577	1/2	70,689	1/2	63,791	1/2	56,893	1/2	50,095	1/2	43,299	1/2	36,301	1/2	29,599	1/2	22,549
3/4	3/4	84,453	3/4	77,477	3/4	70,589	3/4	63,691	3/4	56,793	3/4	49,995	3/4	43,199	3/4	36,201	3/4	29,499	3/4	22,441
10	10	84,353	10	77,377	10	70,489	10	63,591	10	56,693	10	49,895	10	43,099	10	36,101	10	29,399	10	22,333
1/4	1/4	84,253	1/4	77,277	1/4	70,389	1/4	63,491	1/4	56,593	1/4	49,795	1/4	42,999	1/4	36,001	1/4	29,299	1/4	22,225
1/2	1/2	84,153	1/2	77,177	1/2	70,289	1/2	63,391	1/2	56,493	1/2	49,695	1/2	42,899	1/2	35,901	1/2	29,199	1/2	22,117
3/4	3/4	84,053	3/4	77,077	3/4	70,189	3/4	63,291	3/4	56,393	3/4	49,595	3/4	42,799	3/4	35,801	3/4	29,099	3/4	22,009
11	11	83,953	11	76,977	11	70,089	11	63,191	11	56,293	11	49,495	11	42,699	11	35,701	11	28,999	11	21,901
1/4	1/4	83,853	1/4	76,877	1/4	70,089	1/4	63,091	1/4	56,193	1/4	49,395	1/4	42,599	1/4	35,601	1/4	28,899	1/4	21,793
1/2	1/2	83,753	1/2	76,777	1/2	69,989	1/2	62,991	1/2	56,093	1/2	49,295	1/2	42,499	1/2	35,501	1/2	28,799	1/2	21,685
3/4	3/4	83,653	3/4	76,677	3/4	69,889	3/4	62,891	3/4	55,993	3/4	49,195	3/4	42,399	3/4	35,401	3/4	28,699	3/4	21,577
12	12	83,553	12	76,577	12	69,789	12	62,791	12	55,893	12	49,095	12	42,299	12	35,301	12	28,599	12	21,469
1/4	1/4	83,453	1/4	76,477	1/4	69,689	1/4	62,691	1/4	55,793	1/4	48,995	1/4	42,199	1/4	35,201	1/4	28,499	1/4	21,361
1/2	1/2	83,353	1/2	76,377	1/2	69,589	1/2	62,591	1/2	55,693	1/2	48,895	1/2	42,099	1/2	35,101	1/2	28,399	1/2	21,253
3/4	3/4	83,253	3/4	76,277	3/4	69,489	3/4	62,491	3/4	55,593	3/4	48,795	3/4	41,999	3/4	35,001	3/4	28,299	3/4	21,145
13	13	83,153	13	76,177	13	69,389	13	62,391	13	55,493	13	48,695	13	41,899	13	34,901	13	28,199	13	21,037
1/4	1/4	83,053	1/4	76,077	1/4	69,289	1/4	62,291	1/4	55,393	1/4	48,595								

CAPACITIES GIVEN IN WHOLE GALLONS

H	12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.		20 FT.		21 FT.	
	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M
0	26,763	0	19,915	0	13,104	0	6,256	0		0		0		0		0		0		0
1/4	26,620	1/4	19,772	1/4	12,962	1/4	6,114	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	26,477	1/2	19,630	1/2	12,819	1/2	5,971	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26,335	3/4	19,488	3/4	12,676	3/4	5,828	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	26,192	1	19,346	1	12,534	1	5,686	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	26,049	1/4	19,204	1/4	12,391	1/4	5,543	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,907	1/2	19,063	1/2	12,248	1/2	5,400	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,764	3/4	18,921	3/4	12,106	3/4	5,258	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	25,621	2	18,779	2	11,963	2	5,115	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	25,479	1/4	18,637	1/4	11,820	1/4	4,972	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25,336	1/2	18,495	1/2	11,678	1/2	4,830	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	25,193	3/4	18,354	3/4	11,535	3/4	4,688	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	25,051	3	18,212	3	11,392	3	4,547	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	24,908	1/4	18,070	1/4	11,250	1/4	4,406	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,765	1/2	17,929	1/2	11,107	1/2	4,264	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,623	3/4	17,787	3/4	10,964	3/4	4,123	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	24,480	4	17,645	4	10,822	4	3,982	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	24,337	1/4	17,504	1/4	10,679	1/4	3,840	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	24,195	1/2	17,362	1/2	10,536	1/2	3,699	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	24,052	3/4	17,220	3/4	10,394	3/4	3,558	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	23,909	5	17,078	5	10,251	5	3,416	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	23,767	1/4	16,937	1/4	10,108	1/4	3,275	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,624	1/2	16,795	1/2	9,966	1/2	3,134	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	23,481	3/4	16,653	3/4	9,823	3/4	2,992	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	23,339	6	16,511	6	9,680	6	2,851	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	23,196	1/4	16,370	1/4	9,538	1/4	2,710	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23,053	1/2	16,228	1/2	9,395	1/2	2,569	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,911	3/4	16,086	3/4	9,252	3/4	2,427	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	22,768	7	15,944	7	9,110	7	2,286	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	22,625	1/4	15,803	1/4	8,967	1/4	2,145	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	22,483	1/2	15,661	1/2	8,824	1/2	2,003	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	22,340	3/4	15,519	3/4	8,682	3/4	1,862	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	22,197	8	15,378	8	8,539	8	1,721	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	22,055	1/4	15,236	1/4	8,396	1/4	1,579	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,912	1/2	15,094	1/2	8,254	1/2	1,438	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,769	3/4	14,952	3/4	8,111	3/4	1,309	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	21,627	9	14,811	9	7,968	9	1,181	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	21,484	1/4	14,669	1/4	7,826	1/4	1,053	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	21,341	1/2	14,527	1/2	7,683	1/2	924	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	21,199	3/4	14,385	3/4	7,540	3/4	824	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	21,056	10	14,244	10	7,398	10	725	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	20,913	1/4	14,102	1/4	7,255	1/4	625	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,771	1/2	13,960	1/2	7,112	1/2	525	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,628	3/4	13,818	3/4	6,970	3/4	425	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	20,485	11	13,675	11	6,827	11	325	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	20,343	1/4	13,532	1/4	6,684	1/4	225	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,200	1/2	13,390	1/2	6,542	1/2	125	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,057	3/4	13,247	3/4	6,399	3/4	25	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

GAUGE HEIGHT 15'-10 1/2"

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

CERTIFIED TANK CALIBRATION, INC.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 7/17/86 BY: KS
DATE ISSUED: 7/17/86

Paul S. Row

BARGE "CJC 208"

**3 STBD
ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE GALLONS												GAUGE HEIGHT 16'-0" 1/4"							
IN	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	12 FT.
0	88,453	0	82,037	0	75,204	0	68,372	0	61,540	0	54,708	0	47,875	0	41,043	0	34,211	0	27,379
1/4	88,392	1/4	81,894	1/4	75,062	1/4	68,230	1/4	61,398	1/4	54,565	1/4	47,733	1/4	40,901	1/4	34,069	1/4	27,236
1/2	88,331	1/2	81,752	1/2	74,920	1/2	68,087	1/2	61,255	1/2	54,423	1/2	47,591	1/2	40,758	1/2	33,926	1/2	27,094
3/4	88,235	3/4	81,610	3/4	74,777	3/4	67,945	3/4	61,113	3/4	54,281	3/4	47,448	3/4	40,616	3/4	33,784	3/4	26,952
1	88,136	1	81,467	1	74,635	1	67,803	1	60,970	1	54,138	1	47,306	1	40,474	1	33,642	1	26,809
1/4	88,036	1/4	81,325	1/4	74,493	1/4	67,660	1/4	60,828	1/4	53,996	1/4	47,164	1/4	40,331	1/4	33,499	1/4	26,667
1/2	87,937	1/2	81,183	1/2	74,350	1/2	67,518	1/2	60,686	1/2	53,854	1/2	47,021	1/2	40,189	1/2	33,357	1/2	26,525
3/4	87,823	3/4	81,040	3/4	74,208	3/4	67,376	3/4	60,543	3/4	53,711	3/4	46,879	3/4	40,047	3/4	33,215	3/4	26,382
2	87,695	2	80,898	2	74,066	2	67,233	2	60,401	2	53,569	2	46,737	2	39,904	2	33,073	2	26,240
1/4	87,566	1/4	80,756	1/4	73,923	1/4	67,091	1/4	60,259	1/4	53,427	1/4	46,594	1/4	39,762	1/4	32,930	1/4	26,098
1/2	87,438	1/2	80,613	1/2	73,781	1/2	66,949	1/2	60,116	1/2	53,284	1/2	46,452	1/2	39,620	1/2	32,787	1/2	25,955
3/4	87,303	3/4	80,471	3/4	73,639	3/4	66,806	3/4	59,974	3/4	53,142	3/4	46,310	3/4	39,477	3/4	32,645	3/4	25,813
3	87,161	3	80,329	3	73,496	3	66,664	3	59,832	3	53,000	3	46,167	3	39,335	3	32,503	3	25,671
1/4	87,018	1/4	80,186	1/4	73,354	1/4	66,522	1/4	59,689	1/4	52,857	1/4	46,025	1/4	39,193	1/4	32,360	1/4	25,528
1/2	86,876	1/2	80,044	1/2	73,212	1/2	66,379	1/2	59,547	1/2	52,715	1/2	45,883	1/2	39,050	1/2	32,218	1/2	25,386
3/4	86,734	3/4	79,902	3/4	73,069	3/4	66,237	3/4	59,405	3/4	52,573	3/4	45,740	3/4	38,908	3/4	32,076	3/4	25,244
4	86,591	4	79,759	4	72,927	4	66,095	4	59,262	4	52,430	4	45,598	4	38,766	4	31,933	4	25,101
1/4	86,449	1/4	79,617	1/4	72,785	1/4	65,952	1/4	59,120	1/4	52,288	1/4	45,456	1/4	38,623	1/4	31,791	1/4	24,959
1/2	86,307	1/2	79,474	1/2	72,642	1/2	65,810	1/2	58,978	1/2	52,146	1/2	45,313	1/2	38,481	1/2	31,649	1/2	24,817
3/4	86,164	3/4	79,332	3/4	72,500	3/4	65,668	3/4	58,835	3/4	52,003	3/4	45,171	3/4	38,339	3/4	31,506	3/4	24,674
5	86,022	5	79,190	5	72,358	5	65,525	5	58,693	5	51,861	5	45,029	5	38,196	5	31,364	5	24,532
1/4	85,880	1/4	79,047	1/4	72,215	1/4	65,383	1/4	58,551	1/4	51,719	1/4	44,886	1/4	38,054	1/4	31,222	1/4	24,390
1/2	85,737	1/2	78,905	1/2	72,073	1/2	65,241	1/2	58,408	1/2	51,576	1/2	44,744	1/2	37,912	1/2	31,079	1/2	24,247
3/4	85,595	3/4	78,763	3/4	71,931	3/4	65,098	3/4	58,266	3/4	51,434	3/4	44,602	3/4	37,769	3/4	30,937	3/4	24,105
6	85,453	6	78,620	6	71,788	6	64,956	6	58,124	6	51,291	6	44,459	6	37,627	6	30,795	6	23,963
1/4	85,310	1/4	78,478	1/4	71,646	1/4	64,814	1/4	57,981	1/4	51,149	1/4	44,317	1/4	37,485	1/4	30,652	1/4	23,820
1/2	85,168	1/2	78,336	1/2	71,504	1/2	64,671	1/2	57,839	1/2	51,007	1/2	44,175	1/2	37,342	1/2	30,510	1/2	23,678
3/4	85,026	3/4	78,193	3/4	71,361	3/4	64,529	3/4	57,697	3/4	50,864	3/4	44,032	3/4	37,200	3/4	30,368	3/4	23,535
7	84,883	7	78,051	7	71,219	7	64,387	7	57,554	7	50,722	7	43,890	7	37,058	7	30,225	7	23,393
1/4	84,741	1/4	77,909	1/4	71,077	1/4	64,244	1/4	57,412	1/4	50,580	1/4	43,748	1/4	36,915	1/4	30,083	1/4	23,251
1/2	84,599	1/2	77,766	1/2	70,934	1/2	64,102	1/2	57,270	1/2	50,437	1/2	43,605	1/2	36,773	1/2	30,941	1/2	23,108
3/4	84,456	3/4	77,624	3/4	70,792	3/4	63,960	3/4	57,127	3/4	50,295	3/4	43,463	3/4	36,631	3/4	30,798	3/4	22,966
8	84,314	8	77,482	8	70,650	8	63,817	8	56,985	8	50,153	8	43,321	8	36,488	8	30,656	8	22,824
1/4	84,172	1/4	77,339	1/4	70,507	1/4	63,675	1/4	56,843	1/4	50,010	1/4	43,178	1/4	36,346	1/4	30,514	1/4	22,681
1/2	84,029	1/2	77,197	1/2	70,365	1/2	63,533	1/2	56,700	1/2	49,868	1/2	43,036	1/2	36,204	1/2	30,371	1/2	22,539
3/4	83,887	3/4	77,055	3/4	70,222	3/4	63,390	3/4	56,558	3/4	49,726	3/4	42,894	3/4	36,061	3/4	30,229	3/4	22,397
9	83,745	9	76,912	9	70,080	9	63,248	9	56,416	9	49,583	9	42,751	9	35,919	9	29,087	9	22,254
1/4	83,602	1/4	76,770	1/4	69,938	1/4	63,106	1/4	56,273	1/4	49,441	1/4	42,609	1/4	35,777	1/4	28,944	1/4	22,112
1/2	83,460	1/2	76,628	1/2	69,795	1/2	62,963	1/2	56,131	1/2	49,299	1/2	42,467	1/2	35,634	1/2	28,802	1/2	21,970
3/4	83,318	3/4	76,485	3/4	69,653	3/4	62,821	3/4	55,989	3/4	49,156	3/4	42,324	3/4	35,492	3/4	28,660	3/4	21,827
10	83,175	10	76,343	10	69,511	10	62,679	10	55,846	10	49,014	10	42,182	10	35,350	10	28,517	10	21,685
1/4	83,033	1/4	76,201	1/4	69,368	1/4	62,536	1/4	55,704	1/4	48,872	1/4	42,039	1/4	35,207	1/4	28,375	1/4	21,543
1/2	82,891	1/2	76,058	1/2	69,226	1/2	62,394	1/2	55,562	1/2	48,729	1/2	41,897	1/2	35,065	1/2	28,233	1/2	21,400
3/4	82,748	3/4	75,916	3/4	69,084	3/4	62,252	3/4	55,419	3/4	48,587	3/4	41,755	3/4	34,923	3/4	28,091	3/4	21,258
11	82,606	11	75,774	11	68,941	11	62,109	11	55,277	11	48,445	11	41,612	11	34,780	11	27,948	11	21,116
1/4	82,464	1/4	75,631	1/4	68,799	1/4	61,967	1/4	55,135	1/4	48,302	1/4	41,470	1/4	34,638	1/4	27,806	1/4	20,973
1/2	82,321	1/2	75,489	1/2	68,657	1/2	61,825	1/2	54,992	1/2	48,160	1/2	41,328	1/2	34,496	1/2	27,663	1/2	20,831
3/4	82,179	3/4	75,347	3/4	68,514	3/4	61,682	3/4	54,850	3/4	48,018	3/4	41,185	3/4	34,353	3/4	27,521	3/4	20,689

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

NOTE: BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
NOTE: CAPACITY TABLE APPLIES ONLY TO ULLAGE GAUGES OBTAINED WITH MMC GAGING DEVICE.
NOTE: MMC GAUGE POINT LOCATED 10'-10" OFF CENTERLINE AND 20'-10" FORWARD OF AFT BULKHEAD.
NOTE: CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT.

DATE STRAPPED: 6/20/06 BY: DR-RL
DATE COMPUTED: 7/17/06 BY: KS
DATE ISSUED: 7/17/06

CERTIFIED TANK CALIBRATION, INC.

Bill A. Brown

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT: 16'-0 1/4"

	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.	20 FT.	21 FT.	22 FT.
0	20,546	13,715	6,892	417	0	0	0	0	0	0
1/4	20,404	13,572	6,740	346	1/4	1/4	1/4	1/4	1/4	1/4
1/2	20,262	13,430	6,598		1/2	1/2	1/2	1/2	1/2	1/2
3/4	20,119	13,288	6,455		3/4	3/4	3/4	3/4	3/4	3/4
1	19,977	13,145	6,313		1	1	1	1	1	1
1/4	19,835	13,003	6,171		1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,692	12,861	6,028		1/2	1/2	1/2	1/2	1/2	1/2
3/4	19,550	12,718	5,886		3/4	3/4	3/4	3/4	3/4	3/4
2	19,408	12,576	5,744		2	2	2	2	2	2
1/4	19,265	12,434	5,601		1/4	1/4	1/4	1/4	1/4	1/4
1/2	19,123	12,291	5,459		1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,981	12,149	5,317		3/4	3/4	3/4	3/4	3/4	3/4
3	18,838	12,007	5,174		3	3	3	3	3	3
1/4	18,696	11,864	5,032		1/4	1/4	1/4	1/4	1/4	1/4
1/2	18,554	11,722	4,890		1/2	1/2	1/2	1/2	1/2	1/2
3/4	18,411	11,580	4,748		3/4	3/4	3/4	3/4	3/4	3/4
4	18,269	11,437	4,607		4	4	4	4	4	4
1/4	18,127	11,295	4,466		1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,984	11,153	4,325		1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,842	11,010	4,184		3/4	3/4	3/4	3/4	3/4	3/4
5	17,700	10,868	4,043		5	5	5	5	5	5
1/4	17,557	10,726	3,902		1/4	1/4	1/4	1/4	1/4	1/4
1/2	17,415	10,583	3,761		1/2	1/2	1/2	1/2	1/2	1/2
3/4	17,273	10,441	3,620		3/4	3/4	3/4	3/4	3/4	3/4
6	17,130	10,299	3,479		6	6	6	6	6	6
1/4	16,988	10,156	3,338		1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,846	10,014	3,197		1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,703	9,872	3,056		3/4	3/4	3/4	3/4	3/4	3/4
7	16,561	9,729	2,915		7	7	7	7	7	7
1/4	16,419	9,587	2,774		1/4	1/4	1/4	1/4	1/4	1/4
1/2	16,276	9,445	2,633		1/2	1/2	1/2	1/2	1/2	1/2
3/4	16,134	9,302	2,492		3/4	3/4	3/4	3/4	3/4	3/4
8	15,992	9,160	2,351		8	8	8	8	8	8
1/4	15,850	9,017	2,210		1/4	1/4	1/4	1/4	1/4	1/4
1/2	15,707	8,875	2,069		1/2	1/2	1/2	1/2	1/2	1/2
3/4	15,565	8,733	1,928		3/4	3/4	3/4	3/4	3/4	3/4
9	15,423	8,590	1,787		9	9	9	9	9	9
1/4	15,280	8,448	1,646		1/4	1/4	1/4	1/4	1/4	1/4
1/2	15,138	8,306	1,505		1/2	1/2	1/2	1/2	1/2	1/2
3/4	14,996	8,163	1,371		3/4	3/4	3/4	3/4	3/4	3/4
10	14,853	8,021	1,242		10	10	10	10	10	10
1/4	14,711	7,879	1,114		1/4	1/4	1/4	1/4	1/4	1/4
1/2	14,569	7,736	986		1/2	1/2	1/2	1/2	1/2	1/2
3/4	14,426	7,594	872		3/4	3/4	3/4	3/4	3/4	3/4
11	14,284	7,452	773		11	11	11	11	11	11
1/4	14,142	7,309	673		1/4	1/4	1/4	1/4	1/4	1/4
1/2	13,999	7,167	573		1/2	1/2	1/2	1/2	1/2	1/2
3/4	13,857	7,025	488		3/4	3/4	3/4	3/4	3/4	3/4

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR:RL
DATE COMPUTED: 7/17/86 BY: KS
DATE ISSUED: 7/17/86

CERTIFIED TANK CALIBRATION, INC.

Bill G. Brown

CAPACITIES GIVEN IN WHOLE GALLONS		GAUGE HEIGHT 16'-4"																	
N	12 FT.	N	13 FT.	N	14 FT.	N	15 FT.	N	16 FT.	N	17 FT.	N	18 FT.	N	19 FT.	N	20 FT.	N	21 FT.
0	57,312	0	43,478	0	29,663	0	15,834	0	2,115	0		0		0		0		0	
1/4	57,024	1/4	43,190	1/4	29,375	1/4	15,546	1/4	1,856	1/4		1/4		1/4		1/4		1/4	
1/2	56,736	1/2	42,902	1/2	29,088	1/2	15,257	1/2	1,654	1/2		1/2		1/2		1/2		1/2	
3/4	56,447	3/4	42,614	3/4	28,800	3/4	14,969	3/4	1,452	3/4		3/4		3/4		3/4		3/4	
1	56,159	1	42,326	1	28,512	1	14,681	1	1,250	1		1		1		1		1	
1/4	55,871	1/4	42,037	1/4	28,224	1/4	14,393	1/4	1,049	1/4		1/4		1/4		1/4		1/4	
1/2	55,583	1/2	41,749	1/2	27,937	1/2	14,105	1/2	905	1/2		1/2		1/2		1/2		1/2	
3/4	55,295	3/4	41,461	3/4	27,649	3/4	13,816	3/4	760	3/4		3/4		3/4		3/4		3/4	
2	55,006	2	41,173	2	27,361	2	13,528	2	616	2		2		2		2		2	
1/4	54,718	1/4	40,885	1/4	27,073	1/4	13,240	1/4	472	1/4		1/4		1/4		1/4		1/4	
1/2	54,430	1/2	40,597	1/2	26,785	1/2	12,952	1/2	386	1/2		1/2		1/2		1/2		1/2	
3/4	54,142	3/4	40,309	3/4	26,497	3/4	12,664	3/4	299	3/4		3/4		3/4		3/4		3/4	
3	53,854	3	40,021	3	26,209	3	12,375	3	213	3		3		3		3		3	
1/4	53,565	1/4	39,734	1/4	25,921	1/4	12,087	1/4	126	1/4		1/4		1/4		1/4		1/4	
1/2	53,277	1/2	39,446	1/2	25,632	1/2	11,799	1/2	98	1/2		1/2		1/2		1/2		1/2	
3/4	52,989	3/4	39,158	3/4	25,344	3/4	11,511	3/4	69	3/4		3/4		3/4		3/4		3/4	
4	52,701	4	38,870	4	25,056	4	11,223	4	40	4		4		4		4		4	
1/4	52,413	1/4	38,583	1/4	24,768	1/4	10,934	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	52,124	1/2	38,295	1/2	24,480	1/2	10,646	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	51,836	3/4	38,007	3/4	24,191	3/4	10,358	3/4		3/4		3/4		3/4		3/4		3/4	
5	51,548	5	37,720	5	23,903	5	10,070	5		5		5		5		5		5	
1/4	51,260	1/4	37,432	1/4	23,615	1/4	9,782	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	50,972	1/2	37,144	1/2	23,327	1/2	9,495	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	50,683	3/4	36,856	3/4	23,039	3/4	9,208	3/4		3/4		3/4		3/4		3/4		3/4	
6	50,395	6	36,569	6	22,750	6	8,921	6		6		6		6		6		6	
1/4	50,107	1/4	36,281	1/4	22,462	1/4	8,634	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	49,819	1/2	35,993	1/2	22,174	1/2	8,347	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	49,531	3/4	35,705	3/4	21,886	3/4	8,060	3/4		3/4		3/4		3/4		3/4		3/4	
7	49,242	7	35,418	7	21,598	7	7,773	7		7		7		7		7		7	
1/4	48,954	1/4	35,130	1/4	21,309	1/4	7,485	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	48,666	1/2	34,842	1/2	21,021	1/2	7,198	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	48,378	3/4	34,554	3/4	20,733	3/4	6,911	3/4		3/4		3/4		3/4		3/4		3/4	
8	48,090	8	34,267	8	20,445	8	6,624	8		8		8		8		8		8	
1/4	47,801	1/4	33,979	1/4	20,157	1/4	6,337	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	47,513	1/2	33,691	1/2	19,869	1/2	6,050	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	47,225	3/4	33,404	3/4	19,580	3/4	5,763	3/4		3/4		3/4		3/4		3/4		3/4	
9	46,937	9	33,116	9	19,292	9	5,476	9		9		9		9		9		9	
1/4	46,649	1/4	32,828	1/4	19,004	1/4	5,189	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	46,360	1/2	32,540	1/2	18,716	1/2	4,902	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	46,072	3/4	32,253	3/4	18,428	3/4	4,615	3/4		3/4		3/4		3/4		3/4		3/4	
10	45,784	10	31,965	10	18,139	10	4,328	10		10		10		10		10		10	
1/4	45,496	1/4	31,677	1/4	17,851	1/4	4,041	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	45,208	1/2	31,389	1/2	17,563	1/2	3,754	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44,919	3/4	31,102	3/4	17,275	3/4	3,467	3/4		3/4		3/4		3/4		3/4		3/4	
11	44,631	11	30,814	11	16,987	11	3,180	11		11		11		11		11		11	
1/4	44,343	1/4	30,526	1/4	16,698	1/4	2,893	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	44,055	1/2	30,239	1/2	16,410	1/2	2,604	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	43,767	3/4	29,951	3/4	16,122	3/4	2,317	3/4		3/4		3/4		3/4		3/4		3/4	

THIS CHART IS CERTIFIED FOR THE ABOVE NAMED TANK ONLY. NO CHANGES OF ANY KIND CAN BE MADE WITHOUT THE WRITTEN CONSENT OF OUR COMPANY.

DATE STRAPPED: 6/20/86 BY: DR-RL
DATE COMPUTED: 7/17/86 BY: KS
DATE ISSUED: 7/17/86

CERTIFIED TANK CALIBRATION, INC.

Dale A. Bee