



BARGE "CBC-301"

CANAL BARGE COMPANY


HULL NO. 4374

CORRECTION TABLE FOR TRIM AFT.			
FOR INNAGE GAUGES ONLY			
TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	NIL	NIL	NIL
1'-0"	(-) 0'- 0 1/8"	NIL	(-) 0'- 0 1/8"
1'-6"	(-) 0'- 0 1/8"	NIL	(-) 0'- 0 1/8"
2'-0"	(-) 0'- 0 1/8"	NIL	(-) 0'- 0 1/8"
2'-6"	(-) 0'- 0 1/8"	NIL	(-) 0'- 0 1/4"
3'-0"	(-) 0'- 0 1/4"	NIL	(-) 0'- 0 1/4"
3'-6"	(-) 0'- 0 1/4"	NIL	(-) 0'- 0 1/4"
4'-0"	(-) 0'- 0 1/4"	NIL	(-) 0' - 0 3/8"
4'-6"	(-) 0'- 0 1/4"	NIL	(-) 0' - 0 3/8"
5'-0"	(-) 0' - 0 3/8"	NIL	(-) 0' - 0 3/8"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED,
TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 3/16/01 BY: 
INSPECTORATE AMERICA CORPORATION



ISO 9002 ACCREDITED

BARGE "CBC-301" CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.

1 PORT

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 14 FT.) and corresponding innage values for various tank capacities.

STRAPPED: 3/1601

REFERENCE GAUGE HEIGHT: 16'-0" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature

INSPECTORATE AMERICA CORPORATION

* CAPACITY BELOW STRIKE POINT

CAPACITIES GIVEN IN US GALLONS



INSPECTORATE
ISO 9002 ACCREDITED

BARGE "CBC-301"
CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.
1 STAR

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	858	14,441	29,871	45,642	61,414	77,185	92,956	108,728	124,499	140,270	156,042	171,813	187,584	203,356	219,127
1/4	1,045	14,749	30,199	45,971	61,742	77,513	93,285	109,056	124,828	140,599	156,370	172,142	187,913	203,684	219,456
1/2	1,232	15,057	30,528	46,299	62,071	77,842	93,613	109,385	125,156	140,927	156,699	172,470	188,242	204,013	219,785
3/4	1,419	15,366	30,857	46,628	62,399	78,171	93,942	109,713	125,485	141,256	157,027	172,799	188,570	204,341	220,113
1	1,672	15,674	31,185	46,956	62,728	78,499	94,271	110,042	125,813	141,585	157,356	173,127	188,899	204,670	220,442
1/4	1,924	15,982	31,514	47,285	63,056	78,828	94,599	110,370	126,142	141,913	157,685	173,456	189,227	204,999	220,766
1/2	2,177	16,291	31,842	47,614	63,385	79,156	94,928	110,699	126,470	142,242	158,013	173,784	189,556	205,327	221,097
3/4	2,429	16,599	32,171	47,942	63,714	79,485	95,256	111,028	126,798	142,570	158,342	174,113	189,884	205,656	221,427
1	2,711	16,912	32,499	48,271	64,042	79,813	95,585	111,356	127,128	142,899	158,670	174,442	190,213	205,984	221,757
1/4	2,993	17,226	32,828	48,599	64,371	80,142	95,913	111,685	127,456	143,227	159,000	174,770	190,542	206,313	222,087
1/2	3,276	17,539	33,156	48,928	64,699	80,471	96,242	112,013	127,785	143,556	159,327	175,099	190,870	206,641	222,417
3/4	3,558	17,853	33,485	49,256	65,028	80,799	96,571	112,342	128,113	143,885	159,656	175,427	191,199	206,970	222,747
1	3,840	18,166	33,814	49,585	65,356	81,128	96,899	112,670	128,442	144,213	159,985	175,756	191,527	207,299	223,077
1/4	4,122	18,480	34,142	49,914	65,685	81,456	97,228	112,999	128,770	144,542	160,313	176,084	191,856	207,627	223,407
1/2	4,404	18,793	34,471	50,242	66,013	81,785	97,556	113,328	129,099	144,870	160,642	176,413	192,184	207,956	223,737
3/4	4,686	19,107	34,799	50,571	66,342	82,113	97,885	113,656	129,428	145,199	160,970	176,742	192,513	208,284	224,067
1	4,974	19,425	35,128	50,899	66,671	82,442	98,213	113,985	129,756	145,527	161,299	177,070	192,842	208,613	224,397
1/4	5,261	19,744	35,456	51,228	66,999	82,771	98,542	114,313	130,085	145,856	161,627	177,399	193,170	208,941	224,727
1/2	5,548	20,063	35,785	51,556	67,328	83,099	98,870	114,642	130,413	146,185	161,956	177,727	193,499	209,270	225,057
3/4	5,836	20,382	36,114	51,885	67,656	83,428	99,199	114,970	130,742	146,513	162,285	178,056	193,827	209,599	225,387
1	6,123	20,700	36,442	52,214	67,985	83,756	99,528	115,299	131,070	146,842	162,613	178,384	194,156	209,927	225,717
1/4	6,410	21,019	36,771	52,542	68,313	84,085	99,856	115,628	131,399	147,170	162,942	178,713	194,484	210,256	226,047
1/2	6,698	21,338	37,099	52,871	68,642	84,413	100,185	115,956	131,727	147,499	163,270	179,042	194,813	210,584	226,377
3/4	6,985	21,657	37,428	53,199	68,971	84,742	100,513	116,285	132,056	147,827	163,599	179,370	195,142	210,913	226,707
1	7,278	21,985	37,756	53,528	69,299	85,071	100,842	116,613	132,385	148,156	163,927	179,699	195,470	211,241	227,037
1/4	7,570	22,314	38,085	53,856	69,628	85,399	101,170	116,942	132,713	148,485	164,256	180,027	195,799	211,570	227,367
1/2	7,863	22,642	38,414	54,185	69,956	85,728	101,499	117,270	133,042	148,813	164,584	180,356	196,127	211,899	227,697
3/4	8,156	22,971	38,742	54,514	70,285	86,056	101,828	117,599	133,370	149,142	164,913	180,684	196,456	212,227	228,027
1	8,448	23,299	39,071	54,842	70,613	86,385	102,156	117,928	133,699	149,470	165,242	181,013	196,784	212,556	228,357
1/4	8,741	23,628	39,399	55,171	70,942	86,713	102,485	118,256	134,027	149,799	165,570	181,342	197,113	212,884	228,687
1/2	9,033	23,957	39,728	55,499	71,271	87,042	102,813	118,585	134,356	150,127	165,899	181,670	197,441	213,213	229,017
3/4	9,326	24,285	40,056	55,828	71,599	87,371	103,142	118,913	134,685	150,456	166,227	181,999	197,770	213,541	229,347
1	9,624	24,614	40,385	56,156	71,928	87,699	103,470	119,242	135,013	150,785	166,556	182,327	198,099	213,870	229,677
1/4	9,921	24,942	40,714	56,485	72,256	88,028	103,799	119,570	135,342	151,113	166,884	182,656	198,427	214,199	230,007
1/2	10,219	25,271	41,042	56,814	72,585	88,356	104,128	119,899	135,670	151,442	167,213	182,984	198,756	214,527	230,337
3/4	10,517	25,599	41,371	57,142	72,913	88,685	104,456	120,228	135,999	151,770	167,542	183,313	199,084	214,856	230,667
1	10,815	25,928	41,699	57,471	73,242	89,013	104,785	120,556	136,327	152,099	167,870	183,642	199,413	215,184	231,000
1/4	11,113	26,257	42,028	57,799	73,571	89,342	105,113	120,885	136,656	152,427	168,199	183,970	199,741	215,513	231,330
1/2	11,411	26,585	42,356	58,128	73,899	89,671	105,442	121,213	136,985	152,756	168,527	184,299	200,070	215,841	231,660
3/4	11,708	26,914	42,685	58,456	74,228	89,999	105,770	121,542	137,313	153,085	168,856	184,627	200,399	216,170	231,990
1	12,011	27,242	43,014	58,785	74,556	90,328	106,099	121,870	137,642	153,413	169,184	184,956	200,727	216,499	232,320
1/4	12,314	27,571	43,342	59,114	74,885	90,656	106,428	122,199	137,970	153,742	169,513	185,284	201,056	216,827	232,650
1/2	12,617	27,899	43,671	59,442	75,213	90,985	106,756	122,528	138,299	154,070	169,842	185,613	201,384	217,156	232,980
3/4	12,921	28,228	43,999	59,771	75,542	91,313	107,085	122,856	138,627	154,399	170,170	185,942	201,713	217,484	233,310
1	13,224	28,557	44,328	60,099	75,871	91,642	107,413	123,185	138,956	154,727	170,499	186,270	202,041	217,813	233,640
1/4	13,527	28,885	44,656	60,428	76,199	91,971	107,742	123,513	139,285	155,056	170,827	186,599	202,370	218,141	233,970
1/2	13,830	29,214	44,985	60,756	76,528	92,299	108,070	123,842	139,613	155,385	171,156	186,927	202,699	218,470	234,300
3/4	14,133	29,542	45,314	61,085	76,856	92,628	108,399	124,170	139,942	155,713	171,484	187,256	203,027	218,799	234,630

STRAPPED: 3/16/01

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-301"
CANAL BARGE COMPANY

INNAGE TABLE

TANK NO.

2 PORT OR STAR

HULL NO. 4374

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 14 FT.) and corresponding innage values. Includes a signature and date 'STRAPPED: 3/16/01'.

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-11 1/2" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT: 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector signature and INSPECTORATE AMERICA CORPORATION text.

STRAPPED: 3/16/01



BARGE "CBC-301"
CANAL BARGE COMPANY
 INNAGE TABLE

TANK NO.
3 PORT OR STAR

HULL NO. 4374

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.
0	853	15,980	31,626	47,236	62,902	78,569	94,236	109,902	125,569	141,236	156,783	172,307	187,811	203,300	218,774
1/4	1,057	16,306	31,951	47,562	63,229	78,895	94,562	110,229	125,895	141,562	157,071	172,554	188,011	203,454	218,882
1/2	1,260	16,632	32,276	47,888	63,555	79,222	94,889	110,555	126,222	141,889	157,360	172,811	188,254	203,689	219,111
3/4	1,464	16,958	32,601	48,215	63,882	79,548	95,215	110,882	126,548	142,215	157,649	173,099	188,542	203,977	219,400
1	1,720	17,284	32,925	48,541	64,208	79,875	95,541	111,208	126,875	142,541	157,938	173,388	188,831	204,254	219,673
1/4	2,035	17,611	33,250	48,868	64,534	80,201	95,868	111,534	127,201	142,868	158,211	173,637	189,079	204,511	220,000
1/2	2,320	17,937	33,575	49,194	64,861	80,527	96,194	111,861	127,527	143,194	158,548	174,000	189,441	204,868	220,357
3/4	2,606	18,263	33,900	49,520	65,144	80,850	96,520	112,187	127,850	143,520	158,885	174,357	189,799	205,125	220,714
2	2,932	18,589	34,225	49,847	65,417	81,180	96,847	112,514	128,180	143,847	159,232	174,714	190,167	205,481	221,071
1/4	3,258	18,915	34,550	50,173	65,840	81,507	97,173	112,840	128,507	144,173	159,590	175,071	190,527	205,838	221,428
1/2	3,584	19,242	34,875	50,500	66,166	81,833	97,500	113,166	128,833	144,500	160,000	175,428	190,885	206,195	221,785
3/4	3,910	19,568	35,200	50,826	66,493	82,159	97,826	113,493	129,159	144,826	160,316	175,785	191,250	206,552	222,142
3	4,237	19,894	35,525	51,152	66,819	82,486	98,152	113,819	129,486	145,152	160,665	176,142	191,607	206,909	222,500
1/4	4,563	20,220	35,850	51,479	67,145	82,812	98,479	114,145	129,812	145,479	161,011	176,500	191,964	207,267	222,857
1/2	4,889	20,546	36,175	51,805	67,472	83,139	98,805	114,472	130,139	145,805	161,366	176,857	192,321	207,624	223,214
3/4	5,215	20,873	36,500	52,132	67,798	83,466	99,132	114,798	130,466	146,132	161,714	177,214	192,678	207,981	223,571
4	5,541	21,199	36,825	52,458	68,125	83,791	99,458	115,125	130,791	146,458	162,071	177,571	193,034	208,338	223,928
1/4	5,868	21,525	37,150	52,784	68,451	84,118	99,784	115,451	131,118	146,784	162,428	177,928	193,391	208,695	224,285
1/2	6,194	21,851	37,475	53,111	68,777	84,444	100,111	115,777	131,444	147,111	162,785	178,285	193,748	209,052	224,642
3/4	6,520	22,177	37,799	53,437	69,104	84,770	100,437	116,104	131,770	147,437	163,142	178,642	194,107	209,409	225,000
5	6,846	22,504	38,124	53,763	69,430	85,097	100,764	116,430	132,097	147,764	163,500	179,000	194,464	209,767	225,357
1/4	7,172	22,830	38,449	54,090	69,757	85,423	101,090	116,757	132,423	148,090	163,857	179,357	194,821	210,124	225,714
1/2	7,499	23,156	38,774	54,416	70,083	85,750	101,416	117,083	132,750	148,416	164,214	179,714	195,178	210,481	226,071
3/4	7,825	23,482	39,099	54,743	70,409	86,076	101,743	117,409	133,076	148,743	164,571	180,071	195,534	210,838	226,428
6	8,151	23,808	39,424	55,069	70,736	86,402	102,069	117,736	133,402	149,069	164,928	180,428	195,891	211,195	226,785
1/4	8,477	24,135	39,749	55,395	71,062	86,729	102,395	118,062	133,729	149,395	165,285	180,785	196,248	211,552	227,142
1/2	8,803	24,461	40,074	55,722	71,389	87,055	102,722	118,389	134,055	149,722	165,642	181,142	196,603	211,909	227,500
3/4	9,130	24,787	40,399	56,048	71,715	87,382	103,048	118,715	134,382	150,048	166,000	181,500	196,959	212,267	227,857
7	9,456	25,113	40,724	56,375	72,041	87,708	103,375	119,041	134,708	150,375	166,357	181,857	197,316	212,624	228,214
1/4	9,782	25,439	41,049	56,701	72,368	88,034	103,701	119,368	135,034	150,701	166,714	182,214	197,673	212,981	228,571
1/2	10,108	25,766	41,374	57,027	72,694	88,361	104,027	119,694	135,361	151,027	167,071	182,571	198,030	213,338	228,928
3/4	10,434	26,092	41,699	57,354	73,020	88,687	104,354	120,020	135,687	151,354	167,428	182,928	198,387	213,695	229,285
8	10,761	26,418	42,024	57,680	73,347	89,014	104,680	120,347	136,014	151,680	167,785	183,285	198,744	214,052	229,642
1/4	11,087	26,744	42,349	58,007	73,673	89,340	105,007	120,673	136,340	152,007	168,142	183,642	199,103	214,409	230,000
1/2	11,413	27,070	42,674	58,333	74,000	89,666	105,333	121,000	136,666	152,333	168,500	184,000	199,460	214,767	230,357
3/4	11,739	27,397	42,998	58,659	74,326	89,993	105,659	121,326	136,993	152,659	168,857	184,357	199,817	215,124	230,714
9	12,065	27,723	43,323	58,986	74,652	90,319	105,986	121,652	137,319	152,986	169,214	184,714	200,173	215,481	231,071
1/4	12,391	28,049	43,648	59,312	74,979	90,645	106,312	121,979	137,645	153,312	169,571	185,071	200,530	215,838	231,428
1/2	12,718	28,375	43,973	59,638	75,305	90,972	106,639	122,305	137,972	153,639	169,928	185,428	200,887	216,195	231,785
3/4	13,044	28,701	44,298	59,965	75,632	91,298	106,965	122,632	138,298	153,965	170,285	185,785	201,244	216,552	232,142
10	13,370	29,026	44,625	60,291	75,958	91,625	107,291	122,958	138,625	154,291	170,642	186,142	201,601	216,909	232,500
1/4	13,696	29,351	44,951	60,618	76,284	91,951	107,618	123,284	138,951	154,618	171,000	186,500	201,959	217,267	232,857
1/2	14,022	29,676	45,277	60,944	76,611	92,277	107,944	123,611	139,277	154,944	171,357	186,857	202,316	217,624	233,214
3/4	14,349	30,001	45,604	61,270	76,937	92,604	108,270	123,937	139,604	155,270	171,714	187,214	202,673	217,981	233,571
11	14,675	30,326	45,930	61,597	77,264	92,930	108,597	124,264	139,930	155,624	172,071	187,571	203,030	218,338	233,928
1/4	15,001	30,651	46,257	61,923	77,590	93,257	108,923	124,590	140,257	155,971	172,428	187,928	203,387	218,695	234,285
1/2	15,327	30,976	46,583	62,250	77,916	93,583	109,250	124,916	140,583	156,316	172,785	188,285	203,744	219,052	234,642
3/4	15,653	31,301	46,909	62,576	78,243	93,909	109,576	125,243	140,909	156,673	173,142	188,642	204,101	219,409	235,000

STRAPPED: 3/16/01

• CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT: 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT: 15'-11" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



**BARGE "CBC-301"
CANAL BARGE COMPANY**

TANK NO.
1 PORT

OUTAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.
0	0	218,470	0	202,959	0	186,927	0	153,385	0	123,842	0	92,299	0	60,756	0	29,214	0
1/4	1/4	218,141	1/4	202,370	1/4	186,599	1/4	153,056	1/4	123,513	1/4	91,971	1/4	60,428	1/4	28,885	1/4
1/2	1/2	217,813	1/2	201,041	1/2	186,270	1/2	152,732	1/2	123,185	1/2	91,642	1/2	60,099	1/2	28,557	1/2
3/4	3/4	217,484	3/4	200,713	3/4	185,942	3/4	152,403	3/4	122,858	3/4	91,313	3/4	59,771	3/4	28,228	3/4
1	1	217,156	1	200,384	1	185,613	1	152,074	1	122,528	1	90,985	1	59,442	1	27,899	1
1/4	1/4	216,827	1/4	200,056	1/4	185,284	1/4	151,742	1/4	122,209	1/4	90,656	1/4	59,114	1/4	27,571	1/4
1/2	1/2	216,499	1/2	200,727	1/2	184,956	1/2	151,413	1/2	121,870	1/2	90,328	1/2	58,785	1/2	27,242	1/2
3/4	3/4	216,170	3/4	200,399	3/4	184,627	3/4	151,084	3/4	121,541	3/4	89,999	3/4	58,456	3/4	26,914	3/4
2	2	215,841	2	200,070	2	184,299	2	150,756	2	121,213	2	89,671	2	58,128	2	26,585	2
1/4	1/4	215,513	1/4	199,741	1/4	183,970	1/4	150,427	1/4	120,885	1/4	89,342	1/4	57,799	1/4	26,257	1/4
1/2	1/2	215,184	1/2	199,413	1/2	183,642	1/2	150,099	1/2	120,556	1/2	89,013	1/2	57,471	1/2	25,928	1/2
3/4	3/4	214,856	3/4	199,084	3/4	183,313	3/4	149,770	3/4	120,228	3/4	88,685	3/4	57,142	3/4	25,599	3/4
3	3	214,527	3	198,756	3	182,984	3	149,442	3	119,899	3	88,356	3	56,814	3	25,271	3
1/4	1/4	214,199	1/4	198,427	1/4	182,656	1/4	149,113	1/4	119,570	1/4	88,028	1/4	56,485	1/4	24,942	1/4
1/2	1/2	213,870	1/2	198,099	1/2	182,327	1/2	148,785	1/2	119,242	1/2	87,699	1/2	56,156	1/2	24,614	1/2
3/4	3/4	213,541	3/4	197,770	3/4	181,999	3/4	148,456	3/4	118,913	3/4	87,371	3/4	55,828	3/4	24,285	3/4
4	4	213,213	4	197,441	4	181,670	4	148,127	4	118,585	4	87,042	4	55,499	4	23,957	4
1/4	1/4	212,884	1/4	197,113	1/4	181,342	1/4	147,799	1/4	118,256	1/4	86,713	1/4	55,171	1/4	23,628	1/4
1/2	1/2	212,556	1/2	196,784	1/2	181,013	1/2	147,470	1/2	117,928	1/2	86,385	1/2	54,842	1/2	23,299	1/2
3/4	3/4	212,227	3/4	196,456	3/4	180,684	3/4	147,142	3/4	117,599	3/4	86,056	3/4	54,514	3/4	22,971	3/4
5	5	211,899	5	196,127	5	180,356	5	146,813	5	117,270	5	85,728	5	54,185	5	22,642	5
1/4	1/4	211,570	1/4	195,799	1/4	180,027	1/4	146,485	1/4	116,942	1/4	85,399	1/4	53,856	1/4	22,314	1/4
1/2	1/2	211,241	1/2	195,470	1/2	179,699	1/2	146,156	1/2	116,613	1/2	85,071	1/2	53,528	1/2	21,985	1/2
3/4	3/4	210,913	3/4	195,142	3/4	179,370	3/4	145,827	3/4	116,285	3/4	84,742	3/4	53,199	3/4	21,657	3/4
6	6	223,315	6	194,813	6	179,042	6	145,499	6	115,956	6	84,413	6	52,871	6	21,328	6
1/4	1/4	223,084	1/4	194,484	1/4	178,713	1/4	145,170	1/4	115,628	1/4	84,085	1/4	52,542	1/4	21,000	1/4
1/2	1/2	222,756	1/2	194,156	1/2	178,384	1/2	144,842	1/2	115,299	1/2	83,756	1/2	52,214	1/2	20,671	1/2
3/4	3/4	222,427	3/4	193,827	3/4	178,056	3/4	144,513	3/4	114,970	3/4	83,428	3/4	51,885	3/4	20,342	3/4
7	7	222,099	7	193,499	7	177,727	7	144,185	7	114,642	7	83,099	7	51,556	7	20,013	7
1/4	1/4	221,770	1/4	193,170	1/4	177,399	1/4	143,856	1/4	114,313	1/4	82,771	1/4	51,228	1/4	19,684	1/4
1/2	1/2	221,441	1/2	192,842	1/2	177,070	1/2	143,527	1/2	113,985	1/2	82,442	1/2	50,899	1/2	19,355	1/2
3/4	3/4	221,113	3/4	192,513	3/4	176,742	3/4	143,199	3/4	113,656	3/4	82,113	3/4	50,571	3/4	19,026	3/4
8	8	220,784	8	192,184	8	176,413	8	142,870	8	113,328	8	81,785	8	50,242	8	18,697	8
1/4	1/4	220,456	1/4	191,856	1/4	176,084	1/4	142,542	1/4	112,999	1/4	81,456	1/4	49,914	1/4	18,368	1/4
1/2	1/2	220,127	1/2	191,527	1/2	175,756	1/2	142,213	1/2	112,670	1/2	81,128	1/2	49,585	1/2	18,039	1/2
3/4	3/4	219,799	3/4	191,199	3/4	175,427	3/4	141,885	3/4	112,342	3/4	80,799	3/4	49,256	3/4	17,710	3/4
9	9	219,470	9	190,870	9	175,099	9	141,556	9	112,013	9	80,471	9	48,928	9	17,381	9
1/4	1/4	219,141	1/4	190,541	1/4	174,770	1/4	141,227	1/4	111,685	1/4	80,142	1/4	48,599	1/4	17,052	1/4
1/2	1/2	218,813	1/2	190,213	1/2	174,442	1/2	140,899	1/2	111,356	1/2	79,813	1/2	48,271	1/2	16,723	1/2
3/4	3/4	218,484	3/4	189,884	3/4	174,113	3/4	140,570	3/4	111,028	3/4	79,485	3/4	47,942	3/4	16,394	3/4
10	10	220,907	10	189,556	10	173,784	10	140,242	10	110,699	10	79,156	10	47,614	10	16,065	10
1/4	1/4	220,578	1/4	189,227	1/4	173,456	1/4	139,913	1/4	110,370	1/4	78,828	1/4	47,285	1/4	15,736	1/4
1/2	1/2	220,249	1/2	188,899	1/2	173,127	1/2	139,584	1/2	110,042	1/2	78,499	1/2	46,956	1/2	15,407	1/2
3/4	3/4	220,920	3/4	188,570	3/4	172,799	3/4	139,255	3/4	109,713	3/4	78,170	3/4	46,627	3/4	15,078	3/4
11	11	219,757	11	204,013	11	172,470	11	140,927	11	109,385	11	77,842	11	46,299	11	14,749	11
1/4	1/4	219,428	1/4	203,684	1/4	172,142	1/4	140,599	1/4	109,056	1/4	77,513	1/4	45,971	1/4	14,420	1/4
1/2	1/2	219,099	1/2	203,356	1/2	171,813	1/2	140,270	1/2	108,728	1/2	77,185	1/2	45,642	1/2	14,091	1/2
3/4	3/4	218,770	3/4	203,027	3/4	171,484	3/4	139,942	3/4	108,399	3/4	76,856	3/4	45,314	3/4	13,762	3/4

STRAPPED: 3/1601

REFERENCE GAUGE HEIGHT: 16'-0" (RIM OF 2' DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

[Signature]
INSPECTORATE AMERICA CORPORATION



BARGE "CBC-301"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
1 STAR

HULL NO. 4374

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	218,141	0	202,370	0	170,827	0	139,285	0	107,742	0	76,199	0	44,656	0	28,885
1/4	1/4	217,813	1/4	202,041	1/4	170,499	1/4	138,956	1/4	107,413	1/4	75,871	1/4	44,328	1/4	28,557
1/2	1/2	217,484	1/2	201,713	1/2	170,170	1/2	138,627	1/2	107,085	1/2	75,544	1/2	44,000	1/2	28,228
3/4	3/4	217,156	3/4	201,384	3/4	169,842	3/4	138,299	3/4	106,756	3/4	75,213	3/4	43,671	3/4	27,899
1	1	216,827	1	201,056	1	169,513	1	137,970	1	106,428	1	74,885	1	43,342	1	27,571
1/4	1/4	216,499	1/4	200,727	1/4	169,184	1/4	137,642	1/4	106,099	1/4	74,556	1/4	43,014	1/4	27,242
1/2	1/2	216,170	1/2	200,399	1/2	168,856	1/2	137,313	1/2	105,770	1/2	74,228	1/2	42,685	1/2	26,914
3/4	3/4	215,841	3/4	200,070	3/4	168,527	3/4	136,985	3/4	105,442	3/4	73,899	3/4	42,356	3/4	26,585
2	2	215,513	2	199,741	2	168,199	2	136,656	2	105,113	2	73,571	2	42,028	2	26,257
1/4	1/4	215,184	1/4	199,413	1/4	167,870	1/4	136,327	1/4	104,785	1/4	73,242	1/4	41,699	1/4	25,928
1/2	1/2	214,856	1/2	199,084	1/2	167,542	1/2	135,999	1/2	104,456	1/2	72,913	1/2	41,371	1/2	25,599
3/4	3/4	214,527	3/4	198,756	3/4	167,213	3/4	135,670	3/4	104,128	3/4	72,585	3/4	41,042	3/4	25,271
3	3	214,199	3	198,427	3	166,884	3	135,342	3	103,799	3	72,256	3	40,714	3	24,942
1/4	1/4	213,870	1/4	198,099	1/4	166,556	1/4	135,013	1/4	103,470	1/4	71,928	1/4	40,385	1/4	24,614
1/2	1/2	213,541	1/2	197,770	1/2	166,227	1/2	134,685	1/2	103,142	1/2	71,599	1/2	40,056	1/2	24,285
3/4	3/4	213,213	3/4	197,441	3/4	165,899	3/4	134,356	3/4	102,813	3/4	71,271	3/4	39,728	3/4	23,957
4	4	212,884	4	197,113	4	165,570	4	134,027	4	102,485	4	70,942	4	39,399	4	23,628
1/4	1/4	212,556	1/4	196,784	1/4	165,242	1/4	133,699	1/4	102,156	1/4	70,613	1/4	39,071	1/4	23,299
1/2	1/2	212,227	1/2	196,456	1/2	164,914	1/2	133,370	1/2	101,828	1/2	70,285	1/2	38,742	1/2	22,971
3/4	3/4	211,899	3/4	196,127	3/4	164,584	3/4	133,042	3/4	101,499	3/4	69,956	3/4	38,414	3/4	22,642
5	5	211,570	5	195,799	5	164,256	5	132,713	5	101,170	5	69,628	5	38,085	5	22,314
1/4	1/4	211,241	1/4	195,470	1/4	163,927	1/4	132,385	1/4	100,842	1/4	69,299	1/4	37,756	1/4	21,985
1/2	1/2	210,913	1/2	195,142	1/2	163,599	1/2	132,056	1/2	100,513	1/2	68,971	1/2	37,428	1/2	21,657
3/4	3/4	210,584	3/4	194,813	3/4	163,270	3/4	131,727	3/4	100,185	3/4	68,642	3/4	37,099	3/4	21,328
6	6	210,256	6	194,484	6	162,942	6	131,399	6	99,856	6	68,313	6	36,771	6	21,000
1/4	1/4	209,927	1/4	194,156	1/4	162,613	1/4	131,070	1/4	99,528	1/4	67,985	1/4	36,442	1/4	20,671
1/2	1/2	209,599	1/2	193,827	1/2	162,285	1/2	130,742	1/2	99,199	1/2	67,656	1/2	36,114	1/2	20,342
3/4	3/4	209,270	3/4	193,499	3/4	161,956	3/4	130,413	3/4	98,870	3/4	67,328	3/4	35,785	3/4	20,013
7	7	208,941	7	193,170	7	161,627	7	130,085	7	98,542	7	66,999	7	35,456	7	19,684
1/4	1/4	208,613	1/4	192,842	1/4	161,299	1/4	129,756	1/4	98,213	1/4	66,671	1/4	35,128	1/4	19,355
1/2	1/2	208,284	1/2	192,513	1/2	160,970	1/2	129,428	1/2	97,885	1/2	66,342	1/2	34,799	1/2	19,026
3/4	3/4	207,956	3/4	192,184	3/4	160,642	3/4	129,099	3/4	97,556	3/4	66,013	3/4	34,471	3/4	18,697
8	8	207,627	8	191,856	8	160,313	8	128,770	8	97,228	8	65,685	8	34,142	8	18,368
1/4	1/4	207,299	1/4	191,527	1/4	159,985	1/4	128,442	1/4	96,899	1/4	65,356	1/4	33,814	1/4	18,039
1/2	1/2	206,970	1/2	191,199	1/2	159,656	1/2	128,113	1/2	96,571	1/2	65,028	1/2	33,485	1/2	17,710
3/4	3/4	206,641	3/4	190,870	3/4	159,327	3/4	127,785	3/4	96,242	3/4	64,699	3/4	33,156	3/4	17,381
9	9	206,313	9	190,542	9	158,999	9	127,456	9	95,913	9	64,371	9	32,828	9	17,052
1/4	1/4	205,984	1/4	190,213	1/4	158,670	1/4	127,128	1/4	95,585	1/4	64,042	1/4	32,499	1/4	16,723
1/2	1/2	205,656	1/2	189,884	1/2	158,342	1/2	126,799	1/2	95,256	1/2	63,714	1/2	32,171	1/2	16,394
3/4	3/4	205,327	3/4	189,556	3/4	158,013	3/4	126,470	3/4	94,928	3/4	63,385	3/4	31,842	3/4	16,065
10	10	204,999	10	189,227	10	157,685	10	126,142	10	94,599	10	63,056	10	31,514	10	15,736
1/4	1/4	204,670	1/4	188,899	1/4	157,356	1/4	125,813	1/4	94,271	1/4	62,728	1/4	31,185	1/4	15,407
1/2	1/2	204,341	1/2	188,570	1/2	157,027	1/2	125,485	1/2	93,942	1/2	62,399	1/2	30,857	1/2	15,078
3/4	3/4	204,013	3/4	188,242	3/4	156,699	3/4	125,156	3/4	93,613	3/4	62,071	3/4	30,528	3/4	14,749
11	11	203,684	11	187,913	11	156,370	11	124,828	11	93,285	11	61,742	11	30,199	11	14,420
1/4	1/4	203,356	1/4	187,584	1/4	156,042	1/4	124,499	1/4	92,956	1/4	61,414	1/4	29,871	1/4	14,091
1/2	1/2	203,027	1/2	187,256	1/2	155,713	1/2	124,170	1/2	92,628	1/2	61,085	1/2	29,542	1/2	13,762
3/4	3/4	202,699	3/4	186,927	3/4	155,385	3/4	123,842	3/4	92,299	3/4	60,756	3/4	29,214	3/4	13,433

STRAPPED: 3/1601

REFERENCE GAUGE HEIGHT: 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION

CAPACITIES GIVEN IN US GALLONS



BARGE "CBC-301"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
2 PORT

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.										
0	0	197,143	0	181,930	0	166,716	0	151,502	0	136,289	0	121,075	0	105,861	0	90,647	0	75,434	0	60,220	0	45,006	0	29,793	0	14,579
1/4	1/4	196,826	1/4	181,613	1/4	166,399	1/4	151,185	1/4	135,972	1/4	120,758	1/4	105,544	1/4	90,330	1/4	75,117	1/4	59,903	1/4	44,689	1/4	29,476	1/4	14,262
1/2	1/2	196,509	1/2	181,296	1/2	166,082	1/2	150,868	1/2	135,655	1/2	120,444	1/2	105,227	1/2	90,014	1/2	74,800	1/2	59,586	1/2	44,372	1/2	29,159	1/2	13,945
3/4	3/4	196,192	3/4	180,979	3/4	165,765	3/4	150,551	3/4	135,338	3/4	120,124	3/4	104,910	3/4	89,697	3/4	74,483	3/4	59,269	3/4	44,055	3/4	28,842	3/4	13,628
1	1	195,875	1	180,562	1	165,448	1	150,234	1	135,021	1	119,807	1	104,593	1	89,380	1	74,166	1	58,952	1	43,739	1	28,525	1	13,311
1/4	1/4	195,559	1/4	180,345	1/4	165,131	1/4	149,917	1/4	134,704	1/4	119,490	1/4	104,276	1/4	89,063	1/4	73,847	1/4	58,635	1/4	43,422	1/4	28,208	1/4	12,994
1/2	1/2	195,242	1/2	180,028	1/2	164,814	1/2	149,601	1/2	134,387	1/2	119,173	1/2	103,959	1/2	88,746	1/2	73,532	1/2	58,318	1/2	43,105	1/2	27,891	1/2	12,677
3/4	3/4	194,925	3/4	179,711	3/4	164,497	3/4	149,284	3/4	134,070	3/4	118,856	3/4	103,642	3/4	88,429	3/4	73,215	3/4	58,001	3/4	42,788	3/4	27,574	3/4	12,360
2	2	209,746	2	179,394	2	164,180	2	148,967	2	133,753	2	118,539	2	103,326	2	88,112	2	72,898	2	57,684	2	42,471	2	27,257	2	12,043
1/4	1/4	209,431	1/4	179,077	1/4	163,863	1/4	148,650	1/4	133,436	1/4	118,222	1/4	103,009	1/4	87,795	1/4	72,581	1/4	57,367	1/4	42,154	1/4	26,940	1/4	11,726
1/2	1/2	209,116	1/2	178,762	1/2	163,546	1/2	148,333	1/2	133,119	1/2	117,905	1/2	102,692	1/2	87,478	1/2	72,264	1/2	57,051	1/2	41,837	1/2	26,623	1/2	11,409
3/4	3/4	208,801	3/4	178,443	3/4	163,229	3/4	148,016	3/4	132,802	3/4	117,588	3/4	102,375	3/4	87,161	3/4	71,947	3/4	56,734	3/4	41,520	3/4	26,306	3/4	11,092
3	3	208,487	3	178,126	3	162,912	3	147,699	3	132,485	3	117,271	3	102,058	3	86,844	3	71,630	3	56,417	3	41,203	3	25,989	3	10,776
1/4	1/4	208,172	1/4	177,809	1/4	162,596	1/4	147,382	1/4	132,168	1/4	116,954	1/4	101,741	1/4	86,527	1/4	71,313	1/4	56,100	1/4	40,886	1/4	25,672	1/4	10,459
1/2	1/2	207,857	1/2	177,492	1/2	162,279	1/2	147,065	1/2	131,851	1/2	116,637	1/2	101,424	1/2	86,210	1/2	70,996	1/2	55,783	1/2	40,569	1/2	25,355	1/2	10,142
3/4	3/4	207,542	3/4	177,175	3/4	161,962	3/4	146,748	3/4	131,534	3/4	116,321	3/4	101,107	3/4	85,893	3/4	70,679	3/4	55,466	3/4	40,252	3/4	25,038	3/4	9,825
4	4	207,227	4	176,858	4	161,645	4	146,431	4	131,217	4	116,004	4	100,790	4	85,576	4	70,363	4	55,149	4	39,935	4	24,721	4	9,508
1/4	1/4	206,912	1/4	176,541	1/4	161,328	1/4	146,114	1/4	130,900	1/4	115,687	1/4	100,473	1/4	85,259	1/4	70,046	1/4	54,832	1/4	39,618	1/4	24,404	1/4	9,191
1/2	1/2	206,597	1/2	176,224	1/2	161,011	1/2	145,797	1/2	130,583	1/2	115,370	1/2	100,156	1/2	84,942	1/2	69,729	1/2	54,515	1/2	39,301	1/2	24,088	1/2	8,874
3/4	3/4	206,283	3/4	175,908	3/4	160,694	3/4	145,480	3/4	130,266	3/4	115,053	3/4	99,839	3/4	84,625	3/4	69,412	3/4	54,198	3/4	38,984	3/4	23,771	3/4	8,557
5	5	205,968	5	175,591	5	160,377	5	145,163	5	129,949	5	114,736	5	99,522	5	84,308	5	69,095	5	53,881	5	38,667	5	23,454	5	8,240
1/4	1/4	205,653	1/4	175,274	1/4	160,060	1/4	144,846	1/4	129,633	1/4	114,419	1/4	99,205	1/4	83,991	1/4	68,778	1/4	53,564	1/4	38,350	1/4	23,137	1/4	7,923
1/2	1/2	205,338	1/2	174,957	1/2	159,743	1/2	144,529	1/2	129,316	1/2	114,102	1/2	98,888	1/2	83,674	1/2	68,461	1/2	53,247	1/2	38,033	1/2	22,820	1/2	7,606
3/4	3/4	205,023	3/4	174,640	3/4	159,426	3/4	144,212	3/4	128,999	3/4	113,785	3/4	98,571	3/4	83,358	3/4	68,144	3/4	52,930	3/4	37,716	3/4	22,503	3/4	7,289
6	6	204,708	6	174,323	6	159,109	6	143,895	6	128,682	6	113,468	6	98,254	6	83,041	6	67,827	6	52,613	6	37,399	6	22,186	6	6,972
1/4	1/4	204,393	1/4	174,006	1/4	158,792	1/4	143,578	1/4	128,365	1/4	113,151	1/4	97,937	1/4	82,724	1/4	67,510	1/4	52,296	1/4	37,083	1/4	21,869	1/4	6,655
1/2	1/2	204,079	1/2	173,689	1/2	158,475	1/2	143,261	1/2	128,048	1/2	112,834	1/2	97,620	1/2	82,407	1/2	67,193	1/2	51,979	1/2	36,766	1/2	21,552	1/2	6,338
3/4	3/4	203,764	3/4	173,372	3/4	158,158	3/4	142,945	3/4	127,731	3/4	112,517	3/4	97,303	3/4	82,090	3/4	66,876	3/4	51,662	3/4	36,449	3/4	21,235	3/4	6,021
7	7	203,449	7	173,055	7	157,841	7	142,628	7	127,414	7	112,200	7	96,986	7	81,773	7	66,559	7	51,345	7	36,132	7	20,918	7	5,704
1/4	1/4	203,134	1/4	172,738	1/4	157,524	1/4	142,311	1/4	127,097	1/4	111,883	1/4	96,670	1/4	81,456	1/4	66,242	1/4	51,028	1/4	35,815	1/4	20,601	1/4	5,387
1/2	1/2	202,819	1/2	172,421	1/2	157,207	1/2	141,994	1/2	126,780	1/2	111,566	1/2	96,353	1/2	81,139	1/2	65,925	1/2	50,711	1/2	35,498	1/2	20,284	1/2	5,070
3/4	3/4	202,504	3/4	172,104	3/4	156,890	3/4	141,677	3/4	126,463	3/4	111,249	3/4	96,036	3/4	80,822	3/4	65,608	3/4	50,395	3/4	35,181	3/4	19,967	3/4	4,753
8	8	202,189	8	171,787	8	156,573	8	141,360	8	126,146	8	110,932	8	95,719	8	80,505	8	65,291	8	50,078	8	34,864	8	19,650	8	4,436
1/4	1/4	201,875	1/4	171,470	1/4	156,256	1/4	141,043	1/4	125,829	1/4	110,615	1/4	95,402	1/4	80,188	1/4	64,974	1/4	49,761	1/4	34,547	1/4	19,333	1/4	4,120
1/2	1/2	201,560	1/2	171,153	1/2	155,940	1/2	140,726	1/2	125,512	1/2	110,298	1/2	95,085	1/2	79,871	1/2	64,657	1/2	49,444	1/2	34,230	1/2	19,016	1/2	3,803
3/4	3/4	201,245	3/4	170,836	3/4	155,623	3/4	140,409	3/4	125,195	3/4	109,982	3/4	94,768	3/4	79,554	3/4	64,340	3/4	49,127	3/4	33,913	3/4	18,699	3/4	3,486
9	9	200,930	9	170,519	9	155,306	9	140,092	9	124,878	9	109,665	9	94,451	9	79,237	9	64,023	9	48,810	9	33,596	9	18,382	9	3,169
1/4	1/4	200,615	1/4	170,202	1/4	154,989	1/4	139,775	1/4	124,561	1/4	109,348	1/4	94,134	1/4	78,920	1/4	63,707	1/4	48,493	1/4	33,279	1/4	18,065	1/4	2,852
1/2	1/2	200,300	1/2	169,885	1/2	154,672	1/2	139,458	1/2	124,244	1/2	109,031	1/2	93,817	1/2	78,603	1/2	63,390	1/2	48,176	1/2	32,962	1/2	17,748	1/2	2,535
3/4	3/4	199,985	3/4	169,568	3/4	154,355	3/4	139,141	3/4	123,927	3/4	108,714	3/4	93,500	3/4	78,286	3/4	63,073	3/4	47,859	3/4	32,645	3/4	17,431	3/4	2,257
10	10	199,671	10	169,252	10	154,038	10	138,824	10	123,610	10	108,397	10	93,183	10	77,969	10	62,756	10	47,542	10	32,328	10	17,115	10	1,980
1/4	1/4	199,356	1/4	168,935	1/4	153,721	1/4																			



BARGE "CBC-301"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
2 STAR

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.
0	0	181,613	0	166,399	0	151,185	0	135,972	0	120,758	0	105,544	0	90,330	0	75,117
1/4	1/4	196,826	1/4	181,296	1/4	166,082	1/4	150,868	1/4	135,654	1/4	120,441	1/4	105,227	1/4	90,014
1/2	1/2	196,509	1/2	180,979	1/2	165,765	1/2	150,551	1/2	135,338	1/2	120,124	1/2	104,910	1/2	89,697
3/4	3/4	195,875	3/4	180,345	3/4	165,131	3/4	150,234	3/4	135,021	3/4	119,807	3/4	104,593	3/4	89,380
1	1	195,559	1	180,028	1	164,814	1	149,601	1	134,704	1	119,490	1	104,276	1	89,063
1/4	1/4	195,242	1/4	179,711	1/4	164,497	1/4	149,284	1/4	134,587	1/4	119,173	1/4	103,962	1/4	88,746
1/2	1/2	194,925	1/2	179,394	1/2	164,180	1/2	148,967	1/2	134,270	1/2	118,856	1/2	103,642	1/2	88,429
3/4	3/4	194,608	3/4	179,077	3/4	163,863	3/4	148,650	3/4	133,936	3/4	118,539	3/4	103,326	3/4	88,112
1	1	194,291	1	178,760	1	163,546	1	148,333	1	133,618	1	118,222	1	103,009	1	87,795
1/4	1/4	193,974	1/4	178,443	1/4	163,229	1/4	148,016	1/4	133,301	1/4	117,905	1/4	102,692	1/4	87,478
1/2	1/2	193,657	1/2	178,126	1/2	162,912	1/2	147,699	1/2	132,984	1/2	117,588	1/2	102,375	1/2	87,161
3/4	3/4	193,340	3/4	177,809	3/4	162,596	3/4	147,382	3/4	132,667	3/4	117,271	3/4	102,058	3/4	86,844
1	1	193,023	1	177,492	1	162,279	1	147,065	1	132,348	1	116,954	1	101,741	1	86,527
1/4	1/4	192,706	1/4	177,175	1/4	161,962	1/4	146,748	1/4	132,021	1/4	116,637	1/4	101,424	1/4	86,210
1/2	1/2	192,389	1/2	176,858	1/2	161,645	1/2	146,431	1/2	131,694	1/2	116,321	1/2	101,107	1/2	85,893
3/4	3/4	192,072	3/4	176,541	3/4	161,328	3/4	146,114	3/4	131,367	3/4	116,004	3/4	100,790	3/4	85,576
1	1	191,755	1	176,224	1	161,011	1	145,797	1	131,046	1	115,687	1	100,473	1	85,259
1/4	1/4	191,438	1/4	175,907	1/4	160,694	1/4	145,480	1/4	130,721	1/4	115,370	1/4	100,156	1/4	84,942
1/2	1/2	191,121	1/2	175,590	1/2	160,377	1/2	145,163	1/2	130,394	1/2	115,053	1/2	99,839	1/2	84,625
3/4	3/4	190,804	3/4	175,273	3/4	160,060	3/4	144,846	3/4	129,949	3/4	114,736	3/4	99,522	3/4	84,308
1	1	190,487	1	174,956	1	159,743	1	144,529	1	129,632	1	114,419	1	99,205	1	83,991
1/4	1/4	190,170	1/4	174,639	1/4	159,426	1/4	144,212	1/4	129,315	1/4	114,102	1/4	98,888	1/4	83,674
1/2	1/2	189,853	1/2	174,322	1/2	159,109	1/2	143,895	1/2	128,998	1/2	113,785	1/2	98,571	1/2	83,358
3/4	3/4	189,536	3/4	174,005	3/4	158,792	3/4	143,578	3/4	128,681	3/4	113,468	3/4	98,254	3/4	83,041
1	1	189,219	1	173,688	1	158,475	1	143,261	1	128,364	1	113,151	1	97,937	1	82,724
1/4	1/4	188,902	1/4	173,371	1/4	158,158	1/4	142,944	1/4	128,047	1/4	112,834	1/4	97,620	1/4	82,407
1/2	1/2	188,585	1/2	173,054	1/2	157,841	1/2	142,627	1/2	127,730	1/2	112,517	1/2	97,303	1/2	82,090
3/4	3/4	188,268	3/4	172,737	3/4	157,524	3/4	142,310	3/4	127,413	3/4	112,200	3/4	96,986	3/4	81,773
1	1	187,951	1	172,420	1	157,207	1	141,994	1	127,096	1	111,883	1	96,670	1	81,456
1/4	1/4	187,634	1/4	172,103	1/4	156,890	1/4	141,677	1/4	126,779	1/4	111,566	1/4	96,353	1/4	81,139
1/2	1/2	187,317	1/2	171,786	1/2	156,573	1/2	141,360	1/2	126,462	1/2	111,249	1/2	96,036	1/2	80,822
3/4	3/4	187,000	3/4	171,469	3/4	156,256	3/4	141,043	3/4	126,145	3/4	110,932	3/4	95,719	3/4	80,505
1	1	186,684	1	171,152	1	155,940	1	140,726	1	125,828	1	110,615	1	95,402	1	80,188
1/4	1/4	186,367	1/4	170,835	1/4	155,623	1/4	140,409	1/4	125,511	1/4	110,298	1/4	95,085	1/4	79,871
1/2	1/2	186,050	1/2	170,518	1/2	155,306	1/2	140,092	1/2	125,194	1/2	109,982	1/2	94,768	1/2	79,554
3/4	3/4	185,733	3/4	170,201	3/4	154,989	3/4	139,775	3/4	124,878	3/4	109,665	3/4	94,451	3/4	79,237
1	1	185,416	1	169,885	1	154,672	1	139,458	1	124,561	1	109,348	1	94,134	1	78,920
1/4	1/4	185,099	1/4	169,568	1/4	154,355	1/4	139,141	1/4	124,244	1/4	109,031	1/4	93,817	1/4	78,603
1/2	1/2	184,782	1/2	169,251	1/2	154,038	1/2	138,824	1/2	123,927	1/2	108,714	1/2	93,500	1/2	78,286
3/4	3/4	184,465	3/4	168,934	3/4	153,721	3/4	138,507	3/4	123,610	3/4	108,397	3/4	93,183	3/4	77,969
1	1	184,148	1	168,618	1	153,404	1	138,190	1	123,293	1	108,080	1	92,866	1	77,652
1/4	1/4	183,831	1/4	168,301	1/4	153,087	1/4	137,873	1/4	122,976	1/4	107,763	1/4	92,549	1/4	77,335
1/2	1/2	183,514	1/2	167,984	1/2	152,770	1/2	137,556	1/2	122,660	1/2	107,446	1/2	92,232	1/2	77,018
3/4	3/4	183,197	3/4	167,667	3/4	152,453	3/4	137,239	3/4	122,343	3/4	107,129	3/4	91,915	3/4	76,702
1	1	182,880	1	167,350	1	152,136	1	136,922	1	122,026	1	106,812	1	91,598	1	76,385
1/4	1/4	182,563	1/4	167,033	1/4	151,819	1/4	136,605	1/4	121,709	1/4	106,495	1/4	91,281	1/4	76,068
1/2	1/2	182,246	1/2	166,716	1/2	151,502	1/2	136,289	1/2	121,392	1/2	106,178	1/2	90,964	1/2	75,751
3/4	3/4	181,930	3/4	166,399	3/4	151,185	3/4	135,972	3/4	121,075	3/4	105,861	3/4	90,647	3/4	75,434

STRAPPED: 3/16/01

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-301"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO.
3 PORT

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 15 FT.) and corresponding measurements (IN, FT., IN) for each tank. Includes a diagonal line across the first few rows.

STRAPPED: 3/1601

REFERENCE GAUGE HEIGHT : 15'-11 1/4" (RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

* CAPACITY BELOW STRIKE POINT

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE
IN ACCORDANCE WITH APPLICABLE API STANDARDS AND
ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature

INSPECTORATE AMERICA CORPORATION



BARGE "CBC-301" CANAL BARGE COMPANY

TANK NO. 3 STAR

OUTAGE TABLE

HULL NO. 4374

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

Table with columns for height (0 FT. to 15 FT.) and capacity (IN US GALLONS). Each row represents a 1-foot interval, showing the corresponding capacity in gallons.

STRAPPED: 3/16101

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT: 15'-11" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Signature of Inspector

INSPECTORATE AMERICA CORPORATION