



BARGE "CBC-333"

CANAL BARGE COMPANY

HULL NO. 4333

CORRECTION TABLE FOR TRIM AFT.

FOR INNAGE GAUGES ONLY

TRIM	TANKS NO. 1 PORT OR STAR.	TANKS NO. 2 PORT OR STAR.	TANKS NO. 3 PORT OR STAR.
0'-6"	(-) 0' - 0 7/8"	(-) 0' - 0 7/8"	(+) 0' - 0 7/8"
1'-0"	(-) 0' - 1 7/8"	(-) 0' - 1 7/8"	(+) 0' - 1 7/8"
1'-6"	(-) 0' - 2 3/4"	(-) 0' - 2 3/4"	(+) 0' - 2 3/4"
2'-0"	(-) 0' - 3 5/8"	(-) 0' - 3 5/8"	(+) 0' - 3 5/8"
2'-6"	(-) 0' - 4 5/8"	(-) 0' - 4 5/8"	(+) 0' - 4 5/8"
3'-0"	(-) 0' - 5 1/2"	(-) 0' - 5 1/2"	(+) 0' - 5 1/2"
3'-6"	(-) 0' - 6 1/2"	(-) 0' - 6 1/2"	(+) 0' - 6 1/2"
4'-0"	(-) 0' - 7 3/8"	(-) 0' - 7 3/8"	(+) 0' - 7 3/8"
4'-6"	(-) 0' - 8 1/4"	(-) 0' - 8 1/4"	(+) 0' - 8 1/4"
5'-0"	(-) 0' - 9 1/4"	(-) 0' - 9 1/4"	(+) 0' - 9 1/4"

NOTE: FOR TRIM FWD., REVERSE SIGNS.

NOTE: IF LIQUID SURFACE TOUCHES TANK BOTTOM OR DECK WHEN GAUGED, TRIM CORRECTIONS ARE NOT ACCURATE.

NOTE: FOR "OUTAGE" GAUGES, REVERSE SIGNS.

DATE: 5/5/99

BY:


INSPECTORATE AMERICA CORPORATION



BARGE "CBC-333"
CANAL BARGE COMPANY
OUTAGE TABLE

TANK NO. 1 PORT OR STAR.

HULL NO. 4333

Table with columns: M, 0 FT., 1 FT., 2 FT., 3 FT., 4 FT., 5 FT., 6 FT., 7 FT., 8 FT., 9 FT., 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT. Each column contains multiple rows of data representing measurements at different heights.

* CAPACITY BELOW STRIKE POINT

REFERENCE GAUGE HEIGHT : 15'-4" (RIM OF 8" DIAMETER HATCH LOCATED ON EXPANSION TRUNK)

STRAPPED: 5/5/99

WE CERTIFY ALL MEASUREMENTS AND COMPUTATIONS ARE IN ACCORDANCE WITH APPLICABLE API STANDARDS AND ARE TRUE AND CORRECT TO THE BEST OF OUR KNOWLEDGE.

Inspector's signature

INSPECTORATE AMERICA CORPORATION

CBC 333 Fuel Tank Strapping Table

IN GALLONS

CBC 329-CBC 338

Feet Inches	0	1	2	3
0	0	3456	6912	10368
1	288	3744	7200	10656
2	576	4032	7488	10944
3	864	4320	7776	11232
4	1152	4608	8064	11520
5	1440	4896	8352	11808
6	1728	5184	8640	
7	2016	5472	8928	
8	2304	5760	9216	
9	2592	6048	9504	
10	2880	6336	9792	
11	3168	6624	10080	