



image 1

image thumbnails
2. 3. 4. 5...

PL Toilet Roll Dispenser, Single, SS, Wall-Mt, Front-Service

title 1

title 2

Sleek, secure, and efficient paper management for commercial restrooms

para 1

Engineered with premium 1.5mm 304 Brushed Finish Stainless Steel, this surface-mounted dispenser combines sophisticated aesthetics with industrial strength. It accommodates a Single Jumbo Roll up to 9 inches, features a standard Permaloo keyed cylinder lock for security, and includes a convenient visual window for monitoring paper levels.

para 2

The heavy-duty gauge stainless steel construction ensures exceptional durability in high-traffic environments, while the 304 stainless steel provides superior long-term surface protection against corrosion and humidity. With its intuitive front-service design, maintenance staff can quickly replace rolls with minimal effort, making this dispenser an ideal solution for facilities that demand reliability, security, and professional appearance without compromise.

[Send Enquiry](#)[Download](#)[Data Specifications](#)[Brochure](#)[Mounting Instruction](#)[Mounting Template](#)[Spare Parts](#)

Features

Surface mounted; Capacity: - Single Jumbo Roll; Standard Permaloo keyed cylinder lock; Stainless Steel 1.5mm 304 Brushed Finish;

Benefits

Heavy duty gauge stainless steel construction; 304 Stainless steel for long term surface protection.

Specifications

Warrenty

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse varius enim in eros elementum tristique. Duis cursus, mi quis viverra ornare, eros dolor interdum nulla, ut commodo diam libero vitae erat. Aenean faucibus nibh et justo cursus id rutrum lorem imperdiet. Nunc ut sem vitae risus tristique posuere.

Title 1	Single Jumbo Toilet Roll Dispenser, Stainless Steel, Surface Mounted, Front Service	
Title 2	Your go-to when long-term durability is paramount	
Para 1	New Zealand designed & manufactured, combining durability and convenience, this unit's sturdy build handles frequent or rough use and suits busy restrooms. It reliably supports hygiene and supply maintenance for facility managers.	
Para 2	This high-capacity toilet tissue dispenser minimizes maintenance, and its front window makes it easy to check when a refill is needed.	
Benefits	- Engineered for use in high-traffic washroom environments - Easy service check with a viewing window - Key locked to help prevent tampering and vandalism - Lock keyed alike to other PermaGroup products - Designed for quick reloading, door unlocks and swings down, preventing cabinet harming wall when opening - Available in brushed, stainless steel - 5-year limited warranty	
Specifications	Product Number: PLPAT012301 Material: 3mm 304 Stainless Steel Size: H: 336mm x W: 277mm x D: 117mm with Ø 64mm Core Barrel Net Weight: 4.15kg Colour: Brushed, stainless steel Capacity: 1 jumbo roll, max width 110mm, max Ø260mm Warranty: Limited 5-year warranty from the date of purchase to the repair or exchange of defective parts at the option of PermaGroup, against defects in factory workmanship or material under normal use and service.	
Image 1	Wall_Side View	
Image 2	Front	
Image 3	Right Iso	
Image 4	Right Iso Open	
Image 5	Dimensions	
3D Image	3D Int	
Download	Data Specification - info below	
Download	Brochure	
Download	Mounting instruction	
Download	Mounting template	
Download	Spare parts	
Download	Care & Maintenance Guide - info below	
Related 1	PLPAT012321 Double Jumbo Roll Disp, SS, SM, FS	
Related 2	PLPAT012341 Double Jumbo Roll Dispenser, SS, REC, FS	
Related 3	PLPAT012383 Double Jumbo Roll Disp+Sani S-Line, SS, REC, FS	
Related 4	PLPAT012451 Slim-Line Sanitary Disposal, SS, REC, FS	

SINGLE JUMBO TOILET ROLL DISPENSER

PLPAT-012301

Image 3, 4 & 5 + Fixing Dimension Diagram

SPECIFICATION DATA

PRODUCT	SINGLE JUMBO TOILET ROLL DISPENSER, PLPAT012301
CAPACITY	1 jumbo roll, max width 110mm, max Ø260mm
MATERIAL	3mm 304 Stainless Steel
COLOUR	Brushed, stainless steel
SIZE	H: 336mm x W: 277mm x D: 117mm
NET WEIGHT	4.15kg
IDEAL APPLICATION	Ideal for high traffic areas, exposed to frequent or rough use. Large capacity toilet tissue minimizes maintenance. Best suited to public restrooms, sports facilities, educational facilities, shopping centres & detention centres
INSTALLATION	Mount using 4 / M6 x 24 pan head self-tapping screws (by others) through mounting holes provided. Mounting location using the hole template provided is as follows: Non-Accessible Application (NZS) - Within 300mm horizontally of the front of the toilet pan from dispenser vertical centreline - 800 from FFL to bottom paper outlet surface of unit Accessible Compliance Application (NZS) - Mount cabinet so that leading edge of roll is no further than 915mm from back wall of toilet cubicle - Centreline of roll is between 500 – 1100mm up from FFL
SPECIFICATION TERMS	The surface-mounted single jumbo toilet roll dispenser is made from 3.0mm 304 stainless steel with a satin brushed finish - H: 336mm x W: 277mm x D: 117mm, net weight 4.15kg. Its flush paper outlet has no sharp edges for user safety. The cabinet features a slot to show tissue supply and holds one jumbo roll, max width 110mm, max Ø260mm, min core Ø65mm. The lock is keyed to match other PermaGroup washroom accessories.

Stainless Steel Cleaning & Maintenance Instructions

Stainless steel is generally resistant to rust, but specific conditions can still cause corrosion:

- *Soaps with chemical additives that may dry on the surface and cause discoloration if not rinsed completely.*
- *Using cleaning products containing chloride or muriatic acid.*
- *Exposure to water with a high iron content or contact with iron particles, such as those from steel wool or construction debris, which can leave a residue.*
- *Salt or environments containing chlorides.*

When rust or corrosion appears, prompt cleaning is recommended to limit potential damage. Regular daily cleaning, especially in wet areas like showers, can help maintain the original

By following the following recommendations, stainless steel surfaces and accessories will maintain their original finish, appearance, and durability.

For stainless steel surfaces with a satin or brushed finish, always:

- 1. clean and polish in the direction of the grain**
- 2. rinse with water and dry with a soft cloth after using cleaning solutions or soap**

When Tackling Everyday Dirt, Smudges, or Fingerprints

- Use a mild cleaning solution or a specialized stainless steel cleaner. Gently wipe the surface with a soft cloth or sponge; for textured areas, a soft brush may be more effective. Afterward, rinse and dry the surface.
- It is important to avoid cleaners containing bleach, hydrochloric acid, or chlorides—these chemicals are common in many tile and toilet bowl cleaners as well as abrasive powders.
- Steel wool should not be used, as it leaves behind debris that can cause rust. Highly polished stainless steel surfaces should never be cleaned with abrasive materials.

Graffiti & Stubborn Marks

- These can be addressed with a dedicated graffiti remover or an equivalent cleaning solution. Apply the product and gently rub the stained spots, then rinse and dry thoroughly.

Atmospheric Discoloration or Persistent Spots

- A liquid or spray stainless steel polish can be applied as recommended by its manufacturer.
- As always finish by rinsing or drying the area.

Mineral deposits or scale from hard water

- These can be removed with bathroom cleaners that contain phosphoric or acetic acids.
- Apply generously, let it sit briefly, then scrub gently in the direction of the grain using a coarse towel or soft-bristled brush.
- As always rinse and dry well.

Rust Discoloration

- When due to harsh environmental or chemical conditions - especially in wet areas like showers
- these may require daily cleaning to prevent permanent damage.
- Start by cleaning with an approved agent, and then lightly rub the stained area with a non-abrasive pad such as a 3M Scotch-Brite (or equivalent), always moving in the direction of the grain.
- Follow up with a stainless steel polish
- Rinse and dry completely.
- Never use abrasive pads on highly polished stainless steel.

PERMAGROUP LIMITED

Permaloo Product Warranty Information

The Permaloo product warranty covers defects in materials and workmanship under normal use, beginning from the date of purchase and lasting for the specific periods listed for each product. Please note that rust or discoloration on stainless steel and cast metal components—caused by exposure to harsh environmental factors or chemicals—are not regarded as manufacturing defects and are therefore not included in the warranty coverage. For additional guidance on caring for your products, refer to the Permaloo Surface Cleaning & Maintenance Guide. In environments with significant UV lighting, discoloration of surfaces, should it occur, is not covered under warranty.

Warranty Limitations

The sole remedy available to purchasers is the repair or replacement of warranted defective products or parts, at the discretion of PermaGroup. PermaGroup will also cover the costs associated with returning faulty products or components for service or replacement. However, the warranty does not extend to any damage resulting from vandalism. Other claims, such as compensation for out-call labour, loss of profits or sales, injury to persons or property, or any other incidental or consequential losses, are not included in the warranty coverage. Furthermore, products purchased from distributors outside PermaGroup's authorized network are not covered; warranty protection applies only to purchases made through authorized distribution partners.

WASHROOM ACCESSORIES

Toilet Roll Dispensers

PLPAT01230 1	PERMA-001; SS Single Jumbo Roll Disp, SM, FS	5 years
PLPAT01232 1	PERMA-001-D; SS Double Jumbo Roll Disp, SM, FS	5 years
PLPAT01234 1	PERMA-002-FS; SS Double Jumbo Roll Disp, REC, FS	5 years
	PERMA-002-RS; SS Double Jumbo Roll Disp, REC, RS	5 years

Combination Sanitary Disposal + Toilet Roll Dispenser

	PERMA-004-SL-FS; SS Double Jumbo Roll Disp+Sani Slim-Line, REC, FS	5 years
	PERMA-004-SL-RS; SS Double Jumbo Roll Disp+Sani Slim-Line, REC, RS	5 years

Sanitary Disposal

	PERMA-003-SL-RS; SS Slim-Line Sanitary Disposal, REC, RS	5 years
	PERMA-003-SL-FS; SS Slim-Line Sanitary Disposal, SS, REC, FS	5 years

Hand Dryer

	PERMA-006-RS-LH; SS Air-Jet Hand Dryer REC, RS, LH	Electrical covered by Supreme 60 Month Limited Warranty, all other parts 5 years
	PERMA-006-RS-RH; SS Air-Jet Hand Dryer REC, RS, RH	Electrical covered by Supreme 60 Month Limited Warranty, all other parts 5 years
	PERMA-006-FS; SS Air-Jet Hand Dryer REC, FS	Electrical covered by Supreme 60 Month Limited Warranty, all other parts 5 years

Baby Change		
	PERMA-028-RC; SS Baby Change Table, REC, Hori	5 years
	PERMA-028-SM; SS Baby Change Table, SM, Hori	5 years
Other		
	PERMA-021; SS Door Bollard c/w Rubber Buffer	10 years
	PERMA-021-LB; SS Door Bollard + Latch Back Device	10 years

SUPREME COMPREHENSIVE WARRANTY

Your Supreme Hand Dryer is fully guaranteed against defective materials and faulty workmanship commencing from the date of sale (according to SPL's records), subject to it being installed and maintained in accordance with the manufacturer's instructions.

SPL (2021) Limited warrants that should any part of the dryer fail within the given warranty period (2-5 years product dependant), it will be remedied by SPL. The dryer should be returned to SPL (2021) Limited for all warranty claims. The cost of cartage will be payable by the customer.

This warranty excludes:

- Incorrect installation, or installation that does not specifically follow the installation guidelines supplied.
- Failure to follow manufacturer's maintenance instructions.
- Damage/Failure resulting from:
 - the use of non-authorised parts
 - authorised parts not installed in accordance with the manufacturer's instructions
 - accidental damage, negligent use, misuse, vandalism, neglect
 - damage caused either directly or indirectly by external sources - power outages, power surges, incorrect power supply, natural disaster, or insect infestation
 - water ingress caused by property maintenance or flooding
 - negligent cleaning practices (water ingress, harmful chemical etc)

The above includes consequential damage to any other goods, furnishings, or property.

- Normal wear and tear and consumable parts (HEPA filters, UV C Lamps, fuse's, motor brushes etc).
- This warranty does not displace any statutory warranty in relation to the dryer but any liability of SPL (2021) Limited under any statutory warranty will be limited to a replacement or repair of the dryer or payment of the cost of such replacement or repair at the sole discretion of SPL (2021) Limited.