


# B.

# Aggregate

## Extended Specifications


Type of Installation:	Dry Back (Stick Down)
Use Classification: (EN 1307)	Heavy Residential
Wear Layer Thickness:	0.55 (mm)   0.021 (in)
Total Thickness:	2.5 (mm)   0.098 (in)
Pattern repeat:	(Refer to swatch photography for individual pattern repeat information)
Plank Size (l x w):	500 × 500 (mm)   19.68 × 19.68 (in)
Quantity Per Box:	4.0m <sup>2</sup>
Chemical Resistance: (EN ISO 26987)	Yes
Fire Classification: (EN 13501-1)	Bfl-s1
Slip Resistance: (DIN 51130)	R10
Residual Indentation: (EN ISO 24343-1)	<0.1mm
Thermal Resistance: (EN 12664)	0.091(mK)/W



B.

## Extended Specifications


Electrostatic Propensity: (Body Voltage Test) (EN 1815 Method A)	0.1kV
Dimensional Stability: (EN ISO 23999)	≤0.25%
Colour Fastness: (ISO 105-B02)	>6 Grade
Sound Absorption: (EN ISO 10140-3)	Approx. 3 dB
Castor Chair Suitability: (EN ISO 4918)	Yes, Type W
Floor Heating System:	Yes, max 27°C
VOC Emissions:	Floorscore SCS-FS-03336
Warranty:	20 years
Sustainability:	Floorscore



B.



Vaticano




Affogato



Sardegna



Marmoreo




Cruda



Fango



Stone



Cement



Sand

# Aggregate



## Bill of Quantities

- Belgotex AGGREGATE 2.5mm Heavy Residential Use Dry back-stick down LVT vinyl.
- 500 × 500mm with 0.55mm wear layer.
- 20 year residential warranty.
- This product is to be laid in accordance with SANS 10070 fitting code of practice.
- Belgotex recommends the use of a 60mm unhooded soft castor, with a 23mm or 38mm diameter, designed for a 60kg loading capacity per a castor. Recommended material is high impact nylon core and hub with soft grey/black PU treads on the wheel.
- Green tag level A Gold rated certification.

**Note:** Belgotex offers customization of this product in colour. Please contact a Belgotex representative for more information.

Product characteristics may vary due to the nature of manufacture. To combat colour variance do not install more than one dye lot in a single installation. A join line will be visible on plank and tile products due to the format of the design repeat - if you would not like a visible join, alternate the direction of the installation to your desired aesthetic. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.