

B._

Scales

Textured Collection: Broadloom

While you cannot predict what the future holds, you can take action within your means to tip the scales in your favour. Cultivate conditions in your life that make it easier to realise your goals. Then, to increase your chances of achieving them, turn them into habits!

Extended Specifications

| | |
|-------------------------------|---|
| Use Classification: (EN 1307) | Medium / General Commercial – 32 |
| Construction: | Level Cut Loop (LCL) |
| Recycled Content: | Yarn – Stainproof SDX Eco (certain colours) |
| Fibre Type: | Stainproof SDX (Solution Dyed Nylon - 6) |
| Fibre Mass: (ISO 8543) | ±900 (g/m ²) |
| Total Thickness: (ISO 8543) | ±9 (mm) |
| Total Mass: (ISO 8543) | ±1860 (g/m ²) |
| Standard Size (Broadloom): | 4 (m) |
| Standard Backing: | FusionBac |
| Pattern Repeat: | ±122cm (W) x ±240cm (L) |



B_-

Scales

Textured Collection: Broadloom

Extended Specifications

| | |
|--|--|
| Fire Classification: (EN 13501) (ASTM E 648-08) | Cfl-s1 |
| Colour Fastness To: | |
| Light | > 6 |
| Water | 4 – 5 |
| Dry Rubbing | 4 – 5 |
| Wet Rubbing | 4 – 5 |
| Electrostatic Propensity: (EN 14041) / (ISO 6356) | ≤ 2 kV |
| Sound Absorption: (EN ISO 354) | 0,25 aw |
| Sound Insulation: (EN ISO 10140) | 27 dB |
| Thermal Resistance: (ISO 8302) | 0,1201 m ² .K/W |
| VOC Tested: (ASTM D5116) | TVOC Emmission Rates with limits (GBCSA / GBCA /CRI) |
| Castor Chair Suitability: (NF EN 985) | Intensive Use |
| Staircase Suitability: (EN 1963) / (NF EN ISO 12951) | Intensive Use |
| Warranty: | 15 Year |
| Guarantee: | 5 Year |



B_-



Bronze



Charcoal



Dove




Earthy



Metal



Mustard



Silver

Scales

Textured Collection: Broadloom



Medium/General Commercial



Commercial



Hospitality



Institution



Broadloom



COLOURFAST
BLEACH RESISTANT
SDX




COLOURFAST
BLEACH RESISTANT
SDX ECO



FUSION
BAC



Suitable for
Staircases



Underfloor
Heating



From Local &
Imported Goods



Eco-Friendly



REUSE
REDUCE
RECYCLE



ANTI ALLERGENIC



bsi
ISO 9001
Quality
Management
Systems
CERTIFIED



bsi
ISO 14001
Environmental
Management
Systems
CERTIFIED



bsi
ISO 45001
Occupational
Health and Safety
Management
Systems
CERTIFIED



5
YEAR
BELGOTEX GUARANTEE



15
YEAR
LIMITED WEAR WARRANTY

Bill of Quantities

- Belgotex's SCALES 4m wide Medium/General Commercial ±9mm FusionBac broadloom is manufactured from Stainproof SDX (Solution Dyed Nylon 6 for Extreme Conditions).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee for broadloom.
- Made in South Africa.

Note: Belgotex offers customization of this product in colour. Please contact a Belgotex representative for more information.

Tufted Broadloom Disclaimer: Product Characteristics may vary due to the nature of manufacture. To combat colour variance do not install more than one dye lot in a single installation. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.