

B.

Relic

Textured Collection: Broadloom

An explorer stumbles upon a long-lost treasure. It reminds us that the value of things we cherish today, is a consequence of the past. The value is not in the thing itself, but in its capacity to open up our imaginations to rethink what is important and that we too are leaving relics for the future. What will those be?

Extended Specifications

| | |
|-------------------------------|---|
| Use Classification: (EN 1307) | Medium / General Commercial – 32 |
| Construction: | Level Cut Loop (LCL) |
| Recycled Content: | Yarn – Stainproof SDX Eco (certain colours) |
| Fibre Type: | Stainproof SDX (Solution Dyed Nylon - 6) |
| Fibre Mass: (ISO 8543) | ±900 (g/m²) |
| Total Thickness: (ISO 8543) | ±9 (mm) |
| Total Mass: (ISO 8543) | ±1860 (g/m²) |
| Standard Size (Broadloom): | 4 (m) |
| Standard Backing: | FusionBac |
| Pattern Repeat: | ±77cm (W) x ±95cm (L) |



B.

Relic


Textured Collection: Broadloom

Extended Specifications


| | |
|--|--|
| Fire Classification: (EN 13501) (ASTM E 648-08) | 3 Cfl-s1 Class 1 |
| Colour Fastness To: | Light > 6 Water 4 – 5 Dry Rubbing 4 – 5 Wet Rubbing 4 – 5 |
| Electrostatic Propensity: (EN 14041) / (ISO 6356) | ≤ 2 kV |
| Sound Absorption: (EN ISO 354) | 0,25 aw |
| Sound Insulation: (EN ISO 10140) | 27 dB |
| Thermal Resistance: (ISO 8302) | 0,1201 m².K/W |
| VOC Tested: (ASTM D5116) | TVOC Emmission Rates with limits (GBCSA / GBCA /CRI) |
| Castor Chair Suitability: (NF EN 985) | Intensive Use |
| Staircase Suitability: (EN 1963) / (NF EN ISO 12951) | Intensive Use |
| Warranty: | 15 Year |
| Guarantee: | 5 Year |



B.



Bronze



Charcoal



Dove



Earthy



Metal



Mustard



Silver

Relic

Textured Collection: Broadloom



Bill of Quantities

- Belgotex’s RELIC 4m wide Medium/General Commercial ±9mm FusionBac broadloom is manufactured from Stainproof SDX (Solution Dyed Nylon 6 for Extreme Conditions).
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15-year warranty and 5-year guarantee for broadloom.
- Made in South Africa.

Note: Belgotex offers customization of this product in colour. Please contact a Belgotex representative for more information.

Tufted Broadloom Disclaimer: Product Characteristics may vary due to the nature of manufacture. To combat colour variance do not install more than one dye lot in a single installation. Sample swatches have been cut from an overall design; therefore, the decoration and shades may vary. A difference in appearance from the pattern is likely, as the product is not intended to have a uniform appearance.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.