## CONSENT TO BOTOX® BOTULINUM TOXIN "A" TREATMENT

PATIENT	DATE OF	BIRTH
ADDRESS		
PHONE		
areas of the face and neck wh Botox can cause your facial exp treated are: a) glabellar area o of the eyes); and c) forehead injected into the muscles with a sensation while the solution is be	ed by the bacterium Clostridium A. ich cause wrinkles associated with the pression lines or wrinkles to essentially of frown lines, located between the law wrinkles. Botox is diluted to a very thin needle, it is almost painlesses in ginjected. The procedure takes a preatments, the results may tend to law.	facial expressions. Treatment with disappear. Areas most frequently eyes; b) crow's feet (lateral areas ery controlled solution and when s. Clients may feel a slight burning about 15-20 minutes and the results
RISKS AND COMPLICATIONS		
invasive procedure and in this sp treatment discomfort, swelling, re treatment bacterial, and/or fund temporary droop of eyelid(s) in o	t there are certain inherent and poto pecific instance such risks include bu edness, and bruising, 2. Double vision gal infection requiring further treatmo approximately 2% of injections, this u ehead lasting up to 2-3 weeks, 8. Tra	t are not limited to: 1.Post n 3. A weakened tear duct 4. Post ent 5. Allergic reaction 6. Minor sually lasts 2-3 weeks 7.
purposes both in publications an and/or The American Academy may be taken of me for educati resulting from this production. I w	chotographs and videos and their used presentations. During courses given of Facial Esthetics (AAFE), I understational and marketing purposes. I hold vaive my rights to any royalties, fees a materials in conjunction with these	en by Common Sense Dentistry and that photographs and video I the AAFE harmless for any liability and to inspect the finished
do not have any significant neur Sclerosis, Lambert-Eaton Syndror	EUROLOGIC DISEASE  ant and I am not trying to get pregn rologic disease including but not lim me, Amyotrophic Lateral Sclerosis (A or to human albumin. Initial	nited to Myasthenis Gravis, Multiple
PAYMENT I understand that this is an "elected at the time of treatmeters."	tive" cosmetic procedure and that ent. Initial	payment is my responsibility and is

## RIGHT TO DISCONTINUE TREATMENT

I understand that I have the right to discontinue treatment at any time. Initial \_\_\_\_

## CONSENT TO BOTOX® BOTULINUM TOXIN "A" TREATMENT Page 2

Patient Name (Print)	Patient Signature	Date
Tionly the emee initiodiately. False		
injection for Facial Dynamic Wrinkl have read the above and unders the risks and complications of the the outcome of the procedure. I	cedure and I hereby voluntarily consent the season of the	en fully explained to me. I ed satisfactorily. I accept rantees are implied as to
causes weakness or paralysis of the but can be shorter or longer. In satisfactorily or for as long as usufunderstand that I will not be able after a period of months at which the	nunts of purified botulinum ("BOTOX") are at muscle. This appears in 2 – 10 days an a very small number of individuals, the inval and there are some individuals who to "frown" while the injection is effective time re-treatment is appropriate. I understantipulate the area (s) of the injections for	d usually lasts 3-6 months jection does not work as do not respond at all. It but that this will reverse and that I must stay in the

## **Botox and Cosmetic Fillers: Aftercare Instructions**

- Try to exercise your treated muscles for the first hour after treatment (e.g. practice frowning, raising your eyebrows or squinting). This helps to work the treatment into your muscles.
   Although this may help your procedure outcome, it will NOT impact your treatment negatively if you forget to do this
- Do NOT have a facial, nor rub or massage the treated area for 24 hours after your treatment
- Do NOT lie down or do strenuous exercise for three hours after treatment. Also, avoid any exposure to a sauna, hot tub or tanning for four hours. This will prevent your blood pressure from rising and thus minimize the risk of bruising after treatment
- Please be aware that some, though very few patients, experience a mild headache. You may take Tylenol to help with this for pain relief
- Be assured that tiny bumps or marks will go away within a few hours after your treatment. There is a small risk of bruising. If this occurs, do not worry since it will only be temporary and can easily be covered up with makeup. Any little bit of bruising may last up to one week
- After Botox is placed into the targeted muscles, the weakening effect gradually begins anywhere from 3-7 days and is not complete for two weeks. Therefore, optimal results are not seen for at least two weeks
- Botox will last approximately 2-3 months at first. However, if you maintain your treatment appointments with the frequency recommended, the duration of each treatment result may last longer than four months
- Filler will last approximately 6-12 months
- After filler is injected, you may be bruised, red or feel some swelling. This will all go down in time and you will feel the full effect of filler in about two weeks
- If you have any questions or concerns regarding your recent injections, please contact your Plastic Surgeon's office