Declare. fitwel BREEAM



Model	Gardens with Moss Combinations	Gardens with Foliage with Flower Foliage
Tier 1	Up to 50% Moss coverage over Flat Moss canvas	Up to 50% Foliage/Moss coverage over Flat Moss canvas
Special Tier	Ball Moss or Lichen dominant designs	50 to 75% Foliage coverage over Flat Moss, Ball Moss, or Lichen canvas
Tier 2	N/A	75 to 100% Foliage/Moss coverage over Flat Moss canvas

Garden Panel Components:

- 1. Preserved Plants: Preserved Moss, Lichen, Forest, Grass, Fern, Eucalyptus, Flower foliage & Hydrangea species.
- 2. Backing Board: 1/4" Thick maple plywood laminated with formaldehyde-free (NAF-No-added formaldehyde), sov-based assembly process.
- Adhesive: A solvent-free adhesive that meets the strict requirements of Indoor Environmental Quality (IEQ).
- 4. Standard Frame (Add on): ³/₄" thick, 3" deep AWI premium-grade wood with satin white or satin black finish, includes 3/4" plywood backing. (Typical Section details on page 4 & 5).
- Metal Angle 1 (Add on): 1/16" thick, 1 1/4" x 1 1/4" metal angle with black finish. (Typical Section details on pages 7 & 8).
- 6. Metal Angle 2 (Add on): 1/8" thick, 2" x 2" metal angle with black finish, includes 3/4" plywood backing. (Typical Section details on pages 10 & 11).
- 7. Frameless Finish (Add on): Special finish to disguise the edges of the garden panels. (Typical Section details on pages 13 & 14).

While all gardens are custom created, it's important to maintain the structural integrity & morphology of the preserved plants used. To maintain the utmost longevity and visual standards, below are the requirements for sizes:



Weight:

Hed List Free

Ibs 1.4 - 1.8/sqft depending on preserved plants and Model# selection (excludes add on frame weight).

0

իթվ

How to Specify:

- ✓ **Pattern** is rendered by Garden on the Wall[®] for approval as a part of the submittal process.
- ✓ **Color/Plant Species** TBD during Design Rendering as a part of the submittal process.
- ✓ Size TBD per CD. All dimensions will be coordinated with Shop Drawings and will be verified in the field.

Installation & Edge Details:

- ✓ Minimum of 1" depth required for seamless integration that ensures the edges of our garden panels are disguised. An integration that conceals the edges of our garden panels is essential. If a recessed installation isn't possible, an alternative edging solution-such as picture framing, trim, metal angles, or a frameless finish must be used (to be provided by GOTW or others).
- √ ³⁄₄" **Plywood Blocking** to be provided by GC.
- ✓ Garden panels are attached to the vertical surfaces with screws.
- ✓ A 7-year warranty certificate is to be issued by Garden on the Wall® upon completion of the Installation and Touch-up/Micro-mossing.

Spec Division:

Division 9 Special Wall Surfaces 097700. 3_Part Spec available upon request.

Copyright © 2025 Garden on the Wall® LLC. All Rights Reserved.

Sustainability, Health & Safety Credentials with 3RD Party Testing:

E-84 Class

JODPH

- ✓ Published Health Product Declaration HPD (v 2.3).
- ✓ Red List Free.

Sustainable Minds

- ✓ Flame Spread and Smoke Index per ASTM E84: Class 1 or A.
- ✓ Declare Label.
- ✓ 100% Biobased Carbon Content per ASTM 6866.
- ✓ Complies with:
 - California Department of Public Health (CDPH) VOC standards for both Classroom and Office Scenarios.
 - BREEAM Building Standards.
 - Healthy Hospitals Initiative (HHI).
- ✓ Listed in:
 - Mindful MATERIALS database.
 - Sustainable Minds Transparency Catalog.

Credit/Points Contribution:

- ✓ LEED[®] v4 and LEED[®] v4.1
- √ The WELL v2 Building Standard™
- √ fitwel[®]

NRC / Sound Absorption Test:

0.44 for all Model# Selections.





Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Copyright © 2025 Garden on the Wall[®] LLC. All Rights Reserved.

2

THE ART OF PRESERVED NATURE

Vertical Garden Specifications Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew







Tier 2





Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Vertical Garden Specifications **Z** Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Tier 2

On-site Framing (Add on) - Typical Section/Plan Details



Vertical Garden Specifications Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew



34" thick and 3" deep wood





Standard On-site Framing Options - Vertical Gardens

Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Metal Angle 1 (Add on) - Typical Section/Plan Details

Copyright © 2025 Garden on the Wall[®] LLC. All Rights Reserved.

THE ART OF PRESERVED NATURE

7

Vertical Garden Specifications 🖉 Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Tier 2





Vertical Garden Specifications Z Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew



1/16" x 1-1/4" x 1-1/4"



Metal Angle 1 (Add on) - Typical Section/Plan Details



Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





THE ART OF PRESERVED NATURE

Vertical Garden Specifications Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Tier 2





11

Crafted with Preserved Plants & Installed by GOTW Trained Crew



1/8" x 2" x 2"



Metal Angle 2 (Add on) - Typical Section/Plan Details



12

Vertical Garden Specifications **Z** Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew





Copyright © 2025 Garden on the Wall[®] LLC. All Rights Reserved.

13

THE ART OF PRESERVED NATURE

Vertical Garden Specifications 🖉 Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew







Tier 2





Vertical Garden Specifications 🖉 Turn-key Garden Installations

Crafted with Preserved Plants & Installed by GOTW Trained Crew



frameless finish example



Frameless Finish (Add on) - Typical Section/Plan Details

