SAFETY DATA SHEET





MUL = 250 mg/L

Revision date 01-Jul-2025 Revision Number 9

1. Identification

Product identifier

Product Name Aluminum Chlorohydrate Solution

Other means of identification

Product Code(s) 3204H

Synonyms Water and Wastewater Treatment Coagulant/Flocculant.

Recommended use of the chemical and restrictions on use

Recommended useCoagulating and Flocculating agent.

Restrictions on use None known.

Details of the supplier of the safety data sheet

<u>Supplier Address</u> <u>Manufacturer Address</u>

USALCO, LLC
2601 Cannery Ave.

Baltimore, MD 21226

USALCO, LLC
2601 Cannery Ave.

Baltimore, MD 21226

Baltimore, MD 21226

+1-800-453-2586 Hours: Monday - Friday 9:00 - 5:00 CST (Central Standard Time)

Contact Point sds@usalco.com

Emergency Telephone CHEMTREC: (800) 424-9300

Outside USA - +1 (703) 527-3887 collect calls accepted

2. Hazard(s) identification

Classification

| Skin corrosion/irritation | Category 2 |
|-----------------------------------|------------|
| Serious eye damage/eye irritation | Category 2 |
| Corrosive to metals. | Category 1 |

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements

WARNING

Hazard statements

Causes skin irritation and serious eye irritation.

May be corrosive to metals.



Appearance Clear

Physical state Liquid

Odor No appreciable odor

Precautionary Statements - Prevention

Keep in original packaging.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands, face and any exposed skin thoroughly after handling. Do not touch eyes.

Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical help.

Specific treatment (See Section 4. First aid measures – Skin contact).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

Take off contaminated clothing and wash it before reuse.

Absorb spillage to prevent material damage.

Precautionary Statements - Storage

Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Substance

Not applicable.

Synonyms

Water and Wastewater Treatment Coagulant/Flocculant.

| Chemical name | CAS No | Weight-% | Trade secret |
|------------------------|------------|----------|--------------|
| Aluminum Chlorohydrate | 12042-91-0 | 30 - 60% | * |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret. While some components are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.1200(i), all known hazards are clearly communicated within this document.

4. First-aid measures

Description of first aid measures

Inhalation

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

·

(trained personnel should) give oxygen. Call physician immediately.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Eye and skin contact may cause irritation, including redness, itching, and rashes.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media None known.

Specific hazards arising from the

chemical

Contact with metals may evolve flammable hydrogen gas. Sealed containers may rupture

when heated. Cool containers with water spray.

Hazardous combustion products Thermal decomposition (as may be experienced in a fire) may release toxic and/or

hazardous gases such as HCl and Cl2.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Do not permit run-off to get into sewers or surface waterways.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Store in corrosion resistant container with a resistant inner liner. Packaging materials

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|------------------------|-------------------------------------|----------|-------|
| Aluminum Chlorohydrate | TWA: 1 mg/m ³ respirable | - | - |
| 12042-91-0 | particulate matter | | |

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Appropriate engineering controls

Showers. **Engineering controls**

> Eyewash stations. Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses or goggles to protect against exposure.

Wear suitable protective gloves. Hand protection

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Do not allow liquid to enter streams or waterways.

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear

Color Colorless to yellow No appreciable odor Odor **Odor threshold** Not applicable.

Remarks • Method **Property** <u>Values</u> As is

3.5 - 4.5pН

< -9.4 °C / (15 °F) Melting point / freezing point ~ 104 °C / (220 °F) Boiling point / boiling range Flash point Not applicable.

Evaporation rate Not determined. Flammability (solid, gas) Not applicable.

Flammability Limit in Air

Upper flammability or explosive Not applicable.

limits

Lower flammability or explosive

limits

Vapor pressureNo data available.Relative vapor densityNo data available.Relative density1.330 - 1.350Water solubilitySoluble below pH 4

Solubility(ies)

Partition coefficientNot determined.Autoignition temperatureNot applicable.Decomposition temperatureNot determined.Kinematic viscosityNot determined.

Dynamic viscosity <50 cps Brookfield @ 25 °C

No data available.

Other information

Explosive properties Not an explosive.

Oxidizing properties Not expected to be oxidizing based on the chemical structure.

VOC Content (%)
Liquid Density

No information available
11.09 - 11.34 lbs./gal.

10. Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Hazardous polymerization No.

Conditions to avoid High temperatures.

Incompatible materials Metals.

Hazardous decomposition products Thermal decomposition (as may be experienced in a fire) may release toxic and/or

hazardous gases such as HCl and Cl2.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Eye contact: Adverse symptoms may include the following: watering, redness. and irritation.

Skin contact: Adverse symptoms may include the following: irritation and redness.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 18,374.0000 mg/kg **ATEmix (dermal)** 4,004.00 mg/kg

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------|--------------------|--------------------|-----------------|
| Aluminum Chlorohydrate | = 9187 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| 12042-91-0 | | | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation May cause eye irritation.

Respiratory or skin sensitization No data available.

Germ cell mutagenicity No data available.

Carcinogenicity This product does not contain any components in concentrations greater than or equal to

0.1% that are listed as known or suspected carcinogens by NTP, IARC, ACGIH, or OSHA.

Reproductive toxicity No data available.

Developmental toxicity No data available.

STOT - single exposure No data available.

STOT - repeated exposure No data available.

Aspiration hazard No data available.

Other adverse effects None known.

Interactive effects None known.

12. Ecological information

Ecotoxicity May cause long lasting harmful effects to aquatic life.

| Method | Species | Endpoint type | Effective dose | Exposure time | Results |
|----------------------|--------------------|---------------|----------------|-----------------|---------|
| EPA-821-R-02-012 and | Pimephales | LC50 | 400 mg/L | 48 hr, 3-brood, | |
| EPA-821-R-02-023 | promelas (Fathead | | | static, renewal | |
| | Minnow) | | | | |
| EPA-821-R-02-012 and | Pimephales | IC25 | 29.57 mg/L | 48 hr, 3-brood, | |
| EPA-821-R-02-023 | promelas (Fathead | | | static, renewal | |
| | Minnow) | | | | |
| EPA-821-R-02-012 and | Pimephales | IC50 | 39.10 mg/L | 48 hr, 3-brood, | |
| EPA-821-R-02-023 | promelas (Fathead | | | static, renewal | |
| | Minnow) | | | | |
| EPA-821-R-02-012 and | Ceriodaphnia dubia | LC50 | > 400 mg/L | 96 hr, static, | |
| EPA-821-R-02-023 | (Water Flea) | | | renewal | |
| EPA-821-R-02-012 and | Ceriodaphnia dubia | IC25 | 8.61 mg/L | 96 hr, static, | · |
| EPA-821-R-02-023 | (Water Flea) | | | renewal | |
| EPA-821-R-02-012 and | Ceriodaphnia dubia | IC50 | 17.22 mg/L | 96 hr, static, | · |
| EPA-821-R-02-023 | (Water Flea) | | _ | renewal | |

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------|----------------------|--------------------------|----------------------------|-----------|
| | | | Illicioorganisms | |
| Aluminum Chlorohydrate | | LC50 (96 h static) 100 - | - | - |
| 12042-91-0 | | 500 mg/L (Brachydanio | | |
| | | rerio) | | |

Persistence and degradability Not determined.

Bioaccumulation No information available.

Not determined. Mobility

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

This product is exempted from DOT regulations under 49 CFR 173.154(d) when shipped by DOT

> road or railway in bulk packaging constructed of materials that will not react dangerously with or be degraded by the corrosive material. The product exception is referenced in 49

CFR 172.101 Table.

Notes When shipping in non-bulk packaging such as drums or pails the above exception

does not apply. The product must be shipped as Regulated UN3264, Corrosive liquid,

acidic, inorganic, N.O.S. (Polyaluminum chloride solution), 8, III, ERG#154

TDG Regulated

UN3264 UN number or ID number

Corrosive liquid, acidic, inorganic, N.O.S. (Polyaluminum chloride solution) **UN proper shipping name**

Transport hazard class(es) Packing group Ш

Technical Name

Description Polyaluminum chloride solution.

IATA Regulated

UN number or ID number UN3264 **UN proper shipping name** Corrosive liquid, acidic, inorganic, N.O.S. (Polyaluminum chloride solution)

Transport hazard class(es) Ш

Packing group **ERG Code** 8L

IMDG Regulated

UN number or ID number UN3264 **UN** proper shipping name Corrosive liquid, acidic, inorganic, N.O.S. (Polyaluminum chloride solution)

Transport hazard class(es)

Ш Packing group **EmS-No** F-A, S-B

15. Regulatory information

International Inventories

TSCA All ingredients are on the inventory or exempt from listing.

| Chemical name | CAS No | US TSCA Inventory listing | US TSCA inactive/active designation |
|------------------------|------------|---------------------------|-------------------------------------|
| Aluminum Chlorohydrate | 12042-91-0 | Present | Active |
| Water | 7732-18-5 | Present | Active |

DSL/NDSL All ingredients are on the DSL inventory or exempt from listing. None of the ingredients are

on the NDSL inventory.

EINECS/ELINCS All ingredients are on the EINECS inventory or are exempt from listing. None of the

ingredients are on the ELINCS inventory.

ENCS
All ingredients are on the inventory or exempt from listing.

IECSC
All ingredients are on the inventory or exempt from listing.

KECL
All ingredients are on the inventory or exempt from listing.

All ingredients are on the inventory or exempt from listing.

All ingredients are on the inventory or exempt from listing.

All ingredients are on the inventory or exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| Water | - | - | X |
| 7732-18-5 | | | |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable.

16. Other information

NFPA Health hazards 1 Flammability 0 Instability 0 Special hazards
HMIS Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 01-Jul-2025

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet